

Home Security Monitoring Project Report Screenshot




timestamp	agent.name	rule.description	rule.level	rule.id
Oct 13, 2026 @ 1...	TrueVictim	sshd: authenticat...	5	5760
Oct 13, 2026 @ 1...	TrueVictim	PAM: User login f...	5	5503
Oct 13, 2026 @ 1...	TrueVictim	unix_chkpwd: Pa...	5	5557
Oct 13, 2026 @ 1...	TrueVictim	syslog: User mis...	10	2502
Oct 13, 2026 @ 1...	TrueVictim	syslog: User auth...	5	2501
Oct 13, 2026 @ 1...	TrueVictim	Maximum authen...	8	5758
Oct 13, 2026 @ 1...	TrueVictim	sshd: multiple au...	10	100010
Oct 13, 2026 @ 1...	TrueVictim	sshd: authenticat...	5	5760
Oct 13, 2026 @ 1...	TrueVictim	unix_chkpwd: Pa...	5	5557
Oct 13, 2026 @ 1...	TrueVictim	unix_chkpwd: Pa...	5	5557
Oct 13, 2026 @ 1...	TrueVictim	sshd: authenticat...	5	5760
Oct 13, 2026 @ 1...	TrueVictim	unix_chkpwd: Pa...	5	5557
Oct 13, 2026 @ 1...	TrueVictim	sshd: authenticat...	5	5760
Oct 13, 2026 @ 1...	TrueVictim	unix_chkpwd: Pa...	5	5557
Oct 13, 2026 @ 1...	TrueVictim	sshd: authenticat...	5	5760





```
vboxuser@Monitor:~$ docker exec -it single-node-wazuh.manager-1 cat /var/ossec/etc/rules/local_rules.xml
<group name="local,syslog,sshd,">
  <rule id="100010" level="10" frequency="6" timeframe="120">
    <if_matched_sid>5760</if_matched_sid>
    <same_source_ip />
    <description>sshd: multiple authentication failures from same source - possible brute force attack.</description>
    <mitre>
      <id>T1110.001</id>
    </mitre>
    <group>authentication_failures,</group>
  </rule>
</group>
vboxuser@Monitor:~$ docker exec -it single-node-wazuh.manager-1 cat /var/ossec/etc/decoders/local_decoder.xml
<decoder name="sshd-session">
  <program_name>^sshd-session</program_name>
  <parent>sshd</parent>
</decoder>
```


```
┌──(kali㉿kali)-[~]
└─$ nmap -sS -p- 192.168.100.20
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-13 11:25 -0400
mass_dns: warning: Unable to open /etc/resolv.conf. Try using --system-dns or specify valid servers with --d
ns-servers: No such file or directory (2)
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled. Try using --system-dns or s
pecify valid servers with --dns-servers
Nmap scan report for 192.168.100.20
Host is up (0.0087s latency).
Not shown: 65534 closed tcp ports (reset)
PORT   STATE SERVICE
22/tcp open  ssh
MAC Address: 08:00:27:01:0D:68 (Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 80.27 seconds
```




Search
DQL
Last 24 hours
Show dates
Refresh
manager.name: wazuh.manager
agent.id: 003
rule.id: 100010
+ Add filter
394
- Total -
0
- Level 12 or above alerts -
394
- Authentication failure -
0
- Authentication success -
Top 10 Alert groups evolution
authentication_failur...
local
sshd
syslog
Count
timestamp per 30 minutes
Alerts
10
Count
timestamp per 30 minutes


Internet(NAT)
Attacker
Kali Linux
192.168.100.10
Victim
Ubuntu Server + Wazuh agent
192.168.100.20
Monitor
Ubuntu Server + Wazuh (Docker)
192.168.100.30
seclab Internal network (VirtualBox)


Threat Hunting
TrueVictim
Search
DQL
Last 24 hours
Show dates
Refresh
manager.name: wazuh.manager
agent.id: 003
rule.id: 5760
+ Add filter
1,951
- Total -
0
- Level 12 or above alerts -
1,951
- Authentication failure -
0
- Authentication success -
Top 10 Alert groups evolution
authentication_failed
sshd
syslog
Count
timestamp per 30 minutes
Alerts
5
Count
timestamp per 30 minutes