# SOC Incident Report

## Nmap Port Scan Detection – Internal SOC Lab

Date: March 21, 2026

Analyst: Jason Ettinger

### 1. Executive Summary

Suspicious port scanning activity was detected originating from a Kali Linux host targeting an Ubuntu system within the internal network. Analysis of Wazuh alerts and dashboard visualizations confirms this activity was consistent with an Nmap scan, indicating reconnaissance behavior. Early detection allowed for visibility into the attack before any exploitation occurred.

### 2. Environment Overview

- Monitoring Platform: Wazuh SIEM
- Network Type: Internal SOC Lab (10.10.10.0/24)
- Attacker System: Kali Linux
- Target System: UbuntuVictim
- Firewall: pfSense

### 3. Detection Details

- Detection Source: Wazuh SIEM
- Alert Type: Network scanning / web activity anomalies
- Time Detected: ~15:45
- Source IP / Host: Kali attacker (10.10.10.114)
- Destination IP / Host: UbuntuVictim
- Activity Observed: Port scanning using Nmap

### 4. Evidence & Analysis

A significant spike in alerts was observed around 15:45 in the Alerts Over Time by Agent visualization. Multiple HTTP 400 error events indicate

probing of services. Dashboard analysis shows a concentration of activity from a single internal source. Log correlation confirms behavior consistent with automated port scanning tools such as Nmap.

## 5. Impact Assessment

The observed activity represents reconnaissance within the internal network. While no successful exploitation was identified, port scanning is commonly used to enumerate open ports and services in preparation for further attacks. This indicates a potential precursor to exploitation attempts.

## 6. Response Actions

- Monitored the source host for continued scanning activity
- Verified no followon exploitation attempts occurred
- Correlated alerts across multiple data sources within Wazuh
- Maintained visibility on affected systems

## 7. Recommendations

- Implement firewall rules to restrict unauthorized internal scanning
- Tune IDS/IPS rules to improve detection of reconnaissance activity
- Enable alerting thresholds for repeated scanning behavior
- Continue monitoring for recurrence of similar activity

## 8. Key Takeaway

Early detection of reconnaissance activity provides a critical opportunity to prevent escalation into active exploitation.

# OpenSearch Dashboards Reports

Search

Mar 21, 2026 @ 15:2 → Mar 21, 2026 @ 16:2

agent.name: UbuntuVictim ×

**Web Attack Activity (400 Errors)**

**Alerts Over Time by Agent**




**SOC Attack Monitoring Dashboard - Top Source IPs**