# Using Source Generators for Fun (and Maybe Profit)

Jason Bock
Staff Software Engineer
Rocket Mortgage

## Personal Info

- https://mstdn.social/@jasonbock
- https://github.com/jasonbock
- https://youtube.com/jasonbock
- jason.r.bock@outlook.com

## Downloads

https://github.com/JasonBock/SourceGeneratorDemos
https://github.com/JasonBock/CslaGeneratorSerialization
https://github.com/JasonBock/Rocks
https://github.com/JasonBock/Presentations



## Overview

- The What and the Why
- Demos
- Call to Action

Remember…
https://github.com/JasonBock/SourceGeneratorDemos
https://github.com/JasonBock/CslaGeneratorSerialization
https://github.com/JasonBock/Rocks
https://github.com/JasonBock/Presentations

## The What and the Why

Using Source Generators for Fun (and Maybe Profit)



## What?

So, what are source generators?

Think of a factory. You have a bunch of raw material, or pre-fabricated parts, and there’s a process in place that takes all those assets to create something at the end of the line.

https://unsplash.com/photos/QMjCzOGeglA



That’s kind of like what source generators are. They’re basically factories that create code. That’s it. Typically, you’re going to look at code that already exists, and generate new code based on what you see.

Now, I’m being explicit here in that “code” cannot be changed. You’ll create new code, but you can’t modify the existing code. So, at least for right now in 2021, we don’t get full metaprogramming with source generators. Don’t let that discourage you though, there’s a lot of powerful things you can do with source generators as you will see.



```
[Generator]
public sealed class MyGenerator
  : IIncrementalGenerator
```

Note that you don’t have to just look at code. You can use CSV files, databases….anything is really permissible because the factory is C# code. Whatever you can do in a NS 2.0 assembly, you can do in a source generator. Though, keep in mind that this will be (in all likelihood) used with a tool like VS or Rider, so you want them to be as fast as possible.

## Why?

OK, great, but….why would I want to use them?

Two reasons:

Improve performance – Think of times where you wanted to make generalize code to handle any scenario. It’s not uncommon to resort to Reflection as a tool to solve the problem at hand. While Reflection is powerful, it can slow down execution time. Source generators can create the optimal path, which will be compiled into the target assembly. (Side effect is that it also makes it easy to debug the code)

https://www.pexels.com/photo/blurred-motion-of-illuminated-railroad-station-in-city-253647/

Eliminate repetitive tasks – Think of INotifyPropertyChanged. It’s an easy pattern to implement, but it’s boring, repetitive, and prone to error. Being able to generate code that implements the interface the same way every single time takes one task .

https://unsplash.com/photos/7YUvAUbfSV0

```
uşîŋĝ Şỳşʧêņ CộņřộŋêŋʧŇộđêľ
uşîŋĝ Şỳşʧêņ ŖuŋʧîṇêCộņřîľêsŞêsŵîçêş

řųčľîç şêǎľêđ çľǎşş Cuşʧộņês
    ÍŅộʧîğỳRsộřêsʧỳChǎŋĝêđ

  řsîŵǎʧê şʧsîŋĝ  ŋǎņê

  řsîŵǎʧê ŵộîđ ŅộʧîğỳRsộřêsʧỳChǎŋĝêđ  CǎľľêsŇêņčêsŅǎņê  şʧsîŋĝ řsộřêsʧỳŅǎņê
    ʧhîş RsộřêsʧỳChǎŋĝêđ  Íŋŵộlê ʧhîş  ŋêx řsộřêsʧỳŅǎņê

  řųčľîç şʧsîŋĝ  Ņǎņê

    ĝêʧ    ʧhîş ŋǎņê
    şêʧ

      îğ  ŵǎľųê    ʧhîş ŋǎņê

        ʧhîş ŋǎņê   ŵǎľųê
        ʧhîş ŅộʧîğỳRsộřêsʧỳChǎŋĝêđ



  řųčľîç êŵêŋʧ RsộřêsʧỳChǎŋĝêđÉŵêŋʧȞǎŋđľês RsộřêsʧỳChǎŋĝêđ
```

For repetitive tasks, think of INotifyPropertyChanged. Can you even read this? There’s a lot of code here just to notify a listener that a property value has changed.



```
řųčľîç řǻsʧîǻľ şêǻľêđ çľǻşş Cųşʧộņês

   AųʧộŅộʧîğỳ
  řsîŵǻʧê şʧsîŋĝ  ŋǻņê
```

Wouldn’t you rather write this? That’s what a source generator can do. All of that INotifyPropertyChanged boilerplate code is generated into another partial class. You just need to mark a field with the attribute, and that’s it.



## ṣộụsçê Ňắř Dêṣʧîŋắʧîộŋ

```
řụčľîç ṣʧắʧîç ŢDêṣʧîŋắʧîộŋ Ňắř ŢŞộụsçê  ŢDêṣʧîŋắʧîộŋ  ʧḥîṣ ŢŞộụsçê ṣêľğ
  xḥêsê ŢDêṣʧîŋắʧîộŋ   ŋêx

  îğ ṣêľğ îṣ ŋụľľ    ʧḥsộx ŋêx AsĝụņêŋʧŅụľľÉỵçêřʧîộŋ ŋắņêộğ ṣêľğ

  ŵắs đêṣʧîŋắʧîộŋ   ŋêx ŢDêṣʧîŋắʧîộŋ
  ŵắs đêṣʧîŋắʧîộŋRsộřêṣʧîêṣ   ʧỳřêộğ ŢDêṣʧîŋắʧîộŋ  ĞêʧRsộřêsʧîêṣ
    BîŋđîŋĝGľắĝṣ Íŋṣʧắŋçê   BîŋđîŋĝGľắĝṣ Rụčľîç  Ŵḥêsê        CắŋŴsîʧê

  ğộsêắçḥ  ŵắṣ ṣộụsçêRsộřêsʧỳ îŋ ʧỳřêộğ ŢŞộụsçê  ĞêʧRsộřêsʧîêṣ
    BîŋđîŋĝGľắĝṣ Íŋṣʧắŋçê   BîŋđîŋĝGľắĝṣ Rụčľîç  Ŵḥêsê        CắŋŖêắđ

    ŵắs đêṣʧîŋắʧîộŋRsộřêsʧỳ   đêṣʧîŋắʧîộŋRsộřêsʧîêṣ GîssṣʧÔsDêğắụľʧ
        Ņắņê    ṣộụsçêRsộřêsʧỳ Ņắņê
        RsộřêsʧỳŢỳřê    ṣộụsçêRsộřêsʧỳ RsộřêsʧỳŢỳřê

    îğ đêṣʧîŋắʧîộŋRsộřêsʧỳ îṣ ŋộʧ ŋụľľ

      đêṣʧîŋắʧîộŋRsộřêsʧỳ ŞêʧΛắľụê đêṣʧîŋắʧîộŋ  ṣộụsçêRsộřêsʧỳ ĞêʧΛắľụê ṣêľğ



  sêʧụsŋ đêṣʧîŋắʧîộŋ
```

What about performance? Let's say you wrote something that maps objects. (Forget about packages like AutoMapper for a bit). You'd probably use something like Reflection to figure out this mapping in a generic way. However, Reflection has a performance cost associated with it. You can limit it with caching, using compiled expression trees, etc., but…



## ṣộụsçê ŇắřŢộDêṣʧîŋắʧîộŋ

```
řụčľîç ṣʧắʧîç řắsʧîắľ çľắṣṣ ŞộụsçêŇắřŢộÉyʧêŋṣîộŋṣ

  řụčľîç ṣʧắʧîç Dêṣʧîŋắʧîộŋ ŇắřŢộDêṣʧîŋắʧîộŋ ʧḥîṣ Şộụsçê ṣêľǧ
    ṣêľǧ îṣ ŋụľľ   ʧḥsộx ŋêx AsĝụṇêŋʧŅụľľÉyçêřʧîộŋ ŋắṇêộǧ ṣêľǧ
      ŋêx Dêṣʧîŋắʧîộŋ

        Aĝê   ṣêľǧ Aĝê
        Bụǧǧês   ṣêľǧ Bụǧǧês
        Íđ   ṣêľǧ Íđ
        Ņắṇê   ṣêľǧ Ņắṇê
        Ẅḥêŋ   ṣêľǧ Ẅḥêŋ
```

Wouldn’t you rather write this? All you do is use an extension method generated for you that figures out the optimal mapping path.

Now, you have to invest time studying the Compiler API. As you’ll see in the demos, this isn’t trivial.

https://www.pexels.com/photo/people-at-library-sitting-down-at-tables-757855/



But, if you're willing to make that investment, your "profit" is less time writing and executing code.

https://unsplash.com/photos/NeTPASr-bmQ



## Demo: Source Generators in Action

Using Source Generators for Fun (and Maybe Profit)

Start with InlineMapping

Then do PartiallyApplied

Finally, show Rocks

## Call to Action

Using Source Generators for Fun (and Maybe Profit)

The next step for you is think of areas in your code where source generators may be useful.

https://www.pexels.com/photo/grayscale-photo-of-woman-facing-macbook-1181257/



Here are some examples that exist “in the box”, and the community has built a ton of cool generators as well.

https://github.com/search?q=repo%3Adotnet%2Fruntime%20IIncrementalGenerator&type=code
https://learn.microsoft.com/en-us/dotnet/standard/native-interop/pinvoke-source-generation



# Using Source Generators for Fun (and Maybe Profit)

Jason Bock

Staff Software Engineer

Rocket Mortgage

**## References**

*** [Introducing C# Source Generators](https://devblogs.microsoft.com/dotnet/introducing-c-source-generators/)**
*** [Generating Code in C#](https://medium.com/rocket-mortgage-technology-blog/generating-code-in-c-1868ebbe52c5)**

*** [Regular Expression Improvements in .NET 7](https://devblogs.microsoft.com/dotnet/regular-expression-improvements-in-dotnet-7/)**
*** Incremental Roslyn Source Generators In .NET 6: Code Sharing Of The Future**
**  * [Part 1](https://www.thinktecture.com/en/net/roslyn-source-generators-introduction/)**
**  * [Part 2](https://www.thinktecture.com/en/net/roslyn-source-generators-analyzers-code-fixes/)**
**  * [Part 3](https://www.thinktecture.com/en/net/roslyn-source-generators-analyzers-code-fixes-testing/)**
*** [A C# Source Generator for Oracle**

UDTs](https://www.philipdaniels.com/blog/2022/oracle-udt-class-generator/)
* [Series: Creating a source generator](https://andrewlock.net/series/creating-a-source-generator/)
* [Getting into Source Generators in .Net - .NET 103](https://adventuresindotnet.com/getting-into-source-generators-in-net-net-103)
* [Could .NET Source Generator Attacks Be A Danger To Your Code?](https://stevetalkscode.co.uk/sourcegeneratorattacks)
* [Improving logging performance with source generators](https://andrewlock.net/exploring-dotnet-6-part-8-improving-logging-performance-with-source-generators/)
* [Incremental Generators](https://github.com/dotnet/roslyn/blob/main/docs/features/incremental-generators.md)
* [Using Source Generators with Blazor components in .NET 6](https://andrewlock.net/using-source-generators-with-blazor-in-dotnet-6/)
* [Debugging C# Source Generators with Visual Studio 2019 16.10](https://stevetalkscode.co.uk/debug-source-generators-with-vs2019-1610)
* [New C# Source Generator Samples](https://devblogs.microsoft.com/dotnet/new-c-source-generator-samples/)
* [Source Generators Cookbook](https://github.com/dotnet/roslyn/blob/master/docs/features/source-generators.cookbook.md)
* [C# Source Generators - Write Code that Writes Code](https://www.youtube.com/watch?v=3YwwdoRg2F4)
* [Source Generators in .NET 5 with ReSharper](https://blog.jetbrains.com/dotnet/2020/11/12/source-generators-in-net-5-with-resharper/)
* [.NET 5 Source Generators - MediatR - CQRS - OMG!](https://www.edument.se/en/blog/post/net-5-source-generators-mediatr-cqrs)
* [A list of C# Source Generators](https://github.com/amis92/csharp-source-generators)
* [Using C# Source Generators to create an external DSL](https://devblogs.microsoft.com/dotnet/using-c-source-generators-to-create-an-external-dsl/)
* [Using source generators to find all routable components in a Blazor WebAssembly app](https://andrewlock.net/using-source-generators-to-find-all-routable-components-in-a-webassembly-app/)
* [Persisting output files from source

generators](https://til.cazzulino.com/dotnet/persisting-output-files-from-source-generators)
* [GETTING STARTED WITH THE ROSLYN APIS: WRITING CODE WITH CODE](https://www.stevejgordon.co.uk/getting-started-with-the-roslyn-apis-writing-code-with-code)
* [C# 9 records as strongly-typed ids - Part 5: final bits and conclusion](https://thomaslevesque.com/2021/03/19/csharp-9-records-as-strongly-typed-ids-part-5-final-bits-and-conclusion/)
* [Consider using a source generator to generate scoped css files #30841](https://github.com/dotnet/aspnetcore/issues/30841)
* [C# Source Generators](https://www.youtube.com/watch?v=cB66gOHConw)
* [Scribian](https://github.com/scriban/scriban)
* [Channel 9: Source Generators](https://github.com/jaredpar/channel9-source-generators) - `[AutoEquality]`
* [Source Generators - real world example](https://dominikjeske.github.io/source-generators/) - `<EmitCompilerGeneratedFiles>true</EmitCompilerGeneratedFiles>`
* [Caching Enum.ToString to improve performance](https://www.meziantou.net/caching-enum-tostring-to-improve-performance.htm)
* [serde-dn](https://agocke.github.io/serde-dn/)