

MIT Doctoral Dissertation PUBLISH ABSTRACT ONLY INFORMATION

Δ	hetract	Nο

DO NOT WRITE IN THIS SPACE

Advi	sor			
		PLEASE	TYPE OR PRINT	
PER	SONAL DATA			
1.	Full name (as it appears of	on dissertation t	itle page)	
	(last)		(first)	(middle)
2.	Year of birth (optional) _			
3.	Present mailing address _			
	Future mailing address			
	Effective date of future m Home telephone			one
DOC	TORAL DEGREE DATA			
4.	Full name of university co	onferring degree	Massachusetts Instit	tute of Technology
5.	Degree awarded (check or	ne) Ph.D.	Sc.D.	
6.	Year degree awarded			
7.	IMPORTANT: Attach a certain that the name of			l abstract to this form. Please be n both.
8.	opposite side of this form categories on the lines pro	and write in the ovided.	e category selected. You	ubject Categories' list found on the may enter two additional codes and
	Code			
	Code	Category		
	(Optional) List up to five title or abstract which we	additional work	ds from your dissertation	n not already found in <i>either</i> your
	a	b.		с
	d			

[TODO: Spellcheck the following words: scalably][TODO: Make sure to exclude no files (not rewriting)]

Performance Engineering of Proof-Based Software Systems at Scale

by

Jason S. Gross

Submitted to the Department of Electrical Engineering and Computer Science

in partial fulfillment of the requirements for the degree of

Doctor of Philosophy in Computer Science and Engineering

at the

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

June 2021

© Jason S. Gross, MMXXI. All rights reserved.

The author hereby grants to MIT permission to reproduce and to distribute publicly paper and electronic copies of this thesis document in whole or in part in any medium now known or hereafter created.

Author	
De	epartment of Electrical Engineering and Computer Science
	August 19, 2015
Certified by	
	Adam Chlipala
	Associate Professor of Computer Science
	Thesis Supervisor
Accepted by	
1	Leslie A. Kolodziejski
	Chair, Department Committee on Graduate Students

Performance Engineering of Proof-Based Software Systems at Scale

by Jason S. Gross

Submitted to the Department of Electrical Engineering and Computer Science on August 19, 2015, in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Computer Science and Engineering

Abstract

Formal verification is increasingly valuable as our world comes to rely more on software for critical infrastructure. A significant and under-studied cost of developing verification, especially at scale, is the computer performance of proof generation.

This thesis aims to be a partial guide to identifying and resolving performance bottlenecks in dependently-typed tactic-driven proof assistants such as Coq.

We present a survey of the landscape of performance issues in Coq, with a number of micro- and macro-benchmarks. We describe various metrics that allow prediction of slowness, such as term size, goal size, and number of binders, and note the occasional surprise-lack-of-bottleneck for some factors, such as total proof term size. To our knowledge such a roadmap to performance bottlenecks is a new contribution of this thesis.

We identify three main categories of workarounds and partial solutions to slowness: design of APIs of Gallina libraries; changes to Coq's type theory, implementation, or tooling; and automation design patterns, including proof by reflection. We present lessons drawn from the case-studies of a category-theory library, a proof-producing parser-generator, and a verified compiler and code generator for low-level cryptographic primitives.

The central new technical contribution presented by this thesis is a reflective framework for partial evaluation and rewriting, already used to compile a code-generator for field arithmetic cryptographic primitives which generates code currently used in Google Chrome. We believe this prototype is the first scalably performant realization of an approach for code specialization which does not require adding to the trusted code base. Our extensible engine, which combines the traditional concepts of tailored term reduction and automatic rewriting from hint databases with on-the-fly generation of inductive codes for constants, is also of interest to replace these ingredients in proof assistants' proof checkers and tactic engines. Additionally, we use the development of this framework itself as a case-study for the various performance issues that can arise when designing large proof libraries.

Finally, we present a novel method of simple and fast reification, developed and published during the course of doctoral study.

Thesis Supervisor: Adam Chlipala

Title: Associate Professor of Computer Science