

Michigan Tech Styled Beamer Themes

Jason Hiebel

jshiebel@mtu.edu

Jason Hiebel

jshiebel@mtu.edu

Department of Computer Science
Michigan Technological University

Sample Document Preparation
September 2019



Beamer Theme: Houghton

- ▶ professional looking fonts



Beamer Theme: Houghton

- ▶ professional looking fonts
- ▶ approved colors for web and publication by Michigan Tech



Beamer Theme: Houghton

- ▶ professional looking fonts
- ▶ approved colors for web and publication by Michigan Tech
- ▶ simple, unobtrusive navigational information



Beamer Theme: Houghton

- ▶ professional looking fonts
- ▶ approved colors for web and publication by Michigan Tech
- ▶ simple, unobtrusive navigational information
- ▶ **nice bullets**



Let's Prove Something

Theorem (Sum of Squares)

For $n \geq 0$,

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}.$$



Let's Prove Something

Proof.

Basis: For $n = 0$,

$$\sum_{i=1}^n i = 0 = \frac{n(n+1)}{2}$$

Recurrence: Assume the result holds for n . Then for $n + 1$,

$$\sum_{i=1}^{n+1} i = (n+1) + \sum_{i=1}^n i = (n+1) + \frac{n(n+1)}{2} = \frac{(n+1)(n+2)}{2}.$$



Some Definitions

Definition (Big- \mathcal{O})

A function $f(n)$ is asymptotically bounded below by function $g(n)$, i.e., $f \in \mathcal{O}(g)$, if for some n_0 and $c > 0$, $f(n) \geq c \cdot g(n)$ for all $n \geq n_0$.

- ▶ We say that f is in Big- \mathcal{O} of g , $f = \text{Big-}\mathcal{O}(g)$, or more rarely $f \in \text{Big-}\mathcal{O}(g)$; although I would argue that the last option is the most correct.



Thank You!

