

From: [Porter, Cassandra \(DEQ\)](#)
To: sjmatthews@google.com
Cc: [Taryn Payne](#); [Julie S. Hamilton \(julie.s.hamilton@usace.army.mil\)](mailto:julie.s.hamilton@usace.army.mil); [MRC - jpa Permits](#)
Subject: 26-0171 Project Loch: Additional Information Request 4
Date: Thursday, June 18, 2026 3:30:12 PM
Attachments: [Outlook-zsqwawd0.png](#)
[26-0171_2026-06-18_Add Info 4 Request.pdf](#)

Good afternoon,

Thank you for your submitted response materials received June 3, 2026. Upon review, there are still items required to complete your application. Please see attached for the additional information request letter, and feel free to reach out if you have any questions.

Respectfully,



Cassie Porter

VWPP Permit Writer and Inspector, PRO/Water
[Virginia Department of Environmental Quality](#)
4949-A Cox Road, Glen Allen, VA 23060
804-814-7234



Commonwealth of Virginia

VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY

www.deq.virginia.gov

David L. Bulova
Secretary of Natural and Historic Resources

Michael S. Rolband, PE, PWD, PWS Emeritus
Director

June 18, 2026

Samuel Matthews
Google, LLC
251 Little Falls Dr
Wilmington, DE 19808

SENT VIA EMAIL: sjmatthews@google.com

Re: Joint Permit Application No. 26-0171
Project Loch, Chesterfield County, Virginia
Additional Information Request Letter

Dear Samuel Matthews:

Virginia Department of Environmental Quality (DEQ) received your application signed January 22, 2026 and most recent additional information dated June 3, 2026 for the above-referenced project. DEQ is evaluating your application for a Virginia Water Protection (VWP) individual permit in accordance with VWP Permit Program Regulation 9VAC25-210-10 *et seq.* The following information is required to complete your application:

1. The additional information response materials received June 3, 2026 included a credit availability letter demonstrating availability of approximately 13.35 wetland credits in addition to stream credits. In accordance with 9VAC25-210-116.B.1, please provide an analysis to justify that permittee-responsible compensatory mitigation is ecologically and environmentally preferable to the purchase of mitigation bank credits or in-lieu fee program credits with a primary service area that covers the impact site if such credits are available in sufficient quantity for the project at the projected time of need. The analysis shall address the ability of the permittee-responsible compensatory mitigation sites to replace lost wetland acreage and functions or lost stream functions and water quality benefits. The analysis comparing the impacted and compensation sites may use a method that assesses water quality or habitat metrics, such as that required by [9VAC25-210-80 C](#), or a method that assesses such criteria as water quality benefits, distance from impacts, hydrologic source and regime, watershed, vegetation type, soils, constructability, timing of compensation versus impact, property acquisition, and cost.
2. In accordance with 9VAC25-210-80.B.1.m.i, please explain how impacts to existing wetlands at the proposed PRM site will be avoided during construction activities to create additional adjacent wetland acreage.

Received by VMRC June 18, 2026 / llu

3. Please note that DEQ has received and is currently processing the State Surface Waters Determination request for the proposed Wauford Property PRM site (SSWD No. 000855). A site visit may be requested in the future.
4. The additional information materials received June 3, 2026 included results of a pre- and post-development point analysis of hydrologic inputs of the avoided intermittent stream channel at the convergence point downstream of an existing wetland area that is planned to be avoided. Please provide a pre- and post-development point analysis of hydrologic inputs immediately downstream of Impacts 23 and 24 at the base of the proposed grading at the limit of disturbance of the site, upstream of the confluence with the unimpacted wetland area.
 - a. Please note DEQ is assessing the results of the hydrologic analyses provided thus far and may request additional information regarding potential secondary impacts if needed.
5. A permit application fee is required to complete the application and continue noticing the draft permit. Once the proposed impact information has been determined, DEQ will notify you of the fee amount.

The 120-calendar day processing period for a VWP individual permit will not commence until a complete application is received in accordance with VWP Permit Program Regulation 9VAC25-210-10 *et seq.* DEQ requests that you respond by July 3, 2026, so that DEQ can continue to process your application. Please be advised that upon receipt of the requested information, additional information may still be required for DEQ to reach a permit decision.

Please note that this project appears to require compensatory mitigation based on the information provided in the application. If the purchase of mitigation credits is required, credit prices are derived by individual mitigation bank sponsors, not DEQ, and are subject to market fluctuations. Applicants should inquire with any approved mitigation banks or in-lieu fee programs in the watershed in which impacts are proposed to determine the availability and current price of mitigation credits. DEQ also encourages applicants to avoid and minimize impacts as much as possible, which may ultimately affect the amount of mitigation required and thus the cost of mitigating those impacts. Mitigation banking information can be found on the U.S. Army Corps of Engineers' RIBITS website (<https://ribits.ops.usace.army.mil/>), or through a general internet search.

Thank you for your cooperation in this matter. Please contact DEQ at pro.vwpcompliance@deq.virginia.gov or 804-527-5020 (PRO) if you have any questions.

Google, LLC
JPA No. 26-0171
June 18, 2026
Page 3 of 3

Respectfully,

A handwritten signature in cursive script that reads "Cassandra Porter".

Cassandra Porter
VWP Permit Writer/Inspector
Cell: 804-814-7234
Cassandra.porter@deq.virginia.gov
Piedmont Regional Office
4949-A Cox Road
Glen Allen, VA 23060
Office: 804-524-5020

cc: Taryn Payne, Timmons Group
Julie Hamilton, U.S. Army Corps of Engineers
jpa.permits@mrc.virginia.gov