

Triplet_auxiliary

July 30, 2023

1 run load_data.ipynb BEFORE running this!

```
[102]: import numpy as np
import torch
device = torch.device("cuda" if torch.cuda.is_available() else "cpu")
s = {
    'problem'          : "regression",
    'approach'         : "metric learning",
    'method'           : "non-parametric",
    'algorithm'        : "triplet network",
    'goal'              : "learn a distribution using few samples from it",
    'input'             : "samples from a distribution",
    'input type'       : "vectors",
    'input meaning'    : "spectrum",
    'output'           : "samples from a distribution",
    'output type'      : "one number",
    'output meaning'   : "temperature or pressure, depending on distribution",
    'support-query ratio' : 0.8,
    'task size'        : 5,
    'learning rate'    : 1e-4,
    'input dimension'  : 10000,
    'output dimension' : 1,
    'feature dimension' : 300,
    'epoch'            : 1000,
    'epoch development' : 4,
    'data'              : 'pressure_230516_discrete',
    'cross validation round' : 16,
    'cross validation round-development' : 3,
    'batch size'       : 64,
    'best model folder' : 'triplet_best_model/'
}
# https://arxiv.org/pdf/1412.6622.pdf
print(f"data: {s['data']}")
```

data: pressure_230516_discrete

```
[103]: import data_accessor as acc
data_names_list = [
    'temperature_230509_discrete',
    'pressure_230516_discrete'
]
data_dictionary = acc.setup(data_names_list)

loading temperature_230509_discrete_____
input shape (number, dimension): (6000, 10000)
label shape (number, dimension): (6000, 1)
there are 16 folds
4200 for training, 600 for validating, 1200 for testing
loading pressure_230516_discrete_____
input shape (number, dimension): (5000, 10000)
label shape (number, dimension): (5000, 1)
there are 16 folds
3500 for training, 500 for validating, 1000 for testing

[104]: # task layout July 24, 2023

# TODO: Implement triplet network for regression

[105]: import torch.nn as nn
class TripletNetwork(torch.nn.Module):
    """ Input: pos, neg, anchor, anchor_label
        Output: pos_prediction, neg_prediction"""
    def __init__(self, device, input_dimension, feature_dimension,
        ↪output_dimension):
        super().__init__()
        self.input_dimension = input_dimension
        self.feature_dimension = feature_dimension
        self.output_dimension = output_dimension
        self.device = device
        self.feature_sequential = torch.nn.Sequential(
            torch.nn.Linear(self.input_dimension, 3000),
            nn.ReLU(),
            torch.nn.Linear(3000, 600),
            nn.ReLU(),
            torch.nn.Linear(600, 600),
            nn.ReLU(),
            torch.nn.Linear(600, 300),
            nn.ReLU(),
            torch.nn.Linear(300, self.feature_dimension)
        )
        self.auxiliary_sequential = torch.nn.Sequential(
            torch.nn.Linear(self.feature_dimension, 100),
            nn.ReLU(),
```

```

        torch.nn.Linear(100, 100),
        nn.ReLU(),
        torch.nn.Linear(100, self.output_dimension)
    )
    self.to(device)
    self.float()
    def forward(self, pos, neg, anchor, anchor_label):
        feature_pos = self.feature_sequential(pos)
        feature_neg = self.feature_sequential(neg)
        feature_anchor = self.feature_sequential(anchor)
        feature_space_difference_pos_anchor = feature_pos - feature_anchor
        feature_space_difference_neg_anchor = feature_neg - feature_anchor
        label_space_difference_pos_anchor = self.
↪auxiliary_sequential(feature_space_difference_pos_anchor)
        label_space_difference_neg_anchor = self.
↪auxiliary_sequential(feature_space_difference_neg_anchor)
        prediction_pos = anchor_label + label_space_difference_pos_anchor
        prediction_neg = anchor_label + label_space_difference_neg_anchor
        return prediction_pos, prediction_neg

```

```

[106]: from tools import SaveBestModel, PatienceEarlyStopping, Scheduler, plot_losses
class Manager:
    """ DOES: train & evaluate a Siamese network
        """
    def __init__(self, epoch, cross_validation_round):
        self._network = TripletNetwork(device, s['input dimension'], s['feature_
↪dimension'], s['output dimension'])
        self._network.apply(self.initializer)
        self._learning_rate = s['learning rate']
        self._optimizer = torch.optim.Adam(
            params=self._network.parameters(), lr=self._learning_rate,
            weight_decay=5e-3)
        self._energy = nn.MSELoss()
        self._train_loss = []
        self._valid_loss = []
        self._test_loss = []
        self._epoch = epoch
        self._stopper = PatienceEarlyStopping(patience=5, min_delta=1e-7)
        self._cross_validation_round = cross_validation_round
        self._saver = SaveBestModel(s['best model folder'])
        self._scheduler = Scheduler(optimizer=self._optimizer,
            minimum_learning_rate=1e-6, patience=5, factor=0.5)
    def initializer(self, layer):
        if type(layer) == nn.Linear:
            nn.init.kaiming_normal_(layer.weight) # normal version
    def _step(self, job):
        pos, pos_label, neg, neg_label, anchor, anchor_label = job

```

```

        pos_prediction, neg_prediction = self._network(pos, neg, anchor,
↪anchor_label)
        pos_loss = self._energy(pos_prediction, pos_label)
        neg_loss = self._energy(neg_prediction, neg_label)
        loss = (pos_loss + neg_loss) / 2.0
        return loss
def train(self, train_dataloader, valid_dataloader):
    """ DOES: calculate loss from tasks
        NOTE: we have a BATCH of tasks here """
    for e in range(self._epoch):
        batch_train_loss = []
        for _, batch in enumerate(train_dataloader):
            self._optimizer.zero_grad()
            loss = self._step(batch)
            loss.backward()
            self._optimizer.step()
            batch_train_loss.append(loss.item())
        self._train_loss.append(np.mean(batch_train_loss))
        batch_valid_loss = []
        with torch.no_grad():
            for _, batch in enumerate(valid_dataloader):
                loss = self._step(batch)
                batch_valid_loss.append(loss.item())
            self._valid_loss.append(np.mean(batch_valid_loss))
            # saving, early stopping, scheduler for EACH epoch!
            self._saver(current_loss=np.mean(batch_valid_loss),
                        model=self._network,
                        round=self._cross_validation_round
                        )
            self._scheduler(np.mean(batch_valid_loss))
            self._stopper(np.mean(batch_valid_loss))
            if self._stopper.early_stop == True:
                print("EARLY STOPPING @ epoch {e}")
                break
        # summary printout, after we're done with epochs
        print(f"min train loss: {np.min(self._train_loss)}")
        print(f"min valid loss: {np.min(self._valid_loss)}")
        plot_losses(self._train_loss, self._valid_loss, self.
↪_cross_validation_round)
        return np.min(self._valid_loss)
def test(self, test_dataloader):
    with torch.no_grad():
        batch_test_loss = []
        for _, batch in enumerate(test_dataloader):
            loss = self._step(batch)
            batch_test_loss.append(loss.item())
        self._test_loss.append(np.mean(batch_test_loss))

```

```
return np.min(self._test_loss)
```

```
[107]: import random
class TripletDataset(torch.utils.data.TensorDataset):
    """ input: input data
        label: label
        indices: indices used e.g. training indices
        """
    def __init__(self, input, label, indices, device):
        self.input = torch.Tensor(input).to(device)
        self.label = torch.Tensor(label).to(device)
        self.access_indices = indices
        self.indices = range(len(self.access_indices))
    def __len__(self):
        return len(self.indices)
    def __getitem__(self, index):
        index = self.access_indices[index]
        anchor_index = random.choice(self.access_indices)
        neg_index = random.choice(self.access_indices)
        pos = self.input[index]
        pos_label = self.label[index]
        anchor = self.input[anchor_index]
        anchor_label = self.label[anchor_index]
        neg = self.input[neg_index]
        neg_label = self.label[neg_index]
        return pos, pos_label, neg, neg_label, anchor, anchor_label
```

```
[108]: from torch.utils.data import DataLoader
from tools import SaveBestCrossValidationModel

CV_saver = SaveBestCrossValidationModel(s['best model folder'])
test_indices = data_dictionary[s['data']]['test indices']
epoch = s['epoch']
print(f"data: {s['data']}")
cross_validation_loss = []
for cross_validation_round, (train, valid) in enumerate(zip(
    data_dictionary[s['data']]['train indices'],
    data_dictionary[s['data']]['valid indices'])):
    if cross_validation_round < s['cross validation round']:
        print(f"CV round {cross_validation_round}")
        network_object = Manager(epoch, cross_validation_round)
        valid_loss = network_object.train(
            DataLoader(TripletDataset(
                data_dictionary[s['data']]['data'],
                data_dictionary[s['data']]['label'],
                data_dictionary[s['data']]['train indices'][cross_validation_round],
```

```


        device=device,), shuffle=False, batch_size=s['batch size']),
        DataLoader(TripletDataset(
            data_dictionary[s['data']]['data'],
            data_dictionary[s['data']]['label'],
            data_dictionary[s['data']]['valid_indices'][cross_validation_round],
            device=device,), shuffle=False, batch_size=s['batch size']))
    CV_saver(current_loss=valid_loss, round=cross_validation_round)
    cross_validation_loss.append(valid_loss)
print()
print(f"\nbest model is: {CV_saver.best_model_name} with {CV_saver.
    ↳current_best_loss}")
print(f"The aggregate performance is: mean {np.mean(cross_validation_loss)},
    ↳std {np.std(cross_validation_loss)}")

```

```

data: pressure_230516_discrete
CV round 0
EARLY STOPPING @ epoch 33
min train loss: 0.00010148950651372699
min valid loss: 9.164819130091928e-05


```




```

CV round 1
EARLY STOPPING @ epoch 34
min train loss: 8.937787768610922e-05
min valid loss: 8.202757271646988e-05


```




CV round 2
EARLY STOPPING @ epoch 24
min train loss: 9.627983447651125e-05
min valid loss: 0.00011704425287462072




CV round 3
EARLY STOPPING @ epoch 30
min train loss: 0.00010229982091748918
min valid loss: 8.375121069548186e-05




CV round 4
EARLY STOPPING @ epoch 32
min train loss: 9.369109168553472e-05
min valid loss: 7.809566432115389e-05




CV round 5
EARLY STOPPING @ epoch 25
min train loss: 0.00010981952674972656
min valid loss: 0.00010344539714424172




CV round 6
EARLY STOPPING @ epoch 36
min train loss: 0.00010194480147964152
min valid loss: 8.502935270371381e-05



CV round 7
EARLY STOPPING @ epoch 31
min train loss: 9.834557190929032e-05
min valid loss: 0.00012016026903438615



CV round 8
EARLY STOPPING @ epoch 36
min train loss: 0.0001060182065967555
min valid loss: 8.590438210376306e-05




CV round 9


EARLY STOPPING @ epoch 31

min train loss: $9.069797948045147 \times 10^{-5}$


min valid loss: $7.61574410717003 \times 10^{-5}$




CV round 10
EARLY STOPPING @ epoch 36
min train loss: 7.939860674510286e-05
min valid loss: 8.721675294509623e-05



CV round 11
EARLY STOPPING @ epoch 35
min train loss: 9.991839039933191e-05
min valid loss: 7.674210701225093e-05



CV round 12
EARLY STOPPING @ epoch 29
min train loss: 0.0001050479953515936
min valid loss: 0.00010302185182808898




CV round 13

EARLY STOPPING @ epoch 34

min train loss: 9.401610533876175e-05

min valid loss: 9.960898705685395e-05




CV round 14


EARLY STOPPING @ epoch 28

min train loss: 8.95205125165045e-05

min valid loss: 9.283593954023672e-05



CV round 15
EARLY STOPPING @ epoch 39
min train loss: 0.0001088234688557515
min valid loss: 8.32127989269793e-05



best model is: CV=9.pth with 7.61574410717003e-05
 The aggregate performance is: mean 9.1618857047473e-05, std
 1.3132836127473182e-05

```
[109]: network_object._network.load_state_dict(torch.load(s['best model folder'] +
    ↳CV_saver.best_model_name))
test_loss = network_object.test(
    DataLoader(TripletDataset(
        data_dictionary[s['data']]['data'],
        data_dictionary[s['data']]['label'],
        data_dictionary[s['data']]['test indices'],
        device=device,), shuffle=False, batch_size=s['batch size']))
print(f"testing loss: {test_loss}")
```

testing loss: 0.0001046703805513971