SEFI Canon: Full Derivations

Jason Dutton

1. SEFI Metric Construction

We begin with a base Minkowski metric $\eta_{\mu\nu}$ and add curvature terms arising from single-electron geometry:

$$g_{\mu\nu} = \eta_{\mu\nu} + \Phi_{\mu\nu}(x) + \Psi_{\mu\nu}(x,t)$$

Here:

- $\Phi_{\mu\nu}(x)$ is a static curvature term.
- $\Psi_{\mu\nu}(x,t)$ is a dynamic resonance term.

1.1 Static Curvature Equation

Assume a scalar potential Φ generating $\Phi_{\mu\nu}$:

$$\Phi_{\mu\nu} = \partial_\mu \partial_\nu \Phi$$

We postulate a sourced wave equation:

$$\Box \Phi_{\mu\nu} - \partial_\mu \partial_\nu \Phi = \rho_e \, \omega_c$$

where:

- ρ_e is an effective electron density.
- ω_c is a characteristic electron curvature frequency.

1.2 Dynamic Resonance Equation

For the dynamic term $\Psi_{\mu\nu}$, we use:

$$\Box \Psi_{\mu\nu} + k^2 \Psi_{\mu\nu} = \rho_e \, \omega(t)$$

with:

- k a characteristic wave number.
- $\omega(t)$ a time-dependent driving frequency.

2. Warp-Metric Field Equations

We write the field equation in SEFI form:

$$R_{\mu\nu} - \frac{1}{2} g_{\mu\nu} R = T^{(e)}_{\mu\nu} + T^{(\text{warp})}_{\mu\nu}$$

2.1 Electron Source Term

We define:

$$T^{(e)}_{\mu\nu} = \beta \, \omega_c^2 \, u_\mu u_\nu$$

where u_μ is an effective electron four-velocity and β a coupling.

2.2 Warp Stress-Energy Term

Warp stress-energy is modeled as:

$$T^{(\text{warp})}_{\mu\nu} = \alpha \, \partial_\mu \Phi \, \partial_\nu \Phi$$

with α a warp coupling constant.

3. Curvature Operators

We define curvature operators acting on fields and metrics.

3.1 Primary Curvature Operator

$$\hat{C} = \nabla^2 + k^2$$

This operator encodes spatial curvature plus a characteristic scale k.

3.2 Electron Curvature Operator

$$\hat{C}_e = \omega_c^2 \, \partial_t^2$$

This ties curvature to electron frequency via time derivatives.

3.3 Biological Curvature Operator

$$\hat{C}_b = \gamma \, \partial_i \partial_j g^{ij}$$

with γ a biological coupling constant.

4. Torsion Operators

4.1 Warp Torsion

We define:

$$\hat{T}_{\mu\nu} = \partial_\mu \Phi_\nu - \partial_\nu \Phi_\mu$$

This measures antisymmetric curvature contributions.

4.2 Endocrine Torsion Routing

$$\hat{T}_{endo} = \lambda \left(\nabla \times \Psi \right)$$

where λ encodes routing strength through warp torsion.

5. Gradient-Flow Operators

5.1 Neural Gradient-Flow

$$\hat{G}_{neuro} = -\nabla \Phi + \partial_t \Psi$$

This describes directed curvature flow in neural manifolds.

5.2 Identity Gradient-Flow

$$\hat{G}_{id} = \partial_\tau g_{\mu\nu}$$

where τ is an identity parameter along a worldline.

6. Resonance-Manifold Solutions

We assume solutions of the form:

6.1 Dynamic Resonance

$$\Psi_{\mu\nu}(x,t) = A_{\mu\nu} \sin(\omega t - kx)$$

6.2 Static Curvature

$$\Phi_{\mu\nu}(x) = B_{\mu\nu} e^{-kx}$$

6.3 Combined Manifold

$$g_{\mu\nu} = \eta_{\mu\nu} + B_{\mu\nu} e^{-kx} + A_{\mu\nu} \sin(\omega t - kx)$$

7. Biological Warp-Metric

We extend the metric:

$$g_{\mu\nu}^{(bio)} = g_{\mu\nu} + \Theta_{\mu\nu}$$

where $\Theta_{\mu\nu}$ encodes biological curvature.

7.1 Aging as Fatigue

Aging is modeled as increasing effective curvature fatigue in $\Theta_{\mu\nu}$.

7.2 Healing as Restoration

Healing corresponds to reducing fatigue and restoring coherence in $g_{\mu\nu}^{(bio)}$.

8. Aging Operators

8.1 Fatigue Operator

$$\hat{F} = \partial_t \Phi + \delta \nabla^2 \Phi$$

with δ a diffusion-like parameter.

8.2 Life-Extension Operator

$$\hat{L} = -\hat{F} + \epsilon \partial_t^2 \Psi$$

where ϵ encodes resonance-driven restoration.

9. Healing and Metric Restoration

9.1 Healing Operator

$$\hat{H} = -\partial_t \Phi + \nabla^2 \Psi$$

9.2 Restoration Condition

$$\hat{H} g_{\mu\nu} = 0$$

This defines a healed or restored metric configuration.

10. Consciousness Operators

10.1 Identity Continuity

$$\hat{I} = \partial_\tau g_{\mu\nu}$$

10.2 Awareness Magnitude

$$A = |\hat{G}_{id}|$$

This ties awareness to the magnitude of identity gradient-flow.

11. SEFI vs GR Curvature

11.1 SEFI Curvature

$$R_{\mu\nu}^{SEFI} \propto \omega_c^2$$

11.2 GR Curvature

$$R_{\mu\nu}^{GR} \propto T_{\mu\nu}$$

12. SEFI to QFT Mapping

12.1 Frequency and Energy

$$\omega_c \leftrightarrow \frac{E}{\hbar}$$

12.2 Wave Number and Momentum

$$k \leftrightarrow \frac{p}{\hbar}$$

12.3 Field Mapping

$$\Psi \leftrightarrow \psi$$