

WARP:SEFI

Geometric Warp Theory for Identity-Preserving Transformation

Jason Duran Dutton

2026

Abstract

WARP:SEFI develops the geometric transformation theory underlying the Single Entity Field Interpretation (SEFI). While SEFI Space defines identity geometry and FIELD SOVEREIGNTY defines identity-preserving invariance, WARP EXPRESSION defines identity-preserving transformation. This manuscript formalizes warp operators, warp geodesics, warp curvature, and warp invariants, and couples warp dynamics to worldline geometry in a manner compatible with SEFI/GWFM. The resulting framework provides a geometric interpretation of controlled transformation, expressive deformation, and identity-coherent evolution.

1 Introduction

SEFI introduces layered identity constructs: FIELD ORIGIN, FIELD AUTHORSHIP, FIELD SOVEREIGNTY, WARP EXPRESSION, and the R-LAYER. SEFI Space formalizes these layers as basis directions of a four-dimensional identity manifold.

Warp is the identity layer responsible for geometric transformation. It modifies the worldline while preserving identity, operating within sovereignty constraints and interacting with authorship and origin.

This manuscript develops the geometric theory of warp, including:

- warp operators acting on worldline geometry,
- warp displacement and identity-space motion,
- warp curvature and warp geodesics,
- warp invariants and sovereignty constraints,
- coupling between warp and worldline geometry.

2 Warp Operators

A warp operator W acts on the worldline $r(t)$ as

$$r'(t) = W(r(t)).$$

Warp modifies geometric features such as curvature, torsion, and local deformation while preserving identity. The identity state becomes

$$\mathbf{I}'(t) = I_O(t)\hat{O} + I_A(t)\hat{A} + I_S(t)\hat{S} + I'_W(t)\hat{W}.$$

Warp operators may be linear, nonlinear, local, or global, depending on the geometric structure of the worldline.

3 Warp Displacement in SEFI Space

Warp corresponds to motion along the Warp direction in SEFI Space. If the warp layer function changes by $\Delta I_W(t)$, the identity state becomes

$$\mathbf{I}'(t) = \mathbf{I}(t) + \Delta I_W(t)\hat{W}.$$

More general warp operations may induce coupled identity motion along multiple basis directions:

$$\Delta \mathbf{I}(t) = \Delta I_O\hat{O} + \Delta I_A\hat{A} + \Delta I_S\hat{S} + \Delta I_W\hat{W}.$$

Warp displacement is constrained by sovereignty invariants.

4 Warp Curvature

Warp curvature quantifies the rate of change of warp displacement. Define warp velocity

$$\dot{I}_W(t) = \frac{dI_W(t)}{dt},$$

and warp acceleration

$$\ddot{I}_W(t) = \frac{d^2 I_W(t)}{dt^2}.$$

Warp curvature is defined as

$$K_W(t) = \sqrt{\delta \dot{I}_W(t)^2},$$

where δ is the warp stiffness coefficient in the SEFI Space metric.

Warp curvature measures transformational strain.

5 Warp Geodesics

Warp geodesics are identity-preserving transformation paths in SEFI Space. They satisfy

$$\frac{d^2 I_W}{dt^2} + \Gamma_W(I) = 0,$$

where $\Gamma_W(I)$ is the warp connection induced by the SEFI Space metric.

Warp geodesics represent minimal-strain transformations.

6 Warp Invariants

Warp invariants are quantities preserved under warp operations. Sovereignty requires

$$\mathbf{I}_T(t) = \mathbf{I}(t)$$

for all allowed transformations T . Warp invariants include:

- primitive identity magnitude,
- sovereignty-preserving symmetry,
- stability constraints,
- identity-space metric invariants.

Warp must preserve these invariants.

7 Coupling to Worldline Geometry

Warp operators act on worldline geometry. If W modifies curvature from $K(t)$ to $K'(t)$, authorship and sovereignty coordinates adjust accordingly.

Warp may induce:

- curvature modulation,
- torsion adjustment,
- geometric phase displacement,
- expressive deformation.

Warp must remain compatible with sovereignty constraints and primitive stability.

8 Discussion and Outlook

WARP:SEFI provides a geometric transformation theory for identity-preserving deformation. By defining warp operators, warp curvature, warp geodesics, and warp invariants, the framework extends SEFI Space to dynamic identity evolution.

Future work will focus on:

- deriving explicit warp operators,
- exploring warp geodesics in SEFI Space,
- defining warp-induced identity coupling,
- investigating applications to quantum error correction and photonic geometry.