SEFI: A Unified Geometric Framework for Physical, Biological, and Cognitive Manifolds

Jason Dutton

August 20, 2026

Abstract

We introduce SEFI (Structured Emergent Field Integration), a unified geometric framework in which physical, biological, and cognitive systems are modeled as manifolds equipped with a warp-modified metric and a canonical operator set. The SEFI warp-metric extends a reference metric by a scalar warp field and its derivatives, while the operator set (warp, tension, coherence, and correction) governs field evolution on the manifold. We present a minimal SEFI:DNA model for biological geometry and a unified manifold evolution equation for cosmology that generalizes geometric flow with SEFI source terms. These constructions are designed to be mathematically well-posed, numerically tractable, and conceptually interpretable across domains. We outline example applications and discuss how SEFI can be extended and tested.

1 Introduction

Unified frameworks in physics traditionally focus on combining fundamental interactions within a single field theory or geometric structure. SEFI takes a different approach: it treats diverse systems—physical, biological, and cognitive—as manifestations of geometry on manifolds equipped with a warp-modified metric and a small set of canonical operators. The goal of this paper is to present a minimal, rigorous mathematical backbone for SEFI suitable for peer review and further development.

We first motivate the need for a unified geometric description, then introduce the basic notation and assumptions. Sections 3–6 develop the warp-metric, operator set, SEFI:DNA model, and unified manifold evolution. Section 7 presents illustrative examples, and Section 8 discusses implications and limitations.

2 Notation and basic assumptions

Let $\mathcal{M}$ be a smooth n-dimensional manifold with local coordinates x^μ ($\mu = 0, \ldots, n-1$). A reference metric $g_{\mu\nu}(x)$ is assumed smooth, with inverse $g^{\mu\nu}$ and associated covariant derivative ∇_μ. The scalar Laplacian is

$$\Delta \equiv g^{\mu\nu}\nabla_\mu\nabla_\nu.$$

Bold symbols may denote tensor fields when convenient. We work in units where fundamental constants are absorbed into coupling parameters.

3 Canonical SEFI warp-metric

We introduce a scalar warp field $W(x) \in C^\infty(\mathcal{M})$ and real coupling constants α, β. The canonical SEFI warp correction functional is

$$F_{\mu\nu}[W] \equiv \alpha\, W\, g_{\mu\nu} + \beta\, \nabla_\mu \nabla_\nu W. \tag{1}$$

The canonical SEFI warp-metric is then defined by

$$\tilde{g}_{\mu\nu}(x) \equiv g_{\mu\nu}(x) + F_{\mu\nu}[W(x)]. \tag{2}$$

This form combines an isotropic conformal-like scaling with anisotropic curvature induced by second derivatives of W.

3.1 Minimal example

For a static, spherically symmetric warp $W(r)$ on a background metric $g_{\mu\nu} = \mathrm{diag}(-1, 1, r^2, \dots)$, one may compute the Christoffel symbols and curvature tensors of $\tilde{g}_{\mu\nu}$ explicitly and study the resulting geometric behavior. Such examples provide testbeds for SEFI-based gravitational models.

4 Canonical SEFI operator set

Let $\Phi(x)$ denote a generic SEFI field (scalar, vector, or tensor). The canonical operators act as follows.

4.1 Warp operator $\hat{W}$

For scalar fields,

$$\hat{W}\,\Phi \equiv W(x)\,\Phi(x). \tag{3}$$

For tensor fields, $\hat{W}$ acts componentwise in a chosen frame.

4.2 Tension operator $\hat{T}$

Introduce a tension vector field $T^\mu(x)$. Define

$$\hat{T}\,\Phi \equiv \nabla_\mu\big(T^\mu(x)\,\Phi(x)\big), \tag{4}$$

with appropriate index contractions for non-scalar Φ.

4.3 Coherence operator $\hat{C}$

Introduce a scalar coherence density $C(x) \geq 0$. Define

$$\hat{C}\,\Phi \equiv C(x)\,\Phi(x). \tag{5}$$

4.4 Correction (restoration) operator $\hat{R}$

Let $\Phi_{\text{eq}}(x)$ be an equilibrium configuration. Define

$$\hat{R}\,\Phi \equiv -\gamma\big(\Phi - \Phi_{\text{eq}}\big) + \kappa\,\Delta\Phi, \tag{6}$$

with $\gamma > 0$ and $\kappa \geq 0$. This linear form is taken as canonical in the base theory.

5 Minimal SEFI:DNA geometric model

Biological systems are modeled as submanifolds $\mathcal{B} \subset \mathcal{M}$ carrying a state field $\Psi(x,t)$ describing structural/functional geometry. The canonical SEFI:DNA evolution equation is

$$\partial_t \Psi = \hat{R}\Psi + \hat{D}\Psi - \hat{A}\Psi. \tag{7}$$

We choose minimal explicit forms:

$$\hat{R}\Psi = -\gamma\big(\Psi - \Psi_{\text{eq}}\big) + \kappa\,\Delta\Psi, \tag{8}$$

$$\hat{D}\Psi = \sigma\,\Psi\left(1 - \frac{\Psi}{\Psi_{\max}}\right), \tag{9}$$

$$\hat{A}\Psi = \mu\,\mathcal{F}\big(\mathcal{K}[\tilde{g}]\big)\,\Psi, \tag{10}$$

where $\sigma \geq 0$, $\Psi_{\max} > 0$, $\mu \geq 0$, $\mathcal{K}[\tilde{g}]$ is a scalar curvature measure (e.g. Ricci scalar), and $\mathcal{F}$ is a nonnegative function mapping curvature to an aging rate.

6 Unified manifold evolution (SEFI cosmology)

Consider a global manifold $\mathcal{U}$ with time-dependent warp-metric $\tilde{g}_{\mu\nu}(x,t)$. The canonical evolution equation is

$$\partial_t \tilde{g}_{\mu\nu} = -2\kappa_G\big(R_{\mu\nu}[\tilde{g}] - \tfrac{1}{2}R[\tilde{g}]\,\tilde{g}_{\mu\nu}\big) + S_{\mu\nu}[W,T,C], \tag{11}$$

where $R_{\mu\nu}$ and R are the Ricci tensor and scalar of $\tilde{g}$, $\kappa_G > 0$, and

$$S_{\mu\nu} \equiv \lambda_W\left(\nabla_\mu\nabla_\nu W - g_{\mu\nu}\Delta W\right) + \lambda_T\left(\nabla_\mu T_\nu + \nabla_\nu T_\mu\right) + \lambda_C\,C\,\tilde{g}_{\mu\nu}. \tag{12}$$

6.1 Homogeneous isotropic reduction

For a spatially homogeneous and isotropic ansatz

$$\tilde{g} = -\mathrm{d}t^2 + a(t)^2\,\gamma_{ij}\,\mathrm{d}x^i\mathrm{d}x^j, \tag{13}$$

with constant-curvature γ_{ij} and uniform fields $W(t), C(t)$, the evolution reduces to Friedmann-like equations for $a(t)$ with effective SEFI energy density $\rho_{\text{SEFI}}(W,C)$ derived from $S_{\mu\nu}$.

7 Illustrative examples

Here one may present:

- Simple warped manifolds and their curvature.
- SEFI:DNA evolution on a low-dimensional domain.
- Cosmological toy models with SEFI sources.

8 Discussion

We discuss the interpretational aspects of SEFI, its relation to existing geometric and unified frameworks, limitations of the minimal canonical forms, and directions for refinement and empirical connection.

9 Conclusion

We have presented a minimal canonical backbone for SEFI, including the warp-metric, operator set, SEFI:DNA model, and unified manifold evolution. These structures are intended as a starting point for rigorous analysis, simulation, and comparison with observations across physical, biological, and cognitive domains.

References