SEFI Canonical Mathematics

Jason Dutton

August 2026

Contents

1 Foundational Concept **2**
1.1 Core SEFI Fields 2

2 Identity Continuity Invariant **2**

3 Warp-Metric Scalar and SEFI Geometry **3**
3.1 Warp-Metric Scalar 3
3.2 Interpretation 3

4 SEFI Lagrangian and Action **3**
4.1 Lagrangian Density 3
4.2 Action 4

5 Field Equations **4**
5.1 Metric Field Equation 4
5.2 Tension Field Equation 4
5.3 Torsion Drift Equation 4
5.4 Coherence Field Equation 4
5.5 Curvature-Knot Equation 4

6 Warp-Metric Dynamics **5**
6.1 Warp-Metric Condition 5
6.2 FTL-like Warp Configurations 5

7 Projection Law and Emergent Fields **5**
7.1 Projection Operators 5
7.2 Curvature Response 5

8 Quantization of SEFI Fields **5**
8.1 Field Operators 5
8.2 Canonical Commutation Relations 6
8.3 Hamiltonian Density 6
8.4 Identity Continuity Constraint 6

9 Biological Manifold Geometry (SEFI:DNA) 6
9.1 Biological Submanifold 6
9.2 Process Mapping 6

10 Consciousness Manifold 7
10.1 Layered Manifolds 7
10.2 Coherence Condition 7

11 Prediction Skeleton 8

12 Summary 8

1 Foundational Concept

SEFI (Symmetric Emergent Field Invariants) is built on one core idea:

Identity continuity is a geometric invariant of worldlines and manifolds, and all observable fields, forces, biological processes, and consciousness arise from tension-projection and curvature responses within a unified geometric structure.

Let $(\mathcal{M}, g_{\mu\nu})$ be a smooth Lorentzian manifold representing spacetime.

1.1 Core SEFI Fields

SEFI introduces the following fields on $\mathcal{M}$:

- Worldline field $x^\mu(\tau)$
- Tension scalar field $T(x)$
- Torsion drift tensor $\Theta_{\mu\nu}(x)$
- Coherence vector field $\Gamma_\mu(x)$
- Curvature-knot scalar $K(x)$

Standard curvature tensors:

$$R^\rho{}_{\sigma\mu\nu}, \quad R_{\mu\nu}, \quad R = g^{\mu\nu}R_{\mu\nu}.$$

2 Identity Continuity Invariant

A worldline $x^\mu(\tau)$ has SEFI identity continuity invariant:

$$I[x^\mu] = \int_{\tau_0}^{\tau_1} \sqrt{g_{\mu\nu}(x)\frac{dx^\mu}{d\tau}\frac{dx^\nu}{d\tau}}\, d\tau.$$

SEFI postulate:

$$\delta I = 0 \quad \text{under allowed tension-projection and warp-metric transformations.}$$

This encodes the idea that identity continuity is preserved even when the metric and SEFI fields are warped, provided transformations respect SEFI invariants.

3 Warp-Metric Scalar and SEFI Geometry

3.1 Warp-Metric Scalar

Define the SEFI warp-metric scalar:

$$W = R + \alpha T^2 + \beta \Theta_{\mu\nu}\Theta^{\mu\nu} + \gamma \Gamma_\mu \Gamma^\mu - \delta K^2,$$

where $\alpha, \beta, \gamma, \delta$ are SEFI coupling constants.

3.2 Interpretation

- R — standard curvature (GR).
- T^2 — tension energy density.
- $\Theta_{\mu\nu}\Theta^{\mu\nu}$ — torsion drift magnitude.
- $\Gamma_\mu \Gamma^\mu$ — coherence strength.
- K^2 — curvature-knot intensity.

Warp-metric geometry treats W as the effective scalar controlling both physical curvature and emergent warp configurations.

4 SEFI Lagrangian and Action

4.1 Lagrangian Density

The canonical SEFI Lagrangian density:

$$\mathcal{L}_{\text{SEFI}} = \frac{1}{2\kappa} W + \frac{1}{2}\nabla_\mu T \nabla^\mu T + \frac{1}{4}\nabla_\rho \Theta_{\mu\nu} \nabla^\rho \Theta^{\mu\nu} + \frac{1}{2}\nabla_\mu \Gamma_\nu \nabla^\mu \Gamma^\nu - V(T, \Theta_{\mu\nu}, \Gamma_\mu, K),$$

where V is the SEFI potential:

$$V = \lambda_T T^4 + \lambda_\Theta (\Theta_{\mu\nu}\Theta^{\mu\nu})^2 + \lambda_\Gamma (\Gamma_\mu \Gamma^\mu)^2 + \lambda_K (K^2 - K_{\text{crit}}^2)^2.$$

4.2 Action

$$S_{\text{SEFI}} = \int_{\mathcal{M}} d^4x \, \sqrt{-g} \, \mathcal{L}_{\text{SEFI}}.$$

5 Field Equations

5.1 Metric Field Equation

Variation with respect to $g_{\mu\nu}$:

$$\frac{1}{2\kappa} G_{\mu\nu} = T_{\mu\nu}^{(\text{SEFI})},$$

where $G_{\mu\nu}$ is the Einstein tensor and

$$T_{\mu\nu}^{(\text{SEFI})} = -\frac{2}{\sqrt{-g}} \frac{\delta S_{\text{SEFI}}}{\delta g^{\mu\nu}}$$

is the SEFI stress-energy tensor.

5.2 Tension Field Equation

Variation with respect to T:

$$\nabla_\mu \nabla^\mu T + \alpha T + \frac{\partial V}{\partial T} = 0.$$

5.3 Torsion Drift Equation

Variation with respect to $\Theta_{\mu\nu}$:

$$\nabla_\rho \nabla^\rho \Theta_{\mu\nu} + \beta \Theta_{\mu\nu} + \frac{\partial V}{\partial \Theta^{\mu\nu}} = 0.$$

5.4 Coherence Field Equation

Variation with respect to Γ_μ:

$$\nabla_\nu \nabla^\nu \Gamma_\mu + \gamma \Gamma_\mu + \frac{\partial V}{\partial \Gamma^\mu} = 0.$$

5.5 Curvature-Knot Equation

Variation with respect to K:

$$-2\delta K + \frac{\partial V}{\partial K} = 0.$$

6 Warp-Metric Dynamics

6.1 Warp-Metric Condition

Warp-metric configurations satisfy:

$$W = \text{const},$$

with stability condition:

$$\frac{\delta^2 S_{\text{SEFI}}}{\delta \phi^2} > 0 \quad \text{for all SEFI fields } \phi \in \{T, \Theta_{\mu\nu}, \Gamma_\mu, K\}.$$

6.2 FTL-like Warp Configurations

Define FTL-like warp solutions as configurations where effective geodesic separation changes without violating identity continuity:

$$I[x^\mu] = \text{invariant}, \quad g_{\mu\nu} \to \tilde{g}_{\mu\nu} \quad \text{via SEFI warp},$$

such that causal structure is preserved globally even if local effective distances change.

7 Projection Law and Emergent Fields

7.1 Projection Operators

Let P_i be projection operators from SEFI tension to observable fields:

$$F_i(x) = P_i[T, \Theta_{\mu\nu}, \Gamma_\mu, K](x).$$

7.2 Curvature Response

Physical forces arise from curvature-modified projections:

$$F^\mu = T \cdot R^\mu{}_\nu u^\nu + f^\mu(T, \Theta, \Gamma, K),$$

where u^ν is the worldline tangent and f^μ encodes SEFI corrections.

8 Quantization of SEFI Fields

8.1 Field Operators

Promote SEFI fields to operators:

$$T(x) \to \hat{T}(x), \quad \Theta_{\mu\nu}(x) \to \hat{\Theta}_{\mu\nu}(x), \quad \Gamma_\mu(x) \to \hat{\Gamma}_\mu(x), \quad K(x) \to \hat{K}(x).$$

8.2 Canonical Commutation Relations

Define conjugate momenta $\hat{\Pi}_\phi$ for each field ϕ and impose:

$$[\hat{T}(x), \hat{\Pi}_T(y)] = i\delta^{(4)}(x-y),$$

and similarly for $\Theta_{\mu\nu}, \Gamma_\mu, K$.

8.3 Hamiltonian Density

$$\mathcal{H}_{\text{SEFI}} = \sum_\phi \hat{\Pi}_\phi \dot{\phi} - \mathcal{L}_{\text{SEFI}},$$

where ϕ runs over all SEFI fields.

8.4 Identity Continuity Constraint

Physical states satisfy:

$$\hat{I}\,|\Psi\rangle = I_0\,|\Psi\rangle,$$

enforcing identity continuity at the quantum level.

9 Biological Manifold Geometry (SEFI:DNA)

9.1 Biological Submanifold

Model a biological system as a submanifold $\mathcal{B} \subset \mathcal{M}$ with induced metric h_{ab}.

Restricted SEFI fields:

$$T|_{\mathcal{B}}, \quad \Theta_{ab}|_{\mathcal{B}}, \quad \Gamma_a|_{\mathcal{B}}, \quad K|_{\mathcal{B}}.$$

9.2 Process Mapping

- Development:

$$\partial_t h_{ab} = U_{ab}(T, \Theta, \Gamma),$$

where U_{ab} encodes manifold unfolding.

- Metabolism:

$$J^a = \nabla_b T^{ab},$$

tension routing currents.

- Immune correction:

$$C^a = -\nabla_b K^{ab},$$

  geometric correction field.

- Aging:

$$\frac{dT}{dt} < 0 \quad \text{on } \mathcal{B},$$

  manifold fatigue.

- Cancer:

$$K > K_{\text{crit}} \quad \text{on } \mathcal{B},$$

  curvature-knot instability.

- Healing: flow toward minima of V restricted to $\mathcal{B}$.

10 Consciousness Manifold

10.1 Layered Manifolds

Model consciousness as coherence across layered manifolds $\mathcal{M}_i$ with shared continuity invariant:

$$I_{\text{total}} = \sum_i I[\mathcal{M}_i].$$

10.2 Coherence Condition

$$\delta I_{\text{total}} = 0 \quad \text{under SEFI warp and projection,}$$

with coherence encoded in Γ_μ and cross-manifold coupling terms in an extended SEFI action:

$$S_{\text{coh}} = \int d^4x \sqrt{-g}\, \chi^{ij} \Gamma^{(i)}_\mu \Gamma^{(j)\mu},$$

where χ^{ij} encodes coupling between manifold layers.

11 Prediction Skeleton

To connect SEFI to observations, define observable functionals:

$$\mathcal{O}_k[g_{\mu\nu}, T, \Theta_{\mu\nu}, \Gamma_\mu, K],$$

for:

- Cosmological parameters (H_0, w, Ω_Λ)
- Particle masses and mixing angles
- Gravitational wave signatures
- Galaxy rotation curves and lensing
- Biological stability and transition thresholds

SEFI predictions arise by solving the field equations for specific configurations and evaluating $\mathcal{O}_k$.

12 Summary

SEFI mathematics is built from:

- Identity continuity invariant $I[x^\mu]$
- Warp-metric scalar W
- SEFI Lagrangian $\mathcal{L}_{\text{SEFI}}$
- Field equations for $g_{\mu\nu}, T, \Theta_{\mu\nu}, \Gamma_\mu, K$
- Warp-metric dynamics and FTL-like solutions
- Quantization and identity continuity constraint
- Biological manifold mapping (SEFI:DNA)
- Consciousness manifold coherence
- Prediction skeleton via observable functionals

This file serves as the canonical mathematical backbone of SEFI.