

Host your Application in the Google Cloud with XAMPP and Bitnami

Vikram Vaswani

v1.0

Table of Contents

Introduction	1
What You Will Need	1
Step 1: Register with Google Cloud Platform.....	2
Step 2: Register with Bitnami	4
Step 3: Connect your Google Cloud Platform and Bitnami Accounts	5
Step 4: Provision a Google Cloud Platform Server	7
Step 5: Test PHP and MariaDB	11
Step 6: Deploy the XAMPP Application to the Cloud Server	16
Improve Application Performance	21
Useful Links.....	21
About the author.....	22

Introduction

If you're a PHP developer building a public-facing Web application, there are a number of good reasons why the cloud should be on your radar. It's highly scalable, allowing you to quickly scale up if your application turns out to be a hit. It's cost-efficient, because you only pay for the resources - bandwidth, CPU cycles, memory - you use. And it's secure, because cloud providers have invested a great deal of time and thought into ring-fencing applications and user data.

However, if you're new to the cloud or do most of your development locally, getting your PHP application from your local [XAMPP](#) box to the cloud can be a bit challenging. That's where this tutorial comes in. Over the next few pages, I'll walk you, step by step, through the process of deploying a PHP/MySQL application running on your local XAMPP server, to a cloud server running [LAMP](#) packaged by Bitnami. Keep reading!

What You Will Need

Before we begin, a few quick assumptions. This tutorial assumes that you have a XAMPP installation with a working PHP/MariaDB application. It also assumes that you're familiar with the [MariaDB command-line client](#) and that you have a working knowledge of transferring files between servers using FTP.

If you don't have a custom PHP/MariaDB application at hand, use the example application included with this tutorial: it's a simple to-do list, created with [Twitter Bootstrap](#) and PHP. You can download it [from here](#).

Now, if you're new to the cloud, you might be wondering what Google Cloud Platform and Bitnami are. Very briefly, [Google Cloud Platform](#) is a cloud service offering, which allows you to easily create Windows and Linux virtual servers online. [Bitnami](#) provides pre-packaged server images for these cloud servers, so that you can become productive with them the moment they come online. In short, Google provides the cloud infrastructure, and Bitnami provides the server images and software. And since Google Cloud Platform currently offers a 60-day free trial, you can easily experiment with it without worrying about being billed for usage.

For this tutorial, I'll be using [LAMP packaged by Bitnami](#), which is Linux-based and bundles PHP, MariaDB and Apache, together with key applications and components like phpMyAdmin, SQLite, Memcache, OpenSSL, APC and cURL. LAMP packaged by Bitnami also includes a number of common PHP frameworks, including the [Zend Framework](#), [Symfony](#), [CodeIgniter](#), [CakePHP](#), [Smarty](#) and [Laravel](#).

To deploy your application to the Google cloud with LAMP packaged by Bitnami, here are the steps you'll follow:

- Register with Google Cloud Platform
- Register with Bitnami
- Connect your Google Cloud Platform and Bitnami accounts
- Provision a cloud server with LAMP packaged by Bitnami


- Validate the cloud server
- Deploy and test your application on the cloud server

The next sections will walk you through these steps in detail.

Step 1: Register with Google Cloud Platform

At the end of this step, you will have signed up for the Google Cloud Platform free trial.

Begin by creating a Google Cloud Platform account, by browsing to <https://cloud.google.com/> and choosing the "Start your free trial" option. You will need an existing Google account to log in and sign up for the free trial; if you don't have one, you can [create one here](#) (remember to keep track of your account username and password, because you'll need them in the next step).



Once you've signed in, provide Google with some personal information and your credit card details.

 A screenshot of the Google Developers Console 'Billing' setup page. On the left, there's a sidebar with 'Projects', 'Billing' (which is selected and highlighted in blue), 'Account settings', 'Need help?', and 'Privacy & terms'. The main area has sections for 'Country' (with a dropdown menu), 'Account type' (with radio buttons for 'Business' and 'Individual', where 'Individual' is selected), 'Name and address' (with several input fields for name, address, city, state, and zip code, all of which are highlighted with a large red box), and 'Primary contact' (with a single input field).

It's important to note that you're signing up for a free trial and your credit card won't be billed unless you migrate to a paid account. The trial includes \$300 of free credit, valid for 60 days. Once the trial ends, your account will automatically be paused and you'll only be charged if you explicitly choose to upgrade to a paid account.

The Google elves will go away for a minute or so to verify your information and if all is well, you will be redirected to the [Google Developers Console](#), which allows you to manage your billing account, create new

projects and get support. You should see that your free trial is now active in the billing credits section.

The screenshot shows the Google Developers Console interface. In the top left, there's a sidebar with 'Projects', 'Billing' (which is selected), 'Account settings', 'Need help?', and 'Privacy & terms'. The main area is titled 'My Billing Account' with tabs for 'HISTORY', 'SETTINGS', 'PROFILE', 'ADMINISTRATORS', 'CREDITS' (selected), and 'BILLING EXPORT'. A table under 'CREDITS' shows a row for 'Free Trial' with an expiration date of 'Dec 27, 2014' and a value of '\$300.00' for both 'PROMOTION VALUE' and 'AMOUNT REMAINING'. This row is highlighted with a red box.

You should also receive an account confirmation email, which tells you that your account is good to go.

Bitnami uses the Google Compute Engine API in order to manage and launch cloud servers, so this is a good time to enable the API. Plus, new cloud servers always launch within a project, so you'll also need to create a project. Both these tasks are easy to do from the Google Developers Console. Follow these steps:

- While you're logged in to the Google Developers Console, select the "Projects" menu item and click the "Create Project" button.
- Enter a name for the project (such as "My Bitnami Project") and make a note of the auto-generated project ID.

The screenshot shows a 'New Project' dialog box. It has fields for 'PROJECT NAME' (containing 'My Bitnami Project') and 'PROJECT ID' (containing 'studious-optics-748'). The 'PROJECT ID' field is highlighted with a red box. At the bottom are 'Create' and 'Cancel' buttons.

- Click "Create" to create and activate the project. You should now see it in the project listing.

The screenshot shows the 'Projects' page. It lists one project: 'My Bitnami Project' with 'PROJECT ID' 'studious-optics-748'. The 'PROJECT NAME' and 'PROJECT ID' columns are highlighted with a red box.

- Select the new project name in the project listing, and you'll be transferred to the project information page.
- Select the "APIs" menu item in the left navigation bar.
- Look through the list of APIs, or use the API search box to search for the term "compute engine". Find and turn on the Google Compute Engine API.

Google Developers Console

Upgrade your account: Only \$300.00 and 59 days remain in your free trial.

My Bitnami Project

- Overview
- Permissions
- Billing & settings
- APIs & auth**
- Credentials
- Consent screen
- Push
- Monitoring
- Source Code
- Compute
- Storage
- Big Data
- Support
- Need help?
- Privacy & terms

API	Quota	Status
Google Cloud Datastore API	10,000 requests/day	OFF
Google Cloud Deployment Manager API	10,000 requests/day	OFF
Google Cloud DNS API	50,000 requests/day	OFF
Google Cloud Messaging for Android	none	OFF
Google Cloud Messaging for Chrome	10,000 requests/day	OFF
Google Cloud Monitoring API	50,000 requests/day	OFF
Google Cloud SQL API	10,000 requests/day	OFF
Google Compute Engine	250,000 requests/day	OFF
Google Compute Engine Instance Group Manager API	50,000 requests/day	OFF
Google Compute Engine Instance Groups API	1,000,000 requests/day	OFF
Google Contacts CardDAV API	20,000,000 requests/day	OFF
Google Maps Android API v2	none	OFF
Google Maps Coordinate API	1,000 requests/day	OFF
Google Maps Embedded API	2,000,000 requests/day	OFF
Google Maps Engine API	10,000 requests/day	OFF

- Verify that the Google Compute Engine API now appears in the list of enabled APIs.

Google Developers Console

Upgrade your account: Only \$300.00 and 59 days remain in your free trial.

My Bitnami Project

- Overview
- Permissions
- Billing & settings
- APIs**
- Credentials
- Consent screen
- Push
- Monitoring
- Source Code
- Compute
- Storage
- Big Data
- Support
- Need help?
- Privacy & terms

Enabled APIs

Some APIs are enabled automatically. You can disable them if you're not using their services.

NAME	QUOTA	STATUS
BigQuery API	0%	ON
Google Cloud SQL	0%	ON
Google Cloud Storage	0%	ON
Google Cloud Storage JSON API	0%	ON
Google Compute Engine	0%	ON

Step 2: Register with Bitnami

At the end of this step, you will have created a Bitnami account.

The next step is to create a Bitnami account, so that you can launch a cloud server with LAMP packaged by Bitnami image. If you have a Google, Microsoft or Github account, you can use your credentials from those services with Oauth to create your Bitnami account.

If you don't have accounts with those services (or you don't want to use them), you can use your email address and password to create a Bitnami account, as described below:

- Head to the [Bitnami sign-up page](#).
- Enter your name and email address.
- Choose a password.
- Review and agree to the Bitnami terms of service.

Then, use the "Sign up" button to create your account.

Create your Bitnami Account

Do you already have a Bitnami Account? [Sign In](#)

Register with Email

I accept the [Bitnami Terms of Service](#) and the [Customer Agreement](#)

I would like to receive the Bitnami Newsletter for news, events and more

Please see our [Privacy Policy](#) to learn how we use your personal information.

Register

protected by reCAPTCHA

Register with an External Account


Register with Google


Register with GitHub


Register with Microsoft

You will need to accept the [Bitnami Terms of Service](#) and [Customer Agreement](#) once you finish the registration.

Please see our [Privacy Policy](#) to learn how we use your personal information.

or

Bitnami will send you an email with a verification link which you'll need to click or browse to, to activate your account. This will also sign you in to your Bitnami account.

Bitnami account registration confirmation

From: hello@bitnami.com, To: _____, Date: _____

Confirm Your Account

Please confirm your account by clicking on the following link:

https://bitnami.com/confirmation?confirmation_token=_____

If you did not sign up for this account, you can disregard this email and the account will not be created.

Regards,

The Bitnami Team

Step 3: Connect your Google Cloud Platform and Bitnami Accounts

At the end of this step, your Bitnami Launchpad for Google Cloud Platform will be configured and you will be ready to provision a cloud server.

The easiest way to set up your Google cloud server with LAMP packaged by Bitnami is via the [Bitnami Launchpad for Google Cloud Platform](#), which gives you a simple control panel to provision, start, stop, connect to and check status of your cloud servers. However, to use it, you must first connect your Google Cloud Platform and Bitnami accounts.

To do this:

- Log in to your Bitnami account if you're not already logged in.
- Browse to <https://google.bitnami.com/>.

- Select the "Sign in with Bitnami" link in the top right corner.



Bitnami Library


Popular open source images, provided by [Bitnami](#), ready to launch on [Google Cloud Platform](#) in one click.

Google Cloud Platform
Google Cloud Platform enables developers to build, test and deploy applications on Google's highly-scalable and reliable infrastructure. If you don't have an account already, you can create one on the [Google Cloud Platform website](#)

The Launchpad will recognize your Bitnami credentials and automatically sign you in.

The next step is to set up an administrative password and connect your Google Cloud Platform account with your Bitnami account. To do this:

- Select "Virtual Machines" in the Launchpad menu.
- Since this is your first time, you'll be prompted to set up your Bitnami password vault by entering an administrative password. Enter a hard-to-guess password.




The Bitnami Vault password offers an additional level of protection against misuse: you'll need to enter it when performing certain operations, such as creating new cloud servers. Again, make sure you note it down for future reference.


IMPORTANT

Your Bitnami Vault password is different from your Google Account password.

- Once your password has been accepted, you'll be redirected back to the Launchpad page. Select "Virtual Machines" again in the Launchpad menu.
- You'll be transferred to an authorization page, where you can confirm that the Bitnami Launchpad is authorized to connect to your Google Cloud Platform account. Click the "Accept" button on the page to proceed.



- You'll now be redirected back to the Bitnami Launchpad, and asked to select a project within which to launch new cloud servers. Enter the project ID you noted in Step 1.



Your Google Cloud Platform and Bitnami accounts are now connected, and you can launch new cloud servers with Bitnami application stacks.

Step 4: Provision a Google Cloud Platform Server

At the end of this step, your Google Cloud Platform server will be running and you will be able to access it through your Web browser.

To provision your Google Cloud Platform server:

- Select "Library" in the Launchpad menu.
- Look through the list of applications available in Bitnami until you find LAMP Stack. Select it and click "Launch". If required, enter your administrative password.

Bitnami Library

Popular open source images, provided by Bitnami, ready to launch on Google Cloud Platform in one click.

The screenshot shows the Bitnami Library interface. At the top, there's a banner for Google Cloud Platform and Bitnami, followed by a search bar and a 'SEARCH' button. Below this, there are two rows of application icons. The first row includes WordPress, WordPress Multisite, Joomla!, and Redmine. The second row includes Drupal, Moodle, Magento, and ownCloud. In the third row, the 'LAMP Stack' icon is highlighted with a red border. Other icons in this row include PrestaShop, GitLab, and MediaWiki.

- Define a name, size and region for your cloud server. You can choose from a "micro" server, which uses a shared CPU to a "high CPU" server, which has 16 dedicated virtual cores. For more information, refer to the [Google Compute Engine pricing sheet](#).

TIP

A "micro" server will work just fine for most PHP application development tasks.

The screenshot shows the 'New Virtual Machine' creation page. It includes fields for 'DISPLAY NAME' (set to 'my-lamp-stack-server'), 'MADE IN' (set to 'LAMP Stack v5.4.34-0 (gcdbian-x64 v7)'), 'PROJECT' (set to 'studios-optics-748'), 'DISK TYPE' (set to 'Magnetic'), 'DISK SIZE' (set to '10 GB'), 'REGION' (set to 'europe-west1-b'), and a map of the world showing available regions. A red box highlights the 'DISPLAY NAME' field and the 'REGION' section. At the bottom, there are 'CANCEL' and 'CREATE VIRTUAL MACHINE' buttons.

- Confirm your selection by hitting the "Create Virtual Machine" button at the end of the page.

The Bitnami Launchpad will now begin spinning up the new server. The process usually takes a few minutes: a status indicator on the page provides a progress update.

The screenshot shows the Bitnami Launchpad interface. In the top left, there's a progress bar for 'Creating Disk (50%)'. Below it, the 'Application Info' section shows a 'LAMP Stack 5.4.34-0' icon and a brief description. The 'Server Info' section on the right displays the server status as 'NOT AVAILABLE', with details about the F1-MICRO instance, 50.05 MB of memory, 10 GB of magnetic disk, location in EUROPE-WEST1-B, and an estimated monthly cost of \$6.95.

Once the cloud server has been provisioned, the status indicator will show that it's "running", and the Bitnami Launchpad page will display the server details, including its IP address.

This screenshot shows the same Bitnami Launchpad page after the server has been provisioned. The status indicator for 'bitnami-lampstack-507a' is now green and says 'Running'. The 'Server Info' section now shows the server's IP address as 130.211.51.215. The 'LAUNCH IN A NEW WINDOW' button has been clicked, and a new browser tab is shown below, displaying the Apache welcome page.

At this point, you should be able to browse to the cloud server, either by clicking the link in the Bitnami Launchpad (a new browser tab will open) or entering the cloud server IP address directly into your browser's address bar. You should see a welcome page like the one below (just so you know, it's served up by Apache, which is part of LAMP packaged by Bitnami).

A screenshot of a Mozilla Firefox browser window. The address bar shows the IP address 130.211.51.215. The main content area displays the Apache 'Congratulations!' welcome page for the Bitnami LAMP Stack. It features a large 'L' logo and icons for various applications like WordPress, MySQL, and PHPMyAdmin. On the right, there are buttons for 'ACCESS MY APPLICATIONS', 'ACCESS PHPMYADMIN', 'BITNAMI WIKI', and 'BITNAMI FORUMS'.

Once the server is provisioned, you need to gather the security credentials you will need to begin using it. To do this:

- Go back to the Bitnami Launchpad for Google Cloud Platform page and in the "Virtual Machines" section,

select the running server. This will launch the server information page.

- From the server information page, download the *.ppk* file which contains the SSH access credentials you will need to connect to the server. Typically, this file is named using the format *bitnami-[google-project]-[nn].ppk*. If you're using Mac OS X or Linux, you should instead download the corresponding *.pem* file.

The screenshot shows the Bitnami Launchpad interface for a running server named 'bitnami-lampstack-507a'. The 'Server Info' panel on the right provides detailed information about the server's configuration, including its IP address (130.211.51.215), instance type (F1-MICRO), disk size (10 GB), region (EUROPE-WEST1-B), and estimated monthly cost (\$6.95). It also features a 'LAUNCH SSH CONSOLE' button and download links for PEM and PPK files. The 'Application Info' panel on the left displays the LAMP Stack version (5.4.34-0) and a link to its documentation. The 'Credentials' section shows the application password (LVG3b0q4F3S), which is highlighted with a red box. At the bottom, there are buttons for REBOOT, SHUTDOWN, and DELETE.

- By default, Bitnami Launchpad creates a user account named 'user' and an auto-generated password when a new server is provisioned. You will need this password when accessing Bitnami-supplied applications (including MySQL). Go back to the server information screen, look in the "Credentials" section of the "Application Info" panel, and display and make a note of the application password.

This screenshot is identical to the one above, showing the Bitnami Launchpad interface for the same server. The 'Credentials' section, which contains the application password (LVG3b0q4F3S), is highlighted with a red box. The rest of the page, including the server info and application info sections, is visible but not highlighted.


The Launchpad page also includes controls to reboot, shut down or delete the server.

Step 5: Test PHP and MariaDB


At the end of this step, you will have logged in to your cloud server and verified that PHP, MariaDB and phpMyAdmin are working correctly.

You can now connect to the cloud server and test PHP to make sure it's working correctly and has all the extensions you need. The easiest way to do this is with [PUTTY](#), a free SSH client for Windows and UNIX platforms.


- Download the PuTTY ZIP archive from [its website](#).
- Extract the contents to a folder on your desktop.
- Double-click the *putty.exe* file to bring up the PuTTY configuration window.
- Enter the host name of your cloud server into the "Host Name (or IP address)" field, as well as into the "Saved Sessions" field.
- Click "Save" to save the new session so you can reuse it later.




- In the "Connection _ SSH _ Tunnels" section, create a secure tunnel for the phpMyAdmin application by forwarding source port "8888" to destination port "localhost:80".
- Click the "Add" button to add the secure tunnel configuration to the session.




- In the "Connection _ SSH _ Auth" section, select the private key file (*.ppk) you saved in the previous step.




- In the "Connection _ Data" section, enter the username 'bitnami' into the "Auto-login username" field.



- Go back to the "Session" section and save your changes by clicking the "Save" button.
- Click the "Open" button to open an SSH session to the server.
- PuTTY will first ask you to confirm the server's host key and add it to the cache. Go ahead and click "Yes" to this request.




You should now be logged in to your cloud server.



By default, LAMP packaged by Bitnami includes running Apache and MariaDB servers, and all the packages that come with the stack are located in the `/opt/bitnami` directory. Your first step should be to create a `phpinfo.php` file in the Apache web server root at `/opt/bitnami/apache2/htdocs` directory to verify PHP's capabilities.

```
shell> cd /opt/bitnami/apache2/htdocs
shell> echo "<?php phpinfo(); ?>" > phpinfo.php
```

Once the file has been copied, browse to `http://[your-cloud-server-hostname]/phpinfo.php` and you should see the output of the `phpinfo()` command.




With this, you know that your PHP installation is configured and working correctly.

You can also check that MariaDB is working by launching the MariaDB command-line client at the shell prompt.


```
shell> mysql -u root -p
```

When prompted, enter the application password retrieved in the previous step. The client should start up and connect to the local MariaDB server, displaying a welcome message as shown below.




```
bitnami@ip-172-31-38-218:~  
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent  
permitted by applicable law.  
  
*** Welcome to the LAMP packaged by Bitnami 8.1.1-1 ***  
*** Documentation: https://docs.bitnami.com/aws/infrastructure/lamp/ ***  
*** https://docs.bitnami.com/aws/ ***  
*** Bitnami Forums: https://community.bitnami.com/ ***  
Last login: Fri Dec 17 10:56:45 2021 from 188.76.23.227  
bitnami@ip-172-31-38-218:~$ mysql -uroot -p  
Enter password:  
Welcome to the MariaDB monitor. Commands end with ; or \g.  
Your MariaDB connection id is 6  
Server version: 10.6.5-MariaDB Source distribution  
  
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.  
  
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.  
  
MariaDB [(none)]>
```

You should also be able to access phpMyAdmin through the secure SSH tunnel you created, by browsing to <http://127.0.0.1:8888/phpmyadmin>.



To log in, use username 'root' with the application password from the previous step.



In case you'd like to troubleshoot errors or modify the configuration for Apache, PHP or MariaDB - for example, adjusting the maximum upload file size in PHP or changing the path to the MariaDB data directory - here are

the locations for key configuration and log files in LAMP packaged by Bitnami:

	Configuration file(s)	Log file(s)
Apache	<code>/opt/bitnami/apache2/conf/httpd.conf</code>	<code>/opt/bitnami/apache2/logs/error_log</code>
PHP	<code>/opt/bitnami/php/etc/php.ini</code>	-
MariaDB	<code>/opt/bitnami/mariadb/conf/my.cnf</code>	<code>/opt/bitnami/mariadb/logs/mysqld.log</code>

Usually, you'll need to restart your server(s) for your changes to take effect. LAMP packaged by Bitnami includes a control script that lets you easily stop, start and restart Apache, MariaDB and PHP. The script is located at `/opt/bitnami/ctlscript.sh`. Call it without any arguments to restart all services:

```
shell> sudo /opt/bitnami/ctlscript.sh restart
```

Or use it to restart a specific service only by passing the service name as argument - for example 'mariadb':

```
shell> sudo /opt/bitnami/ctlscript.sh restart mariadb
```


image::common/mariadb-restart.jpg

Step 6: Deploy the XAMPP Application to the Cloud Server


At the end of this step, your PHP/MariaDB application will be running in the cloud.

Your cloud server is now provisioned, secured and has a functional PHP/MariaDB environment. All that's left is for you to transfer your application code from your local XAMPP environment to your cloud server and set up the database.

The easiest way to transfer files to the server is with FTP or SFTP. Although you can use any FTP/SFTP client, I like [FileZilla](#), a cross-platform, open source and feature-rich client. Download it from [the FileZilla website](#) and install it using the automated installer - it's a quick process, only requiring you to agree to the license, choose the components (the default selection is usually fine) and specify the installation directory.




Once FileZilla is installed, launch it and you'll arrive at the main split-screen interface, one side for your local directories and the other for remote directories.




To connect to the cloud server and deploy your application, follow these steps:


- Use the "Edit _ Settings" command to bring up FileZilla's configuration settings.
- Within the "Connection _ SFTP" section, use the "Add keyfile" command to select the private key file for your server. FileZilla will use this private key to log in to the cloud server.



- Use the "File _ Site Manager _ New Site" command to bring up the FileZilla Site Manager, where you can set up a connection to your cloud server.
- Enter your server host name or IP address and user name.
- Select "SFTP" as the protocol and "Normal" as the logon type.



- Use the "Connect" button to connect to the cloud server and begin an SFTP session.
- On the remote server side of the window, change to the `/opt/bitnami/apache2/htdocs` directory
- On the local server side of the window, change to the directory containing your application code.
- Upload your XAMPP application code to the remote directory by dragging and dropping the files from the local server to the cloud server (you can back up the original contents of the directory if you wish, by downloading them first).



- Once the files are transferred, log in to the server console using PuTTY.
- Create a database for the application using the MariaDB command-line client (you can use phpMyAdmin if you prefer a graphical interface). For example, since the application is a to-do list, let's call the database 'tasks'.

```
mysql> CREATE DATABASE tasks;
```

- Follow best practices and create a separate MariaDB user with privileges to access only this database.

```
mysql> GRANT ALL ON tasks.* TO 'tasks'@'localhost' IDENTIFIED BY 'klio89';
```

```
bitnami@ip-172-31-38-218:~$ sudo /opt/bitnami/ctlscript.sh restart
Restarting services...
bitnami@ip-172-31-38-218:~$ sudo /opt/bitnami/ctlscript.sh restart mariadb
Restarted mariadb
bitnami@ip-172-31-38-218:~$ mysql -uroot -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 3
Server version: 10.6.5-MariaDB Source distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE tasks;
Query OK, 1 row affected (0.000 sec)

MariaDB [(none)]> GRANT ALL ON tasks.* TO 'tasks'@'localhost' IDENTIFIED BY 'klio89';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]>
```

- If required, update database credentials in your application. Then, install the application schema in the new database (assuming you already uploaded it with the application code). For example, you can use the following command with the MariaDB command-line client:

```
shell> mysql -u tasks -D tasks -p < schema/tasks.sql
```

```

bitnami@bitnami-lampstack-507a:/opt/bitnami/apache2/htdocs/tasks$ mysql -u tasks < schema/tasks.sql
Enter password:
bitnami@bitnami-lampstack-507a:/opt/bitnami/apache2/htdocs/tasks$ 

```

If you're logged in to phpMyAdmin, you can also import the database schema from your local XAMPP system. To do this, select the "Import" tab of the phpMyAdmin dashboard, select the file containing the schema, and click "Go" to have the tables created in your selected database.



Importing into the current server

File to Import:

File may be compressed (gzip, bzip2, zip) or uncompressed.
A compressed file's name must end in **[format] [compression]**. Example: **.sql.zip**

Browse your computer: No file chosen (Max: 80MiB)

Character set of the file: utf8

Partial Import:

Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. (This may cause large files, however it can break transactions.)

Skip this number of queries (for SQL) or lines (for other formats), starting from the first one: 0

Format:

SQL

You can also [learn more about using phpMyAdmin to back up and restore databases](#).

Browse to your cloud server's host name and your application should be active. Here are a few screenshots of the example to-do list application running on the cloud server.

Congratulations! You've successfully deployed your XAMPP application in the cloud.

Improve Application Performance

Web application performance problems are hard to debug at the best of times, and more so when your server is in the cloud and running a pre-packaged stack. The responsiveness of your application at any given moment depends on numerous factors: server type, network bandwidth, cloud provider load, database load, caching system in use, application code structure, query structure and various other variables.

IMPORTANT

LAMP packaged by Bitnami already uses the [Apache Event MPM](#) and [PHP-FPM](#) for reduced memory usage and an increase in the number of simultaneous requests that the server can handle (more information). It also comes with the [mod_pagespeed Apache module](#) activated to rewrite pages on the fly and improve latency.

If you're finding that your PHP/MariaDB application's performance is not up to scratch, here are a few general tips you can consider:

- LAMP packaged by Bitnami includes [APCu](#), a popular PHP bytecode cache. Usually, when a PHP script is executed, the PHP compiler converts the script to opcodes and then executes the opcodes. APC provides a framework for opcode caching, thereby speeding up PHP applications without needing any code changes. Make sure your APC cache has enough memory and a long TTL. Read more about [APCu](#) and [how to use APC with PHP and Bitnami](#).
- LAMP packaged by Bitnami also includes the [PHP memcache extension](#). Memcache is a high-performance, distributed memory object caching system. Consider using memcache to store frequently-accessed fragments of data in memory as arrays, thereby reducing the load on your MariaDB database server. Read more about [memcache in PHP](#).
- Turn on MariaDB's [slow query log](#) and set MariaDB's 'long_query_time' variable to a low number. This lets you track which of your queries are performing inefficiently and adjust them, either structurally or by applying table indexes as needed, to improve performance. You can use tools like [mysqldumpslow](#) or [mysql-slow-query-log-visualizer](#) to parse and analyze the slow query logs generated.
- If your application is database-heavy, you'll gain performance by giving the MariaDB server more memory. You may use the [MariaDB Optimization and Tuning guides](#), to identify which server parameters need tuning, and incrementally make changes to your server's cache and buffers to improve performance. For example, if your tables are all MyISAM, disable InnoDB in your `my.cnf` file to save further memory.
- Unload Apache modules which you don't need to save memory, and adjust the log level to errors only.
- Minify your JavaScript code, and consider using a CDN for static content like images.

Good luck, and happy coding!

Useful Links

- [Google Cloud Platform](#)

- Bitnami Launchpad for Google Cloud Platform
- LAMP packaged by Bitnami
- LAMP packaged by Bitnami Documentation
- PuTTY
- FileZilla
- Example Project (.zip)

About the author

Vikram Vaswani is the founder of Melonfire, an open source software consultancy firm, and the author of seven books on PHP, MySQL and XML development. Read more about him at <http://vikram-vaswani.in/>.