

- Big-endian computer (大端计算机), 337
 - Binary countdown protocol (二进制倒数协议), 210–211
 - Binary exponential backoff algorithm (二进制指数后退算法), 220–221
 - Binary phase shift keying (二进制相移键控), 102
 - Bipolar encoding (双极编码), 101
 - Birthday attack (生日攻击), 624–626
 - Bit rate (比特率), 99
 - Bit stuffing (比特填充), 155
 - Bit-map protocol (位图协议), 209
 - BitTorrent, 580–582
 - choked peer (阻塞的对等节点), 580
 - chunk (块), 580
 - free-rider (搭便车), 581
 - leecher (吸血鬼), 581
 - seeder (种子), 580
 - swarm (集群), 580
 - tit-for-tat strategy (针锋相对策略), 581
 - torrent (种子文件), 580
 - tracker (跟踪器), 580
 - unchoked peer (非阻塞的对等节点), 581
 - Blaatand, Harald, 247
 - Block cipher (块密码), 603
 - Block code (块码), 159
 - Bluetooth (蓝牙), 14, 247–253
 - adaptive frequency hopping (自适应跳频), 250
 - applications (应用), 248–249
 - architecture (体系结构), 248
 - frame structure (帧结构), 251–253
 - link (链路), 250
 - link layer (链路层), 250–251
 - pairing (配对), 247
 - piconet (微网), 248
 - profile (轮廓), 248
 - protocol stack (协议栈), 249–250
 - radio layer (无线电层), 250
 - scatternet (散网), 248
 - secure pairing (安全配对), 251
 - security (安全性), 642–643
 - Bluetooth SIG, 248
 - BOC (参见 Bell Operating Company)
 - Body, HTML tag (体, HTML 标签), 482
 - Border gateway protocol (边界网关协议), 365, 369–373
 - Botnet (僵尸网络), 12, 484
 - Boundary router (边界路由器), 367
 - BPSK (参见 Binary Phase Shift Keying)
 - Bridge (网桥), 257–262
 - backward learning (后向学习), 259–260
 - compared to other devices (与其它设备比较), 263–265
 - learning (学习), 258–260
 - spanning tree (生成树), 260–262
 - use (使用), 257–258
 - Broadband (宽带), 49, 115–118
 - Broadband wireless (宽带无线), 242–247
 - Broadcast control channel (广播控制信道), 135
 - Broadcast network (广播网络), 13
 - Broadcast routing (广播路由), 293–295
 - Broadcast storm (广播风暴), 266, 449
 - Broadcasting (广播), 13, 218
 - Browser (浏览器), 500
 - extension (扩展), 669
 - helper application (辅助应用程序), 505
 - plug-in (插件), 504–505, 669
 - BSC (参见 Base Station Controller)
 - Bucket, leaky (漏桶), 306
 - Bucket brigade attack (水桶队列攻击), 649
 - Buffering (缓存), 172, 184, 224, 264
 - Bundle, delay-tolerant network (数据束, 延迟容忍网络), 461
 - Bundle protocol (数据束协议), 464–466
 - Bursty traffic (突发流量), 313
 - Bush, Vannevar, 500
 - Business application (商业应用), 2
 - Byte stream, reliable (可靠字节流), 387
 - Byte stuffing (字节填充), 155
- ## C
- CA (参见 Certification Authority)
 - Cable headend (线缆头端), 18, 48, 140
 - Cable Internet (线缆 Internet), 141–142
 - Cable modem (线缆调制解调器), 48, 143–145
 - Cable modem termination system (线缆调制解调终端系统), 48, 143
 - Cable television (有线电视), 140–146

- Cache (缓存)
 - ARP 359–361
 - DNS, 478–480, 660–661
 - poisoned (染毒), 661
 - Web, 507, 533–535
- Caesar cipher (凯撒密码), 596
- Call management (呼叫管理), 132
- Capacitive coupling (电容耦合), 101
- Capacity, channel (信道容量), 74
- CAPTCHA, 12
- Care-of address (转交地址), 298
- Carnivore (食肉动物), 12
- Carrier extension, Ethernet (载波扩充, 以太网), 227
- Carrier sense multiple access (载波侦听多路访问), 56, 206–209
 - 1-persistent (1 坚持), 206
 - collision detection (冲突检测), 207–208
 - nonpersistent (非坚持), 206
 - p-persistent (P 坚持), 207
- Carrier sensing (载波侦听), 201
- Carrier-grade Ethernet (电信级以太网), 230
- Cascading style sheet (层叠样式表), 518–519
- Category 3 wiring (3 类双绞线), 76
- Category 5 wiring (5 类双绞线), 75
- Category 6 wiring (6 类双绞线), 76
- Category 7 wiring (7 类双绞线), 76
- CCITT (参见 International Telecommunication Union)
- CCK (参见 Complementary Code Keying)
- CD (参见 Committee Draft)
- CDM (参见 Code Division Multiplexing)
- CDMA (参见 Code Division Multiple Access)
- CDMA2000, 137
- CDN (参见 Content Delivery Network)
- Cell, mobile phone (蜂窝, 移动电话), 130, 193
- Cell phone (蜂窝电话), 129
 - first generation (第一代), 130–132
 - second generation (第二代), 132–136
 - third generation (第三代), 50–54, 136–140
- Cellular base station (蜂窝基站), 50
- Cellular network (蜂窝网络), 50
- Certificate (证书)
 - cryptographic (加密), 627–628
 - X.509, 628–629
- Certificate revocation list (证书撤销列表), 631
- Certification authority (认证中心), 627
- Certification path (认证路径), 630
- CGI (参见 Common Gateway Interface)
- Chain of trust (信任链), 630
- Challenge-response protocol (质询-回应协议), 644
- Channel (信道)
 - access grant (接入授予), 136
 - broadcast control (广播控制), 135
 - common control (公共控制), 136
 - dedicated control (专用控制), 135
 - erasure (擦除), 158
 - multiaccess (多路访问), 199
 - paging (寻呼), 136
 - random access (随机访问), 136, 199
- Channel allocation (信道分配), 199–202
 - dynamic (动态), 201–202
- Channel capacity (信道容量), 74
- Channel-associated signaling (信道关联信令), 121
- Checksum (校验和), 164
 - CRC, 163
 - Fletcher's, 165
- Chip sequence, CDMA (码片序列, CDMA), 106
- Choke packet (抑制包), 307–308
- Choked peer, BitTorrent (阻塞的对等节点, BitTorrent), 581
- Chord, 582–585
 - finger table (指取表), 584
 - key (键), 583
- Chosen plaintext attack (选择明文攻击), 595
- Chromatic dispersion (色散), 80
- Chrominance, video (色度, 视频), 546
- Chunk, BitTorrent (块, BitTorrent), 580
- CIDR (参见 Classless InterDomain Routing)
- Content delivery network (内容分发网络), 574–578
- Cipher (密码), 593
 - AES, 607–608
 - Caesar (凯撒), 596
 - monoalphabetic substitution (单字母置换), 596
 - Rijndael, 608–610
 - substitution (置换), 596–597

- symmetric-key (对称密钥), 603–610
- transposition (替代), 597–598
- Cipher block chaining mode (密码块链模式), 611–612
- Cipher feedback mode (密码反馈模式), 612
- Cipher modes (密码模式), 610–614
- Ciphertext (密文), 584
- Ciphertext-only attack (唯密文攻击), 595
- Circuit (电路), 27
 - virtual (虚拟), 193
- Circuit switching (电路交换), 125–126
- Clark, David, 40, 63
- Class A network (A 类网络), 345
- Class B network (B 类网络), 345
- Class C network (C 类网络), 345
- Class-based routing (基于类的路由), 324
- Classful addressing, IP (分类寻址), 345–346
- Classic Ethernet (经典以太网), 16, 216, 217–222
- Classless interdomain routing (无类域间路由), 342–345
- Clear to send (清除发送), 215
- Click fraud (点击欺诈), 539
- Client (客户机), 3
- Client side on the Web (Web 客户端), 502–504
- Client side dynamic Web page generation (客户端动态网页生成), 522–525
- Client stub (客户存根), 419
- Client-server model (客户机-服务器模型), 3
- Clipper chip (加密芯片), 670
- Clock recovery (时钟恢复), 99–101
- Cloud computing (云计算), 520
- CMTS (参见 Cable Modem Termination System)
- Coaxial cable (同轴电缆), 76
- Code, cryptographic (编码, 加密), 593
- Code division multiple access (码分多址), 50, 84, 106, 170
- Code division multiplexing (码分多路复用), 106–108
- Code rate (码率), 159
- Code signing (代码签名), 668
- Codec (编码解码器), 119
- Codeword (码字), 159
- Collision (冲突), 201
- Collision detection, CSMA (冲突检测, CSMA), 207–208
- Collision domain (冲突域), 223
- Collision-free protocol (无冲突协议), 208–211
- Combing, visual artifact (梳理, 视觉), 545
- Committee draft (委员会草案), 62
- Common control channel (公共控制信道), 136
- Common gateway interface (公共网关接口), 521
- Common-channel signaling (公共信道信令), 121
- Communication medium (通信介质), 3
- Communication satellite (通信卫星), 90–97
- Communication security (通信安全), 632–643
- Communication subnet (通信子网), 19
- Community antenna television (公共天线电视), 140–141
- Companding (扩展), 120
- Comparison of the OSI and TCP/IP models (OSI 和 TCP/IP 模型比较), 35
- Complementary code keying (补码键控), 233
- Compression (压缩)
 - audio (音频), 542–544
 - header (头), 457–458
 - video (视频), 546–551
- Computer, wearable (可穿戴计算机), 10
- Computer network (参见 Network)
- Conditional GET, HTTP (条件 GET, HTTP), 535
- Confidentiality (保密性), 27
- Congestion, network (拥塞, 网络), 27, 302–311
- Congestion avoidance (拥塞避免), 307
- Congestion collapse (拥塞崩溃), 303
 - TCP, 440
- Congestion control (拥塞控制)
 - convergence (收敛), 413
 - network layer (网络层), 302–311
 - provisioning (供给), 304
 - TCP, 440–448
- Congestion window, TCP (拥塞控制, TCP), 440
- Connection, HTTP (连接, HTTP), 529–530
- Connection establishment (连接建立), 395–399
 - TCP, 432–433
- Connection management, TCP (TCP 连接管理), 434–435
- Connection release (连接释放), 400–403

- TCP, 433
- Connection reuse, HTTP (连接重用, HTTP), 529
- Connection-oriented service (面向连接服务), 27–29, 277–278
 - implementation (实现), 312–313
- Connectionless service (无连接服务), 27, 256–277
 - implementation (实现), 312–313
- Connectivity (连通性), 5, 8
- Constellation (星座), 114
- Constellation diagram (星座图), 103
- Constraint length (约束长度), 161
- Contact, delay-tolerant network (接触, 延迟容忍网络), 462
- Content and Internet traffic (内容和 Internet 流量), 569–571
- Content delivery network (内容分发网络), 574–578
- Content distribution (内容分发), 568–585
- Content transformation (内容转换), 537
- Contention system (竞争系统), 203
- Continuous media (连续媒体), 539
- Control channel, broadcast (控制信道, 广播), 135
- Control law (控制法则), 414
- Convergence (收敛), 286
 - congestion control (拥塞控制), 412
- Convolutional code (卷积码), 161
- Cookie (小甜饼), 11
 - SYN, 430
 - Web, 508–512
- Copyright (版权), 675–677
- Cordless telephone (无绳电话), 129
- Core network (核心网络), 53
- Core-based tree (基于核心的树), 296
- Count-to-infinity problem (无穷计算问题), 286–288
- Counter mode (计数器模式), 613–614
- Crash recovery (崩溃恢复), 407–409
- CRC (参见 Cyclic Redundancy Check)
- Critique of OSI and TCP/IP (OSI 和 TCP/IP 评判), 32–35
- CRL (参见 Certificate Revocation List)
- Cross-correlation (互相关性), 138
- Cryptanalysis (密码分析), 614, 614–615
 - differential (区分), 615
 - linear (线性), 615
- Cryptographic certificate (加密证书), 627–628
- Cryptographic key (加密密钥), 594
- Cryptographic principles (加密主角), 602–603
- Cryptographic round (加密轮), 605
- Cryptography (密码学), 603–615
 - AES, 241
 - certificate (证书), 627–628
 - ciphertext (密文), 594
 - DES, 605–607
 - Kerckhoff's principle (Kerckhoff 主角), 595
 - key (密钥), 594
 - one-time pad (一次性密钥), 598–602
 - P-box (P 盒), 604
 - plaintext (明文), 594
 - public-key (公钥), 615–618
 - quantum (量子), 599–602
 - Rijndael, 245
 - S-box (S 盒), 604
 - security by obscurity (安全模糊), 595
 - symmetric-key (对称密钥), 603–615
 - triple DES (三重 DES), 606–607
 - vs. code (编码), 593
 - work factor (工作因子), 595
- Cryptology (密码学), 595
- CSMA (参见 Carrier Sense Multiple Access)
- CSMA with collision avoidance (带冲突避免的 CSMA), 234
- CSMA with collision detection (带冲突检测的 CSMA), 207
- CSMA/CA (参见 CSMA with Collision Avoidance)
- CSMA/CD (参见 CSMA with Collision Detection)
- CSNET, 46
- CSS (参见 Cascading Style Sheet)
- CTS (参见 Clear To Send)
- CubeSat (立方星), 96
- Cumulative acknowledgement (累计确认), 184, 430
 - TCP, 438
- Custody transfer, delay-tolerant network (托管传送, 延迟容忍网络), 465
- Cut-through switching (直通式交换), 28, 260
- Cybersquatting (域名抢注), 473
- Cyclic redundancy check (循环冗余校验), 165

Cypherpunk remailer (朋克邮件转发器), 671

D

D-AMPS (参见 Digital Advanced Mobile Phone System)

DAC (参见 Digital-to-Analog Converter)

Daemen, Joan, 608

Daemon (守护进程), 427

DAG (参见 Directed Acyclic Graph)

Data center (数据中心), 50

Data delivery service, IEEE 802.11 (数据传递服务, 802.11), 241

Data encryption standard (数据加密标准), 605–607

Data frame (数据帧), 33

Data link layer (数据链路层), 33, 152–194

bit stuffing (比特填充), 156

byte stuffing (字节填充), 155

design issues (设计问题), 151–158

elementary protocols (初级协议), 167–189

example protocols (协议实例), 189–194

sliding window protocols (滑动窗口协议), 176–189

stop-and-wait protocol (停等式协议), 172–173

Data link layer switching (数据链路层交换), 256–269

Data link protocol (数据链路协议), 167–194

ADSL, 192–194

elementary (初级), 167–189

examples (实例), 189–194

packet over SONET (SONET 上的数据包), 189–192

sliding window (滑动窗口), 176–189

stop-and-wait (停等式), 173–176

Data over cable service interface specification (线缆数据服务接口规范), 143

Datagram (数据报), 28, 276

Datagram congestion control protocol (数据报拥塞控制协议), 387

Datagram network (数据报网络), 276

Datagram service, comparison with VCs (数据报服务, 与虚电路的比较), 278–279

Davies, Donald, 43

DB (参见 Decibel)

DCCP (参见 Datagram Congestion Controlled Protocol)

DCF (参见 Distributed Coordination Function)

DCF interframe spacing (DCF 帧间间隔), 238

DCT (参见 Discrete Cosine Transformation)

DDoS attack (参见 Distributed Denial of Service attack)

De facto standard (事实标准), 59

De jure standard (法定标准), 60

Decibel (分贝), 73, 541

Decoding, audio (解码, 音频), 542

Dedicated control channel (专用控制信道), 135

Deep Web (深层 Web), 538

Default gateway (默认网关), 361

Default-free zone (默认自由区), 342

Deficit round robin (赤字循环), 319

Delay, queueing (延迟, 排队), 128

Delay-tolerant network (延迟容忍网络), 461–466
architecture (体系结构), 462–464
custody transfer (托管传送), 465
protocol (协议), 464–466

Delayed acknowledgement, TCP (延迟确认, TCP), 437

Demilitarized zone (非军事区), 636

Denial of service attack (拒绝服务攻击), 638
distributed (分布式), 638

Dense wavelength division multiplexing (密集波分复用), 125

DES (参见 Data Encryption Standard)

Design issues (设计问题)

data link layer (数据链路层), 151–157

fast networks (快速网络), 452–454

network (网络), 26–27

network layer (网络层), 274–279

transport layer (传输层), 392–409

Designated router (指定路由器), 289, 368

Desktop sharing (桌面共享), 4

Destination port (目标端口), 349

Device driver (设备驱动器), 168

DHCP (参见 Dynamic Host Configuration Protocol)

DHT (参见 Distributed Hash Table)

Diagonal basis, in quantum cryptography (对角基, 量子加密), 600

Dial-up modem (拨号调制解调器), 48

- Dialog control (对话控制), 34
- Differential cryptanalysis (区分密码分析), 614–615
- Differentiated service (区分服务), 324–326, 338, 352
- Diffie-Hellman protocol (Diffie-Hellman 协议), 647–649
- DIFS (参见 DCF interframe spacing)
- Digital advanced mobile phone system (数字高级移动电话系统), 130
- Digital audio (数字音频), 540–544
- Digital Millennium Copyright Act (数字千年版权法案), 11, 676
- Digital modulation (数字调制), 97
- Digital signature (数字签名), 616–618
- Digital signature standard (数字签名标准), 621
- Digital subscriber line (数字用户线), 48, 115–117
- Digital subscriber line access multiplexer (数字用户线接入复用器), 48, 117
- Digital video (数字视频), 545–551
- Digital-to-analog converter (数模转换器), 541
- Digitizing voice signals (数字化语音信号), 119–120
- Digram (两字母连字), 597
- Dijkstra, Edsger, 282
- Dijkstra's algorithm (Dijkstra 算法), 282
- Direct acyclic graph (有向无环图), 281
- Direct sequence spread spectrum (直接序列扩频), 84
- Directed acyclic graph (有向无环图), 281
- Directive, HTML (目录, HTML), 512
- Directory, PKI (目录, PKI), 630
- DIS (参见 Draft International Standard)
- Disassociation, IEEE 802.11 (解除关联, 802.11), 240
- Discovery, path MTU (发现, 路径 MTU), 429
- Discrete cosine transformation, MPEG (离散余弦变换, MPEG), 547
- Discrete multitone (离散多音), 116
- Dispersion, chromatic (色散, 色差), 80
- Disposition, message (处置, 邮件), 484
- Disruption-tolerant network (中断延迟网络), 462
- Distance vector multicast routing protocol (距离矢量组播路由协议), 296
- Distance vector routing (距离矢量路由), 285–288
- Distortion (失真), 541
- Distributed coordination function (分布式协调功能), 235
- Distributed denial of service attack (分布式拒绝服务攻击), 638–639
- Distributed Hash Table (分布式哈希表), 582–585
- Distributed system (分布式系统), 1
- Distribution service, IEEE 802.11 (分发服务, 802.11), 240
- Distribution system (分布式系统), 231
- DIX Ethernet standard (DIX 以太网标准), 217, 219
- DMCA (参见 Digital Millennium Copyright Act)
- DMCA takedown notice (DMCA 删除通知), 11
- DMT (参见 Discrete MultiTone)
- DMZ (参见 DeMilitarized Zone)
- DNS (参见 Domain Name System)
- DNS Name Space (DNS 名字空间), 472–474
- DNS spoofing (DNS 欺骗), 660–661
- DNSsec (参见 Domain Name System security)
- DOCSIS (参见 Data Over Cable Service Interface Specification)
- Document object model (文档对象模型), 525
- DOM (参见 Document Object Model)
- Domain (域)
- collision (冲突), 223
 - frequency (频率), 105
- Domain Name System (域名系统), 37, 471–480
- authoritative record (权威记录), 478–480
 - cybersquatting (域名抢注), 473
 - domain resource record (域名资源记录), 474–477
 - name server (域名服务器), 477–480
 - name space (域名空间), 472
 - registrar (注册机构), 472
 - resource record (资源记录), 474–477
 - reverse lookup (逆向查询), 476
 - spoofing (欺骗), 661
 - top-level domain (顶级域名), 472
 - zone (域), 662–663
- DoS attack (DoS 攻击) (参见 Denial of Service attack)
- Dot com era (点 com 时代), 500
- Dotted decimal notation (点分十进制), 340

Downstream proxy (下行流代理), 574
Draft International Standard (国际标准草案), 62
Draft standard (标准草案), 64
DSL (参见 Digital Subscriber Line)
DSLAM (参见 Digital Subscriber Line Access Multiplexer)
DTN (参见 Delay-Tolerant Network)
Duplicate acknowledgement, TCP(重复确认, TCP), 444
DVMRP (参见 Distance Vector Multicast Routing Protocol)
DWDM (参见 Dense Wavelength Division Multiplexing)
Dwell time (驻留时间), 250
Dynamic channel allocation (动态信道分配), 201-202
Dynamic frequency selection (动态频率选择), 241
Dynamic host configuration protocol (动态主机配置协议), 361
Dynamic HTML (动态 HTML), 523
Dynamic page, Web (动态页面, Web), 501
Dynamic routing (动态路由), 280
Dynamic Web page (动态网页), 501, 519-520
Dynamic Web page generation (动态网页生成)
 client side (客户端), 522-525
 server side (服务器端), 520-522

E

E-commerce (电子商务), 4, 6
E-mail (参见 Email)
E1 line (E1 线路), 121
EAP (参见 Extensible Authentication Protocol)
Early exit (提前退出), 373
ECB (参见 Electronic Code Book mode)
ECMP (参见 Equal Cost MultiPath)
ECN (参见 Explicit Congestion Notification)
EDE (参见 Encrypt Decrypt Encrypt mode)
EDGE (参见 Enhanced Data rates for GSM Evolution)
EEE (参见 Encrypt encrypt encrypt mode)
EIFS (参见 Extended interframe Spacing)
Eisenhower, Dwight, 43
Electromagnetic spectrum(电磁频谱), 82-84, 87-89

Electronic code book mode (电码本模式), 610-611
Electronic commerce (电子商务), 4
Electronic mail (参见 Email)
Electronic product code (电子产品码), 253
Elephant flow (大象流), 570
E-mail, 3, 480-499
 architecture and services (体系结构和服务), 481-482
 authoritative record (权威记录), 478
 base64 encoding (基于 64 编码), 489
 body (邮件体), 482
 cached record (缓存的纪录), 478
 envelope (信封), 482
 final delivery (最后传递), 497
 IMAP, 497-498
 mail server (邮件服务器), 481
 mail submission (邮件提交), 495
 mailbox (邮箱), 482
 message format (邮件格式), 486
 message transfer (邮件传输), 481, 492-497, 96
 MIME, 488
 name resolution (名字解析), 478
 open mail relay (开放邮件中继), 496
 POP3, 498
 quoted-printable encoding (引用可打印编码), 489
 signature block (签名块), 485
 simple mail transfer protocol (简单邮件传输协议), 482
 transfer agent (传输代理), 481
 user agent (用户代理), 481, 482
 vacation agent (休假代理), 485
 Webmail, 499
 X400, 485
E-mail header (电子邮件头), 482
E-mail reader (电子邮件阅读器), 482
E-mail security (电子邮件安全性), 654-658
Emoticon (表情), 481
Encapsulating security payload (封装安全有效载荷), 635
Encapsulation, packet (封装, 数据包), 299
Encoding, 4B/5B (编码, 4B/5B), 225
 audio (音频), 542-544

- video (视频), 546–551
 - Ethernet 4B/5B (以太网, 4B/5B), 225
 - Ethernet 8B/10B (以太网, 8B/10B), 228
 - Ethernet 64B/66B (以太网, 64B/66B), 229
 - Encrypt decrypt encrypt mode (加密 解密 加密模式), 607
 - Encrypt encrypt encrypt mode (加密 加密 加密模式), 607
 - Encryption, link (加密, 链路), 592
 - End office (端局), 109
 - End-to-end argument (端到端观点), 275, 403
 - Endpoint, multiplexing (端点, 多路复用), 407
 - Enhanced data rates for GSM evolution (增强数据率的 GSM 演进), 139
 - Enterprise network (企业网络), 15
 - Entity, transport (实体, 传输), 382
 - Envelope (信封), 482
 - EPC (参见 Electronic Product Code)
 - EPON (参见 Ethernet PON)
 - Equal cost multipath (等效成本多路径), 366
 - Erasure (擦除), 554
 - Erasure channel (擦除信道), 158
 - Error control (差错控制), 156–157
 - transport layer (传输层), 403–407
 - Error correction (纠错), 26
 - Error detection (检错), 26
 - Error syndrome (错误综合集), 161
 - Error-correcting code (纠错码), 159–163
 - Error-detecting code (检错码), 163–167
 - ESMTP (参见 Extended SMTP)
 - ESP (参见 Encapsulating Security Payload)
 - Eternity service (永恒服务), 673
 - Ethernet, 15, 216–231
 - 10-gigabit (万兆), 226–228
 - 100Base-FX, 225
 - 100Base-T4, 225
 - 1000Base-T, 228–229
 - Base-T, 228–229
 - carrier-grade (电信级), 230
 - classic (经典), 16, 217–222
 - DIX, 217, 219
 - fast (快速), 224–226
 - gigabit (千兆), 226–229
 - MAC sublayer (MAC 子层), 216–231
 - promiscuous mode (混杂模式), 224
 - retrospective (回顾), 230–231
 - switched (交换式), 15, 222–224
 - Ethernet carrier extension (以太网电信级扩展), 227
 - Ethernet encoding (以太网编码)
 - 4B/5B, 225
 - 64B/66B, 229
 - 8B/10B, 228
 - Ethernet frame bursting (以太网帧突发), 227
 - Ethernet header (以太网头), 218
 - Ethernet hub (以太网集线器), 222
 - Ethernet jumbo frame (以太网巨型帧), 228
 - Ethernet performance (以太网性能), 221–222
 - Ethernet PON (以太网无源光网络), 118–119
 - Ethernet port (以太网端口), 15
 - Ethernet switch (以太网交换机), 15, 223
 - EuroDOCSIS, 143
 - EWMA (参见 Exponentially Weighted Moving Average)
 - Expedited forwarding (加速转发), 325
 - Explicit congestion notification (显式拥塞通知), 308
 - Exponential decay (指数衰减), 571
 - Exponentially weighted moving average (指数加权移动平均), 307, 439
 - Exposed terminal problem (暴露终端问题), 215
 - Extended hypertext markup language (扩展的超文本标记语言), 527
 - Extended interframe spacing (扩展的帧间间隔), 238
 - Extended SMTP (扩展的 SMTP), 494
 - Extended superframe (扩展的超帧), 120
 - Extensible authentication protocol (可扩展的身份验证协议), 640
 - Extensible markup language (可扩展标记语言), 526
 - Extensible stylesheet language transformation (可扩展样式表语言转换), 526
 - Extension header, IPv6 (扩展头, IPv6), 354–356
 - Exterior gateway protocol (外部网关协议), 332, 365
- ## F
- Facebook, 6
 - Fair queueing (公平队列), 317
 - Fair use doctrine (公平使用原则), 676
 - Fast Ethernet (快速以太网), 224–226

- Fast network, design (快速网络, 设计), 452–454
- Fast recovery (快速恢复, TCP), TCP, 446
- Fast retransmission (快速重传, TCP), TCP, 445
- Fast segment processing (快速段处理), 454–457
- FCFS (参见 First-Come First-Served packet scheduling)
- FDD (参见 Frequency Division Duplex)
- FDDI (参见 Fiber Distributed Data Interface)
- FDM (参见 Frequency Division Multiplexing)
- FEC (参见 Forwarding Equivalence Class)
- FEC (参见 Forward Error Correction)
- FEC (参见 Forwarding Equivalence Class)
- Fiber channel (光纤信道), 230
- Fiber distributed data interface (光纤分布式数据接口), 230
- Fiber node (光纤节点), 141
- Fiber optics (光纤), 77–82
 compared to copper wire (与铜线的比较), 81–82
- Fiber to the home (光纤到户), 49, 78, 118
- Field, video (域, 视频), 545
- FIFO (参见 First-In First-Out packet scheduling)
- File transfer protocol (文件传输协议), 349, 481
- Filtering, ingress (过滤, 入口), 375
- Final delivery, email (最后传递, 电子邮件), 497
- Finger table (指取表), Chord, 592
- Firewall (防火墙), 635–638
 stateful (状态), 637
- First-come first-served packet scheduling (先来先服务的包调度), 317
- First-generation mobile phone network (第一代移动电话网络), 130–132
- First-in first-out packet scheduling (先进先出的包调度), 317
- Fixed wireless (固定无线), 8 Flag byte (标志字节), 154
- Flash crowd (闪群), 578, 578
- Fletcher's checksum (Fletcher 校验和), 165
- Flooding algorithm (泛洪算法), 283–285
- Flow control (流量控制), 27, 157
 transport layer (传输层), 403–406
- Flow specification (流规范), 320
- Footprint, satellite (足迹, 卫星), 93
- Forbidden region (禁止区域), 397–398
- Foreign agent (外地代理), 299, 375
- Form, Web (表单, Web), 516–518
- Forward error correction (前向纠错), 158, 553
- Forwarding (转发), 279
 assured (确保), 325–326
 expedited (加速), 325
- Forwarding algorithm (转发算法), 21
- Forwarding equivalence class (转发等价类), 363
- Fourier analysis (傅里叶分析), 70
- Fourier series (傅里叶级数), 70
- Fourier transform (傅里叶变换), 105, 543
- Fragment (分段)
 frame (帧), 237
 packet (数据包), 333
- Fragmentation, packet (分段, 数据包), 332–335
- Frame (帧), 151
 acknowledgement (确认), 33
 beacon (信标), 237
 data (数据), 33
- Frame bursting, Ethernet (帧突发, 以太网), 227
- Frame fragment (帧分段), 237
- Frame header (帧头), 170
- Frame structure (帧结构)
 Bluetooth (蓝牙), 251–253
 IEEE 802.11, 239–240
 IEEE 802.16, 246–247
- Framing (成帧), 153–156
- Free-rider, BitTorrent (搭便车, BitTorrent), 578
- Free-space optics (自由空间光学), 89
- Freedom of speech (言论自由), 672–675
- Frequency, electromagnetic spectrum (频率, 电磁频谱), 82
- Frequency division duplex (频分双工), 131, 245
- Frequency division multiplexing (频分多路复用), 103–105
- Frequency hopping, Bluetooth (跳频, 蓝牙), 250
- Frequency hopping spread spectrum (跳频扩展频谱), 83
- Frequency masking, psychoacoustics (频率屏蔽, 心理声学), 543
- Frequency reuse (频率重用), 51
- Frequency selection, dynamic (频率选择, 动态), 241
- Frequency shift keying (频移键控), 102

Freshness of messages (消息新鲜度), 603
Front end, Web server (前端, Web 服务器), 572
FSK (参见 Frequency Shift Keying)
FTP (参见 File Transfer Program)
FttH (参见 Fiber to the Home)
Full-duplex link (全双工链路), 76
Future of TCP (TCP 未来), 448-449
Fuzzball, 46

G

G.711 standard (G.711 标准), 563
Gdmt, 116
Glite, 117
Gatekeeper, multimedia (网守, 多媒体), 563
Gateway (网关), 22

- application level (应用层), 637
- default (默认), 361
- media (媒体), 53
- multimedia (多媒体), 563

Gateway GPRS support node (网关 GPRS 支撑节点), 53
Gateway mobile switching center (网关移动交换中心), 53
Gen 2 RFID, 253-256
General packet radio service (通用数据包无线业务), 53
Generator polynomial (生成多项式), 165
GEO (参见 Geostationary Earth Orbit)
Geostationary earth orbit (地球同步轨道), 92
Geostationary satellite (地球同步卫星), 91
GGSN (参见 Gateway GPRS Support Node)
Gigabit Ethernet (千兆以太网), 226-229
Gigabit-capable PON (千兆级 PON), 118
Global Positioning System (全球定位系统), 9, 94
Global system for mobile communication (全球移动通信系统), 50, 133-136
Globalstar (全球星), 95
Gmail, 11
GMSC (参见 Gateway Mobile Switching Center)
Go-back-n protocol (回退 N 协议), 180-185
Goodput (实际吞吐量), 303, 410
GPON (参见 Gigabit-capable PON)
GPRS (参见 General Packet Radio Service)

GPS (参见 Global Positioning System)
Gratuitous ARP (免费 ARP), 360, 375
Gray, Elisha, 109
Gray code (格雷码), 103
Group (群), 119
Group, telephone hierarchy (群, 电话层次结构), 119
GSM (参见 Global system for mobile communication)
Guard band (保护带), 104
Guard time (保护时间), 105
Guided transmission media (引导性传输介质), 74-82

H

H.225 standard (H.225 标准), 563
H.245 standard (H.245 标准), 563
H.264 standard (H.264 标准), 549
H.323

- compared to SIP (与 SIP 的比较), 567-568
- standard (标准), 563-565

Half-duplex link (半双工), 96
Hamming code (海明码), 161-162
Hamming distance (海明距离), 161
Handoff (切换), 53-54, 131

- hard (硬), 139
- soft (软), 139

Handover (参见 Handoff)
Hard-decision decoding (硬判决解码), 162
Harmonic (谐波), 70
Hashed message authentication code (散列的消息认证码), 634
HDLC (参见 High-level Data Link Control)
HDTV (参见 High-definition television)
Headend, cable (头端, 线缆), 49, 140
Header (头), 482

- email (电子邮件), 482
- Ethernet (以太网), 218
- IPv4, 337-340
- IPv6, 350-357
- IPv6 extension (IPv6 扩展), 354-356
- packet (数据包), 25
- TCP segment (TCP 段), 429-432

Header compression (头压缩), 457-458

robust (健壮), 458
 Header prediction (头预测), 456
 Helper application, browser (辅助应用程序, 浏览器), 505
 Hertz (赫兹), 82
 Hertz, Heinrich, 82
 HF RFID, 57
 HFC (参见 Hybrid Fiber Coax)
 Hidden terminal problem (隐藏终端问题), 215
 Hierarchical routing (层次路由), 292–293
 High-definition television (高清晰电视), 546
 High-level data link control (高级数据链路控制), 155, 190
 High-water mark (高水印标记), 556
 History of the Internet (Internet 历史), 42–47
 HLR (参见 Home location register)
 HMAC (参见 Hashed message authentication code)
 Home agent (家乡代理), 298, 374
 Home location (家乡位置), 298
 Home location register (归属位置寄存器), 134
 Home network (家乡网络), 4–8
 Home subscriber server (归属用户服务器), 53
 Hop-by-hop backpressure (逐跳后压), 308–309
 Host (主机), 19
 mobile (移动), 298
 Host design for fast networks (快速网络的主机设计), 452–454
 Hosting (驻留), 50
 Hot-potato routing (热土豆路由), 372
 Hotspot (热点), 8
 HSS (参见 Home Subscriber Server)
 HTML (参见 Hypertext markup language)
 HTTP (参见 Hypertext transfer protocol)
 HTTPS (参见 Secure HTTP)
 Hub (集线器), 263
 compared to bridge and switch (与网桥和交换机比较), 263–264
 Ethernet (以太网), 222
 satellite (卫星), 91
 Hybrid fiber coax (混合光纤电缆), 141
 Hyperlink (超链接), 500
 Hypertext (超文本), 500
 Hypertext markup language (超文本标记语言), 512–519

attribute (属性), 514
 directive (指示符), 513
 tag (标签), 513–516
 Hypertext transfer protocol (超文本传输协议), 35, 501, 503, 528–536
 conditional get (条件获取), 535
 connection (连接), 529–530
 connection reuse (连接重用), 529
 method (方法), 530–532
 parallel connection (并行连接), 530
 persistent connection (持续连接), 529
 scheme (方案), 502
 secure (安全), 664
 Hz (参见 Hertz)

I

IAB (参见 Internet Activities Board)
 ICANN (参见 Internet Corporation for Assigned Names and Number)
 ICMP (参见 Internet Control Message Protocol)
 IDEA (参见 International Data Encryption Algorithm)
 IEEE 802.11, 15, 231–232
 physical layer (物理层), 232–234
 privacy service (隐私服务), 241
 protocol stack (协议栈), 231–232
 reassociation (重新关联), 240
 security (安全), 640–642
 services (服务), 240–241
 transmit power control (发射功率控制), 241
 IEEE 802.11a, 233
 IEEE 802.11b, 233
 IEEE 802.11g, 158
 IEEE 802.11i, 640
 IEEE 802.11n, 234
 IEEE 802.16, 140, 313–320
 architecture (体系结构), 243–244
 comparison with IEEE 802.11 (与 802.11 的比较), 242–243
 frame structure (帧结构), 246–247
 MAC sublayer protocol (MAC 子层协议), 245–246
 physical layer (物理层), 244–245

- protocol stack (协议栈), 243-244
- ranging (测距), 245
- IEEE 802.1Q, 267-269
- IEEE 802.1X, 640
- IEEE (参见 Institute of Electrical and Electronics Engineers)
- IETF (参见 Internet Engineering Task Force)
- IGMP (参见 Internet Group Management Protocol)
- IKE (参见 Internet Key Exchange)
- IMAP (参见 Internet Message Access Protocol)
- IMP (参见 Interface Message Processor)
- Improved mobile telephone system (改进型移动电话系统), 130
- IMT-2000, 136-137
- IMTS (参见 Improved Mobile Telephone System)
- In-band signaling (带内信令), 121
- Industrial, scientific, medical bands (工业科学医学频段), 55, 112
- Inetd, 427
- Infrared Data Association (红外数据协会), 89
- Infrared transmission (红外传输), 89
- Ingress filtering (入口过滤), 375
- Initial connection protocol (初始连接协议), 399
- Initialization vector (初始矢量), 611
- Input form, Web (输入表单, Web), 516-518
- Instant messaging (即时消息), 6
- Institute of Electrical and Electronics Engineers (电气和电子工程师协会), 62
- Integrated services (综合服务), 322-324
- Integration service, IEEE 802.11 (集成服务, 802.11), 241
- Intellectual property (知识产权), 675
- Interdomain protocol (域间协议), 332
- Interdomain routing (域间路由), 365
- Interexchange carrier (跨区运营商), 111
- Interface (接口), 23
 - air (空中), 51, 134
- Interface message processor (接口消息处理器), 43-44
- Interior gateway protocol (内部网关协议), 332, 365
- Interlacing, video (隔行, 视频), 545
- Interleaving (交错编码), 554
- Internal router (内部路由器), 367
- International data encryption algorithm (国际数据加密算法), 654
- International Mobile Telecommunication-2000 (国际移动通信 2000), 136-137
- International Standard (国际标准), 61-62
- International Standard IS-95 (国际标准 IS-95), 133
- International Standards Organization (国际标准化组织), 61
- International Telecommunication Union (国际电信联盟), 60
- Internet, 1, 21
 - architecture (体系结构), 47-50
 - backbone (骨干), 49
 - cable (线缆), 141-142
 - control protocols (控制协议), 357-362
 - daemon (守护进程), 427
 - history (历史), 42-47
 - interplanetary (星际), 13
 - key exchange (密钥交换), 633
 - message access protocol (邮件访问协议), 497-498
 - multicasting (组播), 295-297
 - protocol version 4 (协议版本 4), 337-350
 - protocol version 6 (协议版本 6), 350-357
 - radio (广播), 557
 - TCP/IP layer (TCP/IP 层), 35-36
- Internet Activities Board (Internet 活动委员会), 63
- Internet Architecture Board (Internet 体系结构委员会), 63
- Internet control message protocol (Internet 控制报文协议), 36
- Internet Corporation for Assigned Names and Numbers (Internet 名字与数字地址分配机构), 341, 472
- Internet Engineering Task Force (Internet 工程任务组), 64
- Internet exchange point (Internet 交换点), 49, 369
- Internet group management protocol (Internet 组管理协议), 373
- Internet over cable (线缆上的 Internet), 141-142
- Internet protocol (IP), 36, 336-376
 - CIDR, 342-344
 - classful addressing (分类寻址), 345-346

- control (控制), 357–362
 - control message (控制报文), 36
 - control protocols (控制协议), 357–362
 - dotted decimal notation (点分十进制表示), 340
 - group management (组管理), 373
 - IP addresses (IP 地址), 340–350
 - message access (邮件访问), 497–498
 - mobile (移动), 374–376
 - subnet (子网), 341–342
 - Internet protocol (continued) version 4 (版本 4), 337–340
 - version 5 (版本 5), 337
 - version 6 (版本 6), 350–357
 - version 6 controversies (版本 6 争论), 356–357
 - version 6 extension headers (版本 6 扩展头), 354–356
 - version 6 main header (版本 6 主要头), 352–354
 - Internet protocol version 4 (Internet 协议版本 4), 337–350
 - Internet protocol version 6 (Internet 协议版本 6), 350–357
 - Internet Research Task Force (Internet 研究任务组), 64
 - Internet service provider (Internet 服务提供商), 20, 48
 - Internet Society (Internet 协会), 64
 - Internet standard (Internet 标准), 64
 - Internet telephony (Internet 电话), 560, 560
 - Internetwork (互互联网), 20, 21–22, 326–335
 - Internetwork routing (互联网路由), 331–332
 - Internetworking (网络互联), 26, 326–335
 - network layer (网络层), 15, 326–335
 - Internetworking network layer (网络互联的网络层), 326–335
 - Interoffice trunk (长途中继线), 110
 - Interplanetary Internet (星际互联网), 13
 - Intradomain protocol (域内协议), 331
 - Intradomain routing (域内路由), 365
 - Intranet (内联网), 50
 - Intruder, security (入侵者, 安全), 594
 - Inverse multiplexing (逆向多路复用), 407
 - IP (参见 Internet protocol)
 - IP address (IP 地址), 340–350
 - CIDR (无类域间), 342–345
 - classful (分类), 345–346
 - NAT, 347–350
 - prefix (前缀), 354–356
 - IP security (IP 安全), 632–635
 - transport mode (传输模式), 633
 - tunnel mode (隧道模式), 633
 - IP telephony (IP 电话), 4
 - IP television (IP 电视), 7, 557
 - IPsec (参见 IP security)
 - IPTV (参见 IP TeleVision)
 - IPv4 (参见 Internet Protocol, version 4)
 - IPv5 (参见 Internet Protocol, version 5)
 - IPv6 (参见 Internet Protocol, version 6)
 - IrDA (参见 Infrared Data Association)
 - Iridium (铱), 94
 - IRTF (参见 Internet Research Task Force)
 - IS (参见 International Standard)
 - IS-95, 133
 - IS-IS, 291, 365
 - ISAKMP (参见 Internet Security Association and Key Management Protocol)
 - ISM (参见 Industrial, Scientific, Medical bands)
 - ISO (参见 International Standards Organization)
 - ISP (参见 Internet Service Provider)
 - ISP network (ISP 网络), 20
 - Iterative query (迭代查询), 479
 - ITU (参见 International Telecommunication Union)
 - IV (参见 Initialization Vector)
 - IXC (参见 IntereXchange Carrier)
 - IXP (参见 Internet eXchange Point)
- ## J
- Java applet security (Java 小应用程序安全), 667
 - Java virtual machine (Java 虚拟机), 524
 - Java Virtual Machine (Java 虚拟机), 667
 - JavaScript (Java 脚本), 523, 668
 - Javascript page (Java 服务器页面), 522
 - Jitter (抖动), 312, 540
 - Jitter control (抖动控制), 424–425
 - Joint photographic experts group (联合图像专家组), 546
 - JPEG (参见 Joint Photographic Experts Group)
 - JPEG standard, 546–548

JSP (参见 Javasever Page)

Jumbo frame, Ethernet (巨型帧, 以太网), 228

Jumbogram (巨型数据报), 355

JVM (参见 Java Virtual Machine)

K

Karn's algorithm (Karn 算法), 440

KDC (参见 Key Distribution Center)

Keepalive timer, TCP (保活计时器, TCP), 440

Kepler's Law (开普勒定律), 91

Kerberos, 651–653

 realm (域), 653

Kerckhoff's principle (Kerckhoff 主角), 595

Key (密钥)

 Chord, 582

 cryptographic (加密), 594

Key distribution center (密钥分发中心), 627, 643

 authentication using (认证), 649–651

Key escrow (密钥托管), 670

Keystream (密钥流), 613

Keystream reuse attack (密钥流重用攻击), 613

Known plaintext attack (已知明文攻击), 595

L

L2CAP (参见 Logical link control adaptation protocol)

Label edge router (标签边缘路由器), 363

Label switched router (标签交换路由器), 362

Label switching (标签交换), 278, 362–364

Lamarr, Hedy, 83–84

LAN (参见 Local Area Network)

LAN, virtual (局域网, 虚拟), 16

LATA (参见 Local access and transport area)

Layer (层)

 application (应用), 35, 37, 471–585

 data link (数据链路), 151–194

 IEEE 802.11 physical (802.11 物理), 232–234

 IEEE 802.16 physical (802.16 物理), 244–245

 network (网络), 22, 274–376

 physical (物理), 70–146

 session (会话), 34

 transport (传输), 34, 382–466

LCP (参见 Link Control Protocol)

LDPC (参见 Low-Density Parity Check)

Leaky bucket algorithm (漏桶算法), 306, 314–316

Learning bridge (学习网桥), 258–260

LEC (参见 Local Exchange Carrier)

Leecher, BitTorrent (吸血鬼, BitTorrent), 581

LEO (参见 Low-Earth Orbit satellite)

LER (参见 Label Edge Router)

Level, network (网络), 22

Light transmission (光传输), 89–90

Limited-contention protocol (有限竞争协议),
211–213

Line code (线路编码), 98

Linear code (线性编码), 159

Linear cryptanalysis (线性密码分析), 615

Link (链路)

 asynchronous connectionless(异步无连接), 251

 Bluetooth (蓝牙), 250

 full-duplex (全双工), 76

 half-duplex (半双工), 76

 synchronous connection-oriented (同步有连接), 251

Link control protocol (链路控制协议), 190

Link encryption (链路加密), 592

Link layer (链路层)

 Bluetooth (蓝牙), 250–251

 TCP/IP, 35

Link state routing (链路状态路由选择), 288–292

Little-endian computer (小端计算机), 330

LLC (参见 Logical Link Control)

Load balancing, Web server (负载均衡, Web 服务器), 572

Load shedding (负载脱落), 305, 310–311

Load-shedding policy (负载脱落策略)

 milk (牛奶), 310

 wine (葡萄酒), 310

Local access and transport area (本地接入和传输区域), 111

Local area network (局域网), 15

 virtual (虚拟), 265–269

Local exchange carrier (本地交换运营商), 111

Local loop (本地回路), 109, 112–119

Local number portability (本地号码可携带性), 112

Logical link control (逻辑链路控制), 219, 240

Logical link control adaptation protocol (逻辑链路控制自适应协议), 250

Long fat network (长肥网络), 458–461

Long-term evolution (长期演进), 54, 139, 243

Longest matching prefix algorithm (最长匹配前缀算法), 344

Lossless audio compression (无损音频压缩), 542

Lossy audio compression (有损音频压缩), 542

Lottery algorithm (摸彩算法), 87

Low-density parity check (低密度奇偶校验), 163

Low-earth orbit satellite (低地球轨道卫星), 94–96

Low-water mark (低水印标记), 555

LSR (参见 Label Switched Router)

LTE (参见 Long Term Evolution)

Luminance, video (亮度, 视频), 546

M

M-commerce (移动商务), 9

MAC (参见 Medium Access Control)

MAC sublayer protocol (MAC 子层协议), 239–240, 245–246

IEEE 802.11, 239–240

IEEE 802.16, 246–247

MACA (参见 Multiple Access with Collision Avoidance)

Macroblock, MPEG (宏块, MPEG), 549

Magnetic media (磁介质), 74–75

MAHO (参见 Mobile Assisted HandOff)

Mail server (邮件服务器), 481

Mail submission (邮件提交), 481, 492, 495

Mailbox (邮箱), 482

Mailing list (邮件群发列表), 482

Maintenance, route (维护, 路由), 301–302

MAN (参见 Metropolitan Area Network)

Man-in-the-middle attack (中间人攻击), 649

Manchester encoding (曼彻斯特编码), 99

MANET (参见 Mobile Ad hoc NETwork)

Markup language (标记语言), 512, 526

Marshaling parameters (列集参数), 419

Max-min fairness (最大最小公平), 410–412

Maximum segment size, TCP (最大段长, TCP), 431

Maximum transfer unit (最大传输单元), 333, 428

Maximum transmission unit path (最大传输单元路径), 333

Maxwell, James Clerk, 82

MCI, 86

MD5, 623–624

Measurements of network performance (网络性能测量), 450–452

Media gateway (媒体网关), 53

Medium access control sublayer (介质访问控制子层), 33, 199–269

Bluetooth (蓝牙), 247–253

broadband wireless (宽带无线), 241–247

channel allocation (信道分配), 199–202

Ethernet (以太网), 216–231

IEEE 802.11, 231–241

multiple access protocols (多路访问协议), 202–216

wireless LANs (无线局域网), 231–241

Medium-earth orbit satellite (中地球轨道卫星), 94

MEO (参见 Medium-Earth Orbit Satellite)

Merkle, Ralph, 618

Message digest (消息摘要), 621–622

Message disposition (邮件处置), 484

Message format (邮件格式), 486

Message header (邮件头), 532–534

Message integrity check (消息完整性检查), 641

Message switching (消息交换), 462

Message transfer (邮件传输), 482, 496

Message transfer agent (邮件传输代理), 482

Metafile (元文件), 552

Metcalfe, Robert, 5

Method, HTTP (方法, HTTP), 530–532

Metric units (度量单位), 64–65

Metropolitan area network (城域网), 18

MFJ (参见 Modified Final Judgment)

MGW (参见 Media GateWay)

MIC (参见 Message Integrity Check)

Michelson-Morley experiment (Michelson-Morley 实验), 217

Microcell (微蜂窝), 131

Microwave transmission (微波传输), 86–89

Middlebox (中间件盒), 572

Middleware (中间件), 1

- Milk, load-shedding policy (牛奶, 负载脱落策略), 310
- MIME (参见 Multipurpose Internet Mail Extension)
- MIME type (MIME 类型), 504–506
- MIMO (参见 Multiple Input Multiple Output)
- Minislot (迷你槽), 144
- Mirroring a Web site (镜像一个 Web 站点), 575
- Mobile ad hoc network (移动自组织网络), 300–302
- Mobile assisted handoff (移动辅助切换), 136
- Mobile code security (移动代码安全性), 667–669
- Mobile commerce (移动商务), 9
- Mobile host (移动主机), 298
- routing (路由), 298–299
- Mobile Internet protocol (移动 Internet 协议), 374–376
- Mobile IP protocol (移动 IP 协议), 374–376
- Mobile phone (移动电话), 128–140
- Mobile phone system (移动电话系统)
- first-generation (第一代), 130–132
- second-generation (第二代), 132–136
- third-generation (第三代), 50–54, 136–140
- Mobile switching center (移动交换中心), 52, 131
- Mobile telephone (移动电话), 130–140
- Mobile telephone switching office (移动电话交换局), 131
- Mobile telephone system (移动电话系统), 130–140
- Mobile user (移动用户), 8–10
- Mobile Web (移动 Web), 536–537
- Mobile wireless (移动无线), 8
- Mockapetris, Paul, 40
- Modem (调制解调器), 113
- cable (线缆), 48, 143–145
- dial-up (拨号), 48
- V.32, 114
- V.34, 114
- V.90, 114
- Modified final judgment (修订的最终判决书), 111
- Modulation (调制解调), 102–103
- amplitude shift keying (幅移键控), 102
- BPSK, 233
- digital (数字), 97
- discrete multitone (离散多音), 116
- frequency shift keying (频移键控), 102
- phase shift keying (相移键控), 102
- pulse code (脉码), 119
- quadrature phase shift keying (正交相移键控), 102
- trellis coded (网格编码), 114
- Monoalphabetic substitution cipher (单字母置换密码), 596
- MOSPF (参见 Multicast OSPF)
- Motion picture experts group (移动图像专家组), 548
- Mouse (鼠), 570
- Mouse flow (鼠流), 570
- MP3, 543
- MP4, 543
- MPEG (参见 Motion Picture Experts Group)
- MPEG compression (MPEG 压缩), 548–551
- frame types (帧类型), 500
- MPEG-1, 549
- MPEG-2, 549
- MPEG-4, 549
- MPEG standards (MPEG 标准), 548–551
- MPLS (参见 MultiProtocol Label Switching)
- MSC (参见 Mobile Switching Center)
- MSS (参见 Maximum Segment Size)
- MTSO (参见 Mobile-Telephone Switching Office)
- MTU (参见 Maximum Transfer Unit)
- Mu law (μ -law), 541
- Mu-law (μ -规则), 120
- Multiaccess channel (多路访问信道), 199
- Multiaccess network (多路访问网络), 366
- Multicast OSPF (组播 OSPF), 296
- Multicast routing (组播路由), 295–297
- Multicasting (组播), 13, 218, 295
- Internet, 373
- Multidestination routing (多目标路由), 293
- Multihoming (多穴), 370
- Multihop network (多跳网络), 58
- Multimedia (多媒体), 539–568, 699
- Internet telephony (Internet 电话), 563–568
- jitter control (抖动控制), 424–425
- live streaming (直播流), 557–560
- MP3, 543
- RTSP, 552

- streaming audio (流式音频), 540–544
- video on demand (视频点播), 551–557
- videoconferencing (视频会议), 560–563
- voice over IP (IP 语音), 563–568
- Multimode fiber (多模光纤), 78
- Multipath fading (多径衰落), 55, 86
- Multiple access protocol (多路访问协议), 202–216
- Multiple access with collision avoidance (带有冲突避免的多路访问), 215
- Multiple input multiple output (多入多出), 234
- Multiplexing (多路复用), 97, 119–125
 - endpoint (端点), 407
 - inverse (逆向), 407
 - statistical (统计), 27
- Multiprotocol label switching (多协议标签交换), 275, 278, 362–364
- Multiprotocol router (多协议路由器), 330
- Multipurpose internet mail extension (多用途 Internet 邮件扩展), 488–492
- Multithreaded Web server (多线程 Web 服务器), 507
- Multitone, discrete (多音, 离散), 116
- Mutimedia, streaming video (多媒体, 流式视频), 545–551

N

- Nagle's algorithm (Nagle 算法), 437
- Name resolution (名字解析), 478
- Name server (名字服务器), 477–480
- Naming (参见 Addressing)
- Naming, secure (安全命名), 659–664
- NAP (参见 Network Access Point)
- NAT (参见 Network Address Translation)
- NAT box (NAT 盒子), 348
- National Institute of Standards and Technology (国家标准和技术协会), 62, 607
- National Security Agency (国家安全局), 606
- NAV (参见 Network Allocation Vector)
- NCP (参见 Network Control Protocol)
- Near field communication (近场通信), 9
- Needham-Schroeder authentication (Needham-Schroeder 认证), 650–651
- Negotiation protocol (协商协议), 27
- Network (网络)
 - ad hoc (自组织), 55, 231, 300–302
 - ALOHA, 56
 - broadcast (广播), 13
 - cellular (蜂窝), 51
 - delay-tolerant (延迟容忍), 461–466
 - enterprise (企业), 15
 - first-generation mobile phone (第一代移动电话), 130–132
 - home (家庭), 4–8
 - local area (局域), 15
 - metropolitan area (城域), 18
 - multiaccess (多路访问), 366
 - multihop (多跳), 59
 - passive optical (无源光), 118
 - peer-to-peer (对等), 5
 - performance (性能), 449–461
 - personal area (个域), 14
 - point-to-point (点到点), 13
 - power-line (电力线), 7, 17
 - public switched telephone (公共交换电话), 53, 108
 - scalable (可扩展), 26
 - second-generation mobile phone (第二代移动电话), 132–136
 - sensor (传感器), 10, 57–59
 - social (社会), 6
 - stub (存根), 370
 - third-generation mobile phone (第三代移动电话), 50–54, 136–140
 - uses (使用), 2–13
 - virtual circuit (虚电路), 276
 - virtual private (虚拟专用), 3, 20
 - wide area (广域), 18
- Network accelerator (网络加速器), 168
- Network access point (网络接入点), 47
- Network address translation (网络地址转换), 347–350
- Network allocation vector (网络分配向量), 236
- Network architecture (网络体系结构), 24
- Network control protocol (网络控制协议), 190
- Network design issues (网络设计问题), 26–27
- Network hardware (网络硬件), 13–22
- Network interface card (网络接口卡), 157, 168

Network interface device (网络接口设备), 117
 Network layer (网络层), 33–34, 274–377
 congestion control (拥塞控制), 302–311
 design issues (设计问题), 274–279
 Internet, 335–376
 internetworking (网络互联), 326–335
 quality of service (服务质量), 311–326
 routing algorithms (路由算法), 279–302
 Network neutrality (网络中立), 11
 Network overlay (网络覆盖), 331
 Network performance measurement (网络性能测量), 450–452
 Network protocol (参见 Protocol)
 Network service access point (网络服务访问点), 393
 Network service provider (网络服务提供商), 20
 Network software (网络软件), 22–32
 Network standardization (网络标准化), 59–66
 NFC (参见 Near Field Communication)
 NIC (参见 Network Interface Card)
 NID (参见 Network Interface Device)
 NIST (参见 National Institute of Standards and Technology)
 Node B (节点B), 51
 Node identifier (节点标识符), 583
 Non-return-to-zero inverted encoding (不归零逆转编码), 99
 Non-return-to-zero modulation (不归零调制解调), 98
 Nonadaptive algorithm (非自适应算法), 280
 Nonce (临时值), 641
 Nonpersistent CSMA (非坚持 CSMA), 206
 Nonpersistent Web cookie (非持续 Web 小甜饼), 510
 Nonrepudiation (不可否认性), 619
 Notification, explicit congestion (通知, 显式拥塞), 308
 NRZ (参见 Non-Return-to-Zero modulation)
 NRZI (参见 Non-Return-to-Zero Inverted encoding)
 NSA (参见 National Security Agency)
 NSAP (参见 Network Service Access Point)
 NSFNET, 46–47
 Nyquist frequency (尼奎斯特频率), 73, 114, 119

O

OFDM (参见 Orthogonal Frequency Division Multiplexing)
 OFDMA (参见 Orthogonal Frequency Division Multiple Access)
 One-time pad (一次性密钥), 598–599
 Onion routing (洋葱路由), 672
 Open mail relay (开放邮件中继), 496
 Open shortest path first (开放最短路径优先), 291
 Open shortest path first routing (开放最短路径优先路由), 364–368
 Open Systems Interconnection (开放系统互连), 32–35
 comparison with TCP/IP (与 TCP/IP 比较), 38–39
 Open Systems Interconnection (开放系统互连),
 application layer (应用层), 35
 critique (评判), 39–41
 data link layer (数据链路层), 33
 network layer (网络层), 33–34
 physical layer (物理层), 33
 presentation layer (表示层), 35
 reference model (参考模型), 32–35
 session layer (会话层), 34–35
 transport layer (传输层), 34
 Optimality principle (优化原则), 281
 Organizationally unique identifier (组织唯一标识符), 218
 Orthogonal frequency division multiple access (正交频分多址), 244
 Orthogonal frequency division multiplexing (正交频分复用), 56, 104–105, 233
 Orthogonal sequence (正交序列), 107
 OSI (参见 Open Systems Interconnection)
 OSPF (参见 Open Shortest Path First routing)
 OSPF (参见 Open Shortest Path First routing)
 OUI (参见 Organizationally Unique Identifier)
 Out-of-band signaling (带外信令), 121
 Overlay (覆盖), 331
 network (网络), 331
 Overprovisioning (过度配置), 311

P

- P-box, cryptographic (P 盒, 加密), 604
- P-frame (P 帧), 549–551
- P-persistent CSMA (P 坚持 CSMA), 207
- P2P (参见 Peer-to-peer network)
- Packet, 13, 28
- Packet encapsulation (包封装), 299
- Packet filter (包过滤器), 636
- Packet fragmentation (包分段), 332–335
- Packet header (包头), 25
- Packet over SONET (SONET 上的包), 189–192
- Packet scheduling (包调度), 316–319
- Packet switching (包交换), 127–128
 - store-and-forward (存储-转发), 274
- Packet train (数据包火车), 569
- Page, Web (页面, Web), 500
- Paging channel (寻呼信道), 136
- Pairing, Bluetooth (配对, 蓝牙), 247
- PAN (参见 Personal Area Network)
- PAR (参见 Positive Acknowledgement with Retransmission protocol)
- Parallel connection, HTTP (平行连接, HTTP), 530
- Parameters, marshaling (参数, 列集), 419
- Parity bit (奇偶位), 163
- Parity packet (奇偶包), 553
- Passband (通带), 72
- Passband signal (通带信号), 101
- Passband transmission (通带传输), 97, 101–103
- Passive optical network (无源光网络), 118
- Passive RFID (无源 RFID), 57
- Passkey (万能密钥), 642
- Path (路径),
 - autonomous system (自治系统), 370
 - certification (证书), 630
 - maximum transmission unit (最大传输单元), 333
- Path diversity (路径多样性), 55
- Path loss (路径衰减), 85
- Path maximum transmission unit discovery (路径最大传输单元发现), 333
- Path MTU discovery (路径 MTU 发现), 428
- Path vector protocol (路径矢量协议), 371
- PAWS (参见 Protection Against Wrapped Sequence numbers)
- PCF (参见 Point Coordination Function)
- PCM (参见 Pulse Code Modulation)
- PCS (参见 Personal Communications Service)
- Peer (对等), 23, 49
- Peer-to-peer network (对等网络), 58, 11, 568,
 - 578–582
 - BitTorrent, 580–582
 - content distribution (内容分法), 580–582
- Peering (对等的), 371
- Per hop behavior (单跳行为), 324
- Perceptual coding (感知编码), 543
- Performance, TCP (TCP 性能), 449–461
- Performance issues in networks (网络的性能问题), 449–461
- Performance measurements, network (网络性能测量), 450–452
- Perlman, Radia, 262
- Persistence timer, TCP (持续计时器, TCP), 440
- Persistent and nonpersistent CSMA (坚持和非坚持 CSMA), 206–207
- Persistent connection, HTTP (持续连接, HTTP), 529
- Persistent cookie, Web (持续 cookie, web), 510
- Personal area network (个域网), 14
- Personal communications service (个人通信服务), 133
- PGP (参见 Pretty Good Privacy)
- Phase shift keying (相移键控), 102
- Phishing (钓鱼), 12
- Phone (参见 Telephone)
- Photon (光子), 599–601
- PHP, 521
- Physical layer (物理层), 70–146
 - cable television (有线电视), 140–146
 - code division multiplexing (码分复用), 106–108
 - communication satellites (通信卫星), 90–97
 - fiber optics (光纤), 77–81
 - frequency division multiplexing (频分多路复用), 103–105
 - IEEE 802.11, 232–234

- IEEE 802.16, 244–245
- mobile telephones (移动电话), 128–140
- modulation (调制解调), 97–103
- Open Systems Interconnection (开放系统互连), 33
- telephone system (电话系统), 108–128
- time division multiplexing(时分多路复用), 105
- twisted pairs (双绞线), 75–76
- wireless transmission (无线传输), 82–90
- Physical medium (物理介质), 23
- Piconet, Bluetooth (微网, 蓝牙), 248
- Piggybacking (捎带), 176
- PIM (参见 Protocol Independent Multicast)
- Ping, 359
- Pipelining (管道化), 181
- Pixel (像素), 545
- PKI (参见 Public Key Infrastructure)
- Plain old telephone service (老式电话服务), 116
- Plaintext (明文), 594
- Playback point (播放点), 425
- Plug-in, browser (插件, 浏览器), 504, 669
- Podcast (博客), 557
- Poem, spanning tree (生成树之歌), 262
- Point coordination function (点协调功能), 235
- Point of presence (存点), 49, 111
- Point-to-point network (点到点网络), 13
- Point-to-point protocol (点到点协议), 155, 189
- Poisoned cache (染毒缓存), 661
- Poisson model (柏松模型), 201
- Polynomial generator (多项式生成器), 166
- Polynomial code (多项式编码), 165
- PON (参见 Passive Optical Network)
- POP (参见 Point of Presence)
- POP3 (参见 Post Office Protocol)
- Port (端口)
 - destination (目标), 348–349
 - Ethernet (以太网), 15
 - source (源), 348
 - TCP, 426
 - transport layer (传输层), 393
 - UDP, 418
- Portmapper (端口映射器), 394
- Positive acknowledgement with retransmission Protocol (带有重传的肯定确认协议), 175
- Post, Telegraph & Telephone administration (邮电部), 60
- Post office protocol, version 3 (邮局协议版本 3), 498
- POTS (参见 Plain Old Telephone Service)
- Power (功率), 410
- Power law (幂定律), 570
- Power-line network (电线网络), 7, 17, 77
- Power-save mode (省电模式), 237
- PPP (参见 Point-to-Point Protocol)
- PPP over ATM, 194
- PPPoA (参见 PPP over ATM)
- Preamble (前导), 156
- Prediction, header (预测, 头), 456
- Predictive encoding (预测编码), 422
- Prefix, IP address (前缀, IP 地址), 340–341
- Premaster key (预设主密钥), 665
- Presentation layer (表示层), 34
- Pretty good privacy (良好的隐私), 654–658
- Primitive, service (原语, 服务), 29–31
- Principal, security (主角, 安全), 599
- Privacy (隐私), 670
- Privacy amplification (保密增强), 601
- Privacy service, IEEE 802.11 (隐私保护, 802.11), 241
- Private key ring (私钥环), 657
- Private network, virtual (专用网络, 虚拟), 20, 638
- Process server (进程服务器), 395
- Protocol stack, IEEE 802.11 (协议栈, 802.11), 231–232
- Product cipher (乘积密码), 604
- Product code, electronic (产品码, 电子), 253
- Profile, Bluetooth (轮廓, 蓝牙), 241
- Progressive video (渐进式视频), 545
- Promiscuous mode Ethernet (混杂模式以太网), 224
- Proposed standard (建议标准), 64
- Protection against wrapped sequence numbers (保护序号回绕), 399, 432
- Protocol (协议), 23
 - 1-bit sliding window (1 位滑动窗口), 178–180
 - adaptive tree walk (自适应树遍历), 212–214

- address resolution (地址解析), 359–361
- address resolution gratuitous (地址解析免费), 360
- address resolution protocol proxy (地址解析协议代理), 361
- authentication protocols (认证协议), 643–654
- BB84, 599
- binary countdown (二进制倒计时), 210–211
- bit-map (位图), 209–210
- Bluetooth (蓝牙), 249–250
- Bluetooth protocol stack (蓝牙协议栈), 249–250
- border gateway (边界网关), 332, 368–373
- bundle (数据束), 464–466
- carrier sense multiple access (载波侦听多路访问), 206–208
- challenge-response (质询-回应), 644
- collision-free (无冲突), 208–211
- CSMA, 206–208
- data link (数据链路), 167–194
- datagram congestion control (数据报拥塞控制), 387
- delay-tolerant network (延迟容忍网络), 461–466
- Diffie-Hellman, 647–649
- distance vector multicast routing (距离矢量组播协议), 296
- dotted decimal notation Internet (点分十进制表示法), 340
- DVMR, 296
- dynamic host configuration (动态主机配置), 361
- extensible authentication (扩展的身份验证), 640
- exterior gateway (外部网关), 332, 365
- file transfer (文件传输), 349, 481
- go-back-n (回退N), 180–185
- hypertext transfer (超文本传输), 35, 501, 503, 529–536
- IEEE 802.11, 231–241
- IEEE 802.16, 241–247
- initial connection (初始连接), 395
- interdomain (域间), 332
- interior gateway (内部网关), 332, 365
- IP, 336–376
- intradomain (域内), 332
- limited-contention (有限竞争), 211–213
- link control (链路控制), 190
- logical link control adaptation (逻辑链路控制适配), 250
- long fat network (长肥网络), 458–461
- MAC, 202–216
- mobile IP (移动IP), 373–376
- multiple access (多路访问), 202–216
- multiprotocol label switching (多协议标签交换), 278, 362–364
- multiprotocol router (多协议路由器), 330
- negotiation (协商), 27
- network (网络), 22
- network control (网络控制), 190
- packet over SONET (SONET 上的数据包), 190–192
- path vector (路径向量), 371
- point-to-point (点到点), 155, 190
- POP3, 498
- positive acknowledgement with retransmission (带重传确认的肯定确认), 175
- real time streaming (实时流), 552
- real-time (实时), 466
- real-time transport (实时传输), 421–424
- relation to services (与服务的关系), 31
- request-reply (请求-应答), 29
- reservation (预留), 209
- resource reservation (资源预留), 322
- selective repeat (选择重传), 185–189
- session initiation (会话发起), 565–567
- simple Internet plus (简单Internet+), 351
- simple mail transfer (简单邮件传输), 482, 493–495
- sliding-window (滑动窗口), 176–189, 178–180, 403
- SLIP, 190
- SOAP, 528
- stop-and-wait (停等式), 172–176, 403
- stream (流), 388, 407
- stream control transmission (流控制传输), 388, 407
- subnet Internet (子网Internet), 341–342

TCP (参见 Transmission Control Protocol)
 temporary key integrity (临时密钥完整性), 641
 TKIP, 641
 token passing (令牌传递), 210–210
 transport (传输), 392–409, 417–449
 tree walk (树遍历), 212–213
 UDP, 417–425
 utopia (乌托邦), 171–173
 wireless application (无线应用), 536
 wireless LAN (无线局域网), 213–216
 Protocol 1 (乌托邦), 171–173
 Protocol 2 (停等式), 171–173
 Protocol 3 (PAR), 173–176
 Protocol 4 (滑动窗口), 178–180
 Protocol 5 (回退 N), 180–185
 Protocol 6 (选择重传), 185–189
 Protocol hierarchy (协议层次结构), 22–26
 Protocol independent multicast (协议独立组播),
 297, 373
 Protocol layering (协议分层), 26
 Protocol stack (协议栈), 24–25
 Bluetooth (蓝牙), 249–250
 H.323, 563–565
 IEEE 802.11, 231–232
 IEEE 802.16, 243–244
 OSI, 32–35
 TCP/IP, 35–37
 Proxy ARP (ARP 代理), 361
 Proxy caching, Web (代理缓存, Web), 535
 PSK (参见 Phase Shift Keying)
 PSTN (参见 Public Switched Telephone Network)
 Psychoacoustic audio encoding (心理声学音频编
 码), 543–544
 PTT (参见 Post, Telegraph & Telephone
 administration)
 Public switched telephone network (公共交换电话网
 络), 53, 108–128,
 Public-key authentication using (公钥认证),
 653–654
 Public-key cryptography (公钥加密), 615–618
 other algorithms (其它算法), 618
 RSA, 616–618
 Public-key infrastructure (公钥基础设施), 629–632

directory, 630

Public-key ring (公钥环), 657
 Public-key signature (公钥签名), 620–621
 Pulse code modulation (脉码调制), 119
 Pure ALOHA (纯 ALOHA), 202–206
 Push-to-talk system (按钮通话系统), 130

Q

Q.931 standard (Q.931 标准), 563
 QAM (参见 Quadrature Amplitude Modulation)
 QoS (参见 Quality of Service)
 QoS traffic scheduling (参见 Transmit power control)
 QPSK (参见 Quadrature Phase Shift Keying)
 Quadrature amplitude modulation (正交调幅), 103
 Quadrature phase shift keying (正交相移键控), 102
 Quality of service (服务质量), 27, 311–324, 316–319
 admission control (准入控制), 319–322
 application requirements (应用需求), 312–313
 differentiated services (区分服务), 324–326
 integrated services (综合服务), 322–324
 network layer (网络层), 311–324
 requirements (需求), 312–313
 traffic shaping (流量整形), 313–319
 Quality of service routing (服务质量路由), 319
 Quantization, MPEG (量化, MPEG), 547
 Quantization noise (量化噪声), 541
 Quantum cryptography (量子密码学), 599–602
 Qubit (量子位), 600
 Queueing delay (排队延迟), 127
 Queueing theory (排队理论), 200
 Quoted-printable encoding (引用可打印编码), 489

R

RA (参见 Regional Authority)
 Radio access network (无线接入网络), 51
 Radio frequency identification (射频识别), 7,
 253–256
 active (主动), 58
 backscatter (后向散射), 254
 generation 2 (第 2 代), 253–256
 HF, 58
 LF, 58

- passive (无源) 58
- UHF, 57–58
- Radio network controller (无线网络控制器), 51
- Radio transmission (无线传输), 85–86
- Random access channel (无线接入信道), 136, 199
- Random early detection (随机早期检测), 310–311
- Ranging (测距), 144
 - IEEE 802.16, 245
- RAS (参见 Registration/Admission/Status)
- Rate adaptation (速率适配), 233
- Rate anomaly (速率异常), 239
- Rate regulation, sending (速率调整, 发送), 412–415
- Real-time audio (实时音频), 539
- Real-time conferencing (实时会议), 560–568
- Real-time streaming protocol (实时流协议), 552
- Real-time transport protocols (实时传输协议), 421–424
- Real-time video (实时视频), 539
- Realm, Kerberos, 653
- Reassociation, IEEE 802.11 (重新关联, 802.11), 240
- Receiving window (接收窗口), 177
- Recovery (恢复)
 - clock (时钟), 99–101
 - crash (崩溃), 407–409
 - fast (快速), 446
- Rectilinear basis, in quantum cryptography (直线基), 599
- Recursive query (递归查询), 479
- RED (参见 Random Early Detection)
- Redundancy, in quantum cryptography (量子密码中的冗余度), 602–603
- Reed-Solomon code, 162
- Reference model (参考模型), 32–41,
 - Open Systems Interconnection (开放系统互连), 32–35
 - TCP/IP, 35–37
- Reflection attack (反射攻击), 645
- Region, in a network (区域, 网络), 292
- Regional Authority (区域管理机构), 629
- Registrar (注册), 472
- Registration/admission/status (注册/许可/状态), 563
- Relation of protocols to services (协议与服务的关系), 31
- Relation of services to protocols (服务与协议的关系), 31
- Reliable byte stream (可靠字节流), 387
- Remailer (邮件转发器)
 - anonymous (匿名), 670–672
 - cypherpunk (朋克), 671
- Remote login (远程登录), 47, 312–313
- Remote procedure call (远程过程调用), 419–421
 - marshaling parameters (列集参数), 419
 - stubs (存根), 419
- Rendezvous point (会聚点), 296
- Repeater (中继器), 218, 263–265
- Replay attack (回放攻击), 650
- Request for comments (请求注释), 64
- Request header (请求头), 532
- Request to send (请求发送), 215
- Request-reply protocol (请求-应答协议), 29
- Request-reply service (请求-应答服务), 29
- Reservation protocol (预留协议), 209
- Resilient packet ring (弹性数据包环), 209, 210
- Resolver (解析器), 472
- Resource record (资源记录), 474
- Resource record set (资源记录集), 662
- Resource reservation protocol (资源预留协议), 322
- Resource sharing (资源共享), 2
- Response header (响应头), 532
- Retransmission, fast (重传, 快速), 445
- Retransmission timeout, TCP (重传超时, TCP), 438
- Retransmission timer (重传计时器), 439–440
- Retrospective on Ethernet (以太网回顾), 230–231
- Reverse lookup (逆向查询), 476
- Reverse path forwarding algorithm (逆向路径转发算法), 294, 322
- Revocation certificate (撤销证书), 631–632
- RFC (参见 Request For Comments)
- RFC 768, 417
- RFC 793, 426
- RFC 821, 482
- RFC 822, 482, 486, 487, 488, 490, 491, 656, 672
- RFC 1058, 287

- RFC 1122, 426
RFC 1191, 429
RFC 1323, 399, 459
RFC 1521, 489
RFC 1663, 190
RFC 1700, 339
RFC 1939, 499
RFC 1958, 335
RFC 2018, 426
RFC 2109, 509
RFC 2326, 556
RFC 2364, 194
RFC 2410, 632
RFC 2440, 655
RFC 2459, 628
RFC 2535, 662, 664
RFC 2581, 426
RFC 2597, 325
RFC 2615, 191
RFC 2616, 529, 533
RFC 2854, 490
RFC 2883, 432, 447
RFC 2965, 533
RFC 2988, 426, 440
RFC 2993, 350
RFC 3003, 490
RFC 3022, 348
RFC 3023, 490
RFC 3119, 555
RFC 3168, 426, 430, 448
RFC 3174, 623
RFC 3194, 353
RFC 3246, 325
RFC 3261, 565
RFC 3344, 375
RFC 3376, 374
RFC 3390, 443
RFC 3501, 497
RFC 3517, 447
RFC 3550, 421
RFC 3748, 640
RFC 3775, 376
RFC 3782, 447
RFC 3875, 521
RFC 3963, 376
RFC 3986, 504
RFC 4120, 652
RFC 4306, 633
RFC 4409, 495
RFC 4614, 426
RFC 4632, 343
RFC 4838, 462
RFC 4960, 448
RFC 4987, 433
RFC 5050, 464
RFC 5246, 666
RFC 5280, 628
RFC 5321, 482, 488, 494
RFC 5322, 482, 486, 487, 488, 587
RFC 5681, 448
RFC 5795, 458
RFID (参见 Radio Frequency IDentification)
RFID backscatter (RFID 后向散射), 58
RFID network (RFID 网络), 57-59
Rijmen, Vincent, 608
Rijndael, 608-610
Rijndael cipher (Rijndael 密码), 246
Ring (环)
 resilient packet (弹性包), 210
 token (令牌), 210
Rivest, Ron, 599, 614, 616, 618, 623
Rivest Shamir Adleman algorithm (Shamir Adleman 算法), 616-618
RNC (参见 Radio Network Controller)
Robbed-bit signaling (抢占比特信令), 121
Roberts, Larry, 43
Robust header compression (健壮头压缩), 458
ROHC (参见 RObust Header Compression)
Root name server (根域名服务器), 478
Routing algorithm (路由算法), 21, 26, 279-302
 ad hoc network (自组织网络), 300-302
 adaptive (自适应), 280
 anycast (选播), 297-298
 AODV, 300
 Bellman-Ford, 285
 broadcast (广播), 293-295

- class-based (基于类), 324
- classless interdomain (无类域间), 343–345
- distance vector multicast protocol (距离矢量组播协议), 296
- dynamic (动态), 280
- hierarchical (层次), 292–293
- hot-potato (热土豆), 372
- interdomain (域间), 365
- internetwork (互联网), 331–332
- intradomain (域内), 365
- link state (链路状态), 288–292
- mobile host (移动主机), 298–299
- multicast (组播), 295–296
- multidestination (多目标), 293
- network layer (网络层), 279–302
- onion (洋葱), 672
- OSPF, 357–368
- distance vector multicast (距离矢量组播), 296
- quality of service (服务质量), 319
- session (会话), 279
- shortest path (最短路径), 281–283
- static (静态), 280
- traffic-aware (流量感知), 305–306
- triangle (三角), 299
- wormhole (虫孔), 261
- Routing policy (路由策略), 332
- RPC (参见 Remote Procedure Call)
- RPR (参见 Resilient Packet Ring)
- RRSet (参见 Resource Record Set)
- RSA (参见 Rivest Shamir Adleman algorithm)
- RSVP (参见 Resource reSerVation Protocol)
- RTCP (参见 Real-time Transport Control Protocol)
- RTO (参见 Retransmission TimeOut, TCP)
- RTP (参见 Real-time Transport Protocol)
- RTS (参见 Request To Send)
- RTSP (参见 Real Time Streaming Protocol)
- Run-length encoding (行程编码), 548
- S**
- S-box, cryptographic (S 盒, 加密), 604
- S/MIME, 658
- SA (参见 Security Association)
- SACK (参见 Selective ACKnowledgement)
- Sandbox (沙箱), 667
- Satellite (卫星)
 - communication (通信), 90–97
 - geostationary (地球同步), 91
 - low-earth orbit (低地球轨道), 94–96
 - medium-earth orbit (中地球轨道), 94
- Satellite footprint (卫星足迹), 93
- Satellite hub (卫星中继站), 93
- Sawtooth (锯齿), TCP, 446
- Scalable network (可扩展网络), 26
- Scatternet, Bluetooth (散网, 蓝牙), 248
- Scheduling, packet (调度, 数据包), 316–319
- Scheme, HTTP (方案, HTTP), 502
- SCO (参见 Synchronous Connection Oriented link)
- Scrambler (扰频器), 100
- SCTP (参见 Stream Control Transmission Protocol)
- SDH (参见 Synchronous Digital Hierarchy)
- Second-generation mobile phone network (第二代移动电话网络), 132–136
- Sectorized antenna (扇形天线), 139
- Secure DNS (安全 DNS), 662–664
- Secure HTTP (安全 HTTP), 664
- Secure naming (安全命名), 659–664
- Secure pairing bluetooth (蓝牙安全配对), 251
- Secure simple pairing, Bluetooth (安全简单配对, 蓝牙), 325
- Secure sockets layer (安全套接字层), 664–667
- Secure/MIME (安全 MIME), 658
- Security (安全)
 - Bluetooth (蓝牙), 642–643
 - communication (通信), 632–643
 - email (电子邮件), 654–658
 - IEEE 802.11, 640–642
 - IP, 632–635
 - Java applet (Java 小应用程序), 667
 - mobile code (移动代码), 667–669
 - social issues (社会问题), 669–677
 - transport layer (传输层), 666
 - Web, 666–669
 - wireless (无线), 639–643
- Security association (安全关联), 633
- Security by obscurity (安全模糊), 595
- Security principal (安全主角), 599
- Security threats (安全威胁), 658–659

- Seeder, BitTorrent (种子, BitTorrent), 580
- Segment (段), 384, 417
- Segment header, TCP (段头, TCP), 429–432
- Selective acknowledgement, TCP (选择确认, TCP), 432, 447
- Selective repeat protocol (选择重传协议), 185–189
- Self-similarity (自相似), 569
- Sending rate, regulation (发送速率, 调整), 412–415
- Sending window (发送窗口), 117
- Sensor network (传感器网络), 10, 57–59
- Serial line Internet protocol (串行线路 Internet 协议), 190
- Server (服务器), 3
- Server farm (服务器农场), 50, 571–573
- Server side on the Web (Web 服务器端), 506–508
- Server side Web page generation (服务器端网页生成), 520–522
- Server stub (服务器存根), 419
- Service (服务)
- connection-oriented (面向连接), 27–29, 277–278
 - connectionless (无连接), 27–29, 276–277
- Service level agreement (服务等级约定), 313
- Service primitive (服务原语), 26–27
- Service (服务)
- IEEE 802.11, 40–241
 - integrated (集成), 322–324
 - provided by transport layer (传输层提供的), 382–392
 - provided to the transport layer (提供给传输层的), 275–276
 - relation to protocols (与协议的关系), 27
- Service user, transport (服务用户, 传输), 383
- Serving GPRS support node (服务 GPRS 支撑节点), 53
- Session (会话), 34
- Session initiation protocol (会话发起协议), 565, 565–567
- compared to H.323 (与 H.323 比较), 567–568
- Session key (会话密钥), 643
- Session layer (会话层), 34–35
- Session routing (会话路由), 279
- Set-top box (机顶盒), 4, 559
- SGSN (参见 Serving GPRS Support Node)
- SHA (参见 Secure Hash Algorithm)
- Shannon, Claude, 73–74
- Shannon limit (香农限制), 78, 83, 114
- Shared secret, authentication using (共享密钥, 认证用), 643–647
- Short interframe spacing (短的帧间间隔), 238
- Short message service (短消息服务), 9
- Shortest path routing (最短路径路由), 281–283
- SIFS (参见 Short InterFrame Spacing)
- Signal, balanced (信号, 平衡的), 101–101
- Signal-to-noise ratio (信噪比), 73
- Signaling
- common-channel (信令公共信道), 121
 - in-band (带内), 121
 - robbed-bit (强占比特) 121
- Signature block (签名块), 485
- Signatures, digital (签名, 数字), 618–626
- Signing, code (签名, 代码), 668
- Silly window syndrome (低能窗口综合症), 437
- SIM card (SIM 卡), 54, 133
- Simple Internet protocol, plus (简单 Internet 协议+), 351
- Simple mail transfer protocol (简单邮件传输协议), 482, 493–495
- Simple object access protocol (简单对象访问协议), 527
- Simplex link (单工链路), 76
- Single-mode fiber (单模光纤), 79
- Sink tree (汇集树), 281
- SIP (参见 Session Initiation Protocol)
- SIPP (参见 Simple Internet protocol Plus)
- Skin, player (皮肤, 播放器), 553
- SLA (参见 Service Level Agreement)
- Sliding window, TCP (滑动窗口, TCP), 435–438
- Sliding window protocol, 1-bit (滑动窗口协议, 1 位), 178–180 176–189, 404
- SLIP (参见 Serial Line Internet protocol)
- Slot (槽), 204
- Slotted ALOHA (分槽 ALOHA), 204–206, 205
- Slow start, TCP (慢启动, TCP), 443
- threshold (阈值), 444
- Smart phone (智能电话), 9

- Smiley (笑脸), 481
- SMS (参见 Short Message Service)
- SMTP (参见 Simple Mail Transfer Protocol)
- Snail mail (蜗牛邮件), 481
- SNR (参见 Signal-to-Noise Ratio)
- SOAP (参见 Simple Object Access Protocol)
- Social issues (社会问题), 10–13
- security (安全), 669–677
- Social network (社会网络), 6
- Socket (套接字), 45
- Berkeley, 386–392
- TCP, 426
- Socket programming (套接字编程), 388–392
- Soft handoff (软切换), 139
- Soft-decision decoding (软判决解码), 162
- Soliton (孤波), 80
- SONET (参见 Synchronous Optical Network)
- Source port (源端口), 348
- Spam (垃圾), 480
- Spanning tree (生成树), 294
- Spanning tree bridge (生成树网桥), 260–262
- Spanning tree poem (生成树之歌), 262
- SPE (参见 Synchronous Payload Envelope)
- Spectrum allocation (频谱分配), 142–143
- Spectrum auction (频谱拍卖), 87
- Speed of light (光速), 82
- Splitter (分离器), 117
- Spoofing, DNS (欺骗, DNS), 660–661
- Spot beam (点波束), 93
- Spread spectrum (扩频), 106
- direct sequence (直接序列), 84
- frequency hopping (跳频), 83
- Sprint, 87
- Spyware (间谍), 511
- SSL (参见 Secure Sockets Layer)
- SST (参见 Structured Stream Transport)
- Stack, protocol (栈, 协议), 24–25
- Standard (标准)
- de facto (事实), 59
- de jure (法定), 60
- Stateful firewall (状态防火墙), 637
- Static channel allocation (静态信道分配), 199–202
- Static page, Web (静态页面, Web), 501
- Static routing (静态路由), 280
- Static Web page (静态网页), 501, 512
- Station keeping (轨道控制), 92
- Statistical multiplexing (统计复用), 27
- Statistical time division multiplexing (统计时分复用), 106
- STDM (参见 Statistical Time Division Multiplexing)
- Steganography (隐写术), 673–675
- Stop-and-wait protocol (停等式), 172–176, 404
- Store-and-forward packet switching (存储-转发包交换), 36, 274
- Stream cipher mode (流密码模式), 612–613
- Stream control transmission protocol (流控制传输协议), 388, 407
- Streaming audio and video (音频流和视频流), 539–568
- Streaming live media (流式直播媒体), 557–560
- Streaming media (流媒体), 540
- Streaming stored media (流存储媒体), 551–557
- Strowger gear, 126
- Structured P2P network (结构化 P2P 网络), 582
- Structured stream transport (结构化流传输), 388
- STS-1 (参见 Synchronous Transport Signal-1)
- Stub (存根)
- client (客户机), 419
- server (服务器), 419
- Stub area (存根区域), 367
- Stub network (存根网络), 370
- Style sheet (样式表), 518–519
- Sublayer, medium access control (子层, 介质访问控制), 199–270
- Subnet (子网), 19, 341–342
- Subnet Internet protocol (子网 Internet 协议), 341–342
- Subnet mask (子网掩码), 340
- Subnetting (子网划分), 341
- Subscriber identity module (用户识别模块), 69, 133
- Substitution cipher (置换密码), 596–597
- Superframe, extended (超帧, 扩展的), 120
- Supergroup (超群), 119
- Supernet (超网), 343
- Swarm, BitTorrent (集群, BitTorrent), 581

Switch (交换机), 19
 compared to bridge and hub (与网桥和集线器的比较), 263-265
 Ethernet (以太网), 16, 223
Switched Ethernet (交换式以太网), 16, 216, 222-224
Switching (交换), 125-128
 circuit (电路), 125-126
 cut-through (直通), 36, 260
 data link layer (数据链路层), 256-270
 label (标签), 360, 362-364
 message (消息), 462
 packet (包), 126-128
 store-and-forward (存储-转发), 28
Switching element (交换元素), 19
Symbol (符号), 99
Symbol rate (符号速率), 99
Symmetric-key cryptography (对称密钥加密), 603-615
 AES, 607-610
 cipher feedback mode (密码反馈模式), 612
 counter mode (计数器模式), 613-614
 DES, 605-606
 electronic code book mode (电码本模式), 610-611
 Rijndael, 608-610
 stream cipher mode (流密码模式), 612-613
 triple DES (三重 DES), 607
Symmetric-key signature (对称密钥签名), 619-620
SYN cookie, TCP (SYN 小甜饼, TCP), 433
SYN flood attack (SYN 泛洪攻击), 433
Synchronization (同步), 34
Synchronous connection-oriented link (同步有连接链路), 252
Synchronous digital hierarchy (同步数字系列), 122-124
Synchronous optical network (同步光网络), 122-124
Synchronous payload envelope (同步有效载荷信封), 123
Synchronous transport signal-1 (同步传输信号-1), 122

System, distributed (系统, 分布式), 1
Systematic code (系统码), 159

T

T1 carrier (T1 载波), 120-121
T1 line (T1 线路), 100, 120
Tag, HTML (标记, HTML), 512-515
Tag switching (标签交换), 362
Tail drop (尾丢包), 317
Talkspurt (会话峰), 425
Tandem office (汇接局), 110
TCG (参见 Trusted Computing Group)
TCM (参见 Trellis Coded Modulation)
TCP (参见 Transmission Control Protocol)
TDD (参见 Time Division Duplex)
TDM (参见 Time Division Multiplexing)
Telco (电信公司), 47
Telephone (电话)
 cordless (无绳), 129
 mobile (移动), 128-140
 smart (智能), 9
Telephone system (电话系统), 108-128
 end office (端局), 109
 guard band (保护带), 104
 guard time (保护时间), 105
 local loop (本地回路), 112-119
 mobile (移动), 164-179
 modem (调制解调器), 113
 modulation (调制解调), 101-103
 point of presence (存点), 111
 politics (政治), 111-112
 structure (结构), 109-111
 switching (交换), 125-128
 tandem office (汇接局), 110
 toll office (长途局), 110
 trunk (中继线), 119-125
Telephone trunk (电话中继线), 119-125
Television (电视)
 cable (线缆), 140-146
 community antenna (通信天线), 140-141
Temporal masking (暂时屏蔽), 543
Temporary key integrity protocol (临时密钥完整性协议), 641

- Terminal, VoIP (终端, IP 语音), 563
- Text messaging (文本消息), 9
- Texting (短信), 9
- Third Generation Partnership Project (第三代合作伙伴计划), 60
- Third-generation mobile phone network (第三代移动电话网络), 50–54, 136–140
- Third-party Web cookie (第三方 Web 小甜饼), 512
- Threats, security (威胁, 安全), 658–659
- Three bears problem (三只熊故事), 345
- Three-way handshake (三次握手), 398
- Tier 1 ISP (1 级 ISP), 49
- Tier 1 network (1 级网络), 336
- Time division duplex (时分双工), 244–245
- Time division multiplexing (时分多路复用), 105, 120–122
- Time slot (时间槽), 105
- Timer management, TCP (计时器管理, TCP), 438–440
- Timestamp, TCP (时间戳, TCP), 430
- Timing wheel (计时轮), 457
- Tit-for-tat strategy, BitTorrent (针锋相对策略, BitTorrent), 581
- TKIP (参见 Temporary Key Integrity Protocol)
- TLS (参见 Transport Layer Security)
- Token (令牌), 210
- Token bucket algorithm (令牌桶算法), 306, 313–316
- Token bus (令牌总线), 210
- Token management (令牌管理), 34
- Token passing protocol (令牌传递协议), 210
- Token ring (令牌环), 210
- Toll connecting trunk (长途连接中继线), 110
- Toll office (长途局), 110
- Top-level domain (顶级域名), 472
- Torrent, BitTorrent (种子文件, BitTorrent), 580
- TPDU (参见 Transport Protocol Data Unit)
- TPM (参见 Trusted Platform Module)
- Traceroute, 358
- Tracker, BitTorrent (跟踪器, BitTorrent), 580
- Traffic analysis (流量分析), 633
- Traffic engineering (流量工程), 306
- Traffic policing (流量监管), 314
- Traffic shaping (流量整形), 314, 313–316
- Traffic throttling (流量限制), 307–309
- Traffic-aware routing (流量感知路由), 305–306
- Trailer (尾), 151, 168, 194, 252
- Transcoding (转码), 537
- Transfer agent (传输代理), 481–482, 486–487
- Transit service (中转服务), 369
- Transmission (传输)
- baseband (基带), 98
 - light (光), 89–90
 - passband (带通), 98
 - wireless (无线), 82–90
- Transmission control protocol (TCP), 36, 425–449
- acknowledgement clock (确认时钟), 442
 - application layer (应用层), 37
 - comparison with OSI (与 OSI 比较), 38–39
 - congestion collapse (拥塞崩溃), 441
 - congestion control (拥塞控制), 440–448
 - congestion window (拥塞窗口), 441
 - connection establishment (连接建立), 432–433
 - connection management (连接管理), 434–435
 - connection release (连接释放), 433
 - critique (评判), 41–42
 - cumulative acknowledgement (累计确认), 430, 438
 - delayed acknowledgement (延迟确认), 437
 - duplicate acknowledgement (重复确认), 444
 - fast recovery (快速恢复), 446
 - fast retransmission (快速重传), 445
 - future (未来), 448–449
 - introduction (概述), 425–426
 - Karn's algorithm (Karn 算法), 440
 - keepalive timer (保活计时器), 440
 - link layer (链路层), 35
 - maximum segment size (最大段长度), 431
 - maximum transfer unit (最大传输单元), 428
 - Nagle's algorithm (Nagle 算法), 437
 - performance (性能), 449–461
 - persistence timer (持续计时器), 440
 - port (端口), 426
 - reference model (参考模型), 35–39
 - retransmission timeout (重传超时), 438
 - sawtooth (锯齿), 446
 - segment header (段头), 429–432

- selective acknowledgement (选择确认), 447
 - silly window syndrome (低能窗口综合症), 437
 - sliding window (滑动窗口), 435-438
 - slow start (慢启动), 443
 - slow start threshold (慢启动阈值), 444
 - socket (套接字), 426
 - speeding up (加快), 449-461
 - SYN cookie (SYN 小甜饼), 433
 - SYN flood attack (SYN 泛洪攻击), 433
 - timer management (计时器管理), 438-440
 - timestamp option (时间戳选项), 431
 - transport layer (传输层), 36
 - urgent data (紧急数据), 428
 - well-known port (知名端口), 426
 - window probe (窗口探测), 436
 - window scale (窗口尺度), 431
 - Transmission line (传输线路), 19
 - Transmission media, guided (传输介质, 引导性), 74-82
 - Transmission opportunity (传输机会), 238
 - Transmit power control, IEEE 802.11 (发射功率控制, 802.11), 241
 - Transponder (转发器), 91
 - Transport, structured stream (传输, 结构化流), 388
 - Transport entity (传输实体), 382
 - Transport layer (传输层), 34
 - addressing (寻址), 393-395
 - congestion control (拥塞控制), 409-417
 - delay-tolerant networking (延迟容忍网络), 461-466
 - error control (差错控制), 403-407
 - flow control (流量控制), 403-407
 - performance (性能), 449-461
 - port (端口), 393
 - security (安全), 666
 - TCP, 425-449
 - TCP/IP, 36
 - Transport protocols (传输协议), 392-409
 - transport service (传输服务), 382-392
 - UDP, 417-425
 - Transport mode, IP security (传输模式, IP 安全), 633
 - Transport protocol (传输协议), 392-409, 417-449
 - design issues (设计问题), 392-409
 - Transport protocol data unit (传输协议数据单元), 384
 - Transport service access point (传输服务访问点), 393
 - Transport service primitive (传输服务原语), 383-386
 - Transport service provider (传输服务提供者), 383
 - Transport service user (传输服务用户), 383
 - Transposition cipher (替代密码), 597-598
 - Tree walk protocol, adaptive (树遍历协议, 自适应), 212-213
 - Trellis-coded modulation (网格编码调制), 114
 - Triangle routing (三角路由), 299
 - Trigram (三字母连字), 596
 - Triple DES (三重 DES), 606-607
 - Trunk, telephone (中继线, 电话), 119-125
 - Trust anchor (信任锚), 630
 - Trusted computing (可信计算), 676
 - Trusted platform module (可信平台模块), 677
 - TSAP (参见 Transport Service Access Point)
 - Tunnel mode, IPSec (隧道模式, IPSec), 633
 - Tunneling (隧道), 299, 330-331
 - Twisted pair (双绞线), 75-76
 - unshielded (非屏蔽), 76
 - Twitter, 6
 - Two-army problem (两军对垒问题), 400-401
 - TXOP (参见 Transmission opportunity)
- ## U
- U-NII (参见 Unlicensed National Information Infrastructure)
 - Ubiquitous computing (普适计算), 7
 - UDP (参见 User Datagram Protocol)
 - UHF RFID, 57-58
 - Ultra-wideband (超宽带), 84
 - UMTS (参见 Universal Mobile Telecommunications System)
 - Unchoked peer, BitTorrent (非阻塞对等, BitTorrent), 581
 - Unicast (单播), 297
 - Unicasting (单播), 13, 297

Uniform resource identifier (统一资源标识符), 504
Uniform resource locator (统一资源定位符), 502
Uniform resource name (统一资源名字), 504,
Universal mobile telecommunications system (通用移动通信系统), 50, 136
Universal serial bus (通用串行总线), 99
Unlicensed national information infrastructure (非许可的国家信息基础设施), 88
Unshielded twisted pair (非屏蔽双绞线), 76
Unstructured P2P network (非结构化 P2P 网络), 582
Upstream proxy (上行流代理), 574
Urgent data (紧急数据), 428
URI (参见 Uniform Resource Identifier)
URL (参见 Scheme)
URN (参见 Uniform Resource Name)
USB (参见 Universal Serial Bus)
User, mobile (移动用户), 8–10
User agent (用户代理), 481, 482
User datagram protocol (用户数据报协议), 36, 417–425, 417, 423–424
port (端口), 417
real-time transmission (实时传输), 421–425
remote procedure call (远程过程调用), 419–421
RTP, 421–423
Utopia protocol (乌托邦协议), 171–173
UTP (参见 Unshielded Twisted Pair)
UWB (参见 Ultra-WideBand)

V

V.32 modem (V.32 调制解调器), 114
V.34 modem (V.34 调制解调器), 114
V.90 modem (V.90 调制解调器), 114
V.92 modem (V.92 调制解调器), 114
Vacation agent (休假代理), 485
Vampire tap (插入式分接头), 225
Van Allen belt (范艾伦带), 91
VC (参见 Virtual Circuit)
Very small aperture terminal (小孔径终端), 93
Video (视频)
interlaced (隔行), 545
progressive (渐进), 545
streaming (流式), 545–551

Video compression (视频压缩), 546
Video field (视频域), 545
Video on demand (视频点播), 551
Video server (视频服务器), 318, 320
Virtual circuit (虚电路), 193, 276–279
Virtual circuit network (虚电路网络), 276
comparison with datagram network (与数据报网络比较), 278–279
Virtual LAN (虚拟局域网), 16, 257, 265–270
Virtual private network (虚拟专用网), 3, 20, 31, 638–639
Virtual-circuit network (虚电路网络), 276
Virus (病毒), 669
Visitor location register (访问位置寄存器), 134
VLAN (参见 Virtual LAN)
VLR (参见 Visitor Location Register)
Vocal tract (声道), 542
Vocoder (声码器), 542
VOD (参见 Video on Demand)
Voice over IP (IP 语音), 4, 28, 540, 560, 563–568
Voice signals, digitizing (语音信号, 数字化), 119–120
Voice-grade line (语音级线路), 72
VoIP (参见 Voice over IP)
VPN (参见 Virtual Private Network)
VSAT (参见 Very Small Aperture Terminal)

W

W3C (参见 World Wide Web Consortium)
Walled garden (带围墙花园), 559
Walsh code (Walsh 码), 107
WAN (参见 Wide Area Network)
WAP (参见 Wireless Application Protocol)
Watermarking (数字水印), 675
Waveform coding (波形编码), 543
Wavelength (波长), 82
Wavelength division multiplexing (波分多路复用), 124–125
WCDMA (参见 Wideband Code Division Multiple Access)
WDM (参见 Wavelength Division Multiplexing)
Wearable computer (可穿戴计算机), 10

- Web (参见 World Wide Web)
- Web application (Web 应用), 3
- Web browser (Web 浏览器), 500
 - extension (扩展), 669
 - helper application (辅助应用程序), 504
 - plug-in (插件), 504–505, 669
 - proxy (代理), 573–574
- Webmail (Web 邮件), 499
- Weighted fair queueing (加权公平队列), 318
- Well-known port, TCP (知名端口, TCP), 426
- WEP (参见 Wired Equivalent Privacy)
- WFQ (参见 Weighted Fair Queueing)
- White space (空白频段), 88
- Whitening (白化), 606
- Wide area network (广域网), 18–21
- Wideband code division multiple access (宽带码分多址), 50, 175
- WiFi (参见 IEEE 802.11)
- WiFi Alliance (WiFi 联盟), 59
- WiFi protected access (WiFi 保护接入), 57, 311
- WiFi protected access 2 (WiFi 保护接入 2), 240, 640
- Wiki, 6
- Wikipedia (维基), 6
- WiMAX (参见 IEEE 802.16)
- WiMAX Forum (WiMAX 论坛), 242
- Window probe, TCP (窗口探测, TCP), 436
- Window scale, TCP (窗口尺度, TCP), 431
- Wine, load-shedding policy (负载脱落策略, 葡萄酒), 310
- Wired equivalent privacy (有线等效保密), 57, 241, 640
- Wireless (无线)
 - broadband (宽带), 241–247
 - fixed (固定), 8
- Wireless application protocol (无线应用协议), 536
- Wireless issues (无线问题), 415–417
- Wireless LAN (无线局域网), 214–216, 231–241
- Wireless LAN (参见 IEEE 802.11)
- Wireless LAN protocol (无线局域网协议), 214–216
- Wireless router (无线路由器), 15
- Wireless security (无线安全性), 839–843
- Wireless transmission (无线传输), 82–90
- Work factor, cryptographic (工作因子, 加密), 595
- World Wide Web (万维网), 1, 499–539
 - AJAX, 525–528
 - architectural overview (体系结构概述), 500–502
 - caching (缓存), 534–535
 - cascading style sheets (层叠样式表), 518–519
 - client side (客户端), 502–504
 - client-side page generation (客户端页面生成), 521–525
 - connections (连接), 529–530
 - cookies (小甜饼), 508–512
 - crawling (爬虫), 538
 - dynamic pages (动态网页), 512
 - forms (表单), 516–518
 - HTML, 512–516
 - HTTP, 528–529
 - message headers (消息头), 532–534
 - methods (方法), 530–532
 - MIME types (MIME 类型), 504–506
 - mobile web (移动 Web), 536–537
 - page (页面), 500
 - proxy (代理), 535, 573–574
 - search (搜索), 537–539
 - security (安全性), 667–669
 - tracking (跟踪), 510
 - server side (服务器端), 506–508
 - server-side page generation (服务器端页面生成), 520–522
 - static web pages (静态网页), 512–519
- World Wide Web Consortium (万维网联盟), 64, 499
- Wormhole routing (虫孔路由), 260
- WPA (参见 WiFi Protected Access)
- WPA2 (参见 WiFi Protected Access 2)

X

- X.400 standard (X.400 标准), 485
- X.509, 628–629
- XHTML (参见 eXtended HyperText Markup Language)

XML (参见 eXtensible Markup Language)

XSLT (参见 eXtensible Stylesheet Language
Transformation)

Zone (域)

DNS, 477-478

multimedia (多媒体), 563

Z

Zipf's law (齐普夫定律), 570