

프로그래밍 기초

▶ 프로그래밍



✓ 프로그램(Program)

컴퓨터가 인식할 수 있는 명령어의 나열(집합)

✓ 프로그래밍(Programming)

프로그램을 작성하는 과정 = 코딩

✓ 프로그래머(Programmer)

프로그램을 작성하는 사람





프로그램을 작성하기 위한 언어체계, 사람이 컴퓨터와 소통하게 하는 요소

Oct 2019	Oct 2018	Change	Programming Language	Ratings	Change
1	1		Java	16.884%	-0.92%
2	2		C	16.180%	+0.80%
3	4	^	Python	9.089%	+1.93%
4	3	~	C++	6.229%	-1.36%
5	6	^	C#	3.860%	+0.37%
6	5	v	Visual Basic .NET	3.745%	-2.14%
7	8	۸	JavaScript	2.076%	-0.20%
8	9	۸	SQL	1.935%	-0.10%
9	7	v	PHP	1.909%	-0.89%
10	15	*	Objective-C	1.501%	+0.30%
11	28	*	Groovy	1.394%	+0.96%
12	10	v	Swift	1.362%	-0.14%
13	18	*	Ruby	1.318%	+0.21%
14	13	v	Assembly language	1.307%	+0.06%
15	14	•	R	1.261%	+0.05%
16	20	*	Visual Basic	1.234%	+0.58%
17	12	*	G0	1.100%	-0.15%
18	17	•	Delphi/Object Pascal	1.046%	-0.11%
19	16	•	Perl	1.023%	-0.14%
20	11	¥	MATLAB	0.924%	-0.39%

Worldwide, Oct 201	orldwide, Oct 2019 compared to a year ago:			
Rank	Change	Language	Share	Trend
1		Python	29.49 %	+4.5 %
2		Java	19.57 %	-2.4 %
3		Javascript	8.4 %	+0.1 %
4		C#	7.35 %	-0.4 %
5		PHP	6.34 %	-1.2 %
6		C/C++	5.87 %	-0.4 %
7		R	3.82 %	-0.2 %
8		Objective-C	2.6 %	-0.7 %
9		Swift	2.57 %	-0.1 %
10		Matlab	1.87 %	-0.2 %
11	^	TypeScript	1.87 %	+0.3 %
12	<u>ተተተተ</u>	Kotlin	1.61 %	+0.6 %
13	$\Psi\Psi$	Ruby	1.47 %	-0.1 %
14	V	VBA	1.39 %	-0.1 %
15	^	Go	1.25 %	+0.3 %
16	44	Scala	1.15 %	-0.1 %
17	$\Psi\Psi$	Visual Basic	0.99 %	-0.2 %
18	^	Rust	0.64 %	+0.3 %
19	V	Perl	0.57 %	-0.1 %
20	V	Lua	0.37 %	-0.0 %
21		Haskell	0.29 %	-0.0 %
22		Julia	0.28 %	+0.0 %
23		Delphi	0.25 %	+0.0 %
			© Pierre C	arbonnelle, 2019

▶ 자바 언어 특징






- 1. 운영체제에 독립적(이식성이 높음)
- 2. 객체 지향 언어
- 3. 사용하기 쉬운 언어
 - 능률적이고 명확한 코드 작성 가능
 - 다른 언어의 단점 보완(포인터, 메모리 관리)
- 4. 자동 메모리 관리(Garbage Collection)
- 5. 동적 로딩 지원
- 6. 멀티쓰레드 지원
- 7. 네트워크와 분산환경 지원

▶ JVM(Java Virtual Machine)



자바를 실행하기 위한 가상 기계로 플랫폼에 의존적


byte code(class파일)를 해석하고 실행하는 interpreter





✓ 설치 범위

사용자/개발자 입장에 따라 설치하는 범위가 달라짐



Java SE: Java Standard Edition


Java EE: Java Enterprise Edition

Java ME: Java Micro Edition





Oracle 홈페이지 접속(<u>www.oracle.com</u>) - 다운로드 클릭








Java 탭 – Java(JDK) for Developers 클릭

Java	Java (JRE) for Consumers Java (JDK) for Developers Event Processing for Java Embedded Java Card Java EE & GlassFish Server Java Embedded Suite Java for Mobile	Java ME Embedded Java ME Embedded Client Java ME SDK Java Runtime Environment (JRE) Java SE Java SE Embedded Java TV
개발자 툴	Java ME ADF Faces Application Express Standalone BI Publisher	Developer Studio SQL Developer SQL Developer Data Modeler
	BPEL Process Manager Developer Suite 10g Developer Tools for Visual Studio Enterprise Pack for Eclipse	StorageTek Team Productivity Center TopLink VM: Pre-Built VirtualBox VMs





Java Archive 탭 - DOWNLOAD 클릭







Java SE 탭 – Java SE 8 (8u211 and later) 클릭







Java SE Development Kit 8u212 - Accept License Agreement 체크


- 운영체제에 맞는 exe 파일 다운로드


You must accept the Oracle Technology Network License Agreement for Oracle Java SE to download this software. O Accept License Agreement Decline License Agreement				
Product / File Description	File Size	Download		
Linux ARM v6/v7 Soft Float ABI	72.86 MB	₫ jdk-8u212-linux-arm32-vfp-hflt.tar.gz		
Linux ARM v6/v7 Soft Float ABI	69.77 MB	₹ jdk-8u212-linux-arm64-vfp-hflt.tar.gz		
Linux x86	174.11 MB	₹ jdk-8u212-linux-i586.rpm		
Linux x86	188.92 MB	₫ jdk-8u212-linux-i586.tar.gz		
Linux x64	171.13 MB	₫ jdk-8u212-linux-x64.rpm		
Linux x64	185.98 MB	jdk-8u212-linux-x64.tar.gz		
Mac OS X x64	252.25 MB	₫ jdk-8u212-macosx-x64.dmg		
Solaris SPARC 64-bit (SVR4 package)	125.06 MB	₱ jdk-8u212-solaris-sparcv9.tar.Z		
Solaris SPARC 64-bit	88.15 MB	₹ jdk-8u212-solaris-sparcv9.tar.gz		
Solaris x64 (SVR4 package)	124.3 MB	jdk-8u212-solaris-x64.tar.Z		
Solaris x64	85 41 MB	₹ idk-9u212-enlaris-v64 tar.gz		
Nindows x86	202.64 MB	₫ jdk-8u212-windows-i586.exe		
Nindows x64	215.26 MB	₫ jdk-8u212-windows-x64.exe		






모두 Default로 놓고 next, 다음 버튼 클릭















모두 Default로 놓고 next, 다음 버튼 클릭



폴더 변경 시 폴더 위치 기억할 것.











'내 컴퓨터' 오른쪽 클릭 - 속성




고급시스템 설정




고급 - 환경변수



▶ 자바 설정








변수 값: JDK가 설치된 폴더 경로 추가 (C:\Program Files\Java\jdk1.8.0_212\bin;)


▶ 자바 설정



✓ 환경변수 테스트



윈도우키 + R 버튼 누르고 실행창에서 cmd엔터



java -version 엔터 / javac -version 엔터 위 화면같이 버전 정보 나오면 설정완료



- ✓ Compile Test
 - 1. workspace 폴더 만들기

C:₩workspace 폴더 생성

2. 메모장 실행 후 다음 내용 작성

```
public class HelloWorld{
    public static void main(String[] args){
        System.out.println("Hello World!!");
    }
}
```



✓ Compile Test

3. 내용 작성 후 파일 저장

파일 저장 경로 : C:₩workspace 폴더

파일명 : HelloWorld.java

파일 형식 : 모든파일

4. cmd창 열기

시작 – 실행 – cmd 입력(또는 윈도우 키 + r)

5. cmd 창에서 workspace 경로 찾아가기

C:₩> cd c:₩workspace



✓ Compile Test

6. Compile 하기

C:₩workspace> javac HelloWorld.java

(컴파일 완료 시 workspace 폴더 내부에 HelloWolrd.class 파일이 생성됨.)

7. 실행하기 (HelloWord!! 메시지 출력 확인)

C:₩workspace> java HelloWorld


```
c:\workspace>iava HelloWorld
Hello World!!
c:\workspace>
```






이클립스 다운로드 페이지(https://www.eclipse.org/downloads/)

- Download Package 클릭









MORE DOWNLOADS – Eclipse 2019-03(4.11) 클릭


	Eclipse IDE for Enterprise Java Developers 353 MB 223,321 DOWNLOADS Tools for Java developers creating Enterprise Java and Web applications, including a Java IDE, tools for Enterprise Java, JPA, JSF, Mylyn, Maven, Git and more. Click here to file a bug against Eclipse Web Tools Platform. Click here to file a bug against Eclipse Platform. Click here to file a bug against Maven integration for web projects.	*	Windows 64-bit Mac Cocoa 64-bit Linux 64-bit	Get Eclipse IDE 2019-09 Install your favorite desktop IDE packages. Download 64 bit Download Packages Need Help?
<u>C</u> .	Eclipse IDE for C/C++ Developers 237 MB 138,397 DOWNLOADS An IDE for C/C++ developers with Mylyn integration.	<u>*</u>	Windows 64-bit Mac Cocoa 64-bit Linux 64-bit	Compare & Combine Packages New and Noteworthy Install Guide
	Eclipse IDE for Java Developers 201 MB 132,196 DOWNLOADS The essential tools for any Java developer, including a Java IDE, a Git client, XML Editor, Mylyn, Maven and Gradle integration	<u>*</u>	Windows 64-bit Mac Cocoa 64-bit Linux 64-bit	Documentation Updating Eclipse Forums Simultaneous Release
	Eclipse IDE for Java and DSL Developers 364 MB 15,152 DOWNLOADS The essential tools for Java and DSL developers, including a Java & Xtend IDE, a DSL Framework (Xtext), a Git client, XML Editor, and Mayen integration.	<u>*</u>	Windows 64-bit Mac Cocoa 64-bit Linux 64-bit	Other builds Eclipse 2019-03 (4.11) Eclipse 2019-03 (4.11) Eclipse 2018-09 (4.9)
	Eclipse IDE for Eclipse Committers 356 MB 14,487 DOWNLOADS Package suited for development of Eclipse itself at Eclipse.org; based on the Eclipse Platform adding PDE, Git, Marketplace Client, source code and developer documentation.	<u>*</u>	Windows 64-bit Mac Cocoa 64-bit Linux 64-bit	Eclipse Photon (4.8) Eclipse Oxygen (4.7) Eclipse Neon (4.6) Eclipse Mars (4.5) Eclipse Luna (4.4) Older Versions





Eclipse IDE for Enterprise Java Developers - 해당되는 운영체제 클릭


- Download 클릭








다운로드 파일 압축 해제 - eclipse.exe 실행








- ✓ Eclipse 환경
 - 1. project 만들기






✓ Eclipse 환경

1. project 만들기










₭₩ ₭₩ 정보교육원

✓ Eclipse 환경

2. Class 만들기






₭₭ 정보교육원

✓ Eclipse 환경

2. Class 만들기







✓ Eclipse 환경

3. Class 작성 순서

```
① 패키지(package) 선언 package member.model.vo;
 ② 임포트(import) 선언 import java.util.Date;
                                                ③ 클래스(class) 작성부
                           public class Member {
                                       private String name;
                                                                    멤버 변수
                                       private int age;
                                       private Date enrollDate;
                                       public Member() {}
                                       public Member(String name, int age, Date enrollDate) {
                                                   super();
                        생성자
                                                   this.name = name;
                                                   this.age = age;
                                                   this.enrollDate = enrollDate;
                                       public String getName() {
                                                   return name;
                                                                             멤버 메서드
                                       public void setName(String name) {
                                                   this.name = name;
                                       ... 이하 생략...
```

▶ 자바 프로그래밍 기본



✓ class

자바에서 모든 코드는 반드시 클래스 안에 존재해야 하며, 서로 관련된 코드들을 그룹으로 나누어 별도의 클래스를 구성 클래스들이 모여 하나의 Java 애플리케이션 구성

```
public class 클래스명 {

/*

* 주석을 제외한 모든 코드는 블록 클래스 { } 내에 작성

*/
```

▶ 자바 프로그래밍 기본



✓ 주석(comment)

코드에 대한 설명이나 그 외 다른 정보를 넣을 때 사용하는 것으로 컴파일 시 컴파일러가 주석 부분은 건너 뜀

/* */ : 범위 주석, /*와 */ 사이 내용은 주석으로 간주

// : 한 줄 주석, // 뒤의 내용은 주석으로 간주

▶ 자바 프로그래밍 기본



✓ main

'public static void main(String[] args)'는 main 메서드의 고정된 선언부로 프로그램 실행 시 java.exe에 의해 호출됨 모든 클래스가 main메서드를 가지고 있어야 하는 것은 아니지만 하나의 Java애플리케이션에 는 main메서드를 포함한 클래스가 반드시 하나는 있어야 함