




LINEAR ALGEBRA

Laboratory No. # 1

PYTHON FUNDAMENTALS



CRITERIA	Exceeds Expectations	Meets Expectations	Needs Improvement	Unsatisfactory
Functionality (60 points)				
Completeness (20 points)				
Structure (20 points)				

Remarks:			

Submitted by: SERGIO, Jasper D.. M 7-10AM / 58013

Submitted to
Ma'am Maria Rizette Sayo
Instructor

Date Performed: **16-09-2023**

Date Submitted **16-09-2023**





Objective

In this module, we are going to establish or review our skills in Python programming. In this notebook we are going to cover:

- 1. Variables and Data Types
- 2. Operations
- 3. Input and Output Operations
- 4. Logic Control
- 5. Iterables
- 6. Functions

Algorithm

- 1. Type the main title of this activity as "Python Fundamentals"
- 2. On your GitHub, create a repository name Linear Algebra 58019
- 3. On your Colab, name your activity as Python Exercise 1.ipynb and save a copy to your GitHub repository

Coding Activity 1

A. Variable and Data Types

```
x = 1
a,b = 0, -1

type(x)

y = 1.0
type(y)

x = float(x)
type(x)

s,t,u = "0", '1', 'one'
type(s)

s_int = int(s)
s_int
```

B. Arithmetic Operations

```
a,b,c,d = 2.0, -0.5, 0, -32
```





```
### Addition
S = a+b
S
### Subtraction
D = b-d
D
### Multiplication
P = a*d
P
### Division
Q = c/a
Q
```

```
### Exponentiation
E = a**b
E
### Modulo
mod = d\%a
mod
```

C. Assignment Operations

```
G, H, J, K = 0, 100, 2, 2

G += a
G

H -= d

J *= 2
J

K **= 2
K
```





D. Comparators

```
res_1, res_2, res_3 = 1, 2.0, "1"
true_val = 1.0

## Equality
res_1 == true_val

## Non-equality
res_2 != true_val

## Inequality
t1 = res_1 > res_2
t2 = res_1 < res_2/2
t3 = res_1 >= res_2/2
t4 = res_1 <= res_2/2
t1
```

E. Logical

```
res_1 == true_val

res_1 is true_val

res_1 is not true_val

p, q = True, False
conj = p and q
conj

p, q = True, False
disj = p or q
disj

p, q = True, False
nand = not(p and q)
nand

p, q = True, False
xor = (not p and q) or (p and not q)
xor
```





F. Input and Output Operations

```
print("Hello World")
cnt = 1
string = "Hello World"
print(string, ", Current run count is:", cnt)
cnt += 1
print(f"{string}, Current count is: {cnt}")
sem\_grade = 82.243564657461234
name = ""
print("Hello { }, your semestral grade is: { } ".format(name, sem_grade))
w_pg, w_mg, w_fg = 0.3, 0.3, 0.4
print("The weights of your semestral grades are:\
 n\t{:.2%} for Prelims
n\t{:.2%} for Midterms, and
\hline 
x = input("enter a number: ")
name = input("Kimi no nawa: ")
pg = input("Enter prelim grade: ")
mg = input("Enter midterm grade: ")
fg = input("Enter finals grade: ")
sem_grade = None
print("Hello { }, your semestral grade is: { } ".format(name, sem_grade))
```





G. Looping Statements

```
## while loops
i, j = 0, 10
while(i<=j):
    print(f"{i}\t|\t{j}")
    i+=1

# for(int i=0; i<10; i++){
# printf(i)
# }

i=0
for i in range(10):
    print(i)
```

H. Flow Control

```
###Condition Statements
numeral1, numeral2 = 12, 12
if(numeral1 == numeral2):
    print("Yey")
elif(numeral1>numeral2):
    print("Hoho")
else:
    print("Aww")
print("Hip hip")
```

I. Functions

```
# void DeleteUser(int userid){
# delete(userid);
# }

def delete_user (userid):
    print("Successfully deleted user: { }".format(userid))

def delete_all_users ():
    print("Successfully deleted all users")
```





LINK: https://github.com/Jasper-Sergio-Jasperyuu/58013-Linear_Algebra/blob/611bcdec9dfae500a6ab1d9efc864f3ccc15eb37/Python_Exercise_1.ipynb

```
OUTPUT:

A. Variable and Data Types
```





```
C. Assignment Operations
G, H, J, K = 0, 100, 2, 2
    G += a
    print(G)
    H -= d
     print(H)
     J *= 2
    print(J)
    K **= 2
     print(K)
2.0
    132
D. Comparators
[ ] res_1, res_2, res_3 = 1, 2.0, "1"
    true_val = 1.0
     # Equality
     res_1 == true_val
    # Non-equality
    res_2 != true_val
    # Inequality
    t1 = res_1 > res_2
     t2 = res_1 < res_2/2
    t3 = res_1 >= res_2/2
     t4 = res_1 <= res_2
     t1
     False
```





```
E. Logical
[] res_1 == true_val
     res_1 is true_val
     res_1 is not true_val
     p, q = True, False
     conj = p and q
     print(conj)
     p, q = True, False
     disj = p or q
     print(disj)
     p, q = True, False
     nand = not(p and q)
     print(nand)
     p, q = True, False
     xor = (not p and q) or (p and not q)
     print(xor)
     False
     True
     True
     True
```





```
F. Input and Output Operations
    print("Hello World")
     cnt = 1
     string = "Hello World"
     print(string, ", Current run count is:", cnt)
     cnt += 1
    print(f"{string}, Current count is: {cnt}")
    sem_grade = 82.243564657461234
    name = ""
     print("Hello {}, your semestral grade is: {}".format(name, sem_grade))
    w_pg, w_mg, w_fg = 0.3, 0.3, 0.4
    print("The weights of your semestral grades are:\
     \n\t{:.2%} for Prelims\
     \n\t{:.2\%} for Midterms, and
    \n\t{:.2%} for Finals.".format(w_pg, w_mg, w_fg))
    x = input("enter a number: ")
    name = input("Kimi no nawa: ")
    pg = float(input("Enter prelim grade: "))
    mg = float(input("Enter midterm grade: "))
    fg = float(input("Enter finals grade: "))
    #sem_grade = None #will create a formula for sem grade
     sem_grade = (pg*.30 + mg*.30 + fg*.40)
    print("Hello {}, your semestral grade is: {}".format(name, sem_grade))
Hello World
    Hello World , Current run count is: 1
    Hello World, Current count is: 2
    Hello , your semestral grade is: 82.24356465746123
    The weights of your semestral grades are:
            30.00% for Prelims
            30.00% for Midterms, and
            40.00% for Finals.
    enter a number: 11
    Kimi no nawa: Jasper
    Enter prelim grade: 99
    Enter midterm grade: 98
    Enter finals grade: 99
    Hello Jasper, your semestral grade is: 98.69999999999999
```





```
G. Looping Statements
 ## while loops
    i, j = 0, 10
    while(i<=j):
        print(f"{i}\t|\t{j}")
        i+=1
    for i in range(10):
        print(i)
                     10
                    10
                     10
                    10
                                                      H. Flow Control
                    10
                    10
                    10
                                                      [ ] ###Condition Statements
                    10
                                                           numeral1, numeral2 = 12, 12
                    10
                                                           if(numeral1 == numeral2):
    9
10
                    10
                                                                print("Yey")
                    10
                                                           elif(numeral1>numeral2):
                                                                print("Hoho")
                                                                print("Aww")
                                                           print("Hip hip")
                                                          Yey
Hip hip
```





```
I. Functions

[ ] # void DeleteUser(int userid){
    # delete(userid);
    # }

    def delete_user (userid):
        print("Successfully deleted user: {}".format(userid))

    def delete_all_users ():
        print("Successfully deleted all users")
    a = delete_user(123232)

Successfully deleted user: 123232
```