Cardiovascular Magnetic Resonance Study Report

Patient Name:	**AI_test**	Institution:	**not available**
Patient Sex:	**F**	Study Date:	**2026-09-22**
Birth Date:	**not available**	Study Description:	**MRI HEART PLAIN+CONTRAST**
Age:	**82 Y.**	AccessionNumber:	**not available**
Patient ID:	**not available**	cvi42 Version:	**6.4.2**
Custom Patient ID:			
Height:	**145 cm**		
Weight:	**57.0 kg**		
BSA:	**1.52 m²(Mosteller)**		

Findings:

Summary:

Custom measurements

Line contours

Aortic Sinus on image 9/61 (cvi42 ID 7/3/11):
length: 2.670 cm
MPA on image 5/361 (cvi42 ID 4/4/11):
length: 3.323 cm

ROI contours

LA on image 9/36 (cvi42 ID 7/2/11):
area: 31.477 cm²
SI: 1010.3 ± 188.0
SI (>0): 1010.3 ± 188.0
SI median: 994
SI (>0) median: 994
Native T1 on image 611/1 (cvi42 ID 15/1/1):
area: 1.991 cm²
SI: 1235.3 ± 50.4
SI (>0): 1235.3 ± 50.4
SI median: 1234
SI (>0) median: 1234
Native T1 Bloodpool on image 611/1 (cvi42 ID 15/1/1):
area: 6.977 mm²
SI: 1977.6 ± 6.0
SI (>0): 1977.6 ± 6.0
SI median: 1977
SI (>0) median: 1977
Post-Contrast T1 on image 1501/1 (cvi42 ID 28/1/1):
area: 2.691 cm²
SI: 764.2 ± 36.5
SI (>0): 764.2 ± 36.5
SI median: 754
SI (>0) median: 754
Post-Contrast T1 Bloodpool on image 1501/1 (cvi42 ID 28/1/1):
area: 10.893 mm²
SI: 639.8 ± 3.0
SI (>0): 639.8 ± 3.0
SI median: 639
SI (>0) median: 639
RA on image 9/36 (cvi42 ID 7/2/11):
area: 17.078 cm²
SI: 1079.5 ± 225.5
SI (>0): 1079.5 ± 225.5
SI median: 1035
SI (>0) median: 1035

SAX3D Stack LV Function

number of slices used to calculate syst. (phase 11: 0 slices) and diast. (phase 25: 11 slices) vol. of the LV myocard differ by more than one

EDV:	**148.836 ml**
ESV:	**57.512 ml**
SV:	**91.324 ml**
EF:	**61.359 %**
CO:	**5.893 l/min**
CI:	**3.890 l/min/m²**
HR:	**64.5/min**
Myo Mass (Diast):	**92.480 g**
Phase Diastole:	**25**
Phase Systole:	**11**
EDV/H:	**102.645 ml/m**
EDV/BSA:	**98.228 ml/m²**
ESV/H:	**39.663 ml/m**
ESV/BSA:	**37.957 ml/m²**
SV/H:	**62.982 ml/m**
SV/BSA:	**60.272 ml/m²**
Myo Mass/H (Diast):	**63.779 g/m**
Myo Mass/BSA (Diast):	**61.035 g/m²**
Global Peak Wall Thickness (Diast):	
Slice 5	**11.438 mm**
Wall thickening excluding papillaries:	**Off**


SAX3D Stack RV Function

number of slices used to calculate syst. (phase 10: 7 slices) and diast. (phase 24: 9 slices) vol. of the RV cavum differ by more than one


RVEDV:	**146.035 ml**
RVESV:	**53.692 ml**
RVSV:	**92.342 ml**
RVEF:	**63.233 %**
RVCO:	**5.959 l/min**
RVCI:	**3.933 l/min/m²**
HR:	**64.5/min**
Phase Diastole:	**24**

Phase Systole:	**10**
RVEDV/H:	**100.714 ml/m**
RVEDV/BSA:	**96.380 ml/m²**
RVESV/H:	**37.029 ml/m**
RVESV/BSA:	**35.436 ml/m²**
RVSV/H:	**63.684 ml/m**
RVSV/BSA:	**60.944 ml/m²**


Diastolic Phase (LV)




Systolic Phase (LV)



Diastolic Phase (RV)



Systolic Phase (RV)



Systolic Phase (RV)

