An official website of the United States government Here's how you know

NIH National Library of Medicine
National Center for Biotechnology Information

Log in

SRA

SRA | HUMAN B CELL LYMPHOMA CELL LINE RNA SEQ | Search

Create alert Advanced Help

Access
Public (1,631)

Source
DNA (78)
RNA (1,523)

Library Layout
paired (1,027)
single (604)

Platform
BGISEQ (18)
Illumina (1,513)
Ion Torrent (18)
PacBio SMRT (2)

Strategy
Exome (69)
other (1,562)

Summary 20 per page Send to:

View results as an expanded interactive table using the RunSelector. Send results to Run selector

Search results

Items: 1461 to 1480 of 1631

<< First < Prev Page 74 of 82 Next > Last >>

1461. GSM3258262: Mutu III - RNase R treated; **Homo sapiens**; **RNA-Seq**
1 ILLUMINA (Illumina HiSeq 4000) run: 71M spots, 14.2G bases, 5Gb downloads
Accession: SRX4343679

1462. GSM3258261: Sav I - RNase R treated; **Homo sapiens**; **RNA-Seq**
1 ILLUMINA (Illumina HiSeq 4000) run: 70.2M spots, 14G bases, 4.9Gb downloads
Accession: SRX4343678

GSM3258260: Mutu I (induced) - RNase R treated; **Homo sapiens**; **RNA-Seq**

Filters: Manage Filters

Search in related databases

Database	Access		all
	public	controlled	
BioSample	67		67
BioProject	71		71
dbGaP		1	1
GEO Datasets	456		456

Find related data

Database: Select

Find items

SRA

SRA | SRR390728 | Search

Create alert Advanced Help

Full Send to:

SRX079566: RNA-Seq (polyA+) analysis of DLBCL cell line HS0798
2 ILLUMINA (Illumina Genome Analyzer IIx) runs: 16.9M spots, 1.2G bases, 1.1Gb downloads

Design: PolyA+ RNA was purified using the MACS mRNA isolation kit (Miltenyi Biotec, Bergisch Gladbach, Germany), from 5-10ug of DNaseI-treated total RNA as per the manufacturer's instructions. Double-stranded cDNA was synthesized from the purified polyA+RNA using the Superscript Double-Stranded cDNA Synthesis kit (Invitrogen, Carlsbad, CA, USA) and random hexamer primers (Invitrogen) at a concentration of 5uM. The cDNA was fragmented by sonication and a paired-end sequencing library prepared following the Illumina paired-end library preparation protocol (Illumina, Hayward, CA, USA).

Submitted by: BC Cancer Agency Michael Smith Genome Sciences Centre (BCCAGSC)

Study: CGCI: Non-Hodgkin Lymphoma (NHL)
PRJNA172563 • SRP020237 • All experiments • All runs
show Abstract

Sample: human B cell lymphoma cell line DB
SAMN00630374 • SRS212581 • All experiments • All runs
Organism: Homo sapiens

Library:
Name: HS0798
Instrument: Illumina Genome Analyzer IIx
Strategy: RNA-Seq
Source: TRANSCRIPTOMIC
Selection: cDNA

Related information

BioProject
BioSample
Taxonomy

Search details

SRR390728[All Fields]

Search See more...

Recent activity

Turn Off Clear

SRR390728 (1)
SRA

An official website of the United States government Here's how you know

NIH National Library of Medicine
National Center for Biotechnology Information

Sequence Read Archive | Search | Run Browser | Analyses | Study | Provisional SRA | Documentation | Mirroring

Run Browser > SRR390728

RNA-Seq (polyA+) analysis of DLBCL cell line HS0798 (SRR390728, SRZ019313)

Metadata | Alignment | Analysis | Reads | Data access | FASTA/FASTQ download

Run

Run	Spots	Bases	Size	GC Content	Data Status	Published
SRR390728 1. SRZ019313	7.2M	516.9M	186.1MB	45.4%	Public	2011-12-21

Quality graph (bigger)

Galaxy Europe | Using 0% of 250.0 GB | jaspreet04

Upload | Tools | Workflows | Workflow Invocations | Interactive Tools | Visualization | Notifications | More

Tools

Discover Tools

search tools

interface for access to proteolytic peptides

DoRiNA Search DoRiNA data source

Download and Extract Reads in BAM format from NCBI SRA

Download and Extract Reads in FASTQ format from NCBI SRA

Download and Generate Pileup Format from NCBI SRA

Download run data from EBI Metagenomics database

downloads via lftps

EBI Search to obtain search results on resources and services hosted at the EBI

EBI SRA ENA SRA

EGA Download Client

Download and Extract Reads in FASTQ format from NCBI SRA (Galaxy Version 3.1.1+galaxy1) | Run Tool

Tool Parameters

select input type: SRR accession

Accession *: SRR390728

Must start with SRR, DRR or ERR, e.g. SRR925743, ERR343809

Select output format *
- gzip compressed fastq
- Uncompressed fastq
- bzip2 compressed fastq

Compression will greatly reduce the amount of space occupied by downloaded data. Downstream applications such as a short-read mappers will accept compressed data as input. Consider this example: an uncompressed 400 Mb fastq datasets compresses to 100 Mb or 80 Mb by gzip or bzip2, respectively. (--gzip --bzip2)

Advanced Options

History

search datasets

Unnamed history

Default Storage

0 B | 0

This history is empty.

You can load your own data or get data from an external source.


Galaxy Europe
Using 0% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
search tools
Get Data
Send Data
Collection Operations
GENERAL TEXT TOOLS
Text Manipulation
Convert Formats
Filter and Sort
Join, Subtract and Group
GENOMIC FILE MANIPULATION
Convert Formats
FASTA/FASTQ
Quality Control
SAM/BAM
BED
VCF/BCF
Nanopore
COMMON GENOMICS TOOLS
Operate on Genomic Intervals
Started tool Download and Extract Reads in FASTQ and successfully added 1 job to the queue.
It produces 2 outputs:
1: Paired-end data (fastq-dump)
2: Single-end data (fastq-dump)
You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.
Here is a link to the job: 11ac94870d0bb33a0a92af04354ac25c
Tool recommendation
You have used fastq_dump tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.
Download and Extract...
fastp
BWA-MEM
FastQC
RNA STAR
Cutadapt
Bowtie2
Trimmomatic
HISAT2
MultiQC
Map with minimap2
Kraken2
FASTQ to FASTA
Trim Galore!
FASTQ Groomer
SPAdes
snippy
Map with Bowtie for ...
FASTQ to FASTA
Kallisto quant
History
search datasets
Teanscriptomics Workflow
Default Storage
298 MB
2: Single-end data (fastq-dump)
a list with 0 datasets
1: Paired-end data (fastq-dump)
a list with 1 fastqsanger.gz pair


Galaxy Europe
Using 0% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
Tools
Discover Tools
search tools
Get Data
Send Data
Collection Operations
GENERAL TEXT TOOLS
Text Manipulation
Convert Formats
Filter and Sort
Join, Subtract and Group
GENOMIC FILE MANIPULATION
Convert Formats
FASTA/FASTQ
Quality Control
SAM/BAM
BED
VCF/BCF
Nanopore
COMMON GENOMICS TOOLS
3: SRR390728:forward
ok
142.8 MB
format fastqsanger.gz database ? size 142.8 MB
Preview
Visualize
Details
Edit
This dataset is large and only the first megabyte is shown below.
Show all | Save
@SRR390728.1/1
CATTCTTCACGTAGTTCTCGAGCCTTGGTTTTCAGC
+
;;;;;;;;;;;;;;;;;;;;;;;;;;;;9;;665142
@SRR390728.2/1
AAGTAGGTCTCGTCTGTGTTTTCTACGAGCTTGTGT
+
;;;;;;;;;;;;;;;;;;4;;;;3;393.1+4&&5&&
@SRR390728.3/1
CCAGCCTGGCCAACAGAGTGTTACCCCGTTTTTACT
+
-;;;8;;;;;;;,*;;';-4,44;,:&,1,4'./&1
@SRR390728.4/1
ATAAAATCAGGGGTGTTGGAGATGGGATGCCTATTT
+
1;;;;;;,;;4;3;38;8%&,,;)*;1;;,)/%4+,
@SRR390728.5/1
TTAAGAAATTTTTGCTCAAACCATGCCCTAAAGGGT
+
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;9445552
@SRR390728.6/1
TCTTATAACAATTTTCCACTCATTTGTGCCAATTTT
+
8;;;;;;;;;;;77;;;;;;;;;;;3;3;.4+4552
History: Transcriptomics Workflow
Paired-end data (fastq-dump)
SRR390728
a pair with 2 fastqsanger.gz datasets
1: forward
142.8 MB
format fastqsanger.gz, database ?
2: reverse
https://usegalaxy.eu/datasets/26c75dcccb616ac80fd96eff4d43f951


Galaxy Europe
Using 0% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
search tools
Get Data
Send Data
Collection Operations
GENERAL TEXT TOOLS
Text Manipulation
Convert Formats
Filter and Sort
Join, Subtract and Group
GENOMIC FILE MANIPULATION
Convert Formats
FASTA/FASTQ
Quality Control
SAM/BAM
BED
VCF/BCF
Nanopore
COMMON GENOMICS TOOLS
Operate on Genomic Intervals
4: SRR390728:reverse
ok
141.3 MB
format fastqsanger.gz database ? size 141.3 MB
Preview
Visualize
Details
Edit
This dataset is large and only the first megabyte is shown below.
Show all | Save
@SRR390728.1/2
GATGGAGAATGACTTTGACAAGCTGAGAGAAGNTNC
+
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;96&&&&(
@SRR390728.2/2
TCCAGCTGACCCACTCCCTGGGTGGGGGGGACTGGGT
+
;;;;;;;;;;;;;;;;;;;;;<9;<;;;;;464262
@SRR390728.3/2
TATTTATTATTATTATTTTGAGACAGAGCATTGGTC
+
9;;;;;;669;;99;;;;;-;3;2;0;+;7442&2/
@SRR390728.4/2
CTGCACACCTTGGCCTCCCAAATTGCTGGGATTACA
+
;1;;);;;;;;;4;(;1;;;;24;;;;41-444//0
@SRR390728.5/2
TCTGTAATAAATAGGGCTGGGAAAACTGGCAAGCCA
+
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;446662
@SRR390728.6/2
GTGATGTGCAAGATTCTGCTTCAACTTTTGCCATGA
+
;+;;711;;;;;;;;;.;;74;;;;;;)4;444411
@SRR390728.7/2
History: Transcriptomics Workflow
Paired-end data (fastq-dump)
SRR390728
a pair with 2 fastqsanger.gz datasets
1: forward
2: reverse
141.3 MB
format fastqsanger.gz, database ?


Galaxy Europe
Using 0% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
search tools
Get Data
Send Data
Collection Operations
GENERAL TEXT TOOLS
Text Manipulation
Convert Formats
Filter and Sort
Join, Subtract and Group
GENOMIC FILE MANIPULATION
Convert Formats
FASTA/FASTQ
Quality Control
SAM/BAM
BED
VCF/BCF
Nanopore
COMMON GENOMICS TOOLS
Operate on Genomic Intervals
Started tool FastQC and successfully added 2 jobs to the queue.
It produces 4 outputs:
7: FastQC on dataset 3: Webpage
8: FastQC on dataset 3: RawData
9: FastQC on dataset 4: Webpage
10: FastQC on dataset 4: RawData
You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.
Here is a link to each job: 11ac94870d0bb33a80d023511c407485 11ac94870d0bb33a7c395b668adacbd4
Tool recommendation
You have used fastqc tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.
FastQC
MultiQC
Replace
Concatenate datasets
History
search datasets
Transcriptomics Workflow
Default Storage
393 MB
10: FastQC on dataset 4: RawData
6: FastQC on collection 1: RawData
a list with 1 txt pair
5: FastQC on collection 1: Webpage
a list with 1 html pair
1: Paired-end data (fastq-dump)
a list with 1 fastqsanger.gz pair

forward.gz FastQC Report

File | C:/Users/LENOVO/Desktop/Transcriptomics%20Workshop/forward.gz%20FastQC%20Report.html

FastQC Report

Fri 30 Jan 2026
forward.gz

Summary

- Basic Statistics
- Per base sequence quality
- Per sequence quality scores
- Per base sequence content
- Per sequence GC content
- Per base N content
- Sequence Length Distribution
- Sequence Duplication Levels
- Overrepresented sequences
- Adapter Content

Basic Statistics

Measure	Value
Filename	forward.gz
File type	Conventional base calls
Encoding	Sanger / Illumina 1.9
Total Sequences	7178576
Total Bases	258.4 Mbp
Sequences flagged as poor quality	0
Sequence length	36
%GC	45

Per base sequence quality



Produced by FastQC (version 0.12.1)

Untitled | reverse.gz FastQC Report

File | C:/Users/LENOVO/Documents/datasets/FastQC_on_dataset_4__Webpage_0a8d5244b05fb530d0a0052288ef4dc7.html

FastQC Report

Fri 30 Jan 2026
reverse.gz

Summary

- Basic Statistics
- Per base sequence quality
- Per sequence quality scores
- Per base sequence content
- Per sequence GC content
- Per base N content
- Sequence Length Distribution
- Sequence Duplication Levels
- Overrepresented sequences
- Adapter Content

Basic Statistics

Measure	Value
Filename	reverse.gz
File type	Conventional base calls
Encoding	Sanger / Illumina 1.9
Total Sequences	7178576
Total Bases	258.4 Mbp
Sequences flagged as poor quality	0
Sequence length	36
%GC	45

Per base sequence quality




Galaxy Europe
Using 6% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
multiqc
Show Sections
MultiQC aggregate results from bioinformatics analyses into a single report
MultiQC aggregate results from bioinformatics analyses into a single report (Galaxy Version 1.33+galaxy0)
Run Tool
Tool Parameters
Results
1: Results
Which tool was used generate logs?
FastQC
Software name
FastQC output
1: FastQC output
Type of FastQC output? *
Raw data
FastQC output *
8: (hidden) FastQC on dataset 3: RawData
10: FastQC on dataset 4: RawData
accepted formats
switch to column select
Insert FastQC output
Insert Results
Image content - optional
No datasets with png, jpg, gif or tiff elements available
History
search datasets
Transcriptomics Workflow
Default Storage
393 MB
10: FastQC on dataset 4: RawData
6: FastQC on collection 1: RawData
a list with 1 txt pair
5: FastQC on collection 1: Webpage
a list with 1 html pair
1: Paired-end data (fastq-dump)
a list with 1 fastqsanger.gz pair

Galaxy Europe
Using 6% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
multiqc
Show Sections
MultiQC aggregate results from bioinformatics analyses into a single report
Started tool MultiQC and successfully added 1 job to the queue.
It produces 2 outputs:
11: MultiQC on dataset 8 and 10: Webpage
12: MultiQC on dataset 8 and 10: Stats
You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.
Here is a link to the job: 11ac94870d0bb33a34bdeceefb8e4ada
Tool recommendation
You have used multiqc tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.
MultiQC
Compute
BWA-MEM
FastQC
featureCounts
RNA STAR
Cutadapt
Trimmomatic
Join
DESeq2
Concatenate datasets
Infer Experiment
FreeBayes
Samtools idxstats
Replace Text
Read Distribution
Gene Body Coverage (...
Scatterplot with ggp...
PCA plot w ggplot2
FASTQ Summary Statis...
SINA
History
search datasets
Transcriptomics Workflow
Default Storage
395 MB
12: MultiQC on dataset 8 and 10: Stats
11: MultiQC on dataset 8 and 10: Webpage
10: FastQC on dataset 4: RawData
6: FastQC on collection 1: RawData
a list with 1 txt pair
5: FastQC on collection 1: Webpage
a list with 1 html pair
1: Paired-end data (fastq-dump)
a list with 1 fastqsanger.gz pair

usegalaxy.eu/?tool_id=toolshed.g2.bx.psu.edu%2Frepos%2Fbgruening%2Ftrim_galore%2Ftrim_galore%2F0.6.10%2Bgalaxy0&version=latest

Study - Physics Wall... Telegram Web Online Courses - Le... New Tab

Galaxy Europe — Using 0% of 250.0 GB — jaspreet04

Upload | Tools | Workflows | Workflow Invocations | Interactive Tools | Visualization | Histories | History Multiview | Notifications | More

Tools — Discover Tools — trim galore — Show Sections

Trim Galore! Quality and adapter trimmer of reads

Trim Galore! Quality and adapter trimmer of reads (Galaxy Version 0.6.10+galaxy0) — Run Tool

Tool Parameters

Is this library paired- or single-end?: Paired-end

Reads in FASTQ format *: 3: (hidden) SRR390728:forward (accepted formats)

Reads in FASTQ format *: 4: (hidden) SRR390728:reverse (accepted formats)

Adapter sequence to be trimmed: Automatic detection

Trims 1 bp off every read from its 3' end.: Yes

Remove N bp from the 3' end of read 1 - optional

Instructs Trim Galore! to remove N bp from the 3' end of read 1 after adapter/quality trimming has been performed. This may remove some unwanted bias from the 3' end that is not directly related to adapter sequence or basecall quality. (--three_prime_clip_R1)

Remove N bp from the 3' end of read 2 - optional

History — search datasets — Transcriptomics Workflow — Default Storage — 525 MB

- 12: MultiQC on dataset 8 and 10: Stats
- 11: MultiQC on dataset 8 and 10: Webpage
- 10: FastQC on dataset 4: RawData
- 6: FastQC on collection 1: RawData — a list with 1 txt pair
- 5: FastQC on collection 1: Webpage — a list with 1 html pair
- 1: Paired-end data (fastq-dump) — a list with 1 fastqsanger.gz pair

Study - Physics Wall... Telegram Web Online Courses - Le... New Tab

Galaxy Europe — Using 0% of 250.0 GB — jaspreet04

Upload | Tools | Workflows | Workflow Invocations | Interactive Tools | Visualization | Histories | History Multiview | Notifications | More

Tools — Discover Tools — search tools

- Get Data
- Send Data
- Collection Operations
- GENERAL TEXT TOOLS
- Text Manipulation
- Convert Formats
- Filter and Sort
- Join, Subtract and Group
- GENOMIC FILE MANIPULATION
- Convert Formats
- FASTA/FASTQ
- Quality Control
- SAM/BAM
- BED
- VCF/BCF
- Nanopore
- COMMON GENOMICS TOOLS
- Operate on Genomic Intervals

Started tool **Trim Galore!** and successfully added 1 job to the queue.

It produces 2 outputs:

- **37: Trim Galore! on dataset 22 and 23**
- **38: Trim Galore! on dataset 22 and 23**

You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.

Here is a link to the job: **11ac94670d0bb33a02242893c01a4bbf**

Tool recommendation

You have used trim_galore tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.

Trim Galore! → FastQC, RNA STAR, Bowtie2, Trimmomatic, HISAT2, MultiQC, Make.contigs, metaspades, VSearch dereplicatio..., fastp, BWA-MEM, featureCounts, Cutadapt, Map with minimap2, htseq-count, MarkDuplicates, Kraken2, FASTQ to FASTA, bamCoverage, FASTQ Groomer

History — deleted:false visible:any — Transcriptomics Workflow — Default Storage — 769 MB

- 38: Trim Galore! on dataset 22 and 23
- 37: Trim Galore! on dataset 22 and 23
- 36: Trim Galore! on collection 24: paired reads — a list with 1 fastqsanger.gz pair
- 35: Trim Galore! on dataset 22 and 23
- 34: Trim Galore! on dataset 22 and 23
- 33: Trim Galore! on collection 24: paired reads — a list with 1 fastqsanger.gz pair
- 24: Paired-end data (fastq-d


Galaxy Europe
Using 0% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
fastqc
Show Sections
FastQC Read Quality reports
use Falco instead
ab1 to FASTQ converter
Falco An alternative, more performant implementation of FastQC for high throughput sequence quality control
Tabular to FASTQ converter
Make.fastq Convert fasta and quality to fastq
Tabular to FASTQ converter
Started tool FastQC and successfully added 1 job to the queue.
It produces 2 outputs:
39: FastQC on dataset 34: Webpage
40: FastQC on dataset 34: RawData
You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.
Here is a link to the job: 11ac94870d0bb33a149142c028eedc5c
Tool recommendation
You have used fastqc tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.
FastQC
MultiQC
Replace
Concatenate datasets
History
deleted:false visible:any
Transcriptomics Workflow
Default Storage
769 MB
12
15
17
38: Trim Galore! on data set 22 and 23
37: Trim Galore! on data set 22 and 23
36: Trim Galore! on collection 2 4: paired reads
a list with 1 fastqsanger.gz pair
35: Trim Galore! on data set 22 and 23
34: Trim Galore! on data set 22 and 23
33: Trim Galore! on collection 2 4: paired reads
a list with 1 fastqsanger.gz pair
24: Paired-end data (fastq-d


Galaxy Europe
Using 0% of 250.0 GB
jaspreet04
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
fastqc
Show Sections
FastQC Read Quality reports
use Falco instead
ab1 to FASTQ converter
Falco An alternative, more performant implementation of FastQC for high throughput sequence quality control
Tabular to FASTQ converter
Make.fastq Convert fasta and quality to fastq
Tabular to FASTQ converter
Started tool FastQC and successfully added 1 job to the queue.
It produces 2 outputs:
41: FastQC on dataset 35: Webpage
42: FastQC on dataset 35: RawData
You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.
Here is a link to the job: 11ac94870d0bb33a409efa6dbe9e5684
Tool recommendation
You have used fastqc tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.
FastQC
MultiQC
Replace
Concatenate datasets
History
deleted:false visible:any
Transcriptomics Workflow
Default Storage
774 MB
14
15
17
42: FastQC on dataset 35: RawData
41: FastQC on dataset 35: Webpage
40: FastQC on dataset 34: RawData
39: FastQC on dataset 34: Webpage
38: Trim Galore! on data set 22 and 23
37: Trim Galore! on data set 22 and 23
36: Trim Galore! on collection 2 4: paired reads
a list with 1 fastqsanger.gz pair

Galaxy Europe
Using 0% of 250.0 GB
jaspreet94
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
multiq
Show Sections
MultiQC aggregate results from bioinformatics analyses into a single report
Started tool MultiQC and successfully added 1 job to the queue.
It produces 2 outputs:
43: MultiQC on dataset 40 and 42: Webpage
44: MultiQC on dataset 40 and 42: Stats
You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.
Here is a link to the job: 11ac94870d0bb33a39a1cda511ac6942
Tool recommendation
You have used multiqc tool. For further analysis, you could try using the following/recommended tools. The recommended tools are shown in the decreasing order of their scores predicted using machine learning analysis on workflows. Therefore, tools at the top may be more useful than the ones at the bottom. Please click on one of the following/recommended tools to open its definition.
MultiQC
Compute
BWA-MEM
FastQC
featureCounts
RNA STAR
Cutadapt
Trimmomatic
Join
DESeq2
Concatenate datasets
Infer Experiment
FreeBayes
Samtools idxstats
Replace Text
Read Distribution
Gene Body Coverage (...
Scatterplot with ggp...
PCA plot w ggplot2
FASTQ Summary Statis...
SINA
History
deleted:false visible:any
Transcriptomics Workflow
Default Storage
774 MB
16
15
17
44: MultiQC on dataset 40 and 42: Stats
43: MultiQC on dataset 40 and 42: Webpage
42: FastQC on dataset 35: RawData
41: FastQC on dataset 35: Webpage
40: FastQC on dataset 34: RawData
39: FastQC on dataset 34: Webpage
38: Trim Galore! on dataset 22 and 23
37: Trim Galore! on data
20:36

Post Trimming Quality Assessment using Trim Galore














Galaxy Europe
Using 0% of 250.0 GB
jaspreet94
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
hisat2
Show Sections
HISAT2 A fast and sensitive alignment program
HISAT2 A fast and sensitive alignment program (Galaxy Version 2.2.1+galaxy1)
Run Tool
Tool Parameters
Source for the reference genome
Use a built-in genome
Built-in references were created using default options
Select a reference genome *
Human Dec. 2013 (GRCh38/hg38) (hg38)
If your genome of interest is not listed, contact the Galaxy team
Is this a single or paired library
Paired-end
FASTA/Q file #1 *
34: (hidden) Trim Galore! on dataset 22 and 23
accepted formats
Must be of datatype "fastqsanger"or "fasta"
FASTA/Q file #2 *
35: (hidden) Trim Galore! on dataset 22 and 23
accepted formats
Must be of datatype "fastqsanger"or "fasta"
Specify strand information *
Unstranded
History
search datasets
Transcriptomics Workflow
Default Storage
776 MB
14
19
17
44: MultiQC on dataset 40 and 42: Stats
43: MultiQC on dataset 40 and 42: Webpage
42: FastQC on dataset 35: RawData
41: FastQC on dataset 35: Webpage
40: FastQC on dataset 34: RawData
33: Trim Galore! on collection 24: paired reads
a list with 1 fastqsanger.gz pair
24: Paired-end data (fastq-dump)


Galaxy Europe
Using 0% of 250.0 GB
jaspreet94
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
hisat2
Show Sections
HISAT2 A fast and sensitive alignment program
45: HISAT2 on dataset 34 and 35: aligned reads (BAM)
ok
488.8 MB
format bam database hg38 size 488.8 MB
Preview
Raw
Visualize
Details
Edit
IGV hg38
all
all
1 10 11 12 13 14 15 16 17 18 19 2 20 22 3 4 5 6 7 8 9 X Y
100
0
HISAT2 on dataset 34 and 35: aligned reads (BAM)
Zoom in to see features
History
search datasets
Transcriptomics Workflow
Default Storage
1.29 GB
15
19
17
45: HISAT2 on dataset 34 and 35: aligned reads (BAM)
44: MultiQC on dataset 40 and 42: Stats
43: MultiQC on dataset 40 and 42: Webpage
42: FastQC on dataset 35: RawData
41: FastQC on dataset 35: Webpage
40: FastQC on dataset 34: RawData
33: Trim Galore! on collection 24: paired reads
a list with 1 fastqsanger.gz pair


Galaxy Europe
Using 0% of 250.0 GB
jaspreet94
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
hisat2
Show Sections
HISAT2 A fast and sensitive alignment program
IGV hg38 chr1 chr1:1-248,956,422 248 mb
HISAT2 on dataset 34 and 35: aligned reads (BAM)
Zoom in to see features
History
search datasets
Transcriptomics Workflow
Default Storage
1.38 GB
45: HISAT2 on dataset 34 and 35: aligned reads (BAM)
Add Tags
488.8 MB
format bam, database hg38
6816255 reads; of these: 6816255 (100.00%) were paired; of these:
Binary bam alignments file
45: HISAT2 on dataset 34 and 35: aligned reads (BAM)
44: MultiQC on dataset 40 and 42: Stats


Galaxy Europe
Using 0% of 250.0 GB
jaspreet94
Upload
Tools
Workflows
Workflow Invocations
Interactive Tools
Visualization
Histories
History Multiview
Notifications
More
Tools
Discover Tools
hisat2
Show Sections
HISAT2 A fast and sensitive alignment program
TRANSCRIPTOMICS (hg38) chr1 0 - 248,956,421
HISAT2 on dataset 34 and 35: alignе...
History
search datasets
Transcriptomics Workflow
Default Storage
1.38 GB
45: HISAT2 on dataset 34 and 35: aligned reads (BAM)
45: HISAT2 on dataset 34 and 35: aligned reads (BAM)
44: MultiQC on dataset 40 and 42: Stats
43: MultiQC on dataset 40 and 42: Webpage
42: FastQC on dataset 35: RawData
41: FastQC on dataset 35: Webpage
40: FastQC on dataset 34: RawData