


EXAMEN PRÁCTICO MÓDULO 1

En esta práctica, debe crear su propio servidor web.



Realice el examen en el siguiente orden:

1. Crear un par de claves nuevo
2. Lanzar una instancia de servidor web
3. Conectarse a la instancia de Linux via SSH
4. Crear un EBS con TAGS y asociarlo a la instancia
5. Crear un bucket (S3) con TAGs y subir un archivo .TXT básico
6. Subir las evidencias a su repositorio de GitHub

1. Crear un par de claves (keypair) nuevo .pem

Indispensable para poder conectarse a la instancia

2. Lanzar una instancia de servidor web

IMPORTANTE: Compruebe la VPC predeterminada y la subred. Auto-assign public IP (Asignar automáticamente la IP pública) está configurada en **Enable (Habilitar)**. Justo debajo, crea grupos de seguridad para que actúen como un firewall de la red. Para el grupo de seguridad que está creando en este momento, habilite el tráfico para el puerto 22 desde su servidor y el 80 desde cualquier origen:

Puerto : 22 Seleccionará My IP

Puerto 80: Escribe 0.0.0.0/0

Para todo lo demás, acepte los valores predeterminados.

Ingresa los siguientes valores en el campo **Datos de usuario (User Data)** en la parte **de lanzar instancia en avanzado** :

```
#!/bin/bash

# Update system
dnf update -y

# Install required packages
dnf install -y httpd wget php php-fpm php-mysql php-json php-devel
php-mbstring mariadb105 unzip

# Enable and start Apache
systemctl enable httpd
systemctl start httpd

# Install web app
cd /var/www/html

if [ ! -f immersion-day-app-php7.zip ]; then
```

Carrera 43 A # 34 – 155. Torre Norte, Almacentro. Oficina
701.

Medellín, Colombia

```
wget -O immersion-day-app-php7.zip
https://static.us-east-1.prod.workshops.aws/public/0cf8e0cc-9aa4-41b3-aa
e7-ea46d24b239e/assets/immersion-day-app-php7.zip

unzip immersion-day-app-php7.zip

fi

# Install AWS SDK

if [ ! -d /var/www/html/vendor ]; then

    mkdir vendor

    cd vendor

    wget https://docs.aws.amazon.com/aws-sdk-php/v3/download/aws.zip

    unzip aws.zip

fi
```

3. Conectarse a la instancia vía SSH si hace falta comprobar algún servicio
 4. Crear un EBS con TAGS y asociarlo a la instancia, máximo de 3GiB
 5. Crea un bucket (S3), asignarle TAGs y subir un archivo .TXT básico
 6. Subir a su repositorio:
 - Print Screen de resumen de configuración de lanzamiento de EC2
 - Print screen de la URL (IP Pública) de su EC2 una vez esta esté corriendo
 - Print Screen donde se vean los dos discos (EBS). el principal y el que creen en el paso 4 asignados a su instancia
 - Print screen donde se evidencia el archivo subido al S3 después de crearlo.
 - Subirlo en un solo archivo ya sea PDF nombrarlo
<Su_Nombre>-Modulo1-Examen.
- ejemplo: PepitoPerez-Modulo1-ExamenPractico




Carrera 43 A # 34 – 155. Torre Norte, Almacentro. Oficina
701.


Medellín, Colombia

DESARROLLO

1- Creación de Instancia EC2



The screenshot shows the AWS Management Console for the 'Entrenamiento (654654478122)' account. The left sidebar shows the 'EC2' menu with options like Dashboard, AWS Global View, Events, and Instances. The main content area shows the 'Instances (1)' page. A table lists the instance 'i-06be1ccc0bc5b377a' with a state of 'Terminated'. Below the table, there are three panels: 'Instance alarm states' (None), 'Service health' (Operating normally), and 'Health events affecting EC2 instances' (None). The bottom of the console shows the Windows taskbar with various application icons and the system clock.



The screenshot shows the 'Launch an instance' page in the AWS Management Console. The page is divided into two main sections. The left section contains 'Name and tags' with a text input field containing 'EXAM Jairo Asprilla' and a 'Quick Start' link. The right section contains a 'Summary' panel with the following details: 'Number of instances' (1), 'Software Image (AMI)' (Amazon Linux 2023 AMI), 'Virtual server type (instance type)' (t3.micro), and 'Firewall (security group)' (New security group). At the bottom of the summary panel are 'Cancel' and 'Launch instance' buttons, along with a 'Preview code' link. The bottom of the console shows the Windows taskbar with various application icons and the system clock.

aws

Search

[Alt+S]

United States (N. Virginia)

Entrenamiento (654654478122)

JairoAlbeiroAsprillaCortes

EC2 > Instances > Launch an instance

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Del

Browse more AMIs

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.18 AMI
ami-0b245cc5f82576748 (64-bit (x86), uefi-preferred) / ami-00f80eba068753881 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.

Amazon Linux 2023 AMI 2023.12.20260928.0 x86_64 HVM kernel-6.18

Architecture

Boot mode

AMI ID

Creation Date

Username

Free tier eligible

Cancel

Launch instance

Preview code

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Entrenamiento (654654478122)

JairoAlbeiroAsprillaCortes

EC2 > Instances > Launch an instance

Architecture

Boot mode

AMI ID

Creation Date

Username

Verified provider

Instance type

t3.micro

Family: t3 2 vCPU 1 GiB Memory Current generation: true

On-Demand Linux base pricing: 0.0104 USD per Hour

On-Demand Windows base pricing: 0.0196 USD per Hour

On-Demand Ubuntu Pro base pricing: 0.0139 USD per Hour

On-Demand SUSE base pricing: 0.0104 USD per Hour

On-Demand RHEL base pricing: 0.0392 USD per Hour

Free tier eligible

All generations

Compare instance types

Additional costs apply for AMIs with pre-installed software

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....read more

ami-0b245cc5f82576748

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Preview code

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Entrenamiento (654654478122)

JairoAlbeiroAsprillaCortes

EC2 > Instances > Launch an instance

Network settings

VPC - required

vpc-0b3d08f5f4fcee21a (Mi-Red-AWS-vpc)

Subnet

subnet-04c9c28b485b0b700

Mi-Red-AWS-subnet-public1-us-east-1a

VPC: vpc-0b3d08f5f4fcee21a Owner: 654654478122

Availability Zone: us-east-1a (use1-az1) Zone type: Availability Zone

IP addresses available: 4091 CIDR: 10.0.0.0/20

Auto-assign public IP

Enable

Additional charges apply when outside of free tier allowance

Firewall (security groups)

Create security group

Select existing security group

Security group name - required

launch-wizard-5

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....read more

ami-0b245cc5f82576748

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Preview code

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

← → ↻ 🔒 No es seguro 18.215.184.239 ☆ ⬇️ Demuestra que eres tú ⋮

It works!

26° ESP LAA 8:16 p.m. 29/09/2026

aws

Search

[Alt+S]

United States (N. Virginia)

Entrenamiento (654654478122)

JairoAlbeiroAsprillaCortes

EC2 > Volumes > vol-07bd6f76ab8569b31

Events

Instances

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

(EC2 card index: 07-70e7300 (attached))

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | [Learn more](#)

Source

Snapshot ID	Source volume ID
-	-

Encryption

Encryption	KMS key ID	KMS key alias	KMS key ARN
Not encrypted	-	-	-

Status checks

Monitoring

Volume sharing - new

Tags

Status check

Insufficient data

I/O status

Enabled

I/O performance

no-data-available

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Entrenamiento (654654478122)

JairoAlbeiroAsprillaCortes

EC2 > Volumes > vol-07bd6f76ab8569b31

Events

Instances

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Encryption

Encryption

Not encrypted

KMS key ID

-

KMS key alias

-

KMS key ARN

-

Status checks

Monitoring

Volume sharing - new

Tags

Tags

Filter tags

Manage tags

< 1 >

Key

Value

Propietario

Jairo Asprilla

name

Jairo Asprilla

pertenece

servidor web

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Successfully attached volume `vol-07bd6f76ab8569b31` to instance `i-0ab27d9aca2b7183f`.

Volumes (9) Info

Last updated less than a minute ago

Recycle Bin Actions Create volume

Saved filter sets
Choose filter set

Search

☐	name	Name	Volume ID	Type	Size
☐	william		vol-02fb734d5161febbd	gp3	8 GiB

Fault tolerance for all volumes in this Region

Snapshot summary

Last updated on Tue, Sep 29, 2026, 08:17:20 PM (GMT-05:00)

Snapshots to back up volumes can be manually created, or created through automation such as [Amazon Data Lifecycle Manager](#), [AWS Backup](#), custom scripts, or third-party tools.

Volumes backed up in the last 24 hours / Total # volumes
0 / 4

Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | [Create policy](#)

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws Search [Alt+S] United States (N. Virginia) Entrenamiento (654654478122) JairoAlbeiroAsprillaCortes

EC2 > Instances > i-0ab27d9aca2b7183f

EC2

- Dashboard
- AWS Global View
- Events
- Instances
 - Instances
 - Instance Types
 - Launch Templates
 - Spot Requests
 - Savings Plans
 - Reserved Instances
 - Dedicated Hosts
 - Capacity Reservations
 - UltraServers
 - Capacity Manager

▼ Block devices

Filter block devices

Volume ID	Device name	Volume size (GiB)	Volume State	Attachment status	Attachment date
☒ vol-066eb9b0fd5fcb0b7	/dev/xvda	8	In-use	Attached	2026/09/29
☐ vol-07bd6f76ab8569b31	/dev/sdb	3	In-use	Attached	2026/09/29

Volume monitoring (1)

Alarm recommendations

3h 1d 1w 1h UTC timezone Explore related

Stalled I/O Check 1

Average read late... 0.73

Average write lat... 1.65

Read throughput ... 1,132k Bytes

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Buscar

3- Creación del Bucket (S3) y archivo .txt cargado

aws Search [Alt+S] United States (N. Virginia) Entrenamiento (654654478122) JairoAlbeiroAsprillaCortes

Amazon S3 > Buckets > examjairoasprilla

Successfully created bucket "examjairoasprilla"

Insufficient permissions to apply Bucket Tagging
You need the s3:TagResource permission to apply Bucket Tagging on this bucket. After you or your AWS admin has updated your Identity and Access Management (IAM) permissions to allow s3:TagResource, go to edit Bucket Tagging. Learn more

Diagnose with Amazon Q

examjairoasprilla Info

Objects Metadata Properties Permissions Metrics Management File systems Access Points

Objects (0)

Copy S3 URI Copy URL Download Open Delete Actions Create folder Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 Inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix

Name	Type	Last modified	Size	Storage class
------	------	---------------	------	---------------

No objects

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Buscar

aws [Search] [Alt+S] United States (N. Virginia) Entrenamiento (654654478122) JairoAlbeiroAsprillaCortes

Amazon S3

Upload succeeded
For more information, see the Files and folders table.

Destination	Succeeded	Failed
s3://examjairoasprilla	1 file, 20.0 B (100.00%)	0 files, 0 B (0%)

Files and folders | Configuration

Files and folders (1 total, 20.0 B)

Find by name

Name	Folder	Type	Size	Status	Error
Archivo Example.txt	-	text/plain	20.0 B	Succeeded	-

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

8:34 p. m. 29/09/2026

ELIMINACIÓN DE LOS RECURSOS

Eliminar S3

Amazon S3 > Buckets

Successfully deleted bucket "examjairoasprilla"

Buckets

General purpose buckets | All AWS Regions | Directory buckets

General purpose buckets (9) Info Copy ARN Empty Delete Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
bucket-examen-1-betek-martin	US East (N. Virginia) us-east-1	September 29, 2026, 21:22:57 (UTC-05:00)
bucket-monica-sept29	US East (N. Virginia) us-east-1	September 29, 2026, 20:59:01 (UTC-05:00)
bucket-paula-examen	US East (N. Virginia) us-east-1	September 29, 2026, 21:10:55 (UTC-05:00)

Account snapshot Info Updated daily View dashboard Storage Lens provides visibility into storage usage and activity trends.

External access summary Info Updated daily External access findings help you identify bucket permissions that allow public access or access from

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9:30 p. m. 29/09/2026

Eliminar EC2

Instances (1/16) Info

Last updated about 1 hour ago

Connect Instance state Actions Launch instances

Filter Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 address
Instancia-Abel...	i-015d8eafa613b79ad	Running	t3.micro	3/3 checks passed	us-east-1c	ec2-3
EXAM Jairo As...	i-0ab27d9aca2b7183f	Running	t3.micro	3/3 checks passed	us-east-1a	ec2-1
	i-06be1ccc0bc5b377a	Terminated	t3.micro	-	us-east-1a	-

i-0ab27d9aca2b7183f (EXAM Jairo Asprilla)

Details Status and alarms Monitoring Security Networking Storage Tags

Instance summary Info

Instance ID: i-0ab27d9aca2b7183f

Public IPv4 address: 18.215.184.239 | open address

Private IPv4 addresses: 10.0.12.149

Stop instance

Stopping your instance allows you to reduce costs, modify settings, and troubleshoot problems.

Instance ID: i-0ab27d9aca2b7183f (EXAM Jairo Asprilla) Stop protection: Disabled Result: Can stop

Associated resources

You will continue to incur charges for these resources while the instance is stopped

You will be billed for associated resources

After you stop the instance, you are no longer charged usage or data transfer fees for it. However, you will still be billed for associated Elastic IP addresses and EBS volumes.

Skip OS shutdown

This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.

☐ Skip OS shutdown

Cancel Stop

aws [Search] [Alt+S] Ask Amazon Q United States (N. Virginia) Entrenamiento (b546544/8122) JairoAlbeiroAsprillaCortes

EC2 > Instances

Instances (1/16) Info Last updated about 1 hour ago Connect Instance state Actions Launch instances

Filter Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Availability Zone	Public IP
Instancia-Abel...	i-015d8eafa613b79ad	Running	t3.m	us-east-1c	ec2-3
EXAM Jairo As...	i-0ab27d9aca2b7183f	Stopping	t3.m	us-east-1a	ec2-1
i-06be1ccc0bc5b377a	i-06be1ccc0bc5b377a	Terminated	t3.micro	us-east-1a	-

i-0ab27d9aca2b7183f (EXAM Jairo Asprilla)

Details Status and alarms Monitoring Security Networking Storage Tags

Instance summary Info

Instance ID i-0ab27d9aca2b7183f Public IPv4 address 18.215.184.239 | open address Private IPv4 addresses 10.0.12.149

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9:31 p. m. 29/09/2026

Eliminar ELB

aws [Search] [Alt+S] Ask Amazon Q United States (N. Virginia) Entrenamiento (6546544/8122) JairoAlbeiroAsprillaCortes

EC2 > Instances

Instances (1/16) Info Last updated about 1 hour ago Connect Instance state Actions Launch instances

Filter Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Availability Zone	Public IP
Instancia-Abel...	i-015d8eafa613b79ad	Running	t3.m	us-east-1c	ec2-3
EXAM Jairo As...	i-0ab27d9aca2b7183f	Stopping	t3.m	us-east-1a	ec2-1
i-06be1ccc0bc5b377a	i-06be1ccc0bc5b377a	Terminated	t3.micro	us-east-1a	-

i-0ab27d9aca2b7183f (EXAM Jairo Asprilla)

Details Status and alarms Monitoring Security Networking Storage Tags

Instance summary Info

Instance ID i-0ab27d9aca2b7183f Public IPv4 address 18.215.184.239 | open address Private IPv4 addresses 10.0.12.149

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9:31 p. m. 29/09/2026

On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.

Are you sure you want to terminate these instances?

Instance ID Termination protection

i-0ab27d9aca2b7183f (EXAM Jairo Asprilla) Disabled

Clean up associated resources

Associated resources may incur costs after these instances are terminated.

Delete EBS volumes

To confirm that you want to delete the instances, choose the terminate button below. Instances with termination protection enabled will not be terminated. Terminating the instance cannot be undone.

Skip OS shutdown

This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.

☐ Skip OS shutdown

Cancel Terminate (delete)

aws [Search] [Alt+S] United States (N. Virginia) Entrenamiento (654654478122) JairoAlbeiroAsprillaCortes

Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers **New**
Capacity Manager **New**

▼ **Images**
AMIs
AMI Catalog

▼ **Elastic Block Store**
Volumes
Snapshots
Lifecycle Manager

▼ **Network & Security**
Security Groups
Elastic IPs
Placement Groups

Volumes (1/33) Info
Last updated less than a minute ago [Recycle Bin] [Actions] [Create volume]

Saved filter sets
Choose filter set [Search]

name	Name	Size
☒ Jairo Asprilla		3 GiB
☐ exam-ebs		3 GiB
☐ EBS-Robinson		3 GiB
☐ EBS-Robinson		3 GiB

Volume ID: vol-07bd6f76ab8569b31

Details	Status checks	Monitoring	Volume sharing - new	Tags
Volume ID vol-07bd6f76ab8569b31	Size 3 GiB	Type gp3		
Owner ID 654654478122 (This)	Volume state Available	IOPS 3000	Throughput 125	

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9:32 p. m. 29/09/2026

aws [Search] [Alt+S] United States (N. Virginia) Entrenamiento (654654478122) JairoAlbeiroAsprillaCortes

Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers **New**
Capacity Manager **New**

▼ **Images**
AMIs
AMI Catalog

▼ **Elastic Block Store**
Volumes
Snapshots
Lifecycle Manager

▼ **Network & Security**
Security Groups
Elastic IPs
Placement Groups

Volumes (1/33) Info
Last updated less than a minute ago [Recycle Bin] [Actions] [Create volume]

Saved filter sets
Choose filter set [Search]

name	Name	Size
☒ Jairo Asprilla		3 GiB
☐ exam-ebs		3 GiB
☐ EBS-Robinson		3 GiB
☐ EBS-Robinson		3 GiB

Volume ID: vol-07bd6f76ab8569b31

Details	Status checks	Monitoring	Volume sharing - new	Tags
Volume ID vol-07bd6f76ab8569b31	Size 3 GiB	Type gp3		
Owner ID 654654478122 (This)	Volume state Available	IOPS 3000	Throughput 125	

Delete vol-07bd6f76ab8569b31?

⚠ After you delete a volume, its data is permanently deleted and the volume can no longer be attached to an instance.

Are you sure that you want to delete vol-07bd6f76ab8569b31?

To confirm deletion, type **delete** in the field.

delete

Cancel Delete

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9:32 p. m. 29/09/2026