ST. JUDE MEMORIAL HOSPITAL · DEPARTMENT OF SURGICAL SERVICES
INPATIENT DISCHARGE SUMMARY & INSTRUCTIONS
==========

PATIENT IDENTIFICATION:
Patient: Marcus Thorne DOB: 1978-11-04 (Age: 48) Sex: Male
MRN: SJM-774912 Admission Date: 2026-10-10 Discharge Date: 2026-10-13
Attending Surgeon: Dr. Robert Martinez, MD, FACS | Service: General Surgery

PRINCIPAL DIAGNOSIS UPON DISCHARGE:
Acute uncomplicated appendicitis (ICD-10 K35.80)

PROCEDURES PERFORMED:
Laparoscopic appendectomy performed on October 10, 2026 under general anesthesia. Operative findings: Acute phlegmonous non-perforated appendicitis. Appendix successfully transected at base with laparoscopic stapler. Minimal blood loss (<15 mL). Pathologic specimen forwarded for routine histology.

HOSPITAL COURSE:
Patient presented via the Emergency Department with severe right lower quadrant pain and low-grade fever. Abdominal ultrasound confirmed non-perforated appendicitis. Surgery proceeded uneventfully. Post-operatively, patient was transitioned to oral liquids on Post-Operative Day 1 and regular low-fat diet by Day 2. Afebrile with stable vitals.

DISCHARGE PRESCRIPTIONS & MEDICATION SCHEDULE:
1. Acetaminophen 500 mg: Take 1 to 2 tablets by mouth every 6 hours as needed for mild incision discomfort. Do not exceed 3,000 mg in 24 hours.
2. Ibuprofen 400 mg: Take 1 tablet by mouth every 8 hours with meals for 3 days.
3. Lisinopril 10 mg: Resume chronic morning tablet for blood pressure control.

POST-OPERATIVE WOUND CARE & ACTIVITY RESTRICTIONS:
1. Keep laparoscopic surgical incision sites clean and dry.
2. Showering permitted after 48 hours; do not submerge in bathtub, hot tub, or pool for 2 weeks.
3. Strict lifting restriction: Do not lift objects weighing more than 15 pounds for 4 weeks.
4. Avoid vigorous abdominal core exercises until cleared at surgical follow-up.

==========

CLINICAL FOLLOW-UP DIRECTIVES:
1. Surgical Wound Check: Scheduled with Dr. Robert Martinez on October 27, 2026 at 2:30 PM in Suite 402 of the Surgical Specialty Center.
2. Primary Care Follow-up: Schedule routine blood pressure follow-up within 3 weeks.

URGENT RED-FLAG WARNING SIGNS REQUIRING IMMEDIATE EVALUATION:
Contact the surgery on-call service at (555) 018-4900 or report to the emergency department if:
- Persistent fever greater than 101.0°F (38.3°C)
- Spreading redness, swelling, or foul-smelling drainage from laparoscopic incision sites
- Severe abdominal pain uncontrolled by prescribed oral analgesics
- Persistent nausea, vomiting, or inability to tolerate fluids

DISMISSAL SIGN-OFF:
Discharged in stable condition. Instructions reviewed and verbalized by patient.