Object Detection using Python SDK

```
In [1]: | from azure.cognitiveservices.vision.customvision.training import CustomVisionTrainingClient
        from azure.cognitiveservices.vision.customvision.prediction import CustomVisionPredictionClient
        from azure.cognitiveservices.vision.customvision.training.models import ImageFileCreateBatch, ImageFileCreateEnt
        from msrest.authentication import ApiKeyCredentials
        import time
In [2]:
        ENDPOINT = "https://uasfsaf.cognitiveservices.azure.com/"
        training key = "abf0d59aa6764fe6983e8c38f81c58bb"
        prediction key = "eb47c1046ef847ae826e806589859bdb"
        prediction resource id ="/subscriptions/f468ceaa-a610-4b88-9742-2b3e8f4ef76c/resourceGroups/Day2/providers/Micro
In [3]: credentials = ApiKeyCredentials(in headers={"Training-key": training key})
        trainer = CustomVisionTrainingClient(ENDPOINT, credentials)
        prediction credentials = ApiKeyCredentials(in headers={"Prediction-key": prediction key})
        predictor = CustomVisionPredictionClient(ENDPOINT, prediction credentials)
In [4]: # Detection model
        publish iteration name = "detectModel"
        # Find the object detection domain
        obj detection domain = next(domain for domain in trainer.get domains() if domain.type == "ObjectDetection" and d
        # Create a new project
        print ("Creating project...")
        project = trainer.create project("My Detection Project", domain id=obj detection domain.id)
        Creating project...
In [5]: # Make two tags for the project
        fork tag = trainer.create tag(project.id, "fork")
        scissors tag = trainer.create tag(project.id, "scissors")
```

```
In [6]: | fork image regions = {
            "fork 1": [ 0.145833328, 0.3509314, 0.5894608, 0.238562092 ],
            "fork 2": [ 0.294117659, 0.216944471, 0.534313738, 0.5980392 ],
            "fork 3": [ 0.09191177, 0.0682516545, 0.757352948, 0.6143791 ],
            "fork 4": [ 0.254901975, 0.185898721, 0.5232843, 0.594771266 ],
            "fork 5": [ 0.2365196, 0.128709182, 0.5845588, 0.71405226 ],
            "fork 6": [ 0.115196079, 0.133611143, 0.676470637, 0.6993464 ],
            "fork 7": [ 0.164215669, 0.31008172, 0.767156839, 0.410130739 ],
            "fork 8": [ 0.118872553, 0.318251669, 0.817401946, 0.225490168 ],
            "fork 9": [ 0.18259804, 0.2136765, 0.6335784, 0.643790841 ],
            "fork 10": [ 0.05269608, 0.282303959, 0.8088235, 0.452614367 ],
            "fork_11": [ 0.05759804, 0.0894935, 0.9007353, 0.3251634 ],
            "fork 12": [ 0.3345588, 0.07315363, 0.375, 0.9150327 ],
            "fork 13": [ 0.269607842, 0.194068655, 0.4093137, 0.6732026 ],
            "fork 14": [ 0.143382356, 0.218578458, 0.7977941, 0.295751631 ],
            "fork 15": [ 0.19240196, 0.0633497, 0.5710784, 0.8398692 ],
            "fork 16": [ 0.140931368, 0.480016381, 0.6838235, 0.240196079 ],
            "fork 17": [ 0.305147052, 0.2512582, 0.4791667, 0.5408496 ],
            "fork 18": [ 0.234068632, 0.445702642, 0.6127451, 0.344771236 ],
            "fork_19": [ 0.219362751, 0.141781077, 0.5919118, 0.6683006 ],
            "fork 20": [ 0.180147052, 0.239820287, 0.6887255, 0.235294119 ]
        scissors image regions = {
            "scissors_1": [ 0.4007353, 0.194068655, 0.259803921, 0.6617647 ],
            "scissors 2": [ 0.426470578, 0.185898721, 0.172794119, 0.5539216 ],
            "scissors 3": [ 0.289215684, 0.259428144, 0.403186262, 0.421568632 ],
            "scissors 4": [ 0.343137264, 0.105833367, 0.332107842, 0.8055556 ],
            "scissors 5": [ 0.3125, 0.09766343, 0.435049027, 0.71405226 ],
            "scissors 6": [ 0.379901975, 0.24308826, 0.32107842, 0.5718954 ],
            "scissors 7": [ 0.341911763, 0.20714055, 0.3137255, 0.6356209 ],
            "scissors 8": [ 0.231617644, 0.08459154, 0.504901946, 0.8480392 ],
            "scissors 9": [ 0.170343131, 0.332957536, 0.767156839, 0.403594762 ],
            "scissors 10": [ 0.204656869, 0.120539248, 0.5245098, 0.743464053 ],
            "scissors 11": [ 0.05514706, 0.159754932, 0.799019635, 0.730392158 ],
            "scissors 12": [ 0.265931368, 0.169558853, 0.5061275, 0.606209159 ],
            "scissors 13": [ 0.241421565, 0.184264734, 0.448529422, 0.6830065 ],
            "scissors 14": [ 0.05759804, 0.05027781, 0.75, 0.882352948 ],
            "scissors 15": [ 0.191176474, 0.169558853, 0.6936275, 0.6748366 ],
            "scissors 16": [ 0.1004902, 0.279036, 0.6911765, 0.477124184 ],
            "scissors 17": [ 0.2720588, 0.131977156, 0.4987745, 0.6911765 ],
            "scissors 18": [ 0.180147052, 0.112369314, 0.6262255, 0.6666667 ],
```

```
"scissors_19": [ 0.333333343, 0.0274019931, 0.443627447, 0.852941155 ],
"scissors_20": [ 0.158088237, 0.04047389, 0.6691176, 0.843137264 ]
}
```

```
In [7]:
        base image location = "C:/Users/Jaswanth Reddy/Desktop/Image dataset/"
        print ("Adding images...")
        tagged images with regions = []
        for file name in fork image regions.keys():
            x,y,w,h = fork image regions[file name]
            regions = [ Region(tag id=fork tag.id, left=x,top=y,width=w,height=h) ]
            with open(base image location + "fork/" + file name + ".jpg", mode="rb") as image contents:
                tagged images with regions.append(ImageFileCreateEntry(name=file name, contents=image contents.read(),
        for file name in scissors image regions.keys():
            x,y,w,h = scissors image regions[file name]
            regions = [ Region(tag id=scissors tag.id, left=x,top=y,width=w,height=h) ]
            with open(base image location + "scissors/" + file name + ".jpg", mode="rb") as image contents:
                tagged images with regions.append(ImageFileCreateEntry(name=file name, contents=image contents.read(), r
        upload result = trainer.create images from files(project.id, ImageFileCreateBatch(images=tagged images with regi
        if not upload result.is batch successful:
            print("Image batch upload failed.")
            for image in upload result.images:
                print("Image status: ", image.status)
            exit(-1)
```


Adding images...

```
In [8]: # Training
        print ("Training...")
        iteration = trainer.train project(project.id)
        while (iteration.status != "Completed"):
            iteration = trainer.get iteration(project.id, iteration.id)
            print ("Training status: " + iteration.status)
            time.sleep(1)
        Training Scacus. Training
        Training status: Training
        Theining status: Theining
In [9]: # The iteration is now trained. Publish it to the project endpoint
        trainer.publish iteration(project.id, iteration.id, publish iteration name, prediction resource id)
        print ("Done!")
```

Done!

```
In [10]: # Predicting an image
         with open(base_image_location + "/fork/fork_5.jpg", mode="rb") as test_data:
             results = predictor.detect image(project.id, publish iteration name, test data)
         # Display the results.
         for prediction in results.predictions:
             print("\t" + prediction.tag name + ": {0:.2f}% bbox.left = {1:.2f}, bbox.top = {2:.2f}, bbox.width = {3:.2f}
                 fork: 91.81% bbox.left = 0.25, bbox.top = 0.16, bbox.width = 0.58, bbox.height = 0.64
                 fork: 0.99% bbox.left = 0.25, bbox.top = 0.51, bbox.width = 0.18, bbox.height = 0.32
                 fork: 0.65% bbox.left = 0.30, bbox.top = 0.16, bbox.width = 0.19, bbox.height = 0.33
                 fork: 0.53% bbox.left = 0.20, bbox.top = 0.22, bbox.width = 0.17, bbox.height = 0.34
In [16]: def detect object(img path):
             test img= cv2.imread(img path)
             width= test img.shape[1]
             height= test img.shape[0]
             with open(img path,mode= "rb") as test data:
                 results= predictor.detect image(project.id, publish_iteration_name, test_data)
             for pred in results.predictions:
                 if pred.probability> 0.02:
                     pt1= (width*pred.bounding box.left, height* pred.bounding box.top)
                     pt2= (width* (pred.bounding box.left + pred.bounding box.width), height* (pred.bounding box.top + pre
                     cv2.rectangle(test img, (int(pt1[0]),int(pt1[1])), (int(pt2[0]),int(pt2[1])), (255,255,255), 4)
                     cv2.putText(test img,pred.tag name, (int(pt1[0]),int(pt1[1])), cv2.FONT HERSHEY COMPLEX, 1,(255,255,
                 resized symm=cv2.resize(test img,((int(test img.shape[1]/2)),int(test img.shape[0]/2)))
                 cv2.imshow("Image", resized symm)
                 cv2.waitKey(0)
                 cv2.destroyAllWindows()
                 plt.imshow(test img)
```

In [13]: import cv2
import matplotlib.pyplot as plt
path=r"C:\Users\Jaswanth Reddy\Desktop\Image dataset\fork\fork_5.jpg"
detect_object(path)



```
In [17]: import cv2
import matplotlib.pyplot as plt
path=r"C:\Users\Jaswanth Reddy\Desktop\Image dataset\scissors\scissors_5.jpg"
detect_object(path)
```

