

[End Lab](#)

00:40:15

Score
20/20[Open Google Console](#)

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more](#).

Username 1

student-02-868c7e71b842@qwiklabs



Username 2

student-02-fc06b37b7753@qwiklabs



Password

YxW6nqr99N



GCP Project ID

qwiklabs-gcp-02-7d5b8c15f08c



Cloud IAM

1 hour Free  [Rate Lab](#)

Overview

[View Details](#)

In this lab, you learn how to use the Service Account User role and how to grant roles.

Objectives

In this lab, you learn how to perform the following tasks:

- Use Cloud IAM to implement access control
- Restrict access to specific features or resources
- Use the Service Account User role

Before you click the Start Lab button

Read these instructions. Labs are timed and you cannot pause them. The timer, which starts when you click Start Lab, shows how long Cloud resources will be made available to you.

This Qwiklabs hands-on lab lets you do the lab activities yourself in a real cloud environment, not in a simulation or demo environment. It does so by giving you new, temporary credentials that you use to sign in and access the Google Cloud Platform for the duration of the lab.

What you need

To complete this lab, you need:

- Access to a standard internet browser (Chrome browser recommended).
- Time to complete the lab.

Note: If you already have your own personal GCP account or project, do not use it for this lab.

Task 1: Setup for two users

Sign in to the Cloud Console as the first user

1. For this lab, Qwiklabs has provisioned you with two user names available in the

[Google Cloud Platform Documentation](#)

Connection Details dialog. Sign in to the Cloud Console in an incognito window as usual with the **Username 1** provided in Qwiklabs. Note that both user names use the same single password.

Sign in to the Cloud Console as the second user

1. Open another tab in your incognito window.
2. Browse to console.cloud.google.com.
3. Click on the user icon in the top-right corner of the screen, and then click **Add account**.
4. Sign in to the Cloud Console with the **Username 2** provided in Qwiklabs.

Note: At some points in this lab, if you sign out of the **Username 1** account, the **Username 2** account is deleted by Qwiklabs. So remain signed in to **Username 1** until you are done using **Username 2**.

Task 2: Explore the IAM console

Make sure you are on the **Username 1** Cloud Console tab.

Navigate to the IAM console and explore roles

1. On the **Navigation menu** () , click **IAM & admin > IAM**.
2. Click **Add** and explore the roles in the drop-down menu. Note the various roles associated with each resource by navigating the **Roles** menu.
3. Click **Cancel**.
4. Switch to the **Username 2** Cloud Console tab.
5. On the **Navigation menu** () , click **IAM & admin > IAM**. Browse the list for the lines with the names associated with **Username 1** and **Username 2** in the Qwiklabs

Connection Details dialog.

Username 2 currently has access to the project, but does not have the Project Owner role, so it cannot edit any of the roles. Hover over the pencil icon for **Username 2** to verify this.

6. Switch back to the **Username 1** Cloud Console tab.
7. In the IAM console, for **Username 2**, click on the pencil icon. **Username 2** currently has the **Project Viewer** role. Do not change the Project Role.
8. Click **Cancel**.

Task 3: Prepare a resource for access testing

Create a bucket and upload a sample file

1. Switch to the **Username 1** Cloud Console tab if you aren't already there.

2. On the **Navigation menu** (≡), click **Storage > Browser**.

3. Click **Create bucket**.

4. Specify the following, and leave the remaining settings as their defaults:

Property	Value (type value or select option as specified)
Name	Enter a globally unique name
Default storage class	Multi-Regional

Note the bucket name: it will be used in a later step and referred to as [YOUR_BUCKET_NAME]

5. Click **Create**.

6. Click **Upload files**.


7. Upload any sample file from your local machine.

8. After the upload completes, click **Close** on the upload window.

9. When the file has been uploaded, click on the three dots at the end of the line containing the file, and click **Rename**.

10. Rename the file to **sample.txt**, and click **Rename**.

Click *Check my progress* to verify the objective.



Verify project viewer access

1. Switch to the **Username 2** Cloud Console tab.

2. In the Console, navigate to **Navigation menu > Storage > Browser**.

3. Verify that **Username 2** can see the bucket.

Task 4: Remove project access

Remove Project Viewer role for Username 2

1. Switch to the **Username 1** Cloud Console tab.

2. On the **Navigation menu** (≡), click **IAM & admin > IAM**.


3. For **Username 2**, click the **Remove** icon.

Verify that you're removing access for **Username 2**. If you accidentally remove access for **Username 1** you will have to restart this lab!

4. Confirm by clicking **Confirm** button.

Notice that the user has disappeared from the list! The user has no access now.

Click *Check my progress* to verify the objective.



Verify that Username 2 has lost access

1. Switch to the **Username 2** Cloud Console tab.

2. On the **Navigation menu** (≡), click **Home**.

3. On the **Navigation menu** (≡), click **Storage > Browser**. An error will be displayed.

If not, refresh the page. **Username 2** still has a Google Cloud account, but has no access to the project.

Task 5: Add storage access

Add storage permissions

1. Copy the value of **Username 2** from the Qwiklabs **Connection Details** dialog.

2. Switch to the **Username 1** Cloud Console tab.

3. On the **Navigation menu** (≡), click **IAM & admin > IAM**.


4. Click **Add** to add the user.

5. For **New members**, paste the **Username 2** value you copied from the Qwiklabs **Connection Details** dialog.

6. For **Select a role**, select **Storage > Storage Object Viewer**.

7. Click **Save**.

Click *Check my progress* to verify the objective.



Verify that Username 2 has storage access

1. Switch to the **Username 2** Cloud Console tab.

Username 2 doesn't have Project Viewer roles, so that user can't see the project or any of its resources in the Console. However, the user has specific access to Cloud Storage.

2. To start Cloud Shell, click **Activate Cloud Shell** (▶). If prompted, click **Continue**.

3. To view the contents of the bucket you created earlier, run the following command, replacing `[YOUR_BUCKET_NAME]` with the unique name of the Cloud Storage bucket you created:

```
gsutil ls gs://[YOUR_BUCKET_NAME]
```

As you can see, **Username 2** has limited access to Cloud Storage.

4. Close the **Username 2** Cloud Console tab. The rest of the lab is performed on the **Username 1** Cloud Console tab.
5. Switch to the **Username 1** Cloud Console tab.

Task 6: Set up the Service Account User

In this part of the lab, you assign narrow permissions to service accounts and learn how to use the Service Account User role.

Create a service account

1. On the **Navigation menu** () , click **IAM & admin > Service accounts**.

2. Click **Create service account**.
3. Specify the **Service account name** as **read-bucket-objects** .
4. Click **Create**.
5. Specify the **Role** as **Storage > Storage Object Viewer** .
6. Click **Continue**.
7. Click **Done**.

Add the user to the service account

1. Select the **read-bucket-objects** service account.
2. Click **Add member** in the **Permissions** panel. If you do not see the Permission panel, click on **Show Info panel**.

You will grant the user the role of Service Account User, which allows that person to use a service account on a VM, if they have access to the VM.

You could perform this activity for a specific user, group, or domain.

For training purposes, you will grant the Service Account User role to everyone at a company called Altostrat.com. Altostrat.com is a fake company used for demonstration and training.

3. Specify the following, and leave the remaining settings as their defaults:

Property	Value (type value or select option as specified)
New members	altostrat.com
Select a role	Service Accounts > Service Account User

4. Click **Save**.

Grant Compute Engine access

You now give the entire organization at Altostrat the Compute Engine Admin role.

1. On the **Navigation menu** () click **IAM & admin > IAM**.

2. Click **Add**.

3. Specify the following, and leave the remaining settings as their defaults:

Property	Value (type value or select option as specified)
New members	Altostrat.com
Select a role	Compute Engine > Compute Instance Admin (v1)

4. Click **Save**.

This step is a rehearsal of the activity you would perform for a specific user.

This action gives the user limited abilities with a VM instance. The user will be able to connect via SSH to a VM and perform some administration tasks.

Create a VM with the Service Account User

1. On the **Navigation menu** () click **Compute Engine > VM instances**.


2. Click **Create**.

3. Specify the following, and leave the remaining settings as their defaults:

Property	Value (type value or select option as specified)
Name	demoiam
Region	us-central1
Zone	us-central1-c
Machine type	f1-micro
Service account	read-bucket-objects

4. Click **Create**.

Click *Check my progress* to verify the objective.



Task 7: Explore the Service Account User role

At this point, you might have the user test access by connecting via SSH to the VM and performing the next actions. As the owner of the project, you already possess the Service Account User role. So you can simulate what the user would experience by just using SSH to access the VM from the Cloud Console.

The actions you perform and results will be the same as if you were the target user.

Use the Service Account User

1. For **demoiam**, click **SSH** to launch a terminal and connect.

2. Run the following command:

```
gcloud compute instances list
```

Result (**do not copy; this is example output**):

```
ERROR: (gcloud.compute.instances.list) Some requests did not succeed:  
- Required 'compute.zones.list' permission for 'projects/qwiklabs-gcp'
```

What happened? Why?

3. Copy the sample.txt file from the bucket you created earlier. Note that the trailing period is part of the command below. It means copy to "this location":

```
gsutil cp gs://[YOUR_BUCKET_NAME]/sample.txt .
```

Result (**do not copy; this is example output**):

```
Copying gs://train-test-iam/sample.txt...  
/ [1 files][ 28.0 B/ 28.0 B]  
Operation completed over 1 objects/28.0 B.
```

4. To rename the file you copied, run the following command:

```
mv sample.txt sample2.txt
```

5. To copy the renamed file back to the bucket, run the following command:

```
gsutil cp sample2.txt gs://[YOUR_BUCKET_NAME]
```

Result (**do not copy; this is example output**):

```
AccessDeniedException: 403 Caller does not have storage.objects.create  
access to bucket train-test-iam.
```

What happened?

Because you connected via SSH to the instance, you can "act as the service account," essentially assuming the same permissions. The service account the instance was started with had the Storage Viewer role, which permits downloading objects from GCS buckets in the project. To list instances in a project, you need to grant the compute.instance.list permission. Because the service account did not have this permission, you could not list instances running in the project. Because the service account *did* have permission to download objects, it could download an object from the bucket. It did not have permission to write objects, so you got a "403 access denied" message.

Task 8: Review

In this lab you exercised granting and revoking Cloud IAM roles, first to a user, **Username 2**, and then to a Service Account User. You could allocate Service Account User credentials and "bake" them into a VM to create specific-purpose authorized bastion hosts.

End your lab

When you have completed your lab, click **End Lab**. Qwiklabs removes the resources you've used and cleans the account for you.

You will be given an opportunity to rate the lab experience. Select the applicable number of stars, type a comment, and then click **Submit**.

The number of stars indicates the following:

- 1 star = Very dissatisfied
- 2 stars = Dissatisfied
- 3 stars = Neutral
- 4 stars = Satisfied
- 5 stars = Very satisfied

You can close the dialog box if you don't want to provide feedback.

For feedback, suggestions, or corrections, please use the **Support** tab.

Copyright 2019 Google LLC All rights reserved. Google and the Google logo are trademarks of Google LLC. All other company and product names may be trademarks of the respective companies with which they are associated.

 Chat