

2022 PRICE LIST

New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description	
									NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
Solution Selling																					
Fleet Management & ONI Track																					
2296091	\$	Productivity Analysis	1			15,000.0	15,000	NA	15,000.0	0%	15,000.0	0%	15,000.0	0%	15,000.0	0%	15,000.0	0%	Services		
2120016	\$	Extended Customer Analysis ONITrack	1			15,000.0	15,000	NA	15,000.0	0%	15,000.0	0%	15,000.0	0%	15,000.0	0%	15,000.0	0%	Services		
Measuring																					
Rotating lasers																					
3595595	\$	Ka PR2HS+Bat+Charger+Tripod+Staff Rotating laser PR 2-HS A12 Receiver & Receiver Holder(Inside tool box) Battery pack B 12/2.6 Battery charger C 4/12-50 box Tripod PUA 25 Measuring rod PUA 53 CM	1 1 1 1 1 1 1		2YNC - Tool 1YNC - Battery & Charger	266,440.0	266,440	NA	186,508.0	30%	173,186.0	35%	173,186.0	35%	173,186.0	35%	173,186.0	35%	Rotating Laser & Acc		
3700031	\$	KIT PR2-HS A12+Bat+Chg+Crank Tripod+Rod Rotating laser PR 2-HS A12 Battery pack B 12/2.6 Battery charger C 4/12-50 box Crank tripod PA 922 tripod Measuring rod PUA 53 CM	1 1 1 1 1 1 1		2YNC - Tool 1YNC - Battery & Charger	279,604.3	279,604	NA	195,723.0	30%	181,742.8	35%	181,742.8	35%	181,742.8	35%	181,742.8	35%	Rotating Laser & Acc		
3595590	\$	Kr PR30HVS A12+Bat+Charger+Tripod+Staff Rotating laser PR 30-HVS A12 Receiver & Receiver Holder(Inside tool box) Battery pack B 12/2.6 Battery charger C 4/12-50 box Tripod PUA 25 Measuring rod PUA 53 CM	1 1 1 1 1 1 1		2YNC - Tool 1YNC - Battery & Charger	313,857.1	313,857	NA	219,700.0	30%	204,007.1	35%	204,007.1	35%	204,007.1	35%	204,007.1	35%	Rotating Laser & Acc		
3661750	\$	Ka PR30HVS+Bat+Chgr+ Crank Tripod+Staff Rotating laser PR 30-HVS A12 Receiver & Receiver Holder(Inside tool box) Battery pack B 12/2.6 Battery charger C 4/12-50 box Crank tripod PA 922 tripod Measuring rod PUA 53 CM	1 1 1 1 1 1 1		2YNC - Tool 1YNC - Battery & Charger	330,641.4	330,641	NA	231,449.0	30%	214,916.9	35%	214,916.9	35%	214,916.9	35%	214,916.9	35%	Rotating Laser & Acc		
2077976	\$	Battery pack B 12/2.6	1		1YNC	8,357.1	8,357	240	5,850.0	30%	5,432.1	35%	5,432.1	35%	5,432.1	35%	5,432.1	35%	PT&A Corded	Fast charging battery pack for the current A12 generation fo rotating lasers	
2076993	\$	Battery charger C 4/12-50 230V box	1		1YNC	7,657.1	7,657	580	5,360.0	30%	4,977.1	35%	4,977.1	35%	4,977.1	35%	4,977.1	35%	PT&A Corded	Dash charger for the current A12 generation fo rotating lasers	
2071120	\$	Laser receiver PRA 20	1			30,078.6	30,079	600	21,055.0	30%	19,551.1	35%	19,551.1	35%	19,551.1	35%	19,551.1	35%	Rotating Laser & Acc	Laser reciever for rotating lasers	
2107119	\$	Tripod PUA 25	1			34,200.0	34,200	4,180	23,940.0	30%	22,230.0	35%	22,230.0	35%	22,230.0	35%	22,230.0	35%	Rotating Laser & Acc	Standars aluminum tripod for rotating lasers	
2236894	\$	Crank tripod PA 922 tripod	1			56,778.6	56,779	NA	39,745.0	30%	36,906.1	35%	36,906.1	35%	36,906.1	35%	36,906.1	35%	Rotating Laser & Acc	New Aluminum Crank Tripod (Less weight,more height)	
2107220	\$	Measuring rod PUA 53 CM	1			16,305.7	16,306	2,000	11,414.0	30%	10,598.7	35%	10,598.7	35%	10,598.7	35%	10,598.7	35%	Rotating Laser & Acc	Measuring staff for rotating lasers	
2071083	\$	Slope adapter PRA 79	1			25,467.1	25,467	730	17,827.0	30%	16,553.6	35%	16,553.6	35%	16,553.6	35%	16,553.6	35%	Rotating Laser & Acc	Slope adapter for slopes upto 60% for rotating lasers	
435439	\$	Facade adapter PRA 760	1			42,440.0	42,440	4,673	29,708.0	30%	27,586.0	35%	27,586.0	35%	27,586.0	35%	27,586.0	35%	Rotating Laser & Acc	Applicable only for PR 30 HVS for mounting the laser in vertical direction	
435440	NS	Vertical angle PRA 770	1	NR		15,820.0	15,820	980	11,074.0	30%	10,283.0	35%	10,283.0	35%	10,283.0	35%	10,283.0	35%	Rotating Laser & Acc	For placing tool in vertical position at the Tripod	
2068485	\$	Remote contr./laser rec. PRA 30	1			38,540.0	38,540	600	26,978.0	30%	25,051.0	35%	25,051.0	35%	25,051.0	35%	25,051.0	35%	Rotating Laser & Acc	Laser reciever for rotating lasers	
2071084	\$	Laser receiver holder PRA 83	1			13,028.6	13,029	341	9,120.0	30%	8,468.6	35%	8,468.6	35%	8,468.6	35%	8,468.6	35%	Rotating Laser & Acc	Laser reciever holder for rotating lasers	
Scanning/ Detection system																					
2007503	NS	X-Scan system PS 1000	1		2YNC	4,666,050.0	4,666,050	21,210	3,266,235.0	30%	3,032,932.5	35%	3,032,932.5	35%	3,032,932.5	35%	3,032,932.5	35%	Detection Tools	Multidetector to locate objects upto 300mm depth	
2007501	NS	X-Scan PS 1000	1		2YNC	3,311,595.7	3,311,596	8,000	2,318,117.0	30%	2,152,537.2	35%	2,152,537.2	35%	2,152,537.2	35%	2,152,537.2	35%	Detection Tools	Multidetector to locate objects upto 300mm depth	
2006182	NS	Battery pack PSA 81	1	NR	1YNC	46,772.9	46,773	-	32,741.0	30%	30,402.4	35%	30,402.4	35%	30,402.4	35%	30,402.4	35%	Multi Line Laser		
3648710	\$	KIT - FERROSCAN PS 300 + Software	1		INP 2020, 2YNC	1,857,470.0	1,857,470	5,900	1,300,229.0	30%	1,207,355.5	35%	1,207,355.5	35%	1,207,355.5	35%	1,207,355.5	35%	Detection Tools	Visualize complete Rebar lay out on top screen up to depth of 200mm (With Profis Software)	
3778170	\$	KIT - PS 85 Wall Scanner + B12-V Battery + Charger	1		INP 2022, 2YNC	141,638.6	141,639	-	99,147.0	30%	92,065.1	35%	92,065.1	35%	92,065.1	35%	92,065.1	35%	Detection Tools	2 YNC	
3645574	\$	Ferro Scan PS300+Bat+Charger	1		INP 2020, 2YNC	1,314,518.6	1,314,519	5,900	920,163.0	30%	854,437.1	35%	854,437.1	35%	854,437.1	35%	854,437.1	35%	Detection Tools	Visualize complete Rebar lay out on top screen up to depth of 200mm (Without Profis Software)	
2149997	\$	Infrared adapter PSA 56	1	NR	OLD Item - 2044480	11,485.7	11,486	-	8,040.0	30%	7,465.7	35%	7,465.7	35%	7,465.7	35%	7,465.7	35%	Detection Tools	Infrared adaptor to transfer files from PS 200 to computer for analysis	
Multi Directional Lasers																					
3601311	\$	Kr PM 40 MG+Bat+Chgr PM 40 MG Battery Charger	1 1 1 1		2YNC	110,438.6	110,439	NA	77,307.0	30%	71,785.1	35%	71,785.1	35%	71,785.1	35%	71,785.1	35%	Multi Line Laser		
2047072	\$	PM-4M (without accessories)	1		2YNC	70,934.3	70,934	2,620	49,654.0	30%	46,107.3	35%	46,107.3	35%	46,107.3	35%	46,107.3	35%	Multi Line Laser	1x Multi line laser PM 4-M, 2x Battery AA (2) alkaline, 1x Tripod adapter PMW 30, 1x Case	
2322754	\$	Line laser PM 2-LG	1		INP July 2022 2YNC	29,815.7	29,816	-	20,871.0	30%	19,380.2	35%	19,380.2	35%	19,380.2	35%	19,380.2	35%	Multi Line Laser		
2322751	\$	Combilaser PM 20-CG	1		INP July 2022 2YNC	70,615.7	70,616	-	49,431.0	30%	45,900.2	35%	45,900.2	35%	45,900.2	35%	45,900.2	35%	Multi Line Laser		
2322755	\$	Point laser PM 2-PG	1		INP July 2022 2YNC	27,462.9	27,463	-	19,224.0	30%	17,850.9	35%	17,850.9	35%	17,850.9	35%	17,850.9	35%	Multi Line Laser		
2065448	\$	Laser visibility glasses PP EY-GU R red	1			1,333.9	1,334	50	933.7	30%	867.0	35%	867.0	35%	867.0	35%	867.0	35%	Multi Line Laser	Helps to see the laser beam in low visibility conditions.	
411287	\$	Tripod PMA 20	1			14,912.9	14,913	1,464	10,439.0	30%	9,693.4	35%	9,693.4	35%	9,693.4	35%	9,693.4	35%	Multi Line Laser	Robust aluminium construction grade crank tripod.	
2052996	\$	Tripod adapter PMW 30	1			2,028.6	2,029	160	1,420.0	30%	1,318.6	35%	1,318.6	35%	1,318.6	35%	1,318.6	35%	Multi Line Laser	New Accessory for Every Multiline, ensures Plumb drop visibility even on tripod.	
2264046	\$	Laser reciever PMA 32 for both Red & Green	1			19,131.4	19,131	-	13,392.0	30%	12,435.4	35%	12,435.4	35%	12,435.4	35%	12,435.4	35%	Multi Line Laser	To enhance the GREEN Laser visibility and range up to 50m	
2264047	\$	Receiver holder PMA 42	1			5,842.9	5,843	-	4,090.0	30%	3,797.9	35%	3,797.9	35%	3,797.9	35%	3,797.9	35%	Multi Line Laser	To be used with PMA 32 along with staff	
2232984	\$	Clamping bracket PMA 93	1			6,657.1	6,657	NA	4,660.0	30%	4,327.1	35%	4,327.1	35%	4,327.1	35%	4,327.1	35%	Multi Line Laser	New Accessory for Every Multiline, ensures Plumb drop visibility even on tripod.	
2227009	NS	Wall mount with magnetic bracket PMA 90	1			7,457.1	7,457	-	5,220.0	30%	4,847.1	35%	4,847.1	35%	4,847.1	35%	4,847.1	35%	Multi Line Laser	New Accessory for Every Multiline, ensures Plumb drop visibility even on tripod.	
411289	\$	Target plate PMA 54 (MM) (3)	1	NR		1,427.7	1,428	11	999.4	30%	928.0	35%	928.0	35%	928.0	35%	928.0	35%	Multi Line Laser	New Accessory for Every Multiline, ensures Plumb drop visibility even on tripod.	
226976	NS	Target plate PRA 54 (CM/IN)	1	NR		1,642.9	1,643	-	1,150.0	30%	1,067.9	35%	1,067.9	35%	1,067.9	35%	1,067.9	35%	Multi Line Laser	New Accessory for Every Multiline, ensures Plumb drop visibility even on tripod.	
285416	NS	Target plate PRA 51 (CM/IN)	1	NR		1,642.9	1,643	-	1,150.0	30%	1,067.9	35%	1,067.9	35%	1,067.9	35%	1,067.9	35%	Multi Line Laser	New Accessory for Every Multiline, ensures Plumb drop visibility even on tripod.	
Laser Range Meters																					
2061409	\$	Laser range meter PD-E	1		1YNC	52,588.6	52,589	513	36,812.0	30%	34,182.6	35%	34,182.6	35%	34,182.6	35%	34,182.6	35%	Multi Line Laser	Consists of PD-E, Tool bag, Hand strap, 2 batteries.	
2212517	\$	Laser range meter PD-I	1		1YNC	31,875.7	31,876	300	22,313.0	30%	20,719.2	35%	20,719.2	35%	20,719.2	35%	20,719.2	35%	Multi Line Laser	New PD-I launch in Wave 2	
2190182	\$	Laser range meter PD-S	1		1YNC	14,675.7	14,676	200	10,273.0	30%	9,539.2	35%	9,539.2	35%	9,539.2	35%	9,539.2	35%	Multi Line Laser	Replacement for PD 5	
282388	NS	Target plate PDA 50	1	NR		3,057.1	3,057	42	2,140.0	30%	1,987.1	35%	1,987.1	35%	1,987.1	35%	1,987.1	35%	Multi Line Laser	Black reflective foil, Target plate of size 120mm x 130 mm	
2062052	NS	Measuring extension PDA 72	1			9,500.0	9,500	220	6,650.0	30%	6,175.0	35%	6,175.0	35%	6,175.0	35%	6,175.0	35%	Multi Line Laser	Accessory for PD-I, PD-E for stable measurement over long distances	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
HDT																				
TE30 Family Rotary Hammer Drill																				
3817930	\$	Kir TE 30 + TE-CX 16/22 Combihammer TE 30 220V case Hammer drill bit TE-CX 16/22	1 1 1		Old Item - 3595385 2 YNC	79,072.9	79,073	NA	55,351.0	30%	51,397.4	35%	51,397.4	35%	51,397.4	35%	51,397.4	35%	All Combis	
Cordless TE 30A Set																				
3700680	\$	Kir TE 30-A36 (2 x 5.2A) Set + CX20/32 Cordless combihammer TE 30-A36 case Battery pack B 36/5.2 Battery charger C 4/36-350 box Hammer drill bit TE-CX 20/32	1 1 1 1 1		3628646 2YNC 2YNC 2YNC	187,967.1	187,967	NA	131,577.0	30%	122,178.6	35%	122,178.6	35%	122,178.6	35%	122,178.6	35%	All Breakers	Cordless combihammer TE 30-A with 2 36V/5.2 batteries, fast charger & drill bit
3700681	\$	Kir TE 30-A36 (1 x 9A) Set + CX20/32 Cordless combihammer TE 30-A36 case Battery pack B 36/9.0 Li-Ion Battery charger C 4/36-350 box Hammer drill bit TE-CX 20/32	1 1 1 1 1		3628646 2YNC 2YNC 2YNC	177,011.4	177,011	NA	123,908.0	30%	115,057.4	35%	115,057.4	35%	115,057.4	35%	115,057.4	35%	All Breakers	Cordless combihammer TE 30-A with 1 36V/9.0 battery, fast charger & drill bit
2183172	NS	Battery pack B 36/9.0 Li-Ion	1		INP 2021	69,675.7	69,676	-	48,773.0	30%	45,289.2	35%	45,289.2	35%	45,289.2	35%	45,289.2	35%	PT&A Accessories	Heavy-duty 36V 9.0 Ah Li-Ion battery
2302144	NS	Battery pack B 36/5.2 Li-Ion	1		2YNC	53,642.9	53,643	1,420	37,550.0	30%	34,867.9	35%	34,867.9	35%	34,867.9	35%	34,867.9	35%	PT&A Accessories	36V 5.2 Ah battery
2037125	NS	Battery charger C 4/36-350 230V/box	1		2YNC	16,657.1	16,657	1,340	11,660.0	30%	10,827.1	35%	10,827.1	35%	10,827.1	35%	10,827.1	35%	PT&A Accessories	Fast Charger to charge all Hilti Li-Ion batteries.
TE-C Chisels for TE 7-C, TE 30																				
282300	\$	Narrow-flat chisel TE-CP FM 18	1			2,285.7	2,286	108	1,600.0	30%	1,485.7	35%	1,485.7	35%	1,485.7	35%	1,485.7	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 180 mm
2307365	\$	Narrow-flat chisel TE-CP FM 18 MP4	4		Multipack 2021	1,707.1	8,829	-	4,780.0	30%	4,438.6	35%	4,438.6	35%	4,438.6	35%	4,438.6	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 180 mm
282301	\$	Narrow-flat chisel TE-CP FM 25	1			3,357.1	3,357	149	2,350.0	30%	2,182.1	35%	2,182.1	35%	2,182.1	35%	2,182.1	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 250 mm
2307366	\$	Narrow-flat chisel TE-CP FM 25 MP4	4		Multipack 2021	2,510.7	10,043	-	7,030.0	30%	6,527.9	35%	6,527.9	35%	6,527.9	35%	6,527.9	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 250 mm
282298	\$	Pointed chisel TE-CP SM 18	1			2,028.6	2,029	110	1,420.0	30%	1,318.6	35%	1,318.6	35%	1,318.6	35%	1,318.6	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 180 mm
2307363	\$	Pointed chisel TE-CP SM 18 MP 4	4		Multipack 2021	1,514.3	6,057	-	4,240.0	30%	3,937.1	35%	3,937.1	35%	3,937.1	35%	3,937.1	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 180 mm
282299	\$	Pointed chisel TE-CP SM 25	1			3,014.3	3,014	146	2,110.0	30%	1,959.3	35%	1,959.3	35%	1,959.3	35%	1,959.3	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 250 mm
2307364	\$	Pointed chisel TE-CP SM 25 MP 4	4		Multipack 2021	2,242.9	8,971	-	6,280.0	30%	5,831.4	35%	5,831.4	35%	5,831.4	35%	5,831.4	35%	Power Tools Breaker consumables ultimate	Pointed / overall length 250 mm
2004482	NS	Pointed chisel TE-CP SM18 MP4	4	NR		2,517.9	10,071	98	7,050.0	30%	6,546.4	35%	6,546.4	35%	6,546.4	35%	6,546.4	35%	PT&A Inserts (SP Line)	Pointed / overall length 180 mm
2004480	NS	Narrow-flat chisel TE-CP FM18 MP4	4	NR		2,050.0	8,200	88	5,740.0	30%	5,330.0	35%	5,330.0	35%	5,330.0	35%	5,330.0	35%	PT&A Inserts (SP Line)	Narrow Flat / overall length 180 mm
282305	NS	Wide-fl chis/scr TE-CP SPME 6/18	1	NR		3,714.3	3,714	233	2,600.0	30%	2,414.3	35%	2,414.3	35%	2,414.3	35%	2,414.3	35%	PT&A Inserts (SP Line)	Wide Flat
282308	NS	W-fl chisel/scrapper TE-CP-SPMK 6/18	1	NR		3,885.7	3,886	227	2,720.0	30%	2,525.7	35%	2,525.7	35%	2,525.7	35%	2,525.7	35%	PT&A Inserts (SP Line)	60 mm width, 180 mm overall length
30221	NS	Channel chisel TE-C KM 2/25	1	NR		7,114.3	7,114	323	4,980.0	30%	4,624.3	35%	4,624.3	35%	4,624.3	35%	4,624.3	35%	PT&A Inserts (SP Line)	Channel gouging, 20 mm width, 250 mm overall length
Combihammer																				
3595128	\$	Kir TE 50-AVR + TE YX 25/52 Combihammer TE 50-AVR 230 V Hammer drill bit TE-YX 25/52	1 1 1		2YNC	103,814.3	103,814	NA	72,670.0	30%	67,479.3	35%	67,479.3	35%	67,479.3	35%	67,479.3	35%	All Combis	
3594541	\$	Kir TE 50-AVR + TE YX 20/52 Combihammer TE 50-AVR 230 V Hammer drill bit TE-YX 20/52	1 1 1		2YNC	101,298.6	101,299	NA	70,909.0	30%	65,844.1	35%	65,844.1	35%	65,844.1	35%	65,844.1	35%	All Combis	
3760726	\$	Kir TE 60-AVR + TE YX 25/52 Combihammer TE 60 AVR 230V Hammer drill bit TE-YX 25/52	1 1 1		2YNC	157,645.7	157,646	NA	110,352.0	30%	102,469.7	35%	102,469.7	35%	102,469.7	35%	102,469.7	35%	All Combis	
3595126	\$	KIT TE 70-AVR + TE YX 25/52 Combihammer TE 70-AVR 230V Hammer drill bit TE-YX 25/52	1 1 1		2YNC	201,617.1	201,617	NA	141,132.0	30%	131,051.1	35%	131,051.1	35%	131,051.1	35%	131,051.1	35%	All Combis	
3595127	\$	KIT TE 70-AVR + TE YX 32/57 Combihammer TE 70-AVR 230V Hammer drill bit TE-YX 32/57	1 1 1		2YNC	202,418.6	202,419	NA	141,693.0	30%	131,572.1	35%	131,572.1	35%	131,572.1	35%	131,572.1	35%	All Combis	
TE-YX Drill Bits (for Combi Hammer Drills)																				
206499	\$	Hammer drill bit TE-YX 12/35	1			3,614.3	3,614	360	2,530.0	30%	2,349.3	35%	2,349.3	35%	2,349.3	35%	2,349.3	35%	Power Tool Combi Consumables Ultimate	Working Length - 200mm
2307262	\$	Hammer drill bit TE-YX 12/35 MP4	4			2,703.6	10,814	360	7,570.0	30%	7,029.3	35%	7,029.3	35%	7,029.3	35%	7,029.3	35%	Power Tool Combi Consumables Ultimate	Working Length - 200mm
206500	\$	Hammer drill bit TE-YX 12/55	1			5,114.3	5,114	471	3,580.0	30%	3,324.3	35%	3,324.3	35%	3,324.3	35%	3,324.3	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm
2307263	\$	Hammer drill bit TE-YX 12/55 MP4	4			3,824.6	15,299	471	10,709.0	30%	9,944.1	35%	9,944.1	35%	9,944.1	35%	9,944.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm
2179047	\$	Hammer drill bit TE-YX 14/32	1			4,385.7	4,386	-	3,070.0	30%	2,850.7	35%	2,850.7	35%	2,850.7	35%	2,850.7	35%	Power Tool Combi Consumables Ultimate	Working Length - 200mm
2179049	\$	Hammer drill bit TE-YX 14/52	1			6,071.4	6,071	-	4,250.0	30%	3,946.4	35%	3,946.4	35%	3,946.4	35%	3,946.4	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm
3804322	\$	Hammer drill bit TE-YX 14/52 MP4	4			4,534.3	18,137	-	12,696.0	30%	11,789.1	35%	11,789.1	35%	11,789.1	35%	11,789.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm
2179073	\$	Hammer drill bit TE-YX 16/32	1			5,242.9	5,243	-	3,670.0	30%	3,407.9	35%	3,407.9	35%	3,407.9	35%	3,407.9	35%	Power Tool Combi Consumables Ultimate	Working Length -
2321345	\$	Kit Hammer drill bit TE-YX 16/32 MP4	4			3,923.6	15,694	-	10,986.0	30%	10,201.3	35%	10,201.3	35%	10,201.3	35%	10,201.3	35%	Power Tool Combi Consumables Ultimate	Working Length -
2179075	\$	Hammer drill bit TE-YX 16/52	1			6,442.9	6,443	-	4,510.0	30%	4,187.9	35%	4,187.9	35%	4,187.9	35%	4,187.9	35%	Power Tool Combi Consumables Ultimate	Working Length -
2321346	\$	Kit Hammer drill bit TE-YX 16/52 MP4	4			4,812.5	19,250	-	13,475.0	30%	12,512.5	35%	12,512.5	35%	12,512.5	35%	12,512.5	35%	Power Tool Combi Consumables Ultimate	Working Length -
2122290	\$	Hammer drill bit TE-YX 18/32	1			5,471.4	5,471	430	3,830.0	30%	3,556.4	35%	3,556.4	35%	3,556.4	35%	3,556.4	35%	Power Tool Combi Consumables Ultimate	Working Length - 200mm
2307268	\$	Hammer drill bit TE-YX 18/32 MP4	4			4,096.1	16,384	430	11,469.0	30%	10,649.8	35%	10,649.8	35%	10,649.8	35%	10,649.8	35%	Power Tool Combi Consumables Ultimate	Working Length - 200mm
2122292	\$	Hammer drill bit TE-YX 18/52	1			6,314.3	6,314	610	4,420.0	30%	4,104.3	35%	4,104.3	35%	4,104.3	35%	4,104.3	35%		



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E			A		B		C		D		Discount Group		Description
2307280	\$	Hammer drill bit TE-YX 32/57 MP4	4			6,884.6	27,539	1,115	19,277.0	30%	17,900.1	35%	17,900.1	35%	17,900.1	35%	17,900.1	35%	17,900.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
2120339	\$	Hammer drill bit TE-YX 35/57	1			10,557.1	10,557	1,258	7,390.0	30%	6,862.1	35%	6,862.1	35%	6,862.1	35%	6,862.1	35%	6,862.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
2307281	\$	Hammer drill bit TE-YX 35/57 MP4	4			7,912.9	31,651	1,258	22,156.0	30%	20,573.4	35%	20,573.4	35%	20,573.4	35%	20,573.4	35%	20,573.4	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
2120421	\$	Hammer drill bit TE-YX 37/57	1			10,814.3	10,814	1,336	7,570.0	30%	7,029.3	35%	7,029.3	35%	7,029.3	35%	7,029.3	35%	7,029.3	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
2307282	\$	Hammer drill bit TE-YX 37/57 MP4	4			8,098.6	32,394	1,336	22,676.0	30%	21,056.3	35%	21,056.3	35%	21,056.3	35%	21,056.3	35%	21,056.3	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
2120427	\$	Hammer drill bit TE-YX 40/57 1 9/16-23"	1			12,342.9	12,343	1,482	8,640.0	30%	8,022.9	35%	8,022.9	35%	8,022.9	35%	8,022.9	35%	8,022.9	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
2307283	\$	Hammer drill bit TE-YX 40/57 MP4	4			9,247.1	36,989	1,482	25,892.0	30%	24,042.6	35%	24,042.6	35%	24,042.6	35%	24,042.6	35%	24,042.6	35%	Power Tool Combi Consumables Ultimate	Working Length - 450mm
TE-YX Special Drill Bits (for Combi Hammer Drills)																						
206508	NS	Hammer drill bit TE-YX 16/92	1			13,014.3	13,014	813	9,110.0	30%	8,459.3	35%	8,459.3	35%	8,459.3	35%	8,459.3	35%	8,459.3	35%	PT&A Inserts (SP Line)	
293054	NS	Hammer drill bit TE-YX 18/92	1			12,528.6	12,529	1,014	8,770.0	30%	8,143.6	35%	8,143.6	35%	8,143.6	35%	8,143.6	35%	8,143.6	35%	PT&A Inserts (SP Line)	
293143	NS	Hammer drill bit TE-YX 20/92	1			11,457.1	11,457	1,180	8,020.0	30%	7,447.1	35%	7,447.1	35%	7,447.1	35%	7,447.1	35%	7,447.1	35%	PT&A Inserts (SP Line)	
293148	\$	Hammer drill bit TE-YX 20/130	1			28,040.0	28,040	1,610	19,628.0	30%	18,226.0	35%	18,226.0	35%	18,226.0	35%	18,226.0	35%	18,226.0	35%	PT&A Inserts (SP Line)	
293177	NS	Hammer drill bit TE-YX 22/92	1			12,571.4	12,571	1,369	8,800.0	30%	8,171.4	35%	8,171.4	35%	8,171.4	35%	8,171.4	35%	8,171.4	35%	PT&A Inserts (SP Line)	
293229	NS	Hammer drill bit TE-YX 25/92	1			17,044.3	17,044	1,540	11,931.0	30%	11,078.8	35%	11,078.8	35%	11,078.8	35%	11,078.8	35%	11,078.8	35%	PT&A Inserts (SP Line)	
293230	NS	Hammer drill bit TE-YX 25/130	1	NR		46,864.3	46,864	2,140	32,805.0	30%	30,461.8	35%	30,461.8	35%	30,461.8	35%	30,461.8	35%	30,461.8	35%	PT&A Inserts (SP Line)	Working Length - 1150mm
293286	NS	Hammer drill bit TE-YX 30/130	1			36,451.4	36,451	3,322	25,516.0	30%	23,693.4	35%	23,693.4	35%	23,693.4	35%	23,693.4	35%	23,693.4	35%	PT&A Inserts (SP Line)	Working Length - 1150mm
293411	NS	Hammer drill bit TE-YX 32/130	1			42,060.0	42,060	3,220	29,442.0	30%	27,339.0	35%	27,339.0	35%	27,339.0	35%	27,339.0	35%	27,339.0	35%	PT&A Inserts (SP Line)	Working Length - 1150mm
293410	NS	Hammer drill bit TE-YX 32/92	1			20,684.3	20,684	2,244	14,479.0	30%	13,444.8	35%	13,444.8	35%	13,444.8	35%	13,444.8	35%	13,444.8	35%	PT&A Inserts (SP Line)	
2120422	NS	Hammer drill bit TE-YX 37/92	1			23,260.0	23,260	2,930	16,282.0	30%	15,119.0	35%	15,119.0	35%	15,119.0	35%	15,119.0	35%	15,119.0	35%	PT&A Inserts (SP Line)	Working Length - 1150mm
2120426	NS	Hammer drill bit TE-YX 40/92 1 9/16-36"	1			47,260.0	47,260	3,320	33,082.0	30%	30,719.0	35%	30,719.0	35%	30,719.0	35%	30,719.0	35%	30,719.0	35%	PT&A Inserts (SP Line)	
TE-Y Drill Bits (for Combi Hammer Drills) - Bladed drillbits																						
418301	NS	Hammer drill bit TE-Y 12/35	1	NR		2,828.6	2,829	350	1,980.0	30%	1,838.6	35%	1,838.6	35%	1,838.6	35%	1,838.6	35%	1,838.6	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2306613	NS	Hammer drill bit TE-Y 12/35 MP4	4			2,110.7	8,443	350	5,910.0	30%	5,487.9	35%	5,487.9	35%	5,487.9	35%	5,487.9	35%	5,487.9	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
418302	NS	Hammer drill bit TE-Y 12/55	1	NR		4,000.0	4,000	444	2,800.0	30%	2,600.0	35%	2,600.0	35%	2,600.0	35%	2,600.0	35%	2,600.0	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2306614	NS	Hammer drill bit TE-Y 12/55 MP4	4			2,985.7	11,943	444	8,360.0	30%	7,762.9	35%	7,762.9	35%	7,762.9	35%	7,762.9	35%	7,762.9	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
418303	NS	Hammer drill bit TE-Y 14/35	1			3,428.6	3,429	380	2,400.0	30%	2,228.6	35%	2,228.6	35%	2,228.6	35%	2,228.6	35%	2,228.6	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2306615	NS	Hammer drill bit TE-Y 14/35 MP4	4			2,560.7	10,243	380	7,170.0	30%	6,657.9	35%	6,657.9	35%	6,657.9	35%	6,657.9	35%	6,657.9	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
418304	NS	Hammer drill bit TE-Y 14/55	1	NR		4,742.9	4,743	466	3,320.0	30%	3,082.9	35%	3,082.9	35%	3,082.9	35%	3,082.9	35%	3,082.9	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2306616	NS	Hammer drill bit TE-Y 14/55 MP4	4			3,539.3	14,157	466	9,910.0	30%	9,202.1	35%	9,202.1	35%	9,202.1	35%	9,202.1	35%	9,202.1	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2199300	\$	Hammer drill bit TE-Y 16/54	1			3,871.4	3,871	600	2,710.0	30%	2,516.4	35%	2,516.4	35%	2,516.4	35%	2,516.4	35%	2,516.4	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2306618	\$	Hammer drill bit TE-Y 16/54 MP4	4			2,892.9	11,571	600	8,100.0	30%	7,521.4	35%	7,521.4	35%	7,521.4	35%	7,521.4	35%	7,521.4	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2199301	\$	Hammer drill bit TE-Y 18/34	1			3,300.0	3,300	480	2,310.0	30%	2,145.0	35%	2,145.0	35%	2,145.0	35%	2,145.0	35%	2,145.0	35%	Power Tool Combi Consumables Premium	Working Length - 200mm
2306619	\$	Hammer drill bit TE-Y 18/34 MP4	4			2,464.3	9,857	480	6,900.0	30%	6,407.1	35%	6,407.1	35%	6,407.1	35%	6,407.1	35%	6,407.1	35%	Power Tool Combi Consumables Premium	Working Length - 200mm
2199302	\$	Hammer drill bit TE-Y 18/54	1			3,800.0	3,800	650	2,660.0	30%	2,470.0	35%	2,470.0	35%	2,470.0	35%	2,470.0	35%	2,470.0	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2307290	\$	Hammer drill bit TE-Y 18/54 MP4	4			2,839.3	11,357	650	7,950.0	30%	7,382.1	35%	7,382.1	35%	7,382.1	35%	7,382.1	35%	7,382.1	35%	Power Tool Combi Consumables Premium	Working Length - 400mm
2199303	\$	Hammer drill bit TE-Y 20/32	1			3,571.4	3,571	508	2,500.0	30%	2,321.4	35%	2,321.4	35%	2,321.4	35%	2,321.4	35%	2,321.4	35%	Power Tool Combi Consumables Premium	Working Length - 200mm
2307291	\$	Hammer drill bit TE-Y 20/32 MP4	4			2,660.7	10,643	508	7,450.0	30%	6,917.9	35%	6,917.9	35%	6,917.9	35%	6,917.9	35%	6,			



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / Gms	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2307321	NS	Hammer drill bit TE-YD 18/59 MP4	4			11,127.9	44,511	-	31,158.0	30%	28,932.4	35%	28,932.4	35%	28,932.4	35%	28,932.4	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm (Universal vacuum cleaner VC 20-U 230V required)
2078826	NS	Hammer drill bit TE-YD 18/89	1	NR		38,742.9	38,743	1,301	27,120.0	30%	25,182.9	35%	25,182.9	35%	25,182.9	35%	25,182.9	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307330	NS	Hammer drill bit TE-YD 18/89 MP4	4			29,056.1	116,224	-	81,357.0	30%	75,545.8	35%	75,545.8	35%	75,545.8	35%	75,545.8	35%	Power Tool Combi Consumables Ultimate	Working Length - 700mm (Universal vacuum cleaner VC 20-U 230V required)
2078871	NS	Hammer drill bit TE-YD 20/119	1	NR		44,212.9	44,213	1,917	30,949.0	30%	28,738.4	35%	28,738.4	35%	28,738.4	35%	28,738.4	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307333	NS	Hammer drill bit TE-YD 20/119 MP4	4			33,156.6	132,634	-	92,844.0	30%	86,212.3	35%	86,212.3	35%	86,212.3	35%	86,212.3	35%	Power Tool Combi Consumables Ultimate	Working Length - 1000mm (Universal vacuum cleaner VC 20-U 230V required)
2018959	NS	Hammer drill bit TE-YD 20/59	1			18,861.4	18,861	1,100	13,203.0	30%	12,259.9	35%	12,259.9	35%	12,259.9	35%	12,259.9	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307322	NS	Hammer drill bit TE-YD 20/59 MP4	4			14,144.3	56,577	-	39,604.0	30%	36,775.1	35%	36,775.1	35%	36,775.1	35%	36,775.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm (Universal vacuum cleaner VC 20-U 230V required)
2078870	NS	Hammer drill bit TE-YD 20/89	1	NR		38,394.3	38,394	1,506	26,876.0	30%	24,956.3	35%	24,956.3	35%	24,956.3	35%	24,956.3	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307332	NS	Hammer drill bit TE-YD 20/89 MP4	4			28,794.3	115,177	-	80,624.0	30%	74,865.1	35%	74,865.1	35%	74,865.1	35%	74,865.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 700mm (Universal vacuum cleaner VC 20-U 230V required)
2078873	NS	Hammer drill bit TE-YD 22/119	1	NR		43,605.7	43,606	1,941	30,524.0	30%	28,343.7	35%	28,343.7	35%	28,343.7	35%	28,343.7	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307335	NS	Hammer drill bit TE-YD 22/119 MP4	4			32,702.5	130,810	-	91,567.0	30%	85,026.5	35%	85,026.5	35%	85,026.5	35%	85,026.5	35%	Power Tool Combi Consumables Ultimate	Working Length - 1000mm (Universal vacuum cleaner VC 20-U 230V required)
2018960	NS	Hammer drill bit TE-YD 22/59	1	NR		19,558.6	19,559	1,126	13,691.0	30%	12,713.1	35%	12,713.1	35%	12,713.1	35%	12,713.1	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307323	NS	Hammer drill bit TE-YD 22/59 MP4	4			14,668.2	58,673	-	41,071.0	30%	38,137.4	35%	38,137.4	35%	38,137.4	35%	38,137.4	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm (Universal vacuum cleaner VC 20-U 230V required)
2078872	NS	Hammer drill bit TE-YD 22/89	1	NR		38,354.3	38,354	1,530	26,848.0	30%	24,930.3	35%	24,930.3	35%	24,930.3	35%	24,930.3	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307334	NS	Hammer drill bit TE-YD 22/89 MP4	4			28,765.4	115,061	-	80,543.0	30%	74,789.9	35%	74,789.9	35%	74,789.9	35%	74,789.9	35%	Power Tool Combi Consumables Ultimate	Working Length - 700mm (Universal vacuum cleaner VC 20-U 230V required)
2078877	NS	Hammer drill bit TE-YD 25/119	1	NR		43,552.9	43,553	1,979	30,487.0	30%	28,309.4	35%	28,309.4	35%	28,309.4	35%	28,309.4	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307337	NS	Hammer drill bit TE-YD 25/119 MP4	4			32,664.6	130,659	-	91,461.0	30%	84,928.1	35%	84,928.1	35%	84,928.1	35%	84,928.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 1000mm (Universal vacuum cleaner VC 20-U 230V required)
2018962	NS	Hammer drill bit TE-YD 25/59	1	NR		19,461.4	19,461	1,162	13,623.0	30%	12,649.9	35%	12,649.9	35%	12,649.9	35%	12,649.9	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307325	NS	Hammer drill bit TE-YD 25/59 MP4	4			14,594.3	58,377	-	40,864.0	30%	37,945.1	35%	37,945.1	35%	37,945.1	35%	37,945.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm (Universal vacuum cleaner VC 20-U 230V required)
2078876	NS	Hammer drill bit TE-YD 25/89	1	NR		38,917.1	38,917	1,568	27,242.0	30%	25,296.1	35%	25,296.1	35%	25,296.1	35%	25,296.1	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307336	NS	Hammer drill bit TE-YD 25/89 MP4	4			29,186.4	116,746	-	81,722.0	30%	75,884.7	35%	75,884.7	35%	75,884.7	35%	75,884.7	35%	Power Tool Combi Consumables Ultimate	Working Length - 700mm (Universal vacuum cleaner VC 20-U 230V required)
2078881	NS	Hammer drill bit TE-YD 28/119	1	NR		47,188.6	47,189	2,059	33,032.0	30%	30,672.6	35%	30,672.6	35%	30,672.6	35%	30,672.6	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307339	NS	Hammer drill bit TE-YD 28/119 MP4	4			35,389.6	141,559	-	99,091.0	30%	92,013.1	35%	92,013.1	35%	92,013.1	35%	92,013.1	35%	Power Tool Combi Consumables Ultimate	Working Length - 1000mm (Universal vacuum cleaner VC 20-U 230V required)
2018964	NS	Hammer drill bit TE-YD 28/59	1			23,828.6	23,829	1,242	16,680.0	30%	15,488.6	35%	15,488.6	35%	15,488.6	35%	15,488.6	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307326	NS	Hammer drill bit TE-YD 28/59 MP4	4			17,870.4	71,481	-	50,037.0	30%	46,462.9	35%	46,462.9	35%	46,462.9	35%	46,462.9	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm (Universal vacuum cleaner VC 20-U 230V required)
2078880	NS	Hammer drill bit TE-YD 28/89	1	NR		42,750.0	42,750	1,648	29,925.0	30%	27,787.5	35%	27,787.5	35%	27,787.5	35%	27,787.5	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307338	NS	Hammer drill bit TE-YD 28/89 MP4	4			32,061.4	128,246	-	89,772.0	30%	83,359.7	35%	83,359.7	35%	83,359.7	35%	83,359.7	35%	Power Tool Combi Consumables Ultimate	Working Length - 700mm (Universal vacuum cleaner VC 20-U 230V required)
2078885	NS	Hammer drill bit TE-YD 32/119	1	NR		51,560.0	51,560	2,589	36,092.0	30%	33,514.0	35%	33,514.0	35%	33,514.0	35%	33,514.0	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307343	NS	Hammer drill bit TE-YD 32/119 MP4	4			38,668.9	154,676	-	108,273.0	30%	100,539.2	35%	100,539.2	35%	100,539.2	35%	100,539.2	35%	Power Tool Combi Consumables Ultimate	Working Length - 1000mm (Universal vacuum cleaner VC 20-U 230V required)
2018966	NS	Hammer drill bit TE-YD 32/59	1	NR		26,542.9	26,543	1,492	18,580.0	30%	17,252.9	35%	17,252.9	35%	17,252.9	35%	17,252.9	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307327	NS	Hammer drill bit TE-YD 32/59 MP4	4			19,906.1	79,624	-	55,737.0	30%	51,755.8	35%	51,755.8	35%	51,755.8	35%	51,755.8	35%	Power Tool Combi Consumables Ultimate	Working Length - 400mm (Universal vacuum cleaner VC 20-U 230V required)
2078884	NS	Hammer drill bit TE-YD 32/89	1	NR		46,984.3	46,984	2,038	32,889.0	30%	30,539.8	35%	30,539.8	35%	30,539.8	35%	30,539.8	35%	Power Tool Combi Consumables Ultimate	Safeset Hollow Drill Bit
2307342	NS	Hammer drill bit TE-YD 32/89 MP4	4			35,237.5	140,950	-	98,665.0	30%	91,617.5	35%	91,617.5	35%	91,617.5	35%	91,617.5	35%	Power Tool Combi Consumables Ultimate	Working Length - 700mm (Universal vacuum cleaner VC 20-U 230V required)
Accessories for Combihammers																				
60208	NS	Quick-release chuck 13	1	NR		7,485.7	7,486	427	5,240.0	30%	4,865.7	35%	4,865.7	35%	4,865.7	35%	4,865.7	35%	PT&A Accessories	
263359	NS	Chuck spindle TE-Y-BFH	1	NR		3,871.4	3,871	185	2,710.0	30%	2,516.4	35%	2,516.4	35%	2,516.4	35%	2,516.4	35%	PT&A Accessories	Use with quick rel. chuck (old item #: 60208)
382390	\$	Adapter TE-Y-AD	1			39,810.0	39,810	787	27,867.0	30%										



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E			A		B		C		D		Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2307362	NS	Pointed chisel TE-HX17 SM 45 MP4	4		Multipack 2021	2,953.6	11,814	-	-	8,270.0	30%	7,679.3	35%	7,679.3	35%	7,679.3	35%	7,679.3	35%	Power Tools Breaker consumables ultimate	
383453	\$	Narrow-flat chisel TE-HX17 FM 28	1			3,342.9	3,343	444	-	2,340.0	30%	2,172.9	35%	2,172.9	35%	2,172.9	35%	2,172.9	35%	Power Tools Breaker consumables ultimate	
2307372	\$	Narrow-flat chisel TE-HX17 FM 28 MP4	4			2,492.9	9,971	-	-	6,980.0	30%	6,481.4	35%	6,481.4	35%	6,481.4	35%	6,481.4	35%	Power Tools Breaker consumables ultimate	
383454	NS	Narrow-flat chisel TE-HX17 FM 45	1			4,314.3	4,314	765	-	3,020.0	30%	2,804.3	35%	2,804.3	35%	2,804.3	35%	2,804.3	35%	Power Tools Breaker consumables ultimate	
2307373	NS	Narrow-flat chisel TE-HX17 FM 45 MP4	4		Multipack 2021	3,225.0	12,900	-	-	9,030.0	30%	8,385.0	35%	8,385.0	35%	8,385.0	35%	8,385.0	35%	Power Tools Breaker consumables ultimate	
383455	NS	Wide-fl chis/scr TE-H17P SPM 5/28	1			5,014.3	5,014	568	-	3,510.0	30%	3,259.3	35%	3,259.3	35%	3,259.3	35%	3,259.3	35%	PT&A Inserts (SP Line)	
383456	NS	Wide-fl chis/scr TE-H17P SPM 8/36	1			6,800.0	6,800	903	-	4,760.0	30%	4,420.0	35%	4,420.0	35%	4,420.0	35%	4,420.0	35%	PT&A Inserts (SP Line)	
383459	NS	Channel chisel TE-H17 KMG 3,6/30	1			9,557.1	9,557	860	-	6,690.0	30%	6,212.1	35%	6,212.1	35%	6,212.1	35%	6,212.1	35%	PT&A Inserts (SP Line)	
1829	\$	Bushing tool head TP-SKHM 40	1		Multipack 2021	11,285.7	11,286	564	-	7,900.0	30%	7,335.7	35%	7,335.7	35%	7,335.7	35%	7,335.7	35%	PT&A Inserts (SP Line)	To be used with 383460
383460	\$	Universal shank TE-H17 SS 28	1			4,128.6	4,129	609	-	2,890.0	30%	2,683.6	35%	2,683.6	35%	2,683.6	35%	2,683.6	35%	PT&A Inserts (SP Line)	
2184670	NS	Switch TE 500-X (Gen 3)	1	NR		1,350.0	1,350	37	-	1,350.0	0%	1,350.0	0%	1,350.0	0%	1,350.0	0%	1,350.0	0%	Spares/Repairs	
2162023	NS	Carbon brush TE 500(1)/70ATC(3) 220-240V	1			356.7	357	11	-	356.7	0%	356.7	0%	356.7	0%	356.7	0%	356.7	0%	Spares/Repairs	
2184660	\$	Comfort side handle TE 500-X (Gen 3)	1		Multipack 2021	4,242.9	4,243	532	-	2,970.0	30%	2,757.9	35%	2,757.9	35%	2,757.9	35%	2,757.9	35%	PT&A Accessories	
2307362	NS	Hollow chisel TE-Y HM 2.8/28	1	NR		9,042.9	9,043	696	-	6,330.0	30%	5,877.9	35%	5,877.9	35%	5,877.9	35%	5,877.9	35%	PT&A Inserts (SP Line)	Hollow channel(gouging channel in concrete),total length 280mm,max cutting edge width 28mm
259563	NS	Channel chisel TE-Y KMG 3,6/28	1	NR		10,542.9	10,543	895	-	7,380.0	30%	6,852.9	35%	6,852.9	35%	6,852.9	35%	6,852.9	35%	PT&A Inserts (SP Line)	Flanged channel (channels in hollow block), Total length 280mm, max cutting edge width 36mm
2079269	NS	Flexible chisel TE-Y BSRM 800	1	NR		50,108.6	50,109	2,800	-	35,076.0	30%	32,570.6	35%	32,570.6	35%	32,570.6	35%	32,570.6	35%	PT&A Inserts (SP Line)	Flex Chisel (coating removal), Total length 650 mm Max. cutting edge width 150 mm.
2207028	\$	Bushing tool TE-YP SKRM 4x4	1		62893	16,795.7	16,796	-	-	11,757.0	30%	10,917.2	35%	10,917.2	35%	10,917.2	35%	10,917.2	35%	PT&A Inserts (SP Line)	Bushing Tool, Total length 250 mm,Bushing surface 40x40 mm

Premium TE-Y Chisels for TE56/TE55, TE70/ TE 76/TE75 & TE 500/ TE706/TE705																					
2232605	\$	Narrow-flat chisel TE-Y FM 28	1		Multipack 2021	1,957.1	1,957	-	-	1,370.0	30%	1,272.1	35%	1,272.1	35%	1,272.1	35%	1,272.1	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2306955	\$	Narrow-flat chisel TE-Y FM 28 MP4	4			1,457.1	5,829	-	-	4,080.0	30%	3,788.6	35%	3,788.6	35%	3,788.6	35%	3,788.6	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2232606	\$	Narrow-flat chisel TE-Y FM 40	1			2,171.4	2,171	-	-	1,520.0	30%	1,411.4	35%	1,411.4	35%	1,411.4	35%	1,411.4	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2306956	\$	Narrow-flat chisel TE-Y FM 40 MP4	4			1,614.3	6,457	-	-	4,520.0	30%	4,197.1	35%	4,197.1	35%	4,197.1	35%	4,197.1	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2232607	\$	Narrow-flat chisel TE-Y FM 60	1		Multipack 2021	2,814.3	2,814	-	-	1,970.0	30%	1,829.3	35%	1,829.3	35%	1,829.3	35%	1,829.3	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2306957	\$	Narrow-flat chisel TE-Y FM 60 MP4	4			2,096.4	8,386	-	-	5,870.0	30%	5,450.7	35%	5,450.7	35%	5,450.7	35%	5,450.7	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2232597	\$	Pointed chisel TE-Y SM 28	1			1,900.1	1,900	-	-	1,330.0	30%	1,235.0	35%	1,235.0	35%	1,235.0	35%	1,235.0	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2307369	\$	Pointed chisel TE-Y SM 28 MP4	4			1,407.1	5,629	-	-	3,940.0	30%	3,658.6	35%	3,658.6	35%	3,658.6	35%	3,658.6	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2232603	\$	Pointed chisel TE-Y SM 40	1		Multipack 2021	2,100.1	2,100	-	-	1,470.0	30%	1,365.0	35%	1,365.0	35%	1,365.0	35%	1,365.0	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2307370	\$	Pointed chisel TE-Y SM 40 MP4	4			1,564.3	6,257	-	-	4,380.0	30%	4,067.1	35%	4,067.1	35%	4,067.1	35%	4,067.1	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2232604	\$	Pointed chisel TE-Y SM 60	1			2,728.6	2,729	-	-	1,910.0	30%	1,773.6	35%	1,773.6	35%	1,773.6	35%	1,773.6	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm
2307371	\$	Pointed chisel TE-Y SM 60 MP4	4			2,032.1	8,129	-	-	5,690.0	30%	5,283.6	35%	5,283.6	35%	5,283.6	35%	5,283.6	35%	Power Tools Breaker consumables premium	Pointed, overall length 280 mm

Ultimate TE-YPX Chisels for TE56/TE55, TE70/ TE 76/TE75 & TE 500/ TE706/TE705																					
2241982	\$	Pointed chisel TE-YPX SM 28	1		Multipack 2021	4,185.7	4,186	-	-	2,930.0	30%	2,720.7	35%	2,720.7	35%	2,720.7	35%	2,720.7	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 280mm
2307353	\$	Pointed chisel TE-YPX SM 28 MP4	4			3,121.4	12,486	-	-	8,740.0	30%	8,115.7	35%	8,115.7	35%	8,115.7	35%	8,115.7	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 280mm
2241983	\$	Pointed chisel TE-YPX SM 36	1			4,642.9	4,643	-	-	3,250.0	30%	3,017.9	35%	3,017.9	35%	3,017.9	35%	3,017.9	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 360mm
2307354	\$	Pointed chisel TE-YPX SM 36 MP4	4			3,467.9	13,871	-	-	9,710.0	30%	9,016.4	35%	9,016.4	35%	9,016.4	35%	9,016.4	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 360mm
2241984	\$	Pointed chisel TE-YPX SM 50	1		Multipack 2021	5,657.1	5,657	-	-	3,960.0	30%	3,677.1	35%	3,677.1	35%	3,677.1	35%	3,677.1	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 500mm
2307355	\$	Pointed chisel TE-YPX SM 50 MP4	4			4,233.9	16,936	-	-	11,855.0	30%	11,008.2	35%	11,008.2	35%	11,008.2	35%	11,008.2	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 500mm
2241985	\$	Pointed chisel TE-YPX SM 70	1			6,628.6	6,629	-	-	4,640.0	30%	4,308.6	35%	4,308.6	35%	4,308.6	35%	4,308.6	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 700mm
2307356	\$	Pointed chisel TE-YPX SM 70 MP4	4			4,955.7	19,823	-	-	13,876.0	30%	12,884.9	35%	12,884.9	35%	12,884.9	35%	12,884.9	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Pointed, overall length - 700mm
2241990	\$	Narrow-flat chisel TE-YPX FM 28	1		Multipack 2021	4,314.3	4,314	-	-	3,020.0	30%	2,804.3	35%	2,804.3	35%	2,804.3	35%	2,804.3	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 280mm
2307357	\$	Narrow-flat chisel TE-YPX FM 28 MP4	4			3,228.6	12,914	-	-	9,040.0	30%	8,394.3	35%	8,394.3	35%	8,394.3	35%	8,394.3	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 280mm
2241991	\$	Narrow-flat chisel TE-YPX FM 36	1			4,785.7	4,786	-	-	3,350.0	30%	3,110.7	35%	3,110.7	35%	3,110.7	35%	3,110.7	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 360mm
2307358	\$	Narrow-flat chisel TE-YPX FM 36 MP4	4			3,586.4	14,346	-	-	10,042.0	30%	9,324.7	35%	9,324.7	35%	9,324.7	35%	9,324.7	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 360mm
2241992	\$	Narrow-flat chisel TE-YPX FM 50	1		Multipack 2021	5,842.9	5,843	-	-	4,090.0	30%	3,797.9	35%	3,797.9	35%	3,797.9	35%	3,797.9	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 500mm
2307359	\$	Narrow-flat chisel TE-YPX FM 50 MP4	4			4,367.1	17,469	-	-	12,238.0	30%	11,354.6	35%	11,354.6	35%	11,354.6	35%	11,354.6	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 500mm
2241993	\$	Narrow-flat chisel TE-YPX FM 70	1			6,557.1	6,557	-	-	4,590.0	30%	4,262.1	35%	4,262.1	35%	4,262.1	35%	4,262.1	35%	Power Tools Breaker consumables ultimate	Ultimate line of SDS Max chisels; Flat, overall length - 700mm
2207029	\$	W-fl chisel/scrapper TE-YPX SPM 5/28	1		282271	6,142.9	6,143	-	-	4,300.0	30%	3,992.9	35%	3,992.9	35%	3,992.9	35%	3,992.9	35%	PT&A Inserts (SP Line)	Ultimate line of SDS Max chisels; Wide flat, Width - 50 mm; overall length - 280mm

TE-S Polygon Chisels for TE 800, TE 1000, TE 2000																					
2341237	S	Pointed chisel TE-SPX SM 36	1		2168870	6,457.1	6,457	-	-	4,520.0	30%	4,197.1	35%	4,197.1	35%	4,197.1	35%	4,197.1	35%	Power Tools Breaker consumables ultimate	
2341238	S	Pointed chisel TE-SPX SM 43	1		2168871	7,128.6	7,129	-	-	4,990.0	30%	4,633.6	35%	4,633.6	35%	4,633.6	35%	4,633.6	35%	Power Tools Breaker consumables ultimate	
2341239	S	Pointed chisel TE-SPX SM 50	1		2168872	7,842.9	7,843	-	-	5,490.0	30%	5,097.9	35%	5,097.9	35%	5,097.9	35%	5,097.9	35%	Power Tools Breaker consumables ultimate	
2341250	S	Pointed chisel TE-SPX SM 70	1		2168873	8,828.6	8,829	-	-	6,180.0	30%	5,738.6	35%	5,738.6	35%	5,738.6	35%	5,738.6	35%	Power Tools Breaker consumables ultimate	
2168874	S	Narrow-flat chisel TE-SPX FM 36	1			6,771.4	6,771	1,080	-	4,740.0	30%	4,401.4	35%	4,401.4	35%	4,401.4	35%	4,401.4	35%	Power Tools Breaker consumables ultimate	
2168875	S	Narrow-flat chisel TE-SPX FM 43	1			7,485.7	7,486	1,287	-	5,240.0	30%	4,865.7	35%	4,865.7	35%	4,865.7	35%	4,865.7	35%	Power Tools Breaker consumables ultimate	
2168876	S	Narrow-flat chisel TE-SPX FM 50	1			8,114.3	8,114	1,495	-	5,680.0	30%	5,274.3	35%	5,274.3	35%	5,274.3	35%	5,274.3	35%	Power Tools Breaker consumables ultimate	
2168877	S	Narrow-flat chisel TE-SPX FM 70	1			9,885.7	9,886	2,087	-	6,920.0	30%	6,425.7	35%	6,425.7	35%	6,425.7	35%	6,425.7	35%	Power Tools Breaker consumables ultimate	
2104282	NS	TE-SW Pointed chisel	1	NR		6,100.0	6,100	754	-	4,270.0	30%	3,965.0	35%	3,965.0	35%	3,965.0	35%	3,965.0	35%	PT&A Inserts (SP Line)	Wal chisel
2104283	NS	TE-SW Narrow Flat Chisel	1	NR		6,100.0	6,100	760	-	4,270.0	30%	3,965.0	35%	3,965.0	35%	3,965.0	35%	3,965.0	35%	PT&A Inserts (SP Line)	Wal chisel
2168878	S	Chisel TE-SPX SPM 5/36 wide-flat chisel	1		406773	10,142.9	10,143	1,153	-	7,100.0	30%	6,592.9	35%	6,592.9	35%	6,592.9	35%	6,592.9	35%	PT&A Inserts (SP Line)	
2168879	S	Chisel TE-SPX SPM 8/36 wide-flat chisel	1			10,657.1	10,657	1,299	-	7,460.0	30%	6,927.1	35%	6,927.1	35%	6,927.1	35%	6,927.1	35%	PT&A Inserts (SP Line)	
2168880	S	Chisel TE-SPX SPM 12/36 wide-flat chisel	1			14,345.7	14,346	1,398	-	10,042.0	30%	9,324.7	35%	9,324.7	35%	9,324.7	35%	9,324.7	35%	PT&A Inserts (SP Line)	
2168884	S	Chisel TE-SPX SPM 5/50 wide-flat chisel	1			10,285.7	10,286	1,533	-	7,200.0	30%	6,685.7	35%	6,685.7	35%	6,685.7	35%	6,685.7	35%	PT&A Inserts (SP Line)	
2168885	S	Chisel TE-SPX SPM 8/50 wide-flat chisel	1	NR		13,485.7	13,486	1,729	-	9,440.0	30%	8,765.7	35%	8,765.7	35%	8,765.7	35%	8,765.7	35%	PT&A Inserts (SP Line)	
2168886	S	Chisel TE-SPX SPM 12/50 wide-flat chisel	1			14,970.0	14,970	1,861	-	10,479.0	30%	9,730.5	35%	9,730.5	35%	9,730.5	35%	9,730.5	35%	PT&A Inserts (SP Line)	

New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description	
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
Serviceability items for Heavy Duty tools																					
2162027	\$	Carbon brush TE 30 Std (01) 220 - 240V	1			315.9	316	1	315.9	0%	315.9	0%	315.9	0%	315.9	0%	315.9	0%	Spares/Repairs	Carbon Brush for TE 30	
2162081	NS	Carbon brush TE 70(3) , 50(3) 220-240V	1	NR		1,470.0	1,470	10	1,470.0	0%	1,470.0	0%	1,470.0	0%	1,470.0	0%	1,470.0	0%	Spares/Repairs	Carbon Brush for TE 70D-AVR	
2162023	NS	Carbon brush TE 500(1)/70ATC(3) 220-240V	1			356.7	357	11	356.7	0%	356.7	0%	356.7	0%	356.7	0%	356.7	0%	Spares/Repairs	Carbon Brush for TE 500	
2162025	\$	Carbon brush TE 800 / AVR 220 - 240V	1			955.9	956	17	955.9	0%	955.9	0%	955.9	0%	955.9	0%	955.9	0%	Spares/Repairs	Carbon Brush for TE 800 Std.	
2164810	NS	Supply cord TE30C-AVR(1) 500_AVR(1) EUR	1	NR		847.8	848	536	847.8	0%	847.8	0%	847.8	0%	847.8	0%	847.8	0%	Spares/Repairs	Supply Cord for TE 500/TE 30	
2165500	NS	Supply cord TE 70 (03) D-AVR IND	1	NR		865.0	865	569	865.0	0%	865.0	0%	865.0	0%	865.0	0%	865.0	0%	Spares/Repairs	Supply Cord for TE 70D-AVR	
2164783	NS	Supply cord TE 700 AVR(01) EUR	1	NR		1,356.8	1,357	573	1,356.8	0%	1,356.8	0%	1,356.8	0%	1,356.8	0%	1,356.8	0%	Spares/Repairs	Supply Cord for TE 700 AVR	
2165501	NS	Supply cord TE 800_AVR_1000 EUR_KOR	1	NR		1,870.0	1,870	570	1,870.0	0%	1,870.0	0%	1,870.0	0%	1,870.0	0%	1,870.0	0%	Spares/Repairs	Supply Cord for TE 800Std/TE 800 AVR/TE 1000 NG	
2127162	NS	Supply cord 230V 4m	1			2,756.0	2,756	652	2,756.0	0%	2,756.0	0%	2,756.0	0%	2,756.0	0%	2,756.0	0%	Spares/Repairs	3 pin 3 core Detachable cord for TE 50, TE 500, TE 1000, TE 2000, TE 3000	
2127085	NS	Supply cord 230V 4m	1			2,098.8	2,099	579	2,098.8	0%	2,098.8	0%	2,098.8	0%	2,098.8	0%	2,098.8	0%	Spares/Repairs	2 pin 2 core Detachable cord for TE 50, TE 500, TE 1000, TE 2000, TE 3000	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight	E		A		B		C		D		Discount Group	Description	
								/ PC													
										in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
LDT - With LTS and Servicibility																					
SIW 6AT TOOL & AT MODULE																					
3635143	\$	Kit SIW 6AT Tool (1)+AT Module (1) Cordl. impact wrench SIW 6AT-A22 case Adaptive torque module SI-AT-A22	1 1 1		INP WAVE 2 2019 2YNC	90,067.1	90,067	NA		63,047.0	30%	58,543.6	35%	58,543.6	35%	58,543.6	35%	58,543.6	35%	All LDT Tools, Battery, Charger	
3634942	\$	Kit SIW 6AT tool+AT mod+Bat+chg Cordl. impact wrench SIW 6AT-A22 case Adaptive torque module SI-AT-A22 Battery pack B 22/2.6 Li-Ion Battery charger C 4/36-90 box	1 1 1 1 1		INP WAVE 2 2019 2YNC	110,922.9	110,923	NA		77,646.0	30%	72,099.9	35%	72,099.9	35%	72,099.9	35%	72,099.9	35%	All LDT Tools, Battery, Charger	
2136393	\$	Battery pack B 22/2.6 Li-Ion	1		2YNC	15,297.1	15,297	506		10,708.0	30%	9,943.1	35%	9,943.1	35%	9,943.1	35%	9,943.1	35%	PT&A Accessories	Compact 22V 2.6 Ah Li-Ion battery
Universal Drilling (with 1YNC)																					
3721651	\$	Kit UD4 + CB Drill UD 4 Keyless 230V Carbon brush UD4 set	1 1 1		0YNC	10,914.3	10,914	NA		7,640.0	30%	7,094.3	35%	7,094.3	35%	7,094.3	35%	7,094.3	35%	All LDT Tools, Battery, Charger	
3721650	\$	Kit UD4 + Rotor + CB Drill UD 4 Keyless 230V Rotor UD4 220-230V kit Carbon brush UD4 set	1 1 1 1		0YNC	12,414.3	12,414	NA		8,690.0	30%	8,069.3	35%	8,069.3	35%	8,069.3	35%	8,069.3	35%	All LDT Tools, Battery, Charger	
211975	\$	Drill UD 30 230V	1		1YNC	40,728.6	40,729	4,100		28,510.0	30%	26,473.6	35%	26,473.6	35%	26,473.6	35%	26,473.6	35%	All LDT Tools, Battery, Charger	Drilling metal and screw fastening, 1YNC
2234183	\$	Chuck Keyless Chuck UD4	1			806.4	806	-		564.5	30%	524.2	35%	524.2	35%	524.2	35%	524.2	35%	All LDT Tools, Battery, Charger	Drilling metal and screw fastening, 1YNC
Spares & Accessories for UD4																					
2167714	NS	Supply cord UD4 230V cable	1	NR		699.4	699	213		699.4	0%	699.4	0%	699.4	0%	699.4	0%	699.4	0%	Spares/Repairs	
2167718	\$	Carbon brush UD4 set	1			213	213	5		212.5	0%	212.5	0%	212.5	0%	212.5	0%	212.5	0%	Spares/Repairs	
2167774	NS	Drill chuck key UD4	1	NR		71.4	71	42		71.4	0%	71.4	0%	71.4	0%	71.4	0%	71.4	0%	0%Discount	
2167863	\$	Switch UD4 230V	1			1,040.0	1,040	37		1,040.0	0%	1,040.0	0%	1,040.0	0%	1,040.0	0%	1,040.0	0%	Spares/Repairs	
2179576	\$	Chuck UD4	1			535.8	536	169		535.8	0%	535.8	0%	535.8	0%	535.8	0%	535.8	0%	Spares/Repairs	To be used with Old Gen UD4
2197120	\$	Rotor UD4 220-230V kit	1			1,500.0	1,500	307		1,500.0	0%	1,500.0	0%	1,500.0	0%	1,500.0	0%	1,500.0	0%	Spares/Repairs	
Compact class cordless Drill / Driver																					
2137038	\$	Cordl. impact driver SID 4-A22 case	1		2YNC	28,148.6	28,149	2,466		19,704.0	30%	18,296.6	35%	18,296.6	35%	18,296.6	35%	18,296.6	35%	All LDT Tools, Battery, Charger	Only tool body. No battery and charger
2177405	\$	Cordless drill driver SF4	1	INP 2022	2YNC	22,844.3	22,844	-		15,991.0	30%	14,848.8	35%	14,848.8	35%	14,848.8	35%	14,848.8	35%	All LDT Tools, Battery, Charger	Only tool body. No battery and charger
2136393	\$	Battery pack B 22/2.6 Li-Ion	1		2YNC	15,297.1	15,297	506		10,708.0	30%	9,943.1	35%	9,943.1	35%	9,943.1	35%	9,943.1	35%	PT&A Accessories	Compact 22V 2.6 Ah Li-Ion battery
2136396	\$	Battery pack B 22/5.2 Li-Ion	1		2YNC 2110409	23,437.1	23,437	825		16,406.0	30%	15,234.1	35%	15,234.1	35%	15,234.1	35%	15,234.1	35%	PT&A Accessories	22V 5.2Ah Li-Ion battery for extended running time
2183180	\$	Battery pack B 22/4.0 Li-Ion	1		2YNC 2136396	19,950.0	19,950	-		13,965.0	30%	12,967.5	35%	12,967.5	35%	12,967.5	35%	12,967.5	35%	All LDT Tools, Battery, Charger	Standard universal charger to charge HiLi Li-Ion batteries
2015761	\$	Battery charger C 4/36-90 230V box	1		2YNC	10,214.3	10,214	820		7,150.0	30%	6,639.3	35%	6,639.3	35%	6,639.3	35%	6,639.3	35%	PT&A Accessories	Fast Charger to charge all HiLi Li-Ion batteries
2037125	NS	Battery charger C 4/36-350 box	1		2YNC	16,657.1	16,657	1,340		11,660.0	30%	10,827.1	35%	10,827.1	35%	10,827.1	35%	10,827.1	35%	PT&A Accessories	Standard universal charger to charge HiLi Li-Ion batteries
2057803	NS	Bit set S-BSC UNI 50/2" T (6) Bulk	1			2,800.0	2,800	89		1,960.0	30%	1,820.0	35%	1,820.0	35%	1,876.0	33%	1,876.0	33%	Screw Fastening Accessories	Contains 6 insert bits (PH2, PZ2, 2, PZD 3, TX 15, TX 20, TX 25) for screw fastening
HSS drill bits & Spade Bits - Drilling in metal & wood																					
213950	\$	Twist drill bit HSS 2-8 set	1			1,942.9	1,943	111		1,360.0	30%	1,262.9	35%	1,262.9	35%	1,262.9	35%	1,262.9	35%	PT&A Inserts (P Line)	HSS Metal drill bit set contains 6 pcs of 2, 3,4,5,6 & 8 mm
2170625	\$	HSS-R 3.0x61mm MP10	10			81.2	812	3		568.3	30%	527.7	35%	527.7	35%	527.7	35%	527.7	35%	PT&A Inserts (P Line)	
2170626	\$	HSS-R 3.2x65mm MP10	10			97.3	973	5		681.2	30%	632.5	35%	632.5	35%	632.5	35%	632.5	35%	PT&A Inserts (P Line)	
2170628	\$	HSS-R 3.5x70mm MP10	10			98.9	989	6		692.3	30%	642.9	35%	642.9	35%	642.9	35%	642.9	35%	PT&A Inserts (P Line)	
2170660	\$	HSS-R 4.0x75mm MP10	10			103.8	1,038	7		726.7	30%	674.8	35%	674.8	35%	674.8	35%	674.8	35%	PT&A Inserts (P Line)	
2170662	\$	HSS-R 4.2x75mm MP10	10			111.9	1,119	8		783.1	30%	727.2	35%	727.2	35%	727.2	35%	727.2	35%	PT&A Inserts (P Line)	
2170663	\$	HSS-R 4.5x80mm MP10	10	NR		111.9	1,119	8		783.1	30%	727.2	35%	727.2	35%	727.2	35%	727.2	35%	PT&A Inserts (P Line)	
2170665	\$	HSS-R 5.0x86mm MP10	10			120.1	1,201	11		840.7	30%	780.7	35%	780.7	35%	780.7	35%	780.7	35%	PT&A Inserts (P Line)	
2170669	\$	HSS-R 5.5x93mm MP10	10			128.2	1,282	11		897.3	30%	833.2	35%	833.2	35%	833.2	35%	833.2	35%	PT&A Inserts (P Line)	
2170671	\$	HSS-R 6.0x93mm MP10	10			188.6	1,886	13		1,320.0	30%	1,225.7	35%	1,225.7	35%	1,225.7	35%	1,225.7	35%	PT&A Inserts (P Line)	
2170676	\$	HSS-R 8.0x117mm MP10	10			210.0	2,100	28		1,470.0	30%	1,365.0	35%	1,365.0	35%	1,365.0	35%	1,365.0	35%	PT&A Inserts (P Line)	
2170680	\$	HSS-R 10.0x133mm MP10	10			467.1	4,671	50		3,270.0	30%	3,036.4	35%	3,036.4	35%	3,036.4	35%	3,036.4	35%	PT&A Inserts (P Line)	
2170684	\$	HSS-R 12.0x151mm MP5	5			486.6	2,443	82		1,710.0	30%	1,587.9	35%	1,587.9	35%	1,587.9	35%	1,587.9	35%	PT&A Inserts (P Line)	
2170687	\$	HSS-R 14.0x160mm	1			901.0	901	110		630.7	30%	585.7	35%	585.7	35%	585.7	35%	585.7	35%	PT&A Inserts (P Line)	
2170689	\$	HSS-R 16.0x178mm	1			1,176.4	1,176	150		823.5	30%	764.7	35%	764.7	35%	764.7	35%	764.7	35%	PT&A Inserts (P Line)	
2025568	\$	Spade bit WDB-S-H6 12x152	1	NR		559.3	559	42		391.5	30%	363.5	35%	363.5	35%	363.5	35%	363.5	35%	PT&A Inserts (P Line)	
2025570	\$	Spade bit WDB-S-H6 16x152	1			617.0	617	49		431.9	30%	401.1	35%	401.1	35%	401.1	35%	401.1	35%	PT&A Inserts (P Line)	
2025571	\$	Spade bit WDB-S-H6 18x152	1	NR		618.1	618	51		432.7	30%	401.8	35%	401.8	35%	401.8	35%	401.8	35%	PT&A Inserts (P Line)	
2025572	\$	Spade bit WDB-S-H6 20x152	1			633.7	634	52		443.6	30%	411.9	35%	411.9	35%	411.9	35%	411.9	35%	PT&A Inserts (P Line)	
2025573	\$	Spade bit WDB-S-H6 22x152	1			633.7	634	53		443.6	30%	411.9	35%	411.9	35%	411.9	35%	411.9	35%	PT&A Inserts (P Line)	
2025575	\$	Spade bit WDB-S-H6 25x152</																			



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E	A	B	C	D	Discount Group	Description	
2070381	NS	Impact socket SI-S 1/2"-30 S	1	NR		1,800.0	1,800	183	1,260.0	30%	1,170.0	35%	1,170.0	35%	PT&A Accessories	Width Across Flat 30 mm, connection end standard 1/2" square
2070382	NS	Impact socket SI-S 1/2"-32 S	1			2,100.0	2,100	234	1,470.0	30%	1,365.0	35%	1,365.0	35%	PT&A Accessories	Width Across Flat 32 mm, connection end standard 1/2" square
2070383	NS	Impact socket SI-S 1/2"-36 S	1			2,157.1	2,157	329	1,510.0	30%	1,402.1	35%	1,402.1	35%	PT&A Accessories	Width Across Flat 36 mm, connection end standard 1/2" square
High Strength Chrome - Moly Impact Socket-Long socket (70 mm total length, 57 mm length to hold thread extension over nut)																
2070385	NS	Impact socket SI-S 1/2"-8 L	1	NR		1,657.1	1,657	155	1,160.0	30%	1,077.1	35%	1,077.1	35%	PT&A Accessories	Width Across Flat 8 mm, connection end standard 1/2" square, longer in length
2070387	NS	Impact socket SI-S 1/2"-10 L	1			1,657.1	1,657	165	1,160.0	30%	1,077.1	35%	1,077.1	35%	PT&A Accessories	Width Across Flat 10 mm, connection end standard 1/2" square, longer in length
2070388	NS	Impact socket SI-S 1/2"-12 L	1			1,657.1	1,657	166	1,160.0	30%	1,077.1	35%	1,077.1	35%	PT&A Accessories	Width Across Flat 12 mm, connection end standard 1/2" square, longer in length
2070389	S	Impact socket SI-S 1/2"-13 L	1			1,657.1	1,657	161	1,160.0	30%	1,077.1	35%	1,077.1	35%	PT&A Accessories	Width Across Flat 13 mm, connection end standard 1/2" square, longer in length
2070390	NS	Impact socket SI-S 1/2"-15 L	1			1,700.0	1,700	239	1,190.0	30%	1,105.0	35%	1,105.0	35%	PT&A Accessories	Width Across Flat 15 mm, connection end standard 1/2" square, longer in length
2070391	NS	Impact socket SI-S 1/2"-16 L	1			2,114.3	2,114	250	1,480.0	30%	1,374.3	35%	1,374.3	35%	PT&A Accessories	Width Across Flat 16 mm, connection end standard 1/2" square, longer in length
2070392	NS	Impact socket SI-S 1/2"-17 L	1		408419	2,114.3	2,114	261	1,480.0	30%	1,374.3	35%	1,374.3	35%	PT&A Accessories	Width Across Flat 17 mm, connection end standard 1/2" square, longer in length
2070393	S	Impact socket SI-S 1/2"-18 L	1			2,128.6	2,129	267	1,490.0	30%	1,383.6	35%	1,383.6	35%	PT&A Accessories	Width Across Flat 18 mm, connection end standard 1/2" square, longer in length
2070394	S	Impact socket SI-S 1/2"-19 L	1			2,128.6	2,129	244	1,490.0	30%	1,383.6	35%	1,383.6	35%	PT&A Accessories	Width Across Flat 19 mm, connection end standard 1/2" square, longer in length
2070395	NS	Impact socket SI-S 1/2"-21 L	1	NR		2,128.6	2,129	256	1,490.0	30%	1,383.6	35%	1,383.6	35%	PT&A Accessories	Width Across Flat 21 mm, connection end standard 1/2" square, longer in length
2070396	NS	Impact socket SI-S 1/2"-22 L	1	NR		2,128.6	2,129	287	1,490.0	30%	1,383.6	35%	1,383.6	35%	PT&A Accessories	Width Across Flat 22 mm, connection end standard 1/2" square, longer in length
2070397	S	Impact socket SI-S 1/2"-24 L	1			2,128.6	2,129	310	1,490.0	30%	1,383.6	35%	1,383.6	35%	PT&A Accessories	Width Across Flat 24 mm, connection end standard 1/2" square, longer in length
2070398	NS	Impact socket SI-S 1/2"-27 L	1			2,385.7	2,386	368	1,670.0	30%	1,550.7	35%	1,550.7	35%	PT&A Accessories	Width Across Flat 27 mm, connection end standard 1/2" square, longer in length
2070399	NS	Impact socket SI-S 1/2"-30 L	1			3,085.7	3,086	445	2,160.0	30%	2,005.7	35%	2,005.7	35%	PT&A Accessories	Width Across Flat 30 mm, connection end standard 1/2" square, longer in length
Reciprocating Saws																
3595637	S	KIT WSR 1400 PE + SPX 32 2 (1) brick/AAC block Orbital recip. saw WSR 1400PE 230V Recip. saw blade BCB 31 2 (1)	1 1 1		1YNC	109,348.6	109,349	NA	76,544.0	30%	71,076.6	35%	71,076.6	35%	AII LDT Tools, Battery, Charger	
3595638	S	KIT WSR 1400 PE + SPX 30 3 (3) concrete (Light) Orbital recip. saw WSR 1400PE 230V Cutting Blade W-CSR SM30	1 1 1		1YNC	108,785.7	108,786	NA	76,150.0	30%	70,710.7	35%	70,710.7	35%	AII LDT Tools, Battery, Charger	
3701283	S	Kit SR30+ SPX Brick/block blade Reciprocating saw SR 30 220V case Recip. saw blade BCB 31 2 (1)	1 1 1		INP 2021 1YNC	68,285.7	68,286	NA	47,800.0	30%	44,385.7	35%	44,385.7	35%	AII LDT Tools, Battery, Charger	New generation Reciprocating Saw with better lifetime and Ultimate Blade for Light Brick/Block cutting
3701284	S	Kit SR30 + SPX Block blade (3) Reciprocating saw SR 30 220V case Recip. saw blade W-CSR SM 30	1 1 1		INP 2021 1YNC	70,314.3	70,314	NA	49,220.0	30%	45,704.3	35%	45,704.3	35%	AII LDT Tools, Battery, Charger	New generation Reciprocating Saw with better lifetime and Ultimate Blade for Block cutting
3701285	S	Kit SR30+ P metal blade(5) Reciprocating saw SR 30 220V case Recip. saw blade MB 23 14 (5)	1 1 1		INP 2021 1YNC	61,721.4	61,721	NA	43,205.0	30%	40,118.9	35%	40,118.9	35%	AII LDT Tools, Battery, Charger	New generation Reciprocating Saw with better lifetime and Basic Blade for Metal cutting from 1.5mm to 10mm thk
2183224	NS	Dust removal system SR DRS	1	NR	INP 2021	777.1	777	-	544.0	30%	505.1	35%	505.1	35%	AII LDT Tools, Battery, Charger	DRS Attachment for SR 30. To be used with VC-20
2183291	S	Hook SR RH	1	NR	INP 2021	951.4	951	-	666.0	30%	618.4	35%	618.4	35%	AII LDT Tools, Battery, Charger	Pipe clamping adaptor for reducing vibration during metal cut
2183225	S	Adapter SR CA	1	NR	INP 2021	38,845.7	38,846	-	27,192.0	30%	25,249.7	35%	25,249.7	35%	AII LDT Tools, Battery, Charger	Hook
369055	S	Recip. saw blade SPX 30 3 (3) concrete	3			3,109.5	9,329	68	6,530.0	30%	6,063.6	35%	6,063.6	35%	PT&A Inserts (P Line)	Ultimate Line recip saw blade for AAC block. Previously called W-CSR SM 30
2090397	S	Recip. saw blade P 23 14 (5) metal	5			440.0	2,200	29	1,540.0	30%	1,430.0	35%	1,430.0	35%	PT&A Inserts (P Line)	Basic reciprocating saw blade for economic cutting of 1.5-10 mm thick metal
2090402	S	Recip. saw blade P 30 18 (5) metal	5	NR		574.3	2,871	41	2,010.0	30%	1,866.4	35%	1,866.4	35%	PT&A Inserts (P Line)	Basic reciprocating saw blade for economic cutting of 1-4 mm thick metal
2165376	S	Recip. saw blade SPX 32 2 (1) brick	1			8,742.9	8,743	126	6,120.0	30%	5,682.9	35%	5,682.9	35%	PT&A Inserts (P Line)	Ultimate line For brick and AAC block. Previously called BCB31
2221956	S	Recip. saw blade SP 30 10 (5) rescue	5			1,125.7	5,629	-	3,940.0	30%	3,658.6	35%	3,658.6	35%	PT&A Inserts (P Line)	Premium reciprocating saw blades for fire and rescue applications, as well as very heavy metal cutting
2179728	S	Recip. saw blade SP 30 14 (5) metal	5	NR		851.4	4,257	-	2,980.0	30%	2,767.1	35%	2,767.1	35%	PT&A Inserts (P Line)	Premium reciprocating saw blade for long life in cutting 1.5-10 mm thick metal
2267013	S	Recip. saw blade SP 30 1014 (5) univ	5			1,088.6	5,443	-	3,810.0	30%	3,537.9	35%	3,537.9	35%	PT&A Inserts (P Line)	Premium multipurpose reciprocating saw blade for long life in demolition cutting of metal, wood and other materials
2222117	S	Recip. saw blade P 15 1014 (5) univ	5			517.1	2,586	-	1,810.0	30%	1,680.7	35%	1,680.7	35%	PT&A Inserts (P Line)	Basic general purpose reciprocating saw blade for economic cutting of metal, wood and other materials
2222131	S	Recip. saw blade SP 30 6 (5) w/m	5	NR	2099414	837.1	4,186	-	2,930.0	30%	2,720.7	35%	2,720.7	35%	PT&A Inserts (P Line)	Premium reciprocating saw blade for metal-embedded wood demolition Strong cutting in metal, fast cutting in wood
2222135	S	Recip. saw blade SP 15 6 (5) wood	5	NR		628.6	3,143	-	2,200.0	30%	2,042.9	35%	2,042.9	35%	PT&A Inserts (P Line)	Basic reciprocating saw blade for cutting softwood
2165376	S	Recip. saw blade SPX 32 2 (1) brick	1			8,742.9	8,743	126	6,120.0	30%	5,682.9	35%	5,682.9	35%	PT&A Inserts (P Line)	
Cordless Circular Saw - Metal Cutting (with 2YNC)																
2024449	S	Cordless circular saw SCM 22-A case	1		2YNC	62,062.9	62,063	9,200	43,444.0	30%	40,340.9	35%	40,340.9	35%	AII LDT Tools, Battery, Charger	5.2Ah Li-ion batteries compatible with all 22V tools,1YNC
2183183	S	Battery pack B 22/8.0 Li-Ion	1		2YNC	33,624.3	33,624	-	23,537.0	30%	21,855.8	35%	21,855.8	35%	AII LDT Tools, Battery, Charger	Ultimate-power 22V 8.0 Ah Li-Ion battery for extreme run time
2136396	S	Battery pack B 22/5.2 Li-Ion	1		2YNC 2110409	23,437.1	23,437	825	16,406.0	30%	15,234.1	35%	15,234.1	35%	PT&A Accessories	22V 5.2Ah Li-Ion battery for extended running time
2015761	S	Battery charger C 4/36-90 230V box	1		2YNC	10,214.3	10,214	820	7,150.0	30%	6,639.3	35%	6,639.3	35%	PT&A Accessories	Standard universal charger to charge HiLi Li-Ion batteries
2037125	NS	Battery charger C 4/36-350 box	1		2YNC	16,657.1	16,657	1,340	11,660.0	30%	10,827.1	35%	10,827.1	35%	PT&A Accessories	Fast Charger to charge all HiLi Li-Ion batteries
Inserts for SCM 22A																
2014797	S	Circ. saw blade SC-C MJU 165x20 240 A	1			11,871.4	11,871	254	8,310.0	30%	7,716.4	35%	7,716.4	35%	PT&A Inserts (P Line)	Cold cutting in ferrous metal and structural panels (channel iron, pipe, steel plate, threaded rod, sandwich panel, etc)
2023990	NS	Circ. saw blade SC-C MS 165 AL	1			10,285.7	10,286	270	7,200.0	30%	6,685.7	35%	6,685.7	35%	PT&A Inserts (P Line)	Cold cutting in Aluminium and Non-ferrous metal (channel iron, pipes, tubes, plates, grating)
2023994	NS	Circ. saw blade SCB M Xcut 165	1			14,970.0	14,970	250	10,470.0	30%	9,730.5	35%	9,730.5	35%	PT&A Inserts (P Line)	Unmatched performance in Stainless Steel and suitable for all tubes/pipes
Accessories for SCM 22A																
2005043	NS	Container SCM	1	NR		1,109.4	1,109	63	776.6	30%	721.1	35%	721.1	35%	PT&A Accessories	Accessory for metal chips collection so that they don't fly in air while sawing operation
434945	NS	Parallel guide SCW / SCM	1	NR		1,293.0	1,293	111	905.1	30%	840.5	35%	840.5	35%	PT&A Accessories	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2085619	NS	Rating plate AG 100-8D 230V set	1	NR		24.3	24	in Gms	24.3	0%	24.3	0%	24.3	0%	24.3	0%	24.3	0%	Spares/Repairs	Spare part for AG100 8D
2085900	NS	Rating plate AG 100-8S 230V set	1	NR		24.3	24	1	24.3	0%	24.3	0%	24.3	0%	24.3	0%	24.3	0%	Spares/Repairs	Spare part for AG100 8S
2080643	S	Rotor SAG 230V assy	1	NR		2,045.8	2,046	427	2,045.8	0%	2,045.8	0%	2,045.8	0%	2,045.8	0%	2,045.8	0%	Spares/Repairs	Spare part for AG100 8S/8D
2080641	S	Gear housing assy	1	NR		730.6	731	183	730.6	0%	730.6	0%	730.6	0%	730.6	0%	730.6	0%	Spares/Repairs	Spare part for AG100 8S/8D
2119337	NS	Motor housing AG 100-8D packed	1	NR		1,012.7	1,013	125	1,012.7	0%	1,012.7	0%	1,012.7	0%	1,012.7	0%	1,012.7	0%	Spares/Repairs	Spare part for AG100 8D
2119338	NS	Stator 230V D packed	1	NR		1,166.0	1,166	450	1,166.0	0%	1,166.0	0%	1,166.0	0%	1,166.0	0%	1,166.0	0%	Spares/Repairs	Spare part for AG100 8D
2114031	NS	Stator 230V S packed	1	NR		1,166.0	1,166	459	1,166.0	0%	1,166.0	0%	1,166.0	0%	1,166.0	0%	1,166.0	0%	Spares/Repairs	Spare part for AG100 8S
2114032	NS	Motor housing packed	1	NR		1,012.7	1,013	162	1,012.7	0%	1,012.7	0%	1,012.7	0%	1,012.7	0%	1,012.7	0%	Spares/Repairs	Spare part for AG100 8S
2082765	NS	Lock button SAG set	1	NR		124.4	124	7	124.4	0%	124.4	0%	124.4	0%	124.4	0%	124.4	0%	Spares/Repairs	Spare part for AG100 8S/8D
2080642	S	Bearing plate M10 assy	1	NR		1,155.4	1,155	246	1,155.4	0%	1,155.4	0%	1,155.4	0%	1,155.4	0%	1,155.4	0%	Spares/Repairs	Spare part for AG100 8S/8D
2094383	S	Sealing washer SAG	1	NR		75.7	76	1	75.7	0%	75.7	0%	75.7	0%	75.7	0%	75.7	0%	Spares/Repairs	Spare part for AG100 8S/8D
2079851	S	Flange M10/16	1	NR		125.8	126	25	125.8	0%	125.8	0%	125.8	0%	125.8	0%	125.8	0%	Spares/Repairs	Spare part for AG100 8S/8D
2079852	S	Nut M10	1	NR		67.3	67	20	67.3	0%	67.3	0%	67.3	0%	67.3	0%	67.3	0%	Spares/Repairs	Spare part for AG100 8S/8D
282096	NS	Grease VP840	1	NR		2,050.0	2,050	274	2,050.0	0%	2,050.0	0%	2,050.0	0%	2,050.0	0%	2,050.0	0%	0% Discount	Spare part for AG100 8S/8D
2079845	NS	Protective cover D100	1	NR		444.0	444	187	444.0	0%	444.0	0%	444.0	0%	444.0	0%	444.0	0%	Spares/Repairs	Accessories for AG100 8S/8D
2079849	NS	Side handle XSAG	1	NR		194.2	194	89	194.2	0%	194.2	0%	194.2	0%	194.2	0%	194.2	0%	Spares/Repairs	Accessories for AG100 8S/8D
2079857	NS	Pin type face wrench M10/D100	1	NR		132.8	133	79	132.8	0%	132.8	0%	132.8	0%	132.8	0%	132.8	0%	0% Discount	Accessories for AG100 8S/8D
2079846	NS	Clip-on front cover 100	1	NR		219.3	219	54	219.3	0%	219.3	0%	219.3	0%	219.3	0%	219.3	0%	0% Discount	Accessories for AG100 8S/8D

Spares & Accessories for AG125																				
2152897	NS	Motor housing SAG 125-13S	1	NR		833.4	833	164	833.4	0%	833.4	0%	833.4	0%	833.4	0%	833.4	0%	Spares/Repairs	Spare part for AG125-13S
2152898	NS	Stator SAG 125-13S	1	NR		1,727.8	1,728	550	1,727.8	0%	1,727.8	0%	1,727.8	0%	1,727.8	0%	1,727.8	0%	Spares/Repairs	Spare part for AG125-13S
2153031	NS	Rotor SAG 125-13S assy	1	NR		2,491.0	2,491	466	2,491.0	0%	2,491.0	0%	2,491.0	0%	2,491.0	0%	2,491.0	0%	Spares/Repairs	Spare part for AG125-13S
2040903	NS	Supply cord EUR 2x1 4m assy	1	NR		829.2	829	500	829.2	0%	829.2	0%	829.2	0%	829.2	0%	829.2	0%	Spares/Repairs	Spare part for AG125-13S
2138655	NS	Protective sleeve	1	NR		99.0	99	20	99.0	0%	99.0	0%	99.0	0%	99.0	0%	99.0	0%	Spares/Repairs	Spare part for AG125-13S
2152973	NS	Carbon brush SAG 125-13S 6x11 set	2	NR		215.7	431	5	431.4	0%	431.4	0%	431.4	0%	431.4	0%	431.4	0%	Spares/Repairs	Spare part for AG125-13S, in a set of 2 pcs
2152975	NS	Dust shield SAG 125-13S	1	NR		35.6	36	2	35.6	0%	35.6	0%	35.6	0%	35.6	0%	35.6	0%	Spares/Repairs	Spare part for AG125-13S
2152976	NS	Ball bearing	1	NR		461.7	462	7	461.7	0%	461.7	0%	461.7	0%	461.7	0%	461.7	0%	Spares/Repairs	Spare part for AG125-13S
93862	NS	Ball bearing 8X22X7	1	NR		305.8	306	13	305.8	0%	305.8	0%	305.8	0%	305.8	0%	305.8	0%	Spares/Repairs	Spare part for AG125-13S
2152978	NS	Magnetic ring SAG 125-13S	1	NR		241.3	241	5	241.3	0%	241.3	0%	241.3	0%	241.3	0%	241.3	0%	Spares/Repairs	Spare part for AG125-13S
2152979	NS	Brush holder SAG 125-13S	1	NR		113.0	113	9	113.0	0%	113.0	0%	113.0	0%	113.0	0%	113.0	0%	Spares/Repairs	Spare part for AG125-13S
2153040	NS	Switch SAG 125-13S	1	NR		119.4	119	4	119.4	0%	119.4	0%	119.4	0%	119.4	0%	119.4	0%	Spares/Repairs	Spare part for AG125-13S
2161807	NS	Spring	1	NR		6.3	6	1	6.3	0%	6.3	0%	6.3	0%	6.3	0%	6.3	0%	Spares/Repairs	Spare part for AG125-13S
2153042	NS	Sliding block SAG 125-13S	1	NR		148.6	149	7	148.6	0%	148.6	0%	148.6	0%	148.6	0%	148.6	0%	Spares/Repairs	Spare part for AG125-13S
2153043	NS	Gear housing SAG 125-13S	1	NR		1,706.6	1,707	256	1,706.6	0%	1,706.6	0%	1,706.6	0%	1,706.6	0%	1,706.6	0%	Spares/Repairs	Spare part for AG125-13S
2153044	NS	Cover SAG 125-13S set	1	NR		305.8	306	15	305.8	0%	305.8	0%	305.8	0%	305.8	0%	305.8	0%	Spares/Repairs	Spare part for AG125-13S
2153045	NS	Housing end cap SAG 125-13S	1	NR		366.8	367	84	366.8	0%	366.8	0%	366.8	0%	366.8	0%	366.8	0%	Spares/Repairs	Spare part for AG125-13S
2153047	NS	Ring SAG 125-13S	1	NR		28.2	28	2	28.2	0%	28.2	0%	28.2	0%	28.2	0%	28.2	0%	Spares/Repairs	Spare part for AG125-13S
244085	NS	Ring	1	NR		64.9	65	1	64.9	0%	64.9	0%	64.9	0%	64.9	0%	64.9	0%	Spares/Repairs	Spare part for AG125-13S
2153048	NS	Bearing plate SAG 125-13S assy	1	NR		1,621.8	1,622	227	1,621.8	0%	1,621.8	0%	1,621.8	0%	1,621.8	0%	1,621.8	0%	Spares/Repairs	Spare part for AG125-13S
2153049	NS	Air deflector SAG 125-13S	1	NR		64.9	65	14	64.9	0%	64.9	0%	64.9	0%	64.9	0%	64.9	0%	Spares/Repairs	Spare part for AG125-13S
2153051	NS	Sealing washer	1	NR		21.7	22	0	21.7	0%	21.7	0%	21.7	0%	21.7	0%	21.7	0%	Spares/Repairs	Spare part for AG125-13S
2153052	NS	Rotary shaft seal SAG 125-13S	1	NR		63.6	64	3	63.6	0%	63.6	0%	63.6	0%	63.6	0%	63.6	0%	Spares/Repairs	Spare part for AG125-13S
2153053	NS	Circlip	1	NR		15.4	15	2	15.4	0%	15.4	0%	15.4	0%	15.4	0%	15.4	0%	Spares/Repairs	Spare part for AG125-13S
2153054	NS	Needle bearing	1	NR		253.9	254	3	253.9	0%	253.9	0%	253.9	0%	253.9	0%	253.9	0%	Spares/Repairs	Spare part for AG125-13S
2153055	NS	Cover SAG 125-13S	1	NR		184.1	184	12	184.1	0%	184.1	0%	184.1	0%	184.1	0%	184.1	0%	Spares/Repairs	Spare part for AG125-13S
2153056	NS	Washer	1	NR		21.7	22	2	21.7	0%	21.7	0%	21.7	0%	21.7	0%	21.7	0%	Spares/Repairs	Spare part for AG125-13S
2153057	NS	Nut	1	NR		28.2	28	3	28.2	0%	28.2	0%	28.2	0%	28.2	0%	28.2	0%	Spares/Repairs	Spare part for AG125-13S
2118246	NS	Screw ST4.2x19	1	NR		15.3	15	2	15.3	0%	15.3	0%	15.3	0%	15.3	0%	15.3	0%	Spares/Repairs	Spare part for AG125-13S
2153058	NS	Torx-soc tapp screw	1	NR		15.4	15	3	15.4	0%	15.4	0%	15.4	0%	15.4	0%	15.4	0%	Spares/Repairs	Spare part for AG125-13S
2201975	S	Speed regulator SAG 125-13S	1	NR		1,833.8	1,834	67	1,833.8	0%	1,833.8	0%	1,833.8	0%	1,833.8	0%	1,833.8	0%	Spares/Repairs	Spare part for AG125-13S
2160875	NS	Lock button SAG 125-13S	1	NR		119.4	119	3	119.4	0%	119.4	0%	119.4	0%	119.4	0%	119.4	0%	Spares/Repairs	Spare part for AG125-13S

Spares & Accessories for AG180																				
2090928	NS	Supply cord 230V	1	NR		601.4	601	343	601.4	0%	601.4	0%	601.4	0%	601.4	0%	601.4	0%	Spares/Repairs	Spare part for AG180-20P
2082895	NS	Protective sleeve	1	NR		91.5	91	29	91.5	0%	91.5	0%	91.5	0%	91.5	0%	91.5	0%	Spares/Repairs	Spare part for AG180-20P
2086146	S	Switch P 230V	1	NR		925.9	926	124	925.9	0%	925.9	0%	925.9	0%	925.9	0%	925.9	0%	Spares/Repairs	Spare part for AG180-20P
2082930	S	Electronics 230V	1	NR	2075554	1,346.2	1,346	49	1,346.2	0%	1,346.2	0%	1,346.2	0%	1,346.2	0%	1,346.2	0%	Spares/Repairs	Spare part for AG180-20P
2075554	S	Carbon brush 230V set	2	NR	3528956	348.8	698	11	697.7	0%	697.7	0%	697.7	0%	697.7	0%	697.7	0%	Spares/Repairs	Spare part for AG180-20P
2082931	NS	Brush holder set	1	NR		379.4	379	37	379.4	0%	379.4	0%	379.4	0%	379.4	0%	379.4	0%	Spares/Repairs	Spare part for AG180-20P, comes in a set of 2 pcs
2082932	NS	Cover set	1	NR		108.0	108	25	108.0	0%	108.0	0%	108.0	0%	108.0	0%	108.0	0%	Spares/Repairs	Spare part for AG180-20P
2082934	S	Motor housing 230V assy	1	NR		3,360.2	3,360	1,440	3,360.2	0%	3,360.2	0%	3,360.2	0%	3,360.2	0%	3,360.2	0%	Spares/Repairs	Spare part for AG180-20P
2082933	NS	Grip unit LAG	1	NR		726.7	727	236	726.7	0%	726.7	0%	726.7	0%	726.7	0%	726.7	0%	Spares/Repairs	Spare part for AG180-20P
2078654	NS	Rating plate AG 180-20P 230V	1	NR		19.2	19	1	19.2	0%	19.2	0%	19.2	0%	19.2	0%	19.2	0%	Spares/Repairs	Spare part for AG180-20P
2082935	S	Rotor 230V assy	1	NR		3,286.0	3,286	1,101	3,286.0	0%	3,286.0	0%	3,286.0	0%	3,286.0	0%	3,286.0	0%	Spares/Repairs	Spare part for AG180-20P
2082936	NS	Gear housing assy	1	NR		2,141.2	2,141	583	2,141.2	0%	2,141.2	0%	2,141.2	0%	2,141.2	0%	2,141.2	0%	Spares/Repairs	Spare part for AG180-20P
2082937	NS	Lock button set	1	NR		91.5	91	9	91.5	0%	91.5	0%	91.5	0%	91.5	0%	91.5	0%	Spares/Repairs	Spare part for AG180-20P
2082938	NS	Bearing plate M14 assy	1	NR		2,575.8	2,575.8	711	2,575.8	0%	2,575.8	0%	2,575.8	0%	2,575.8	0%	2,575.8	0%	Spares/Repairs	Spare part for AG180-20P
2094304	NS	Sealing washer LAG	1	NR		30.4	30	11	30.4	0%	30.4	0%	30.4	0%	30.4	0%	30.4	0%	Spares/Repairs	Spare part for AG180-20P
2079853	NS	Flange M14/22.2	1	NR		143.4	143	60	143.4	0%	143.4	0%	143.4	0%	143.4	0%	143.4	0%	Spares/Repairs	Spare part for AG180-20P
2079858	NS	Nut M14	1	NR		108.0	108	63	108.0	0%	108.0	0%	108.0	0%	108.0	0%	108.0	0%	Spares/Repairs	Spare part for AG180-20P
2079844	NS	Protective cover D180	1	NR		748.4	748	562	748.4	0%	748.4	0%	748.4	0%	748.4	0%	748.4	0%	Spares/Repairs	Accessories for AG180-20P
2079850	NS	Side handle LAG	1	NR		446.6	447	214	446.6	0%	446.6	0%	446.6	0%	446.6	0%	446.6	0%	Spares/Repairs	Accessories for AG180-20P
2079856	NS	Pin type face wrench M14/5/8	1	NR		222.0	222	79	222.0	0%	222.0	0%	222.0	0%	222.0	0%	222.0	0%	0% Discount	Accessories for AG180-20P



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description	
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
SP & EQD line blades for Cutting																					
2233583	NS	Dia blade 125/22 SP univ	1		2117870	4,200.0	4,200	-	2,940.0	30%	2,730.0	35%	2,730.0	35%	2,730.0	35%	2,730.0	35%	GCS Inserts (Cutting blades & Cup wheels)	Vortex II SP Line Diamond Blades (5") - 1 pc	
2233582	NS	Dia blade 125/22 (6) SP univ	6		2117871	3,876.9	23,261	-	16,283.0	30%	15,119.9	35%	15,119.9	35%	15,119.9	35%	15,119.9	35%	GCS Inserts (Cutting blades & Cup wheels)	Vortex II SP Line Diamond Blades (5") - MP 6	
2260555	NS	Dia blade 180/22 SP univ	1	NR	2117874	6,528.6	6,529	-	4,570.0	30%	4,243.6	35%	4,243.6	35%	4,243.6	35%	4,243.6	35%	GCS Inserts (Cutting blades & Cup wheels)	Vortex II SP Line Diamond Blades (7") - 1 pc	
2260119	NS	Dia blade 180/22 (6) SP univ	6	NR	2117875	6,030.7	36,184	-	25,329.0	30%	23,519.8	35%	23,519.8	35%	23,519.8	35%	23,519.8	35%	GCS Inserts (Cutting blades & Cup wheels)	Vortex II SP Line Diamond Blades (7") - MP 6	
2233585	NS	Dia blade 230/22 SP univ	1	NR	2117876	8,100.0	8,100	-	5,670.0	30%	5,265.0	35%	5,265.0	35%	5,265.0	35%	5,265.0	35%	GCS Inserts (Cutting blades & Cup wheels)	Vortex II SP Line Diamond Blades (9") - 1 pc	
2233584	NS	Diamond disc SP-S 230/22 (6) universal	6	NR	2117877	7,477.9	44,867	-	31,407.0	30%	29,163.6	35%	29,163.6	35%	29,163.6	35%	29,163.6	35%	GCS Inserts (Cutting blades & Cup wheels)	Vortex II SP Line Diamond Blades (9") - MP 6	
2117878	\$	Diamond disc SP-S 305/22 universal	1			15,868.6	15,869	1,357	11,108.0	30%	10,314.6	35%	10,314.6	35%	10,314.6	35%	10,314.6	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond Cutting - SPline	
2117879	\$	Diamond disc SP-S 305/22 (6) universal	6			13,024.0	78,144	1,160	54,701.0	30%	50,793.8	35%	50,793.8	35%	50,793.8	35%	50,793.8	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond Cutting - SPline	
2117966	NS	Diamond disc EQD SPX 305/22 universal	1			26,037.1	26,037	1,513	18,226.0	30%	16,924.1	35%	16,924.1	35%	16,924.1	35%	16,924.1	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond Cutting - SPXline	
2117967	NS	Diamond disc EQD SPX 305/22 (6) universal	6			25,860.7	155,164	1,340	108,615.0	30%	100,856.8	35%	100,856.8	35%	100,856.8	35%	100,856.8	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond Cutting - SPXline	
2267001	\$	Dia blade 100/20/16 (6) P univ	6			897.6	5,386	-	3,770.0	30%	3,500.7	35%	3,500.7	35%	3,500.7	35%	3,500.7	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond Cutting - SPXline	
Diamond Cupwheels DG-CW - P line - Grinding																					
2238578	\$	Diamond cup wheel DG-CW 100/20 P (2) uni	2		2164630	4,278.6	8,557	276	5,990.0	30%	5,562.1	35%	5,562.1	35%	5,562.1	35%	5,562.1	35%	GCS Inserts (Cutting blades & Cup wheels)	Arbor 20mm	
2238579	\$	Diamond cup DG-CW 100/20 P (6) uni	6			3,950.2	23,701	274	16,591.0	30%	15,405.9	35%	15,405.9	35%	15,405.9	35%	15,405.9	35%	GCS Inserts (Cutting blades & Cup wheels)	Arbor 20mm	
2238266	\$	Diamond cup DG-CW 125/5" P (2) univ	2		2163739	4,371.4	8,743	333	6,120.0	30%	5,682.9	35%	5,682.9	35%	5,682.9	35%	5,682.9	35%	GCS Inserts (Cutting blades & Cup wheels)	For DGH 130, Arbor 22.2mm	
2238581	\$	Diamond cup DG-CW 180/7" P (2) univ	2		2163740	5,857.1	11,714	754	8,200.0	30%	7,614.3	35%	7,614.3	35%	7,614.3	35%	7,614.3	35%	GCS Inserts (Cutting blades & Cup wheels)	Arbor 22.2mm	
2238577	\$	Diamond cup DG-CW 180/7" P (6) univ	6		2163743	5,583.6	33,501	744	23,451.0	30%	21,775.9	35%	21,775.9	35%	21,775.9	35%	21,775.9	35%	GCS Inserts (Cutting blades & Cup wheels)	Arbor 22.2mm	
2242367	\$	Diamond cup DG-CW 125/5" P (6) univ	6		2163742	3,986.3	23,930	329	16,751.0	30%	15,554.5	35%	15,554.5	35%	15,554.5	35%	15,554.5	35%	GCS Inserts (Cutting blades & Cup wheels)	For DGH 130, Arbor 22.2mm	
2163743	\$	Diamond Cup 180/7" P (6) univ	6	NR	2119657	5,583.6	33,501	846	23,451.0	30%	21,775.9	35%	21,775.9	35%	21,775.9	35%	21,775.9	35%	GCS Inserts (Cutting blades & Cup wheels)		
2238556	NS	Diamond cup DG-CW 125/5" SPX coatings	1		2163723	6,414.3	6,414	342	4,490.0	30%	4,169.3	35%	4,169.3	35%	4,169.3	35%	4,169.3	35%	GCS Inserts (Cutting blades & Cup wheels)	For removing thin coatings such as paint and adhesive	
2238557	NS	Diamond cup DG-CW 125/5" SPX epoxy	1		2163725	23,678.6	23,679	584	16,575.0	30%	15,391.1	35%	15,391.1	35%	15,391.1	35%	15,391.1	35%	GCS Inserts (Cutting blades & Cup wheels)	For removing thick coatings such as epoxy	
Diamond Cupwheels DG-CW - SP line - Grinding																					
2238569	\$	Diamond cup DG-CW 125/5" SP (2) univ	2			6,728.6	13,457	333	9,420.0	30%	8,747.1	35%	8,747.1	35%	8,747.1	35%	8,747.1	35%	GCS Inserts (Cutting blades & Cup wheels)	Premium cup wheel with 1.5 Life and 2X speed over P-Line. For DGH 130, Arbor 22.2mm	
2238570	\$	Diamond cup DG-CW 125/5" SP (6) univ	6			6,148.6	36,891	329	25,824.0	30%	23,979.4	35%	23,979.4	35%	23,979.4	35%	23,979.4	35%	GCS Inserts (Cutting blades & Cup wheels)	Premium cup wheel with 1.5 Life and 2X speed over P-Line. For DGH 130, Arbor 22.2mm	
Rotary Hammer Drills (with 1YNC)																					
Pistol grip Lightweight Rotary Hammer Drills (with 1YNC)																					
3595308	\$	Kir TE 1 +TE-C 6.5/11 Rotary hammer TE 1 230V case Hammer drill bit TE-C 6.5/11	1 1 1		1YNC	16,942.9	16,943	NA	11,860.0	30%	11,012.9	35%	11,012.9	35%	11,012.9	35%	11,012.9	35%	AII LDT Tools, Battery, Charger		
3595497	\$	Kir TE 1 + TE-C 10/16 Rotary Hammer TE 1 Hammer Drill Bit TE-C 10/16	1 1 1		1YNC	17,098.6	17,099	NA	11,969.0	30%	11,114.1	35%	11,114.1	35%	11,114.1	35%	11,114.1	35%	AII LDT Tools, Battery, Charger		
3595499	\$	Kir TE 2 + TE-CX 10/22 Rotary hammer TE 2 230V case Hammer drill bit TE-CX 10/22	1 1 1		1YNC	21,981.4	21,981	NA	15,387.0	30%	14,287.9	35%	14,287.9	35%	14,287.9	35%	14,287.9	35%	AII LDT Tools, Battery, Charger		
3776938	\$	Kir TE 2 + TE-C 12/16 Rotary hammer TE 2 230V case Hammer drill bit TE-C 12/16	1 1 1		1YNC	21,335.7	21,336	NA	14,935.0	30%	13,868.2	35%	13,868.2	35%	13,868.2	35%	13,868.2	35%	AII LDT Tools, Battery, Charger		
3595326	\$	Kir TE 2-M + TE-CX 12/22 Rotary hammer TE 2-M 230V case Hammer drill bit TE-CX 12/22	1 1 1		1YNC	36,861.4	36,861	NA	25,803.0	30%	23,959.9	35%	23,959.9	35%	23,959.9	35%	23,959.9	35%	AII LDT Tools, Battery, Charger	Comes with 3 jaw chuck	
3601317	\$	Kir TE 3CL+DCD+Glasses+TE-C10/16 Rotary hammer TE 3-CL 230V case Hammer drill bit TE-C 10/16	1 1 1		1YNC	30,201.4	30,201	NA	21,141.0	30%	19,630.9	35%	19,630.9	35%	19,630.9	35%	19,630.9	35%	AII LDT Tools, Battery, Charger	Comes with dust collector and glasses	
3601318	\$	Kir TE 3ML+DCD+Glasses+TE-C10/16 Rotary hammer TE 3-ML 230V case Hammer drill bit TE-C 10/16	1 1 1		1YNC	36,568.6	36,569	NA	25,598.0	30%	23,769.6	35%	23,769.6	35%	23,769.6	35%	23,769.6	35%	AII LDT Tools, Battery, Charger	Comes with dust collector and glasses Comes with 3 jaw chuck	
3601319	\$	Kir TE 3CL+DCD+Glasses+TE-CX10/22 Rotary hammer TE 3-CL 230V case Hammer drill bit TE-CX 10/22	1 1 1		1YNC	30,917.1	30,917	NA	21,642.0	30%	20,096.1	35%	20,096.1	35%	20,096.1	35%	20,096.1	35%	AII LDT Tools, Battery, Charger	Comes with dust collector and glasses	
3601320	\$	Kir TE 3ML+DCD+Glasses+TE-CX10/22 Rotary hammer TE 3-ML 230V case Hammer drill bit TE-CX 10/22	1 1 1		1YNC	37,282.9	37,283	NA	26,098.0	30%	24,233.9	35%	24,233.9	35%	24,233.9	35%	24,233.9	35%	AII LDT Tools, Battery, Charger	Comes with dust collector and glasses Comes with 3 jaw chuck	
D-Handle Lightweight Rotary Hammer Drills (with 1YNC)																					
3778096	\$	Kir TE 7 + TE-C 12/21 Rotary hammer TE 7 230V case Hammer drill bit TE-C 12/21	1 1 1		1YNC	37,222.9	37,223	NA	26,056.0	30%	24,194.9	35%	24,194.9	35%	24,194.9	35%	24,194.9	35%	AII LDT Tools, Battery, Charger		
3818538	\$	Kir TE 7 + TE-CX 12/22 Rotary hammer TE 7 230V case Hammer drill bit TE-CX 12/22	1 1 1		3595313 , 1YNC	38,907.0	38,907	NA	38,907.0	0%	38,907.0	0%	38,907.0	0%	38,907.0	0%	38,907.0	0%	0%Discount		
3771923	\$	Kir TE 7C +TE-C 12/21 Rotary hammer TE 7-C + QRC 230V case Hammer drill bit TE-C 12/21	1 1 1		2YNC	46,091.4	46,091	NA	32,264.0	30%	29,959.4	35%	29,959.4	35%	29,959.4	35%	29,959.4	35%	AII LDT Tools, Battery, Charger	Comes with 3 jaw chuck	
3773699	\$	Kir TE 7C + TE-C 16/21 Rotary hammer TE 7-C + QRC 230V case Hammer drill bit TE-C 16/21	1 1 1		2YNC	44,111.4	44,111	NA	30,878.0	30%	28,672.4	35%	28,672.4	35%	28,672.4	35%	28,672.4	35%	AII LDT Tools, Battery, Charger	Comes with 3 jaw chuck	
3818533	\$	Kir TE 7C + TE-CX 16/22 Rotary hammer TE 7-C + QRC 230V case Hammer drill bit TE-CX 16/22	1 1 1		3595519 , 2YNC	49,931.4	49,931	NA	34,952.0	30%	32,455.4	35%	32,455.4	35%	32,455.4	35%	32,455.4	35%	AII LDT Tools, Battery, Charger	Comes with 3 jaw chuck	
3818539	\$	Kir TE 7C + TE-CX 16/27 Rotary hammer TE 7-C + QRC 230V case Hammer drill bit TE-CX 16/27	1 1 1		3595520 , 2YNC	50,468.0	50,468	NA	50,468.0	0%	50,468.0	0%	50,468.0	0%	50,468.0	0%	50,468.0	0%	0%Discount	Comes with 3 jaw chuck	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
Cordless Rotary Hammer Drill (with 2YNC)																				
3595304	\$	KR TE 2A + TE-CX 10/17 Cordless rotary hammer TE 2-A22 case Hammer drill bit TE-CX 10/17	1		2YNC	28,708.6	28,709	NA	20,096.0	30%	18,660.6	35%	18,660.6	35%	18,660.6	35%	18,660.6	35%	All LDT Tools, Battery, Charger	
3818542	\$	KR TE-6A-22+QRC+CX 14/22 Cordless rotary hammer TE 6-A22 case Hammer drill bit TE-CX 14/22 Quick-release chuck packed	1		3656532_ 2YNC 2YNC	50,002.9	50,003	NA	35,002.0	30%	32,501.9	35%	32,501.9	35%	32,501.9	35%	32,501.9	35%	All LDT Tools, Battery, Charger	36V TE 6A
2136393	\$	Battery pack B 22/2.6 Li-Ion	1		2YNC	15,297.1	15,297	506	10,708.0	30%	9,943.1	35%	9,943.1	35%	9,943.1	35%	9,943.1	35%	PT&A Accessories	Compact 22V 2.6 Ah Li-Ion battery
2136396	\$	Battery pack B 22/5.2 Li-Ion	1		2YNC 2110409	23,437.1	23,437	825	16,406.0	30%	15,234.1	35%	15,234.1	35%	15,234.1	35%	15,234.1	35%	PT&A Accessories	22V 5.2Ah Li-Ion battery for extended running time
2183183	\$	Battery pack B 22/8.0 Li-Ion	1		2YNC	33,624.3	33,624	-	23,537.0	30%	21,855.8	35%	21,855.8	35%	21,855.8	35%	21,855.8	35%	All LDT Tools, Battery, Charger	
2302144	NS	Battery pack B 36/5.2 Li-Ion	1		2YNC	53,642.9	53,643	1,420	37,550.0	30%	34,867.9	35%	34,867.9	35%	34,867.9	35%	34,867.9	35%	PT&A Accessories	36V 5.2 Ah battery
2098208	NS	Battery pack B 36/2.6	1		2YNC	41,907.1	41,907	840	29,335.0	30%	27,239.6	35%	27,239.6	35%	27,239.6	35%	27,239.6	35%	PT&A Accessories	36V 2.6 AH battery
2015761	\$	Battery charger C 4/36-90 230V box	1		2YNC	10,214.3	10,214	820	7,150.0	30%	6,639.3	35%	6,639.3	35%	6,639.3	35%	6,639.3	35%	PT&A Accessories	Standard universal charger to charge HiLi Li-Ion batteries
2037125	NS	Battery charger C 4/36-350 box	1		2YNC	16,657.1	16,657	1,340	11,660.0	30%	10,827.1	35%	10,827.1	35%	10,827.1	35%	10,827.1	35%	PT&A Accessories	Fast Charger to charge all HiLi Li-Ion batteries.
Cordless Riveting Tool on 22V platform																				
2218557	\$	Cord. riveting tool RT 6-A22 case	1		2YNC INP 2021	82,674.3	82,674	-	57,872.0	30%	53,738.3	35%	53,738.3	35%	53,738.3	35%	53,738.3	35%	All LDT Tools, Battery, Charger	Cordless Rivet fixing tool on 22v Platform for upto 4.8mm Steel and 5mm Al rivet fixing with 1 pc of nose pieces of all sizes. Battery Charger not included
2215864	\$	Mouthpiece RTN 24/3.0-3.2mm (5)	5		INP 2021	1,054.3	5,271	-	3,690.0	30%	3,426.4	35%	3,426.4	35%	3,426.4	35%	3,426.4	35%	All LDT Tools, Battery, Charger	MP 5Extra Nose for RT6A, 3.2mm rivets
2215865	\$	Mouthpiece RTN 29/ 4.0mm (5)	5		INP 2021	1,045.7	5,229	-	3,660.0	30%	3,398.6	35%	3,398.6	35%	3,398.6	35%	3,398.6	35%	All LDT Tools, Battery, Charger	MP 5 Extra Nose for RT6A, 4mm rivets
2215866	\$	Mouthpiece RTN 35/4.8-5.0mm (5)	5		INP 2021	1,054.3	5,271	-	3,690.0	30%	3,426.4	35%	3,426.4	35%	3,426.4	35%	3,426.4	35%	All LDT Tools, Battery, Charger	MP 5 Extra Nose for RT6A, 4.8-5mmmm rivets
2215863	\$	Mouthpiece RTN 20/2.4mm (5)	5		INP 2021	1,054.3	5,271	-	3,690.0	30%	3,426.4	35%	3,426.4	35%	3,426.4	35%	3,426.4	35%	All LDT Tools, Battery, Charger	MP5 Extra Nose for RT6A, 2.4mm rivets
2215880	\$	Mouthpiece RTN set	1		INP 2021	5,271.4	5,271	-	3,690.0	30%	3,426.4	35%	3,426.4	35%	3,426.4	35%	3,426.4	35%	All LDT Tools, Battery, Charger	Extra Nosepiece set for RT6A, all sizes 1 pc each
2218249	\$	Jaws RT 6 (3) set	1	NR	INP 2021	3,885.7	3,886	-	2,720.0	30%	2,525.7	35%	2,525.7	35%	2,525.7	35%	2,525.7	35%	All LDT Tools, Battery, Charger	MP3 Replacement jaws for RT-6A
2218260	\$	Pin collector RT 6	1	NR	INP 2021	357.0	357	-	249.9	30%	232.1	35%	232.1	35%	232.1	35%	232.1	35%	All LDT Tools, Battery, Charger	Replacement Pin collector for RT-6A
2222541	\$	Pusher RT 6 PSHR	1	NR	INP 2021	2,457.1	2,457	-	1,720.0	30%	1,597.1	35%	1,597.1	35%	1,597.1	35%	1,597.1	35%	All LDT Tools, Battery, Charger	Replacement Pusher for RT 6A
2222542	\$	Cover RT 6 NCVR	1	NR	INP 2021	3,428.6	3,429	-	2,400.0	30%	2,228.6	35%	2,228.6	35%	2,228.6	35%	2,228.6	35%	All LDT Tools, Battery, Charger	Replacement Cover for RT 6A
Spares for Minor Servicibility of Corded Rotary Hammer Drills																				
2161446	\$	Carbon brush TE 1(01) /TE 2(02) 220-240V	1			327.1	327	5	327.1	0%	327.1	0%	327.1	0%	327.1	0%	327.1	0%	Spares/Repairs	Carbon Brush for TE 1, TE 2,TE 2M
2161480	\$	Carbon brush TE 7 220-240V	1			296.2	296	4	296.2	0%	296.2	0%	296.2	0%	296.2	0%	296.2	0%	Spares/Repairs	Carbon Brush for TE 7
2161482	\$	Carbon brush TE 7C 220-240V	1			492.7	493	8	492.7	0%	492.7	0%	492.7	0%	492.7	0%	492.7	0%	Spares/Repairs	Carbon Brush for TE 7C
2162128	NS	Switch TE 3-C/MC/ML (01) 220-240V	1	NR		3,816.0	3,816	67	3,816.0	0%	3,816.0	0%	3,816.0	0%	3,816.0	0%	3,816.0	0%	Spares/Repairs	
2161448	NS	Carbon brush TE 3C/MC/ML (01) 220-240V	1	NR		1,940.0	1,940	5	1,940.0	0%	1,940.0	0%	1,940.0	0%	1,940.0	0%	1,940.0	0%	Spares/Repairs	
2164770	NS	Supply cord TE1_ TE2(2)_ TE7(2)_ TE7C(1)EUR	1	NR		782.1	782	506	782.1	0%	782.1	0%	782.1	0%	782.1	0%	782.1	0%	Spares/Repairs	Carbon Brush for TE 1, TE 2/TE 2M and TE 7/TE 7C
Accessories for Rotary Hammer Drills																				
267769	NS	Dust removal system TE DRS-M	1			36,928.6	36,929	1,727	25,850.0	30%	24,003.6	35%	24,003.6	35%	24,003.6	35%	24,003.6	35%	PT&A Accessories	DRS FOR TE 7C
2098238	NS	Dust removal system TE DRS-6-A box	1			30,035.7	30,036	1,900	21,025.0	30%	19,523.2	35%	19,523.2	35%	19,523.2	35%	19,523.2	35%	PT&A Accessories	DRS For new TE 6A
224117	NS	Quick-release chuck TE 2/2-S/2-E + SDS	1			8,657.1	8,657	334	6,060.0	30%	5,627.1	35%	5,627.1	35%	5,627.1	35%	5,627.1	35%	PT&A Accessories	Suitable for TE 2 (Three-jaw chuck with a C connection spindle, to be fitted onto a TE 2)
224119	\$	Quick-release chuck TE 2M/7C/7A/6A Li	1			15,320.0	15,320	479	10,724.0	30%	9,958.0	35%	9,958.0	35%	9,958.0	35%	9,958.0	35%	PT&A Accessories	Suitable for TE 2-M, TE 6-A Lion, TE 7-C, TE 7, remove the chuck with a pull
273118	NS	Chuck TE 2-M NG/TE 7-C assy	1			2,257.8	2,258	290	2,257.8	0%	2,257.8	0%	2,257.8	0%	2,257.8	0%	2,257.8	0%	Spares/Repairs	Suitable for TE 2-M, TE 6-A Lion, TE 7-C, TE 7, available as a spare chuck for C connection bits
TE-CX Drill Bits (for Rotary Hammer Drills)																				
433782	\$	Hammer drill bit TE-CX 5/12	1	NR		732.3	732	-	512.6	30%	476.0	35%	476.0	35%	476.0	35%	476.0	35%	Power Tool Rotary Consumables ultimate	Working Length - 50mm
2021990	\$	Hammer drill bit TE-CX 5/12 MP8	8	NR	Multipack 2021	551.8	4,414	-	3,090.0	30%	2,869.3	35%	2,869.3	35%	2,869.3	35%	2,869.3	35%	Power Tool Rotary Consumables ultimate	Working Length - 50mm
2306971	\$	Hammer drill bit TE-CX 5/12 MP16	16		Multipack 2021	504.5	8,071	-	5,650.0	30%	5,246.4	35%	5,246.4	35%	5,246.4	35%	5,246.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 50mm
433784	\$	Hammer drill bit TE-CX 5/15	1	NR		927.4	927	-	649.2	30%	602.8	35%	602.8	35%	602.8	35%	602.8	35%	Power Tool Rotary Consumables ultimate	Working Length - 75mm
2021991	\$	Hammer drill bit TE-CX 5/15 MP8	8		Multipack 2021	698.2	5,586	-	3,910.0	30%	3,630.7	35%	3,630.7	35%	3,630.7	35%	3,630.7	35%	Power Tool Rotary Consumables ultimate	Working Length - 75mm
2306974	\$	Hammer drill bit TE-CX 5/15 MP16	16		Multipack 2021	639.3	10,229	-	7,160.0	30%	6,648.6	35%	6,648.6	35%	6,648.6	35%	6,648.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 75mm
433786	\$	Hammer drill bit TE-CX 5/17	1			794.9	795	46	556.4	30%	516.7	35%	516.7	35%	516.7	35%	516.7	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm
2021992	\$	Hammer drill bit TE-CX 5/17 MP8	8		Multipack 2021	598.2	4,786	46	3,350.0	30%	3,110.7	35%	3,110.7	35%	3,110.7	35%	3,110.7	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm
2306977	\$	Hammer drill bit TE-CX 5/17 MP16	16		Multipack 2021	547.3	8,757	46	6,130.0	30%	5,692.1	35%	5,692.1	35%</						



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E			A			B			C			D			Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%						
2022010	\$	Hammer drill bit TE-CX 10/27 MP8	8		Multipack 2021	1,146.4	9,171	100	6,420.0	30%	5,961.4	35%	5,961.4	35%	5,961.4	35%	5,961.4	35%	5,961.4	35%	5,961.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2314614	\$	Hammer drill bit TE-CX 10/27 MP16	16		Multipack 2021	1,048.8	16,780	100	11,746.0	30%	10,907.0	35%	10,907.0	35%	10,907.0	35%	10,907.0	35%	10,907.0	35%	10,907.0	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151625	\$	Hammer drill bit TE-CX 12/12	1		Old Item - 409196	1,317.1	1,317	-	922.0	30%	856.1	35%	856.1	35%	856.1	35%	856.1	35%	856.1	35%	856.1	35%	Power Tool Rotary Consumables ultimate		
2151626	\$	Hammer drill bit TE-CX 12/17	1		Old Item - 409197	1,471.4	1,471	-	1,030.0	30%	956.4	35%	956.4	35%	956.4	35%	956.4	35%	956.4	35%	956.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2151582	\$	Hammer drill bit TE-CX 12/17 MP8	8		Old Item - 2022012	1,091.1	8,729	-	6,110.0	30%	5,673.6	35%	5,673.6	35%	5,673.6	35%	5,673.6	35%	5,673.6	35%	5,673.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2314617	\$	Hammer drill bit TE-CX 12/17 MP16	16		Multipack 2021	998.4	15,974	-	11,182.0	30%	10,383.3	35%	10,383.3	35%	10,383.3	35%	10,383.3	35%	10,383.3	35%	10,383.3	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2151627	\$	Hammer drill bit TE-CX 12/22	1		409198	1,657.1	1,657	-	1,160.0	30%	1,077.1	35%	1,077.1	35%	1,077.1	35%	1,077.1	35%	1,077.1	35%	1,077.1	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2151583	\$	Hammer drill bit TE-CX 12/22 MP8	8		2022013	1,228.6	9,829	-	6,880.0	30%	6,388.6	35%	6,388.6	35%	6,388.6	35%	6,388.6	35%	6,388.6	35%	6,388.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2314620	\$	Hammer drill bit TE-CX 12/22 MP16	16		Multipack 2021	1,124.2	17,987	-	12,591.0	30%	11,691.6	35%	11,691.6	35%	11,691.6	35%	11,691.6	35%	11,691.6	35%	11,691.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2151628	\$	Hammer drill bit TE-CX 12/27	1		409199	1,942.9	1,943	-	1,360.0	30%	1,262.9	35%	1,262.9	35%	1,262.9	35%	1,262.9	35%	1,262.9	35%	1,262.9	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151584	\$	Hammer drill bit TE-CX 12/27 MP8	8		2022014	1,444.6	11,557	-	8,090.0	30%	7,512.1	35%	7,512.1	35%	7,512.1	35%	7,512.1	35%	7,512.1	35%	7,512.1	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2314623	\$	Hammer drill bit TE-CX 12/27 MP16	16		Multipack 2021	1,322.7	21,163	-	14,814.0	30%	13,755.9	35%	13,755.9	35%	13,755.9	35%	13,755.9	35%	13,755.9	35%	13,755.9	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151629	\$	Hammer drill bit TE-CX 12/37	1		409200	3,285.7	3,286	-	2,300.0	30%	2,135.7	35%	2,135.7	35%	2,135.7	35%	2,135.7	35%	2,135.7	35%	2,135.7	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151630	\$	Hammer drill bit TE-CX 12/47	1		409201	4,257.1	4,257	-	2,980.0	30%	2,767.1	35%	2,767.1	35%	2,767.1	35%	2,767.1	35%	2,767.1	35%	2,767.1	35%	Power Tool Rotary Consumables ultimate		
2151631	\$	Hammer drill bit TE-CX 12/61	1		409202	4,885.7	4,886	-	3,420.0	30%	3,175.7	35%	3,175.7	35%	3,175.7	35%	3,175.7	35%	3,175.7	35%	3,175.7	35%	Power Tool Rotary Consumables ultimate		
2151586	\$	Hammer drill bit TE-CX 14/17 MP8	8		2022016	1,466.1	11,729	-	8,210.0	30%	7,623.6	35%	7,623.6	35%	7,623.6	35%	7,623.6	35%	7,623.6	35%	7,623.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2314535	\$	Hammer drill bit TE-CX 14/17 MP16	16		Multipack 2021	1,342.2	21,476	-	15,033.0	30%	13,959.2	35%	13,959.2	35%	13,959.2	35%	13,959.2	35%	13,959.2	35%	13,959.2	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2151635	\$	Hammer drill bit TE-CX 14/22	1		409206	2,128.6	2,129	-	1,490.0	30%	1,383.6	35%	1,383.6	35%	1,383.6	35%	1,383.6	35%	1,383.6	35%	1,383.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2151587	\$	Hammer drill bit TE-CX 14/22 MP8	8		2022017	1,575.0	12,600	-	8,820.0	30%	8,190.0	35%	8,190.0	35%	8,190.0	35%	8,190.0	35%	8,190.0	35%	8,190.0	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2314538	\$	Hammer drill bit TE-CX 14/22 MP16	16		Multipack 2021	1,442.9	23,087	-	16,161.0	30%	15,006.6	35%	15,006.6	35%	15,006.6	35%	15,006.6	35%	15,006.6	35%	15,006.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2151636	\$	Hammer drill bit TE-CX 14/27	1		409207	3,271.4	3,271	-	2,290.0	30%	2,126.4	35%	2,126.4	35%	2,126.4	35%	2,126.4	35%	2,126.4	35%	2,126.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151588	\$	Hammer drill bit TE-CX 14/27 MP8	8		2022018	2,434.6	19,477	-	13,634.0	30%	12,660.1	35%	12,660.1	35%	12,660.1	35%	12,660.1	35%	12,660.1	35%	12,660.1	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2314631	\$	Hammer drill bit TE-CX 14/27 MP16	16		Multipack 2021	2,231.5	35,704	-	24,993.0	30%	23,207.8	35%	23,207.8	35%	23,207.8	35%	23,207.8	35%	23,207.8	35%	23,207.8	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151638	\$	Hammer drill bit TE-CX 14/47	1		409209	5,342.9	5,343	-	3,740.0	30%	3,472.9	35%	3,472.9	35%	3,472.9	35%	3,472.9	35%	3,472.9	35%	3,472.9	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm	
2151639	\$	Hammer drill bit TE-CX 14/61	1		409210	7,342.9	7,343	-	5,140.0	30%	4,772.9	35%	4,772.9	35%	4,772.9	35%	4,772.9	35%	4,772.9	35%	4,772.9	35%	Power Tool Rotary Consumables ultimate		
409211	\$	Hammer drill bit TE-CX 15/17	1			2,242.9	2,243	118	1,570.0	30%	1,457.9	35%	1,457.9	35%	1,457.9	35%	1,457.9	35%	1,457.9	35%	1,457.9	35%	PT&A Inserts (SP Line)	Working Length - 100mm	
2151592	\$	Hammer drill bit TE-CX 16/17	1		409214	2,800.0	2,800	-	1,960.0	30%	1,820.0	35%	1,820.0	35%	1,820.0	35%	1,820.0	35%	1,820.0	35%	1,820.0	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2151589	\$	Hammer drill bit TE-CX 16/17 MP8	8		2022019	2,084.5	16,676	-	11,673.0	30%	10,839.2	35%	10,839.2	35%	10,839.2	35%	10,839.2	35%	10,839.2	35%	10,839.2	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2314634	\$	Hammer drill bit TE-CX 16/17 MP16	16		Multipack 2021	1,910.7	30,571	-	21,400.0	30%	19,871.4	35%	19,871.4	35%	19,871.4	35%	19,871.4	35%	19,871.4	35%	19,871.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm	
2151593	\$	Hammer drill bit TE-CX 16/22	1		409215	3,185.7	3,186	-	2,230.0	30%	2,070.7	35%	2,070.7	35%	2,070.7	35%	2,070.7	35%	2,070.7	35%	2,070.7	35%	Power Tool Rotary Consumables ultimate	Working Length - 150mm	
2151590	\$																								



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2206733	\$	Hammer drill bit TE-CX 25/27	1			7,628.6	7,629	390	5,340.0	30%	4,958.6	35%	4,958.6	35%	4,958.6	35%	4,958.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm
2307104	\$	Hammer drill bit TE-CX 25/27 MP8	8		Multipack 2021	5,699.1	45,593	-	31,915.0	30%	29,635.4	35%	29,635.4	35%	29,635.4	35%	29,635.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm
2307105	\$	Hammer drill bit TE-CX 25/27 MP16	16		Multipack 2021	5,224.2	83,587	-	58,511.0	30%	54,331.6	35%	54,331.6	35%	54,331.6	35%	54,331.6	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm
2206734	\$	Hammer drill bit TE-CX 25/48	1			8,971.4	8,971	683	6,280.0	30%	5,831.4	35%	5,831.4	35%	5,831.4	35%	5,831.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 400mm
2307108	\$	Hammer drill bit TE-CX 25/48 MP8	8		Multipack 2021	6,713.9	53,711	-	37,598.0	30%	34,912.4	35%	34,912.4	35%	34,912.4	35%	34,912.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 400mm
2307109	\$	Hammer drill bit TE-CX 25/48 MP16	16		Multipack 2021	6,154.4	98,470	-	68,929.0	30%	64,005.5	35%	64,005.5	35%	64,005.5	35%	64,005.5	35%	Power Tool Rotary Consumables ultimate	Working Length - 400mm
2206737	\$	Hammer drill bit TE-CX 28/27	1	NR		9,557.1	9,557	-	6,690.0	30%	6,212.1	35%	6,212.1	35%	6,212.1	35%	6,212.1	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm
2307120	\$	Hammer drill bit TE-CX 28/27 MP8	8		Multipack 2021	7,149.1	57,193	-	40,035.0	30%	37,175.4	35%	37,175.4	35%	37,175.4	35%	37,175.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm
2307121	\$	Hammer drill bit TE-CX 28/27 MP16	16		Multipack 2021	6,553.3	104,853	-	73,397.0	30%	68,154.4	35%	68,154.4	35%	68,154.4	35%	68,154.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 200mm
2206738	\$	Hammer drill bit TE-CX 28/48	1			10,971.4	10,971	840	7,680.0	30%	7,131.4	35%	7,131.4	35%	7,131.4	35%	7,131.4	35%	Power Tool Rotary Consumables ultimate	Working Length - 400mm
2306966	\$	Hammer drill bit TE-CX 28/48 MP8	8		Multipack 2021	8,217.7	65,741	-	46,019.0	30%	42,731.9	35%	42,731.9	35%	42,731.9	35%	42,731.9	35%	Power Tool Rotary Consumables ultimate	Working Length - 400mm
2306967	\$	Hammer drill bit TE-CX 28/48 MP16	16		Multipack 2021	7,532.7	120,523	-	84,366.0	30%	78,339.9	35%	78,339.9	35%	78,339.9	35%	78,339.9	35%	Power Tool Rotary Consumables ultimate	Working Length - 400mm
TE-C Drill Bits (for Rotary Hammer Drills)																				
2224252	\$	Hammer drill bit TE-C 5/11	1			276.9	277	-	193.8	30%	180.0	35%	180.0	35%	180.0	35%	180.0	35%	Power Tool Rotary Consumables Premium	
2224241	\$	Hammer drill bit TE-C 5/11 MP8	8		Multipack 2021	210.7	1,686	-	1,180.0	30%	1,095.7	35%	1,095.7	35%	1,095.7	35%	1,095.7	35%	Power Tool Rotary Consumables Premium	
2307130	\$	Hammer drill bit TE-C 5/11 MP16	16		Multipack 2021	192.0	3,071	-	2,150.0	30%	1,996.4	35%	1,996.4	35%	1,996.4	35%	1,996.4	35%	Power Tool Rotary Consumables Premium	
2307132	\$	Hammer drill bit TE-C 5/11 MP48	48		Multipack 2021	161.9	7,771	-	5,440.0	30%	5,051.4	35%	5,051.4	35%	5,051.4	35%	5,051.4	35%	Power Tool Rotary Consumables Premium	
2224212	\$	Hammer drill bit TE-C 5/16	1	NR	Multipack 2021	311.4	311	-	218.0	30%	202.4	35%	202.4	35%	202.4	35%	202.4	35%	Power Tool Rotary Consumables Premium	
2224281	\$	Hammer drill bit TE-C 5/16 MP8	8	NR	Multipack 2021	237.5	1,900	-	1,330.0	30%	1,235.0	35%	1,235.0	35%	1,235.0	35%	1,235.0	35%	Power Tool Rotary Consumables Premium	
2307133	\$	Hammer drill bit TE-C 5/16 MP16	16		Multipack 2021	215.2	3,443	-	2,410.0	30%	2,237.9	35%	2,237.9	35%	2,237.9	35%	2,237.9	35%	Power Tool Rotary Consumables Premium	
2307135	\$	Hammer drill bit TE-C 5/16 MP48	48		Multipack 2021	181.8	8,729	-	6,110.0	30%	5,673.6	35%	5,673.6	35%	5,673.6	35%	5,673.6	35%	Power Tool Rotary Consumables Premium	
2224215	\$	Hammer drill bit TE-C 6/11	1			304.4	304	-	213.1	30%	197.9	35%	197.9	35%	197.9	35%	197.9	35%	Power Tool Rotary Consumables Premium	
2224282	\$	Hammer drill bit TE-C 6/11 MP8	8		Multipack 2021	230.4	1,843	-	1,290.0	30%	1,197.9	35%	1,197.9	35%	1,197.9	35%	1,197.9	35%	Power Tool Rotary Consumables Premium	
2307143	\$	Hammer drill bit TE-C 6/11 MP16	16		Multipack 2021	210.7	3,371	-	2,360.0	30%	2,191.4	35%	2,191.4	35%	2,191.4	35%	2,191.4	35%	Power Tool Rotary Consumables Premium	
2307145	\$	Hammer drill bit TE-C 6/11 MP48	48		Multipack 2021	178.3	8,557	-	5,990.0	30%	5,562.1	35%	5,562.1	35%	5,562.1	35%	5,562.1	35%	Power Tool Rotary Consumables Premium	
2224216	\$	Hammer drill bit TE-C 6/16	1			327.6	328	-	229.3	30%	212.9	35%	212.9	35%	212.9	35%	212.9	35%	Power Tool Rotary Consumables Premium	
2224283	\$	Hammer drill bit TE-C 6/16 MP8	8		Multipack 2021	248.2	1,986	-	1,390.0	30%	1,290.7	35%	1,290.7	35%	1,290.7	35%	1,290.7	35%	Power Tool Rotary Consumables Premium	
2307146	\$	Hammer drill bit TE-C 6/16 MP16	16		Multipack 2021	225.9	3,614	-	2,530.0	30%	2,349.3	35%	2,349.3	35%	2,349.3	35%	2,349.3	35%	Power Tool Rotary Consumables Premium	
2307148	\$	Hammer drill bit TE-C 6/16 MP48	48		Multipack 2021	191.4	9,186	-	6,430.0	30%	5,970.7	35%	5,970.7	35%	5,970.7	35%	5,970.7	35%	Power Tool Rotary Consumables Premium	
2224217	\$	Hammer drill bit TE-C 6/21	1			484.4	484	-	339.1	30%	314.9	35%	314.9	35%	314.9	35%	314.9	35%	Power Tool Rotary Consumables Premium	
2224284	\$	Hammer drill bit TE-C 6/21 MP8	8		Multipack 2021	366.1	2,929	-	2,050.0	30%	1,903.6	35%	1,903.6	35%	1,903.6	35%	1,903.6	35%	Power Tool Rotary Consumables Premium	
2307149	\$	Hammer drill bit TE-C 6/21 MP16	16		Multipack 2021	334.8	5,357	-	3,750.0	30%	3,482.1	35%	3,482.1	35%	3,482.1	35%	3,482.1	35%	Power Tool Rotary Consumables Premium	
2307151	\$	Hammer drill bit TE-C 6/21 MP48	48		Multipack 2021	282.7	13,571	-	9,500.0	30%	8,821.4	35%	8,821.4	35%	8,821.4	35%	8,821.4	35%	Power Tool Rotary Consumables Premium	
2224219	\$	Hammer drill bit TE-C 6.5/11	1			387.6	388	-	271.3	30%	251.9	35%	251.9	35%	251.9	35%	251.9	35%	Power Tool Rotary Consumables Premium	
2306944	\$	Hammer drill bit TE-C 6.5/11 MP8	8		Multipack 2021	292.9	2,343	-	1,640.0	30%	1,522.9	35%	1,522.9	35%	1,522.9	35%	1,522.9	35%	Power Tool Rotary Consumables Premium	
2306945	\$	Hammer drill bit TE-C 6.5/11 MP16	16		Multipack 2021	267.9	4,286	-	3,000.0	30%	2,785.7	35%	2,785.7	35%	2,785.7	35%	2,785.7	35%	Power Tool Rotary Consumables Premium	
2306947	\$	Hammer drill bit TE-C 6.5/11 MP48	48		Multipack 2021	226.5	10,871	-	7,610.0	30%	7,066.4	35%	7,066.4	35%	7,066.4	35%	7,066.4	35%	Power Tool Rotary Consumables Premium	
2224220	\$	Hammer drill bit TE-C 6.5/16	1	NR		415.3	415	-	290.7	30%	269.9	35%	269.9	35%	269.9	35%	269.9	35%	Power Tool Rotary Consumables Premium	
2224286	\$	Hammer drill bit TE-C 6.5/16 MP8	8	NR	Multipack 2021	312.5	2,500	-	1,750.0	30%	1,625.0	35%	1,625.0	35%	1,625.0	35%	1,625.0	35%	Power Tool Rotary Consumables Premium	
2306948	\$																			



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
								in Gms												
2224257	\$	Hammer drill bit TE-C 14/16	1			830.3	830	-	581.2	30%	539.7	35%	539.7	35%	539.7	35%	539.7	35%	Power Tool Rotary Consumables Premium	
2224247	\$	Hammer drill bit TE-C 14/16 MP8	8		Multipack 2021	625.0	5,000	-	3,500.0	30%	3,250.0	35%	3,250.0	35%	3,250.0	35%	3,250.0	35%	Power Tool Rotary Consumables Premium	
2307247	\$	Hammer drill bit TE-C 14/16 MP16	16		Multipack 2021	572.3	9,157	-	6,410.0	30%	5,952.1	35%	5,952.1	35%	5,952.1	35%	5,952.1	35%	Power Tool Rotary Consumables Premium	
2307249	\$	Hammer drill bit TE-C 14/16 MP48	48		Multipack 2021	484.3	23,247	-	16,273.0	30%	15,110.6	35%	15,110.6	35%	15,110.6	35%	15,110.6	35%	Power Tool Rotary Consumables Premium	
2224258	\$	Hammer drill bit TE-C 14/21	1			945.7	946	-	662.0	30%	614.7	35%	614.7	35%	614.7	35%	614.7	35%	Power Tool Rotary Consumables Premium	
2224297	\$	Hammer drill bit TE-C 14/21 MP8	8		Multipack 2021	712.5	5,700	-	3,990.0	30%	3,705.0	35%	3,705.0	35%	3,705.0	35%	3,705.0	35%	Power Tool Rotary Consumables Premium	
2307250	\$	Hammer drill bit TE-C 14/21 MP16	16		Multipack 2021	651.8	10,429	-	7,300.0	30%	6,778.6	35%	6,778.6	35%	6,778.6	35%	6,778.6	35%	Power Tool Rotary Consumables Premium	
2307252	\$	Hammer drill bit TE-C 14/21 MP48	48		Multipack 2021	551.6	26,476	-	18,533.0	30%	17,209.2	35%	17,209.2	35%	17,209.2	35%	17,209.2	35%	Power Tool Rotary Consumables Premium	
2224259	\$	Hammer drill bit TE-C 14/31	1			1,114.0	1,114	-	779.8	30%	724.1	35%	724.1	35%	724.1	35%	724.1	35%	Power Tool Rotary Consumables Premium	
2224298	\$	Hammer drill bit TE-C 14/31 MP8	8		Multipack 2021	839.3	6,714	-	4,700.0	30%	4,364.3	35%	4,364.3	35%	4,364.3	35%	4,364.3	35%	Power Tool Rotary Consumables Premium	
2307253	\$	Hammer drill bit TE-C 14/31 MP16	16		Multipack 2021	767.0	12,271	-	8,590.0	30%	7,976.4	35%	7,976.4	35%	7,976.4	35%	7,976.4	35%	Power Tool Rotary Consumables Premium	
2307255	\$	Hammer drill bit TE-C 14/31 MP48	48		Multipack 2021	649.8	31,189	-	21,832.0	30%	20,272.6	35%	20,272.6	35%	20,272.6	35%	20,272.6	35%	Power Tool Rotary Consumables Premium	
2224263	\$	Hammer drill bit TE-C 16/16	1			1,072.4	1,072	-	750.7	30%	697.1	35%	697.1	35%	697.1	35%	697.1	35%	Power Tool Rotary Consumables Premium	
2224300	\$	Hammer drill bit TE-C 16/16 MP8	8		Multipack 2021	805.4	6,443	-	4,510.0	30%	4,187.9	35%	4,187.9	35%	4,187.9	35%	4,187.9	35%	Power Tool Rotary Consumables Premium	
2307256	\$	Hammer drill bit TE-C 16/16 MP16	16		Multipack 2021	738.4	11,814	-	8,270.0	30%	7,679.3	35%	7,679.3	35%	7,679.3	35%	7,679.3	35%	Power Tool Rotary Consumables Premium	
2307225	\$	Hammer drill bit TE-C 16/16 MP48	48		Multipack 2021	625.6	30,027	-	21,019.0	30%	19,517.6	35%	19,517.6	35%	19,517.6	35%	19,517.6	35%	Power Tool Rotary Consumables Premium	
2224264	\$	Hammer drill bit TE-C 16/21	1			1,152.7	1,153	-	806.9	30%	749.3	35%	749.3	35%	749.3	35%	749.3	35%	Power Tool Rotary Consumables Premium	
2224301	\$	Hammer drill bit TE-C 16/21 MP8	8		Multipack 2021	858.9	6,871	-	4,810.0	30%	4,466.4	35%	4,466.4	35%	4,466.4	35%	4,466.4	35%	Power Tool Rotary Consumables Premium	
2307226	\$	Hammer drill bit TE-C 16/21 MP16	16		Multipack 2021	785.7	12,571	-	8,800.0	30%	8,171.4	35%	8,171.4	35%	8,171.4	35%	8,171.4	35%	Power Tool Rotary Consumables Premium	
2307228	\$	Hammer drill bit TE-C 16/21 MP48	48		Multipack 2021	666.2	31,976	-	22,383.0	30%	20,784.2	35%	20,784.2	35%	20,784.2	35%	20,784.2	35%	Power Tool Rotary Consumables Premium	
2224265	\$	Hammer drill bit TE-C 16/31	1			1,254.4	1,254	-	878.1	30%	815.4	35%	815.4	35%	815.4	35%	815.4	35%	Power Tool Rotary Consumables Premium	
2224302	\$	Hammer drill bit TE-C 16/31 MP8	8		Multipack 2021	937.5	7,500	-	5,250.0	30%	4,875.0	35%	4,875.0	35%	4,875.0	35%	4,875.0	35%	Power Tool Rotary Consumables Premium	
2307229	\$	Hammer drill bit TE-C 16/31 MP16	16		Multipack 2021	857.1	13,714	-	9,600.0	30%	8,914.3	35%	8,914.3	35%	8,914.3	35%	8,914.3	35%	Power Tool Rotary Consumables Premium	
2307261	\$	Hammer drill bit TE-C 16/31 MP48	48		Multipack 2021	726.4	34,869	-	24,408.0	30%	22,664.6	35%	22,664.6	35%	22,664.6	35%	22,664.6	35%	Power Tool Rotary Consumables Premium	

TE-CD Hollow Drill Bits (for Rotary Hammer Drills)																				
2018940	\$	Hammer drill bit TE-CD 12/33	1	NR		8,842.9	8,843	-	6,190.0	30%	5,747.9	35%	5,747.9	35%	5,747.9	35%	5,747.9	35%	Power Tool Rotary Consumables ultimate	
2307304	\$	Hammer drill bit TE-CD 12/33 MP4	4		Multipack 2021	6,617.1	26,469	-	18,528.0	30%	17,204.6	35%	17,204.6	35%	17,204.6	35%	17,204.6	35%	Power Tool Rotary Consumables ultimate	
2018942	\$	Hammer drill bit TE-CD 14/37	1	NR		9,871.4	9,871	-	6,910.0	30%	6,416.4	35%	6,416.4	35%	6,416.4	35%	6,416.4	35%	Power Tool Rotary Consumables ultimate	
2307305	\$	Hammer drill bit TE-CD 14/37 MP4	4		Multipack 2021	7,387.5	29,550	-	20,685.0	30%	19,207.5	35%	19,207.5	35%	19,207.5	35%	19,207.5	35%	Power Tool Rotary Consumables ultimate	
2018945	\$	Hammer drill bit TE-CD 16/37	1	NR		10,557.1	10,557	340	7,390.0	30%	6,862.1	35%	6,862.1	35%	6,862.1	35%	6,862.1	35%	Power Tool Rotary Consumables ultimate	
2307306	\$	Hammer drill bit TE-CD 16/37 MP4	4		Multipack 2021	7,901.1	31,604	-	22,123.0	30%	20,542.8	35%	20,542.8	35%	20,542.8	35%	20,542.8	35%	Power Tool Rotary Consumables ultimate	
2018946	\$	Hammer drill bit TE-CD 18/37	1	NR		11,285.7	11,286	522	7,900.0	30%	7,335.7	35%	7,335.7	35%	7,335.7	35%	7,335.7	35%	Power Tool Rotary Consumables ultimate	
2307307	\$	Hammer drill bit TE-CD 18/37 MP4	4		Multipack 2021	8,454.3	33,817	-	23,672.0	30%	21,981.1	35%	21,981.1	35%	21,981.1	35%	21,981.1	35%	Power Tool Rotary Consumables ultimate	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
Diamond																				
Diamond Grinding Portfolio - INP																				
DGH 130 Concrete Grinders																				
2283122	\$	Diamond grinder DGH 130 230V	1		2236893	25,655.7	25,656	NA	17,959.0	30%	16,676.2	35%	16,676.2	35%	16,676.2	35%	16,676.2	35%	Diamond Grinding Tools	DGH 130 cardboard box with one P-Line Cup wheel
2200272	\$	Backing pad DGH 130	1		INP WAVE 2 2019	5,500.0	5,500	NA	3,850.0	30%	3,575.0	35%	3,575.0	35%	3,575.0	35%	3,575.0	35%	GCS Inserts (Cutting blades & Cup wheels)	To be used with Finishing pads
2207450	\$	Dia. polishing disc 130 SPX (6) G.50	6		INP WAVE 2 2019	1,290.5	7,743	NA	5,420.0	30%	5,032.9	35%	5,032.9	35%	5,032.9	35%	5,032.9	35%	GCS Inserts (Cutting blades & Cup wheels)	Git 50 Finishing Pads, Pack of 6 pcs, Sell with 2200272
2207452	\$	Dia. polishing disc 130 SPX (6) G.100	6		INP WAVE 2 2019	1,359.5	8,157	NA	5,710.0	30%	5,302.1	35%	5,302.1	35%	5,302.1	35%	5,302.1	35%	GCS Inserts (Cutting blades & Cup wheels)	Git 100 Finishing Pads, Pack of 6 pcs, Sell with 2200272
2207454	\$	Dia. polishing disc 130 SPX (6) G.200	6		INP WAVE 2 2019	1,440.5	8,643	NA	6,050.0	30%	5,617.9	35%	5,617.9	35%	5,617.9	35%	5,617.9	35%	GCS Inserts (Cutting blades & Cup wheels)	Git 200 Finishing Pads, Pack of 6 pcs, Sell with 2200272
2238266	\$	Diamond cup DG-CW 125/5" P (2) univ	2		2163739	4,371.4	8,743	NA	6,120.0	30%	5,682.9	35%	5,682.9	35%	5,682.9	35%	5,682.9	35%	GCS Inserts (Cutting blades & Cup wheels)	Diamond Cup wheels for DGH 130, Pack of 2 Pcs
2242387	\$	Diamond cup DG-CW 125/5" P (6) univ	6		2163742	3,988.3	23,930	NA	16,751.0	30%	15,554.5	35%	15,554.5	35%	15,554.5	35%	15,554.5	35%	GCS Inserts (Cutting blades & Cup wheels)	Diamond Cup wheels for DGH 130, Pack of 6 pcs
2200273	\$	Dust lip set DGH 130	1		INP WAVE 2 2019	695.1	695	NA	486.6	30%	451.8	35%	451.8	35%	451.8	35%	451.8	35%	DD Accessories	Dust lip
2209979	\$	Adapter DGH & DCH-SL	1	NR	INP WAVE 2 2019	803.6	804	NA	562.5	30%	522.3	35%	522.3	35%	522.3	35%	522.3	35%	DD Accessories	
2203660	\$	Flange DGH 130	1		INP WAVE 2 2019	107.0	107	NA	74.9	30%	69.6	35%	69.6	35%	69.6	35%	69.6	35%	DD Accessories	
2203661	\$	Clamping element DGH 130	1		INP WAVE 2 2019	456.7	457	NA	319.7	30%	296.9	35%	296.9	35%	296.9	35%	296.9	35%	DD Accessories	
2152973	\$	Carbon brush SAG 125-135 6x11 set	1	NR		431.4	431	NA	431.4	0%	431.4	0%	431.4	0%	431.4	0%	431.4	0%	Spares/Repairs	Self Maintenance Items, Pack of 2
2040903	\$	Supply cord EUR 2x1 4m assy	1	NR		829.2	829	NA	829.2	0%	829.2	0%	829.2	0%	829.2	0%	829.2	0%	Spares/Repairs	Self Maintenance Items
2238569	\$	Diamond cup DG-CW 125/5" SP (2) univ	2			6,728.6	13,457	NA	9,420.0	30%	8,747.1	35%	8,747.1	35%	8,747.1	35%	8,747.1	35%	GCS Inserts (Cutting blades & Cup wheels)	
2238570	\$	Diamond cup DG-CW 125/5" SP (6) univ	6			6,148.6	36,891	NA	25,824.0	30%	23,979.4	35%	23,979.4	35%	23,979.4	35%	23,979.4	35%	GCS Inserts (Cutting blades & Cup wheels)	
DGH 150 Concrete Grinders																				
2294768	\$	Diamond grinder DGH 150 230V	1	Old Item - 369391	INP WAVE 1 2022	173,645.7	173,646	NA	121,552.0	30%	112,869.7	35%	112,869.7	35%	112,869.7	35%	112,869.7	35%	Diamond Grinding Tools	DG 150 with DPC unit
		Diamond grinder DGH 150 230V	1																	
		Universal Cup Wheel 150mm	1																	
		Instruction Manual	1																	
		Red Hilti Case	1																	
2234316	\$	Tool case DGH 150 empty	1		INP WAVE 1 2022	14,285.7	14,286	NA	10,000.0	30%	9,285.7	35%	9,285.7	35%	9,285.7	35%	9,285.7	35%	DD Accessories	
2238593	\$	Dust lip set DGH 150	1		INP WAVE 1 2022	2,442.9	2,443	NA	1,710.0	30%	1,587.9	35%	1,587.9	35%	1,587.9	35%	1,587.9	35%	DD Accessories	
2257581	\$	Flange DGH 150	1		INP WAVE 1 2022	1,914.3	1,914	NA	1,340.0	30%	1,244.3	35%	1,244.3	35%	1,244.3	35%	1,244.3	35%	DD Accessories	
2270821	\$	Diamond cup DG-CW 150/6" SPX coatings	1		INP WAVE 1 2022	7,371.4	7,371	NA	5,160.0	30%	4,791.4	35%	4,791.4	35%	4,791.4	35%	4,791.4	35%	GCS Inserts (Cutting blades & Cup wheels)	
2270822	\$	Diamond cup DG-CW 150/6" SPX epoxy PC	1		INP WAVE 1 2022	41,411.4	41,411	NA	28,988.0	30%	26,917.4	35%	26,917.4	35%	26,917.4	35%	26,917.4	35%	GCS Inserts (Cutting blades & Cup wheels)	
2270824	\$	Diamond cup DG-CW 150/6" SP (2) univ	1		INP WAVE 1 2022	14,185.7	14,186	NA	9,930.0	30%	9,220.7	35%	9,220.7	35%	9,220.7	35%	9,220.7	35%	GCS Inserts (Cutting blades & Cup wheels)	
2270777	\$	Diamond cup DG-CW 150/6" SP (6) univ	1		INP WAVE 1 2022	41,147.1	41,147	NA	28,803.0	30%	26,745.6	35%	26,745.6	35%	26,745.6	35%	26,745.6	35%	GCS Inserts (Cutting blades & Cup wheels)	Diamond cup wheel for DG 150
Diamond Drilling Tools and Accessories																				
DD 120 Diamond Core Drilling System (Bl+ CONNECTION)																				
3813593	\$	KR DD 120 Set+ CB 52/430 + CM 52	1	OLD item - 359549	1YNC	179,600.0	179,600	NA	125,720.0	30%	116,740.0	35%	116,740.0	35%	116,740.0	35%	116,740.0	35%	DD Accessories	
		Diamond coring tool DD 120 230V	1																	
		Nut DD-LR-CLN	1																	
		Jack screw DD-LR-CLS	1																	
		Connection end BI (M41)	1																	
		Core bit B 52/430+ P-U abras	1																	
		Change module 52 P-U abras	1																	
		Drilling stand DD-ST 120 SFL	1																	
3813663	\$	KR DD 120 Set + CB 77/430 + CM 77	1	OLD item - 3595650	1YNC	181,757.1	181,757	NA	127,230.0	30%	118,142.1	35%	118,142.1	35%	118,142.1	35%	118,142.1	35%	DD Accessories	
		Diamond coring tool DD 120 230V	1																	
		Nut DD-LR-CLN	1																	
		Jack screw DD-LR-CLS	1																	
		Connection end BI (M41)	1																	
		Change module 77 P-U abras	1																	
		Core bit B 77/430+ P-U abras	1																	
		Drilling stand DD-ST 120 SFL	1																	
3813665	\$	KR DD 120 Set + CB 102/430 + CM 102	1	OLD item - 3595651	1YNC	184,718.6	184,719	NA	129,303.0	30%	120,067.1	35%	120,067.1	35%	120,067.1	35%	120,067.1	35%	DD Accessories	
		Diamond coring tool DD 120 230V	1																	
		Nut DD-LR-CLN	1																	
		Jack screw DD-LR-CLS	1																	
		Connection end BI (M41)	1																	
		Change module 102 P-U abras	1																	
		Core bit B 102/430+ P-U abras	1																	
		Drilling stand DD-ST 120 SFL	1																	
2203159	\$	Drilling stand DD-ST 120 SFL	1			31,435.7	31,436	6,155	22,005.0	30%	20,433.2	35%	20,433.2	35%	20,433.2	35%	20,433.2	35%	Light Duty DD	DD 120 Stand
333477	\$	Nut DD-LR-CLN	1			4,985.7	4,986	156	3,490.0	30%	3,240.7	35%	3,240.7	35%	3,240.7	35%	3,240.7	35%	DD Accessories	-
333629	\$	Jack screw DD-LR-CLS	1			6,400.0	6,400	95	4,480.0	30%	4,160.0	35%	4,160.0	35%	4,160.0	35%	4,160.0	35%	DD Accessories	-



Sealing Rings																					
207307	NS	Sealing washer DD-SW-24/25-S	1	NR			1,144.7	1,145	25	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207308	NS	Sealing washer DD-SW-28/30-S	1	NR			1,144.7	1,145	27	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207309	NS	Sealing washer DD-SW-32-S	1	NR			1,144.7	1,145	26	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207310	NS	Sealing washer DD-SW-42-S	1	NR			1,144.7	1,145	24	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207311	NS	Sealing washer DD-SW-47/56-S	1	NR			1,144.7	1,145	21	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207313	NS	Sealing washer DD-SW-77/87-S	1	NR			1,144.7	1,145	18	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207314	NS	Sealing washer DD-SW-24/25-M	1	NR			2,242.9	2,243	73	1,570.0	30%	1,457.9	35%	1,457.9	35%	1,457.9	35%	1,457.9	35%	DD Accessories	Sealing rings for DD-WC-SM
207315	NS	Sealing washer DD-SW-28/30-M	1	NR			2,200.0	2,200	70	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207316	NS	Sealing washer DD-SW-32-M	1	NR			2,200.0	2,200	71	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207317	NS	Sealing washer DD-SW-42-M	1	NR			2,200.0	2,200	74	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207318	NS	Sealing washer DD-SW-47/56-M	1	NR			2,257.1	2,257	70	1,580.0	30%	1,467.1	35%	1,467.1	35%	1,467.1	35%	1,467.1	35%	DD Accessories	Sealing rings for DD-WC-SM
207319	NS	Sealing washer DD-SW-62/72-M	1	NR			2,300.0	2,300	69	1,610.0	30%	1,495.0	35%	1,495.0	35%	1,495.0	35%	1,495.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207320	NS	Sealing washer DD-SW-77/87-M	1	NR			2,814.3	2,814	62	1,970.0	30%	1,829.3	35%	1,829.3	35%	1,829.3	35%	1,829.3	35%	DD Accessories	Sealing rings for DD-WC-SM
207321	NS	Sealing washer DD-SW-92/102-M	1	NR			2,928.6	2,929	60	2,050.0	30%	1,903.6	35%	1,903.6	35%	1,903.6	35%	1,903.6	35%	DD Accessories	Sealing rings for DD-WC-SM
207322	NS	Sealing washer DD-SW-107/117-M	1	NR			2,228.6	2,229	59	1,560.0	30%	1,448.6	35%	1,448.6	35%	1,448.6	35%	1,448.6	35%	DD Accessories	Sealing rings for DD-WC-SM
207323	NS	Sealing washer DD-SW-122/132-M	1	NR			2,200.0	2,200	48	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207324	NS	Sealing washer DD-SW-142/152-M	1	NR			2,200.0	2,200	41	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM

D-200 (02) Diamond Drilling System																		
3595461	\$	Kit DD 200 Set + CB 102/430 + CM 102 Diamond coring tool DD 200 230V BL Drilling stand DD-HD 30 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Core bit B 102/430+ P-U abras Change module 102 P-U abras	1 1 1 1 1 1 1	2YNC	940,017.1	940,017	NA	658,012.0	30%	611,011.1	35%	611,011.1	35%	611,011.1	35%	611,011.1	35%	DD Tools
3595462	\$	Kit DD 200 Set + CB 152/430 + CM 152 Diamond coring tool DD 200 230V BL Drilling stand DD-HD 30 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Core bit B 152/430+ P-U abras Change module 152 P-U abras	1 1 1 1 1 1 1	2YNC	947,525.7	947,526	NA	663,268.0	30%	615,891.7	35%	615,891.7	35%	615,891.7	35%	615,891.7	35%	DD Tools
3595563	\$	Kit DD 200 Set + CB 202/430 + CM 202 Diamond coring tool DD 200 230V BL Drilling stand DD-HD 30 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Core bit B 202/430+ P-U abras Change module 202 P-U abras	1 1 1 1 1 1 1	2YNC	956,832.9	956,833	NA	669,783.0	30%	621,941.4	35%	621,941.4	35%	621,941.4	35%	621,941.4	35%	DD Tools
3595564	\$	Kit DD 200 Set + CB 250/430 Diamond coring tool DD 200 230V BL Drilling stand DD-HD 30 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Core bit B 250/430 P-U abras	1 1 1 1 1 1 1	2YNC	959,627.1	959,627	NA	671,739.0	30%	623,757.6	35%	623,757.6	35%	623,757.6	35%	623,757.6	35%	DD Tools
3595565	\$	Kit DD 200 ST Set + CB 102/430 + CM 102 Diamond coring tool DD 200 230V BL ST Drilling stand DD-ST 200 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Change module 102 P-U abras Core bit B 102/430+ P-U abras	1 1 1 1 1 1 1 1	2YNC	761,715.7	761,716	NA	533,201.0	30%	495,115.2	35%	495,115.2	35%	495,115.2	35%	495,115.2	35%	DD Tools
3595566	\$	Kit DD 200 ST Set + CB 152/430 + CM 152 Diamond coring tool DD 200 230V BL ST Drilling stand DD-ST 200 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Core bit B 152/430+ P-U abras Change module 152 P-U abras	1 1 1 1 1 1 1 1	2YNC	769,221.4	769,221	NA	538,455.0	30%	499,993.9	35%	499,993.9	35%	499,993.9	35%	499,993.9	35%	DD Tools
3595567	\$	Kit DD 200 ST Set + CB 202/430 + CM 202 Diamond coring tool DD 200 230V BL ST Drilling stand DD-ST 200 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML Connection end DD-BL Core bit B 202/430+ P-U abras Change module 202 P-U abras	1 1 1 1 1 1 1 1	2YNC	778,532.9	778,533	NA	544,973.0	30%	506,046.4	35%	506,046.4	35%	506,046.4	35%	506,046.4	35%	DD Tools
3595568	\$	Kit DD 200 ST Set + CB 250/430 Diamond coring tool DD 200 230V BL ST Drilling stand DD-ST 200 Jack screw DD-CS M16 Quick-locking nut DD-CN-SML	1 1 1 1 1	2YNC	781,327.1	781,327	NA	546,929.0	30%	507,862.6	35%	507,862.6	35%	507,862.6	35%	507,862.6	35%	DD Tools



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
		Connection end DD-BL	1																	
		Core bit B 250/430 P-U abras	1																	
2148548	\$	Drilling stand DD-HD 30	1		2YNC	428,860.0	428,860	27,000	300,202.0	30%	278,759.0	35%	278,759.0	35%	278,759.0	35%	278,759.0	35%	DD Tools	DD 200 (Gen 02) Stand
2105437	\$	Drilling stand DD-ST 200	1			156,642.9	156,643	14,400	109,650.0	30%	101,817.9	35%	101,817.9	35%	101,817.9	35%	101,817.9	35%	DD Tools	DD 200 Standard Stand
337378	\$	Jack screw DD-CS M16	1			3,028.6	3,029	410	2,120.0	30%	1,968.6	35%	1,968.6	35%	1,968.6	35%	1,968.6	35%	DD Accessories	Clamping Spindle
251834	\$	Quick-locking nut DD-CN-SML	1			6,028.6	6,029	793	4,220.0	30%	3,918.6	35%	3,918.6	35%	3,918.6	35%	3,918.6	35%	DD Accessories	-
2127984	\$	Flush anchor HKV M16x65	25			92.6	2,314	92	1,620.0	30%	1,504.3	35%	1,504.3	35%	1,550.6	33%	1,550.6	33%	Flush Anchor HKV (Standard)	25 pc/box
243744	\$	Setting tool HSD-G M16 5/8"X65	1			3,987.5	3,988	584	3,190.0	20%	2,791.3	30%	2,791.3	30%	2,990.6	25%	2,990.6	25%	Flush Anchor HKD (Premium)	Setting tool
421963	\$	Hammer drill bit TE-CX 20/22	1	NR		5,557.1	5,557	220	3,890.0	30%	3,612.1	35%	3,612.1	35%	3,612.1	35%	3,612.1	35%	PT&A Inserts (SP Line)	Working Length - 150mm

DD-350 Cut assist -Diamond Core Drilling System (BL CONNECTION)																				
DD-350 CA - Diamond Drilling complete System																				
2087381	\$	Diamond coring tool DD 350-CA BL 230V	1		2YNC	944,705.7	944,706	20,200	661,294.0	30%	614,058.7	35%	614,058.7	35%	614,058.7	35%	614,058.7	35%	DD Tools	3600 W Motor unit with BL chuck; Diameter Range: 52mm to 500mm
2082528	NS	Autofeed unit DD AF-CA 220-480V	1	NR		832,085.7	832,086	5,886	582,460.0	30%	540,855.7	35%	540,855.7	35%	540,855.7	35%	540,855.7	35%	DD Accessories	Cut assist (optional)
2148548	\$	Drilling stand DD-HD 30	1		2YNC	428,860.0	428,860	27,000	300,202.0	30%	278,759.0	35%	278,759.0	35%	278,759.0	35%	278,759.0	35%	DD Tools	Complete stand with rail, anchor base plate, feed handle & carriage
337378	\$	Jack screw DD-CS M16	1			3,028.6	3,029	410	2,120.0	30%	1,968.6	35%	1,968.6	35%	1,968.6	35%	1,968.6	35%	DD Accessories	Clamping Spindle
251834	\$	Quick-locking nut DD-CN-SML	1			6,028.6	6,029	793	4,220.0	30%	3,918.6	35%	3,918.6	35%	3,918.6	35%	3,918.6	35%	DD Accessories	
2127984	\$	Flush anchor HKV M16x65	25			92.6	2,314	92	1,620.0	30%	1,504.3	35%	1,504.3	35%	1,550.6	33%	1,550.6	33%	Flush Anchor HKV (Standard)	25 pc/box
243744	\$	Setting tool HSD-G M16 5/8"x65	1			3,987.5	3,988	584	3,190.0	20%	2,791.3	30%	2,791.3	30%	2,990.6	25%	2,990.6	25%	Flush Anchor HKD (Premium)	Setting tool
421963	\$	Hammer drill bit TE-CX 20/22	1	NR		5,557.1	5,557	220	3,890.0	30%	3,612.1	35%	3,612.1	35%	3,612.1	35%	3,612.1	35%	PT&A Inserts (SP Line)	Working Length - 150mm
Total Basic System (NR)=							2,226,567		1,558,996.0		1,447,468.2		1,447,468.2		1,447,713.9		1,447,714			

Serviceability items for Diamond tools- DD 120,DD160 & DD200																			
2164606	NS	Supply cord DD 120/DD 200 (1) 220-240V	1	NR		13,174.0	13,174	870	13,174.0	0%	13,174.0	0%	13,174.0	0%	13,174.0	0%	Spares/Repairs	Supply Cord for DD 120	
2164607	NS	Supply cord DD 160/DD 200 (2) 220-240V	1	NR		17,314.0	17,314	1,029	17,314.0	0%	17,314.0	0%	17,314.0	0%	17,314.0	0%	Spares/Repairs	Supply Cord for DD 160/DD 200	
2164608	NS	Switch DD 120/DD 200 (1) 220-240V	1	NR		1,346.2	1,346	70	1,346.2	0%	1,346.2	0%	1,346.2	0%	1,346.2	0%	Spares/Repairs	Switch for DD 120	
2164609	NS	Switch DD 160/DD 200 (2) 220-240V	1	NR		2,332.0	2,332	54	2,332.0	0%	2,332.0	0%	2,332.0	0%	2,332.0	0%	Spares/Repairs	Switch for DD 160 DD 200	

Water Accessories																				
365595	\$	Water supply unit DWP 10	1			41,590.0	41,590	6,401	29,113.0	30%	27,033.5	35%	27,033.5	35%	27,033.5	35%	27,033.5	35%	DD Accessories	-
305939	NS	Flow indicator DD-WFI	1	NR		21,032.9	21,033	180	14,723.0	30%	13,671.4	35%	13,671.4	35%	13,671.4	35%	13,671.4	35%	DD Accessories	-
305536	NS	Water collector holder DD-HD30-WCH	1	NR		22,175.7	22,176	1,159	15,523.0	30%	14,414.2	35%	14,414.2	35%	14,414.2	35%	14,414.2	35%	DD Accessories	Water collector holder
232204	NS	Water dam DD-WC-S	1	NR		10,800.0	10,800	303	7,560.0	30%	7,020.0	35%	7,020.0	35%	7,020.0	35%	7,020.0	35%	DD Accessories	-
232221	NS	Water dam DD-WC-SM	1	NR		14,315.7	14,316	570	10,021.0	30%	9,305.2	35%	9,305.2	35%	9,305.2	35%	9,305.2	35%	DD Accessories	-
232243	NS	Water dam DD-WC-ML	1	NR		37,552.9	37,553	839	26,287.0	30%	24,409.4	35%	24,409.4	35%	24,409.4	35%	24,409.4	35%	DD Accessories	Water collector ring, to be used with water collector holder (#305536)

Baseplate and Accessories (for DD 200 & DD 350)																				
305539	NS	Spacer DD-HD30-SP	1			175,882.9	175,883	3,293	123,118.0	30%	114,323.9	35%	114,323.9	35%	114,323.9	35%	114,323.9	35%	DD Accessories	For drilling dia > 300mm
305903	S	Core bit extension DD-BL-ET 300	1			66,234.3	66,234	2,828	46,364.0	30%	43,052.3	35%	43,052.3	35%	43,052.3	35%	43,052.3	35%	DD Inserts	Core bit extension rod for BL connection end, above 62 mm dia core bits, length of extension: 300mm
305537	S	Guide rail extension DD-HD30-XT	1	NR		127,297.5	127,298	7,425	127,297.5	0%	127,297.5	0%	127,297.5	0%	127,297.5	0%	127,297.5	0%	Spares/Repairs	-
305538	NS	Vacuum baseplate DD-HD30-VBP	1	NR		281,358.6	281,359	6,825	196,951.0	30%	182,883.1	35%	182,883.1	35%	182,883.1	35%	182,883.1	35%	DD Accessories	Vacuum base plate
408458	NS	Vacuum pump DD VP-U 230V	1	NR		316,555.7	316,556	10,300	221,589.0	30%	205,761.2	35%	205,761.2	35%	205,761.2	35%	205,761.2	35%	DD Accessories	-
305940	NS	Jack screw DD-HD30-SL	1	NR		45,731.4	45,731	2,069	32,012.0	30%	29,725.4	35%	29,725.4	35%	29,725.4	35%	29,725.4	35%	DD Accessories	Bracing Spindle
9870	NS	Quick-release column assy	1	NR		53,040.0	53,040	8,430	37,128.0	30%	34,476.0	35%	34,476.0	35%	34,476.0	35%	34,476.0	35%	DD Accessories	-
305540	NS	Crosspiece DD-HD30-CC	1	NR		406,197.1	406,197	5,960	284,338.0	30%	264,028.1	35%	264,028.1	35%	264,028.1	35%	264,028.1	35%	DD Accessories	Cross Column Adaptor
305541	NS	Set of wheels DD-HD30-W	1	NR		30,992.9	30,993	2,107	21,695.0	30%	20,145.4	35%	20,145.4	35%	20,145.4	35%	20,145.4	35%	DD Accessories	-
282989	NS	Adaptor BL/BU	1	NR		48,304.3	48,304	1,695	33,813.0	30%	31,397.8	35%	31,397.8	35%	31,397.8	35%	31,397.8	35%	DD Inserts	for use of BU connection end core bit on tool with BL chuck
2007687	S	Handwheel DD-HW-3A	1	NR		16,345.2	16,345	880	16,345.2	0%	16,345.2	0%	16,345.2	0%	16,345.2	0%	16,345.2	0%	Spares/Repairs	-
305535	NS	Depth gauge DD-HD30-ES	1	NR		19,770.0	19,770	313	13,839.0	30%	12,850.5	35%	12,850.5	35%	12,850.5	35%	12,850.5	35%	DD Accessories	-
284891	NS	Adaptor BS/BL	1	NR		37,998.6	37,999	1,331	26,599.0	30%	24,699.1	35%	24,699.1	35%	24,699.1	35%	24,699.1	35%	DD Inserts	BL connection core bits with competitor tools with BS connection chuck

Water Sealing disc for DD 200 / DD 350- to be used along with water collector ring																				
207304	NS	Sealing washer DD-SW-10/12-S	1	NR		1,144.7	1,145	27	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	used along with Water collecting ring (Item number: 232204)
207305	NS	Sealing washer DD-SW-14/16-S	1	NR		1,144.7	1,145	26	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	used along with Water collecting ring (Item number: 232204)
207306	NS	Sealing washer DD-SW-18/20-S	1	NR		1,144.7	1,145	27	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	used along with Water collecting ring (Item number: 232204)
207307	NS	Sealing washer DD-SW-24/25-S	1	NR		1,144.7	1,145	25	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207308	NS	Sealing washer DD-SW-28/30-S	1	NR		1,144.7	1,145	27	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207309	NS	Sealing washer DD-SW-32-S	1	NR		1,144.7	1,145	26	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207310	NS	Sealing washer DD-SW-42-S	1	NR		1,144.7	1,145	24	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207311	NS	Sealing washer DD-SW-47/56-S	1	NR		1,144.7	1,145	21	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207313	NS	Sealing washer DD-SW-77/87-S	1	NR		1,144.7	1,145	18	801.3	30%	744.1	35%	744.1	35%	744.1	35%	744.1	35%	DD Accessories	Sealing rings for DD-WC-S
207314	NS	Sealing washer DD-SW-24/25-M	1	NR		2,242.9	2,243	73	1,570.0	30%	1,457.9	35%	1,457.9	35%	1,457.9	35%	1,457.9	35%	DD Accessories	Sealing rings for DD-WC-SM
207315	NS	Sealing washer DD-SW-28/30-M	1	NR		2,200.0	2,200	70	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207316	NS	Sealing washer DD-SW-32-M	1	NR		2,200.0	2,200	71	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207317	NS	Sealing washer DD-SW-42-M	1	NR		2,200.0	2,200	74	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207318	NS	Sealing washer DD-SW-47/56-M	1	NR		2,257.1	2,257	70	1,580.0	30%	1,467.1	35%	1,467.1	35%	1,467.1	35%	1,467.1	35%	DD Accessories	Sealing rings for DD-WC-SM
207319	NS	Sealing washer DD-SW-62/72-M	1	NR		2,300.0	2,300	69	1,610.0	30%	1,495.0	35%	1,495.0	35%	1,495.0	35%	1,495.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207320	NS	Sealing washer DD-SW-77/87-M	1	NR		2,814.3	2,814	62	1,970.0	30%	1,829.3	35%	1,829.3	35%	1,829.3	35%	1,829.3	35%	DD Accessories	Sealing rings for DD-WC-SM
207321	NS	Sealing washer DD-SW-92/102-M	1	NR		2,928.6	2,929	60	2,050.0	30%	1,903.6	35%	1,903.6	35%	1,903.6	35%	1,903.6	35%	DD Accessories	Sealing rings for DD-WC-SM
207322	NS	Sealing washer DD-SW-107/117-M	1	NR		2,228.6	2,229	59	1,560.0	30%	1,448.6	35%	1,448.6	35%	1,448.6	35%	1,448.6	35%	DD Accessories	Sealing rings for DD-WC-SM
207323	NS	Sealing washer DD-SW-122/132-M	1	NR		2,200.0	2,200	48	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207324	NS	Sealing washer DD-SW-142/152-M	1	NR		2,200.0	2,200	41	1,540.0	30%	1,430.0	35%	1,430.0	35%	1,430.0	35%	1,430.0	35%	DD Accessories	Sealing rings for DD-WC-SM
207325	NS	Sealing washer DD-SW-92/102-L	1	NR		5,500.0	5,500	143	3,850.0	30%	3,575.0	35%	3,575.0	35%	3,575.0	35%	3,575.0	35%	DD Accessories	used along with Water collecting ring (Item number: 232243)
207326	NS	Sealing washer DD-SW-142/152-L	1	NR		5,500.0	5,500	131	3,850.0	30%	3,575.0	35%	3,575.0	35%	3,575.0	35%	3,575.0	35%	DD Accessories	used along with Water collecting ring (Item number: 232243)
207327	NS	Sealing washer DD-SW-158/162-L	1	NR		5,500.0	5,500	126	3,850.0	30%	3,575.0	35%	3,575.0	35%	3,575.0	35%	3,575.0	35%	DD Accessories	used along with Water collecting ring (Item number: 232243)
207340	NS	Sealing washer DD-SW-202-L	1	NR		5,500.0	5,500	87	3,850.0	30%	3,575.0	35%	3,575.0	35%	3,575.0	35%	3,575.0	35%	DD Accessories	used along with Water collecting ring (Item number: 232243)



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2199640	NS	Core bit BI 32/320 SP-L abras.	1		2157990	9,985.7	9,986	503	6,990.0	30%	6,490.7	35%	6,490.7	35%	6,490.7	35%	6,490.7	35%	DD Inserts	Fixed BI+ Connection End, Equidist Corebits for DD 120 & DD 160

Bits SP-L abras. & SP-H abras. Comes without a connection end. Please bill connection end separately																				
2199641	NS	Core bit B 35/430 SP-L abras.	1		2090011	13,328.6	13,329	808	9,330.0	30%	8,663.6	35%	8,663.6	35%	8,663.6	35%	8,663.6	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2199644		Core bit B 37/430 SP-L abras.	1		2090012	13,828.6	13,829	841	9,680.0	30%	8,988.6	35%	8,988.6	35%	8,988.6	35%	8,988.6	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2199647	NS	Core bit B 40/430 SP-L abras.	1		2090013	13,871.4	13,871	885	9,710.0	30%	9,016.4	35%	9,016.4	35%	9,016.4	35%	9,016.4	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2199650	NS	Core bit B 42/430 SP-L abras.	1		2090014	13,985.7	13,986	913	9,790.0	30%	9,090.7	35%	9,090.7	35%	9,090.7	35%	9,090.7	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2199653	NS	Core bit B 47/430 SP-L abras.	1		2090015	14,057.1	14,057	1,003	9,840.0	30%	9,137.1	35%	9,137.1	35%	9,137.1	35%	9,137.1	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185610	NS	Core bit B 52/450 SP-L abras.	1		2090016	14,228.6	14,229	1,186	9,960.0	30%	9,248.6	35%	9,248.6	35%	9,248.6	35%	9,248.6	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185611	NS	Core bit B 57/450 SP-L abras.	1		2090017	16,200.0	16,200	1,568	11,340.0	30%	10,530.0	35%	10,530.0	35%	10,530.0	35%	10,530.0	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185612	NS	Core bit B 62/450 SP-L abras.	1		2090018	19,441.4	19,441	1,708	13,609.0	30%	12,636.9	35%	12,636.9	35%	12,636.9	35%	12,636.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185613	NS	Core bit B 67/450 SP-L abras.	1		2090019	19,725.7	19,726	1,887	13,808.0	30%	12,821.7	35%	12,821.7	35%	12,821.7	35%	12,821.7	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185614	NS	Core bit B 72/450 SP-L abras.	1		2090020	19,801.4	19,801	2,025	13,861.0	30%	12,870.9	35%	12,870.9	35%	12,870.9	35%	12,870.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185615	NS	Core bit B 77/450 SP-L abras.	1		2090021	19,874.3	19,874	2,152	13,912.0	30%	12,918.3	35%	12,918.3	35%	12,918.3	35%	12,918.3	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185616	NS	Core bit B 82/450 SP-L abras.	1		2090022	20,021.4	20,021	2,263	14,015.0	30%	13,013.9	35%	13,013.9	35%	13,013.9	35%	13,013.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185617	NS	Core bit B 87/450 SP-L abras.	1		2090023	20,241.4	20,241	2,490	14,169.0	30%	13,156.9	35%	13,156.9	35%	13,156.9	35%	13,156.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185618	NS	Core bit B 92/450 SP-L abras.	1		2090024	20,450.0	20,450	2,782	14,315.0	30%	13,292.5	35%	13,292.5	35%	13,292.5	35%	13,292.5	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185619	NS	Core bit B 102/450 SP-L abras.	1		2090025	22,614.3	22,614	3,068	15,830.0	30%	14,699.3	35%	14,699.3	35%	14,699.3	35%	14,699.3	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185620	NS	Core bit B 107/450 SP-L abras.	1		2090026	25,224.3	25,224	3,308	17,657.0	30%	16,395.8	35%	16,395.8	35%	16,395.8	35%	16,395.8	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185621	NS	Core bit B 112/450 SP-L abras.	1		2090027	25,741.4	25,741	3,515	18,019.0	30%	16,731.9	35%	16,731.9	35%	16,731.9	35%	16,731.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185622	NS	Core bit B 122/450 SP-L abras.	1		2090028	27,641.4	27,641	3,820	19,349.0	30%	17,966.9	35%	17,966.9	35%	17,966.9	35%	17,966.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185623	NS	Core bit B 132/450 SP-L abras.	1		420958	31,170.0	31,170	4,386	21,819.0	30%	20,260.5	35%	20,260.5	35%	20,260.5	35%	20,260.5	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185624	NS	Core bit B 142/450 SP-L abras.	1		2090030	31,945.7	31,946	4,656	22,362.0	30%	20,764.7	35%	20,764.7	35%	20,764.7	35%	20,764.7	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185625	\$	Core bit B 152/450 SP-L abras.	1		2090031	33,241.4	33,241	5,172	23,269.0	30%	21,606.9	35%	21,606.9	35%	21,606.9	35%	21,606.9	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185626	NS	Core bit B 162/450 SP-L abras.	1		2090032	37,988.6	37,989	5,624	26,592.0	30%	24,692.6	35%	24,692.6	35%	24,692.6	35%	24,692.6	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185627	NS	Core bit B 182/450 SP-L abras.	1		2090034	44,664.3	44,664	7,444	31,265.0	30%	29,031.8	35%	29,031.8	35%	29,031.8	35%	29,031.8	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2185628	NS	Core bit B 202/450 SP-L abras.	1		2090035	45,472.9	45,473	9,444	31,831.0	30%	29,557.4	35%	29,557.4	35%	29,557.4	35%	29,557.4	35%	DD Inserts	Equidist Corebits for DD 120 & DD 160
2158228	\$	Core bit B 52/450 SP-H abras.	1		2090016	14,214.3	14,214	1,400	9,950.0	30%	9,239.3	35%	9,239.3	35%	9,239.3	35%	9,239.3	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158229	NS	Core bit B 57/450 SP-H abras.	1		2090017	16,182.9	16,183	1,614	11,328.0	30%	10,518.9	35%	10,518.9	35%	10,518.9	35%	10,518.9	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158230	NS	Core bit B 62/450 SP-H abras.	1		2090018	19,415.7	19,416	1,666	13,591.0	30%	12,620.2	35%	12,620.2	35%	12,620.2	35%	12,620.2	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158231	NS	Core bit B 67/450 SP-H abras.	1		2090019	19,701.4	19,701	1,875	13,791.0	30%	12,805.9	35%	12,805.9	35%	12,805.9	35%	12,805.9	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158232	NS	Core bit B 72/450 SP-H abras.	1		2090020	19,772.9	19,773	2,025	13,841.0	30%	12,852.4	35%	12,852.4	35%	12,852.4	35%	12,852.4	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158233	\$	Core bit B 77/450 SP-H abras.	1		2090021	19,848.6	19,849	2,125	13,894.0	30%	12,901.6	35%	12,901.6	35%	12,901.6	35%	12,901.6	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158234	NS	Core bit B 82/450 SP-H abras.	1		2090022	19,995.7	19,996	2,310	13,997.0	30%	12,997.2	35%	12,997.2	35%	12,997.2	35%	12,997.2	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158235	NS	Core bit B 87/450 SP-H abras.	1		2090023	20,215.7	20,216	2,496	14,151.0	30%	13,140.2	35%	13,140.2	35%	13,140.2	35%	13,140.2	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158236	NS	Core bit B 92/450 SP-H abras.	1		2090024	20,418.6	20,419	2,313	14,293.0	30%	13,272.1	35%	13,272.1	35%	13,272.1	35%	13,272.1	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158237	\$	Core bit B 102/450 SP-H abras.	1		2090025	22,584.3	22,584	3,042	15,809.0	30%	14,679.8	35%	14,679.8	35%	14,679.8	35%	14,679.8	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158238	NS	Core bit B 107/450 SP-H abras.	1		2090026	25,190.0	25,190	3,366	17,633.0	30%	16,373.5	35%	16,373.5	35%	16,373.5	35%	16,373.5	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158239	NS	Core bit B 112/450 SP-H abras.	1		2090027	25,707.1	25,707	3,473	17,995.0	30%	16,709.6	35%	16,709.6	35%	16,709.6	35%	16,709.6	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158240	NS	Core bit B 122/450 SP-H abras.	1		2090028	27,602.9	27,603	3,794	19,322.0	30%	17,941.9	35%	17,941.9	35%	17,941.9	35%	17,941.9	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158241	NS	Core bit B 132/450 SP-H abras.	1		420958	31,128.6	31,129	4,316	21,790.0	30%	20,233.6	35%	20,233.6	35%	20,233.6	35%	20,233.6	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158242	NS	Core bit B 142/450 SP-H abras.	1		2090030	31,900.0	31,900	4,625	22,330.0	30%	20,735.0	35%	20,735.0	35%	20,735.0	35%	20,735.0	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158243	NS	Core bit B 152/450 SP-H abras.	1		2090031	33,192.9	33,193	5,080	23,235.0	30%	21,575.4	35%	21,575.4	35%	21,575.4	35%	21,575.4	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158244	NS	Core bit B 162/450 SP-H abras.	1		2090032	37,937.1	37,937	5,651	26,556.0	30%	24,659.1	35%	24,659.1	35%	24,659.1	35%	24,659.1	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158245	NS	Core bit B 172/450 SP-H abras.	1		2090033	39,692.9	39,693	7,003	27,785.0	30%	25,800.4	35%	25,800.4	35%	25,800.4	35%	25,800.4	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158246	NS	Core bit B 182/450 SP-H abras.	1		2090034	44,602.9	44,603	7,433	31,222.0	30%	28,991.9	35%	28,991.9	35%	28,991.9	35%	28,991.9	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2158247	\$	Core bit B 202/450 SP-H abras.	1		2090035	45,411.4	45,411	9,394	31,788.0	30%	29,517.4	35%	29,517.4	35%	29,517.4	35%	29,517.4	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2199670	NS	Core bit B 205/450 SP-H abras.	1			45,570.0	45,570	9,479	31,899.0	30%	29,620.5	35%	29,620.5	35%	29,620.5	35%	29,620.5	35%	DD Inserts	Equidist Corebits for DD 200 & DD 350
2199671	NS	Core bit B 225/450 SP-H abras.	1		2090036	69,732.9	69,733	10,604	48,813.0	30%	45,326.4	35%	45,326.4	35%	45,326.4	35%				



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	
2261745	\$	Change module 112 P-U abras	1		OLD ITEM 2139432	7,242.9	7,243	-	5,070.0	30%	4,707.9	35%	4,707.9	35%	4,707.9	35%	4,707.9	35%	DD Inserts	Change Module for P-Line Core Bits
2261814	\$	Change module 122 P-U abras	1		OLD ITEM 2139433	8,257.1	8,257	-	5,780.0	30%	5,367.1	35%	5,367.1	35%	5,367.1	35%	5,367.1	35%	DD Inserts	Change Module for P-Line Core Bits
2261815	\$	Change module 127 P-U abras	1		OLD ITEM 2139434	7,714.3	7,714	-	5,400.0	30%	5,014.3	35%	5,014.3	35%	5,014.3	35%	5,014.3	35%	DD Inserts	Change Module for P-Line Core Bits
2261816	\$	Change module 132 P-U abras	1		OLD ITEM 2139435	8,200.0	8,200	-	5,740.0	30%	5,330.0	35%	5,330.0	35%	5,330.0	35%	5,330.0	35%	DD Inserts	Change Module for P-Line Core Bits
2261817	\$	Change module 142 P-U abras	1			9,914.3	9,914	-	6,940.0	30%	6,444.3	35%	6,444.3	35%	6,444.3	35%	6,444.3	35%	DD Inserts	Change Module for P-Line Core Bits
2261818	\$	Change module 152 P-U abras	1		OLD ITEM 2139436	8,642.9	8,643	-	6,050.0	30%	5,617.9	35%	5,617.9	35%	5,617.9	35%	5,617.9	35%	DD Inserts	Change Module for P-Line Core Bits
2261819	\$	Change module 162 P-U abras	1		OLD ITEM 2139437	9,185.7	9,186	-	6,430.0	30%	5,970.7	35%	5,970.7	35%	5,970.7	35%	5,970.7	35%	DD Inserts	Change Module for P-Line Core Bits
2261820	\$	Change module 172 P-U abras	1		OLD ITEM 2139438	10,600.0	10,600	-	7,420.0	30%	6,890.0	35%	6,890.0	35%	6,890.0	35%	6,890.0	35%	DD Inserts	Change Module for P-Line Core Bits
2261821	\$	Change module 202 P-U abras	1		OLD ITEM 2139439	11,614.3	11,614	-	8,130.0	30%	7,549.3	35%	7,549.3	35%	7,549.3	35%	7,549.3	35%	DD Inserts	Change Module for P-Line Core Bits

P-Line Corebit & Change module Kits (P-Line)																				
3695321	\$	Kit - P-Line 52mm (1 CB + 1 CM)	1			10,494.1	10,494	-	8,920.0	15%	8,395.3	20%	8,395.3	20%	8,395.3	20%	8,395.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695913	\$	Kit - P-Line 62mm (1 CB + 1 CM)	1			13,424.7	13,425	-	11,411.0	15%	10,739.8	20%	10,739.8	20%	10,739.8	20%	10,739.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695914	\$	Kit - P-Line 72mm (1 CB + 1 CM)	1			13,694.1	13,694	-	11,640.0	15%	10,955.3	20%	10,955.3	20%	10,955.3	20%	10,955.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695915	\$	Kit - P-Line 77mm (1 CB + 1 CM)	1			13,345.9	13,346	-	11,344.0	15%	10,676.7	20%	10,676.7	20%	10,676.7	20%	10,676.7	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695915	\$	Kit - P-Line 82mm (1 CB + 1 CM)	1			13,694.1	13,694	-	11,640.0	15%	10,955.3	20%	10,955.3	20%	10,955.3	20%	10,955.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695916	\$	Kit - P-Line 92mm (1 CB + 1 CM)	1			14,823.5	14,824	-	12,600.0	15%	11,858.8	20%	11,858.8	20%	11,858.8	20%	11,858.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695917	\$	Kit - P-Line 102mm (1 CB + 1 CM)	1			16,549.4	16,549	-	14,067.0	15%	13,239.5	20%	13,239.5	20%	13,239.5	20%	13,239.5	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695918	\$	Kit - P-Line 107mm (1 CB + 1 CM)	1			18,088.2	18,088	-	15,375.0	15%	14,470.6	20%	14,470.6	20%	14,470.6	20%	14,470.6	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695919	\$	Kit - P-Line 112mm (1 CB + 1 CM)	1			18,563.5	18,564	-	15,779.0	15%	14,850.8	20%	14,850.8	20%	14,850.8	20%	14,850.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695920	\$	Kit - P-Line 122mm (1 CB + 1 CM)	1			20,315.3	20,315	-	17,268.0	15%	16,252.2	20%	16,252.2	20%	16,252.2	20%	16,252.2	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695921	\$	Kit - P-Line 127mm (1 CB + 1 CM)	1			20,591.8	20,592	-	17,503.0	15%	16,473.4	20%	16,473.4	20%	16,473.4	20%	16,473.4	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695922	\$	Kit - P-Line 132mm (1 CB + 1 CM)	1			21,991.8	21,992	-	18,693.0	15%	17,593.4	20%	17,593.4	20%	17,593.4	20%	17,593.4	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695943	\$	Kit - P-Line 142mm (1 CB + 1 CM)	1			29,803.5	29,804	-	25,333.0	15%	23,842.8	20%	23,842.8	20%	23,842.8	20%	23,842.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695944	\$	Kit - P-Line 152mm (1 CB + 1 CM)	1			23,365.9	23,366	-	19,861.0	15%	18,692.7	20%	18,692.7	20%	18,692.7	20%	18,692.7	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695945	\$	Kit - P-Line 162mm (1 CB + 1 CM)	1			26,152.9	26,153	-	22,230.0	15%	20,922.4	20%	20,922.4	20%	20,922.4	20%	20,922.4	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695946	\$	Kit - P-Line 172mm (1 CB + 1 CM)	1			30,596.5	30,596	-	26,007.0	15%	24,477.2	20%	24,477.2	20%	24,477.2	20%	24,477.2	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695947	\$	Kit - P-Line 202mm (1 CB + 1 CM)	1			31,827.1	31,827	-	27,053.0	15%	25,461.6	20%	25,461.6	20%	25,461.6	20%	25,461.6	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695948	\$	Kit - P-Line 52mm (1 CB + 3 CM)	1			17,448.2	17,448	-	14,831.0	15%	13,958.6	20%	13,958.6	20%	13,958.6	20%	13,958.6	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695950	\$	Kit - P-Line 72mm (1 CB + 3 CM)	1			21,364.7	21,365	-	18,160.0	15%	17,091.8	20%	17,091.8	20%	17,091.8	20%	17,091.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695951	\$	Kit - P-Line 77mm (1 CB + 3 CM)	1			20,494.1	20,494	-	17,420.0	15%	16,395.3	20%	16,395.3	20%	16,395.3	20%	16,395.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695952	\$	Kit - P-Line 82mm (1 CB + 3 CM)	1			21,854.1	21,854	-	18,576.0	15%	17,483.3	20%	17,483.3	20%	17,483.3	20%	17,483.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695953	\$	Kit - P-Line 92mm (1 CB + 3 CM)	1			24,287.1	24,287	-	20,644.0	15%	19,429.6	20%	19,429.6	20%	19,429.6	20%	19,429.6	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695954	\$	Kit - P-Line 102mm (1 CB + 3 CM)	1			27,347.1	27,347	-	23,245.0	15%	21,877.6	20%	21,877.6	20%	21,877.6	20%	21,877.6	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695955	\$	Kit - P-Line 107mm (1 CB + 3 CM)	1			29,374.1	29,374	-	24,968.0	15%	23,499.3	20%	23,499.3	20%	23,499.3	20%	23,499.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695956	\$	Kit - P-Line 112mm (1 CB + 3 CM)	1			30,285.9	30,286	-	25,743.0	15%	24,228.7	20%	24,228.7	20%	24,228.7	20%	24,228.7	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695957	\$	Kit - P-Line 122mm (1 CB + 3 CM)	1			33,695.3	33,695	-	28,641.0	15%	26,956.2	20%	26,956.2	20%	26,956.2	20%	26,956.2	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695958	\$	Kit - P-Line 127mm (1 CB + 3 CM)	1			33,075.3	33,075	-	28,114.0	15%	26,460.2	20%	26,460.2	20%	26,460.2	20%	26,460.2	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695959	\$	Kit - P-Line 132mm (1 CB + 3 CM)	1			35,263.5	35,264	-	29,974.0	15%	28,210.8	20%	28,210.8	20%	28,210.8	20%	28,210.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695960	\$	Kit - P-Line 142mm (1 CB + 3 CM)	1			45,877.7	45,878	-	38,996.0	15%	36,702.1	20%	36,702.1	20%	36,702.1	20%	36,702.1	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695961	\$	Kit - P-Line 152mm (1 CB + 3 CM)	1			37,344.7	37,345	-	31,743.0	15%	29,875.8	20%	29,875.8	20%	29,875.8	20%	29,875.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695962	\$	Kit - P-Line 162mm (1 CB + 3 CM)	1			41,029.4	41,029	-	34,875.0	15%	32,823.5	20%	32,823.5	20%	32,823.5	20%	32,823.5	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695963	\$	Kit - P-Line 172mm (1 CB + 3 CM)	1			47,784.7	47,785	-	40,617.0	15%	38,227.8	20%	38,227.8	20%	38,227.8	20%	38,227.8	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695964	\$	Kit - P-Line 202mm (1 CB + 3 CM)	1			50,672.9	50,673	-	43,072.0	15%	40,538.4	20%	40,538.4	20%	40,538.4	20%	40,538.4	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695965	\$	Kit - P-Line 52mm CM (MP2)	1			6,976.5	6,976	-	5,930.0	15%	5,581.2	20%	5,581.2	20%	5,581.2	20%	5,581.2	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695967	\$	Kit - P-Line 72mm CM (MP2)	1			7,682.4	7,682	-	6,530.0	15%	6,145.9	20%	6,145.9	20%	6,145.9	20%	6,145.9	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695968	\$	Kit - P-Line 77mm CM (MP2)	1			7,470.6	7,471	-	6,350.0	15%	5,976.5	20%	5,976.5	20%	5,976.5	20%	5,976.5	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695969	\$	Kit - P-Line 82mm CM (MP2)	1			8,176.5	8,176	-	6,950.0	15%	6,541.2	20%	6,541.2	20%	6,541.2	20%	6,541.2	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695970	\$	Kit - P-Line 92mm CM (MP2)	1			9,494.1	9,494	-	8,070.0	15%	7,595.3	20%	7,595.3	20%	7,595.3	20%	7,595.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695971	\$	Kit - P-Line 102mm CM (MP2)	1			10,811.8	10,812	-	9,190.0	15%	8,649.4	20%	8,649.4	20%	8,649.4	20%	8,649.4	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695972	\$	Kit - P-Line 107mm CM (MP2)	1			11,294.1	11,294	-	9,600.0	15%	9,035.3	20%	9,035.3	20%	9,035.3	20%	9,035.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695973	\$	Kit - P-Line 112mm CM (MP2)	1			11,729.4	11,729	-	9,970.0	15%	9,383.5	20%	9,383.5	20%	9,383.5	20%	9,383.5	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695974	\$	Kit - P-Line 122mm CM (MP2)	1			13,381.2	13,381	-	11,374.0	15%	10,704.9	20%	10,704.9	20%	10,704.9	20%	10,704.9	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695975	\$	Kit - P-Line 127mm CM (MP2)	1			12,485.9	12,486	-	10,613.0	15%	9,988.7	20%	9,988.7	20%	9,988.7	20%	9,988.7	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695976	\$	Kit - P-Line 132mm CM (MP2)	1			13,274.1	13,274	-	11,283.0	15%	10,619.3	20%	10,619.3	20%	10,619.3	20%	10,619.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695977	\$	Kit - P-Line 142mm CM (MP2)	1			16,074.1	16,074	-	13,663.0	15%	12,859.3	20%	12,859.3	20%	12,859.3	20%	12,859.3	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695978	\$	Kit - P-Line 152mm CM (MP2)	1			13,981.2	13,981	-	11,884.0	15%	11,184.9	20%	11,184.9	20%	11,184.9	20%	11,184.9	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695979	\$	Kit - P-Line 162mm CM (MP2)	1			14,878.8	14,879	-	12,647.0	15%	11,903.1	20%	11,903.1	20%	11,903.1	20%	11,903.1	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695980	\$	Kit - P-Line 172mm CM (MP2)	1			17,189.4	17,189	-	14,611.0	15%	13,751.5	20%	13,751.5	20%	13,751.5	20%	13,751.5	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules
3695981	\$	Kit - P-Line 202mm CM (MP2)	1			18,848.2	18,848	-	16,021.0	15%	15,078.6	20%	15,078.6	20%	15,078.6	20%	15,078.6	20%	P-Line Core bit	New Combo Kits for P Line Core bit and Change Modules



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
DCH 300 Electric Diamond Cutter																				
3654605	\$	KR DCH 300-X + SP-S 305/22 Diamond cutter DCH 300-X 230V Cutting disc SP-S 305/22 univ	1		INP 2020 2YNC 3614841	196,464.3	196,464	NA	137,525.0	30%	127,701.8	35%	127,701.8	35%	127,701.8	35%	127,701.8	35%	Gas Saws (DCH 300 + DSH 900)	
3759718	\$	KR DCH 300-X + VC20L-X + SP-S 305/22 Diamond cutter DCH 300-X 230V Univ. vacuum cleaner VC 20L-X 230V Cutting disc SP-S 305/22 univ	1		INP 2020 2YNC 3595569	275,657.1	275,657	NA	192,960.0	30%	179,177.1	35%	179,177.1	35%	179,177.1	35%	179,177.1	35%	Gas Saws (DCH 300 + DSH 900)	
DCH 300 Blades and Accessories																				
2117878	\$	Cutting disc SP-S 305/22 univ	1		425775	15,868.6	15,869	1,357	11,108.0	30%	10,314.6	35%	10,314.6	35%	10,314.6	35%	10,314.6	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond cutting - SP line
2117879	\$	Cutting disc SP-S 305/22 (6) univ	6		425776	13,024.0	78,144	1,160	54,701.0	30%	50,793.8	35%	50,793.8	35%	50,793.8	35%	50,793.8	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond cutting - SP line
2117966	NS	Cutting disc EOD SPX 305/22 univ	1			26,037.1	26,037	1,513	18,226.0	30%	16,924.1	35%	16,924.1	35%	16,924.1	35%	16,924.1	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond cutting - SPX line
2117967	NS	Cutting disc EOD SPX 305/22 (6) univ	6			25,860.7	155,164	1,340	108,615.0	30%	100,856.8	35%	100,856.8	35%	100,856.8	35%	100,856.8	35%	GCS Inserts (Cutting blades & Cup wheels)	12" Diamond cutting - SPX line
212131	\$	Depth gauge DCH 300	1	NR		19,284.3	19,284	750	13,499.0	30%	12,534.8	35%	12,534.8	35%	12,534.8	35%	12,534.8	35%	DD Accessories	for maintaining desired depth and also needed when vacuum cleaner is to be used
212259	NS	Chuck DCH 300 ABR	1	NR		21,372.9	21,373	402	14,961.0	30%	13,892.4	35%	13,892.4	35%	13,892.4	35%	13,892.4	35%	DD Accessories	for fixing abrasive disc for metal cutting application
212190	NS	Bend assy	1	NR		4,200.0	4,200	200	2,940.0	30%	2,730.0	35%	2,730.0	35%	2,730.0	35%	2,730.0	35%	DD Accessories	for diverting dust away from operator and to fix vacuum cleaner hose
Vacuum Cleaner VC 20L-X 230V EU (Dry/Wet)																				
2220066	\$	Vacuum cleaner VC 20L-X 230V EU	1		2YNC	84,222.9	84,223	-	58,956.0	30%	54,744.9	35%	54,744.9	35%	54,744.9	35%	54,744.9	35%	DD Accessories	Dry / Wet vacuum cleaner to use with DGH 130 , DGH 150 , DCG 125-S , DCH 300X , AG along with accessories like dust hood
2278640	\$	Filter Dry VC 20/40/150	1			1,713.8	1,714	-	1,713.8	0%	1,713.8	0%	1,713.8	0%	1,713.8	0%	1,713.8	0%	Spares/Repairs	
2261257	\$	Filter VC 20/40/150 Universal	1			3,338.7	3,339	-	3,338.7	0%	3,338.7	0%	3,338.7	0%	3,338.7	0%	3,338.7	0%	Spares/Repairs	
2261451	\$	Dust bag VC 20/150-6 (10) Plastic	1			1,714.3	1,714	-	1,200.0	30%	1,114.3	35%	1,114.3	35%	1,114.3	35%	1,114.3	35%	DD Accessories	
2261258	\$	Dust bag VC 20/150-6 (10) fleece	1			4,700.0	4,700	-	3,290.0	30%	3,055.0	35%	3,055.0	35%	3,055.0	35%	3,055.0	35%	DD Accessories	
203867	\$	Suction hose 36X4 , 65m AS	1			8,745.0	8,745	-	8,745.0	0%	8,745.0	0%	8,745.0	0%	8,745.0	0%	8,745.0	0%	Spares/Repairs	Accessory to be sold if the original hose supplied with tool gets damaged
Heavy Diamond																				
Wall Saw Systems																				
DST 20-CA Wall Saw System																				
2120305	\$	Wall saw DST 20-CA 3x400V EC	1		0YNC	9,432,152.9	9,432,153	56,000	6,602,507.0	30%	6,130,899.4	35%	6,130,899.4	35%	6,130,899.4	35%	6,130,899.4	35%	Wall Saw & Wire Saw	Items Supplied : Saw Head (DST 20-CA) Remote Control (DST WRC-CA), Plastic Case, Instruction Manual (DST WRC-CA & DST 20-CA)
2051936	\$	Overload protector 32A assy	1	NR		265,988.6	265,989	2,700	186,192.0	30%	172,892.6	35%	172,892.6	35%	172,892.6	35%	172,892.6	35%	DS Accessories	Over voltage protection for DSTS 20E/WS 15
204814	\$	Rail support DS-RF-L	1			55,781.4	55,781	1,819	39,047.0	30%	36,257.9	35%	36,257.9	35%	36,257.9	35%	36,257.9	35%	DS Accessories	
204808	\$	Guide rail DS-R100-L	1			123,071.4	123,071	10,100	86,150.0	30%	79,996.4	35%	79,996.4	35%	79,996.4	35%	79,996.4	35%	DS Accessories	
238002	\$	Center section DS-BG 80	1			106,062.9	106,063	9,335	74,244.0	30%	68,940.9	35%	68,940.9	35%	68,940.9	35%	68,940.9	35%	DS Accessories	
238003	\$	Side section DS-BG 80	1			116,681.4	116,681	9,900	81,677.0	30%	75,842.9	35%	75,842.9	35%	75,842.9	35%	75,842.9	35%	DS Accessories	
430580	NS	Tool set DST-TS10/20	1	NR		79,485.7	79,486	10,565	55,640.0	30%	51,665.7	35%	51,665.7	35%	51,665.7	35%	51,665.7	35%	DS Accessories	
385460	NS	Flush anchor HKD-D M12x50" bucket	250	NR		92.8	23,211	50	18,569.0	20%	16,247.9	30%	16,247.9	30%	17,408.4	25%	17,408.4	25%	Flush Anchor HKD (Premium)	
243743	\$	Setting tool HSD-G M12 1/2"X50	1			3,537.5	3,538	450	2,830.0	20%	2,476.3	30%	2,476.3	30%	2,653.1	25%	2,653.1	25%	Flush Anchor HKD (Premium)	
2151592	\$	Hammer drill bit TE-CX 16/17	1		409214	2,800.0	2,800	-	1,960.0	30%	1,820.0	35%	1,820.0	35%	1,820.0	35%	1,820.0	35%	Power Tool Rotary Consumables ultimate	Working Length - 100mm
D-LP32/TS32 Wall Saw System (Hydraulic)																				
D-LP 32 Wall Saw System (full system in single item no.)																				
39122	NS	Wall saw DS TS32 LP32 3x400V	1	NR	0YNC	12,479,988.6	12,479,989	400,000	8,735,992.0	30%	8,111,992.6	35%	8,111,992.6	35%	8,111,992.6	35%	8,111,992.6	35%	Wall Saw & Wire Saw	HYD. UNIT.SAWING HEAD.2DS-PH4.1DS-FH4/14.2DR-100.4DS-RF.1DS-BG8.1TOOL SET
D-LP 32 Wall Saw System (make your own system)																				
39136	NS	Hydraulic power unit LP 32 3x400V	1	NR		8,045,520.0	8,045,520	185,000	5,631,864.0	30%	5,229,588.0	35%	5,229,588.0	35%	5,229,588.0	35%	5,229,588.0	35%	Wall Saw & Wire Saw	Hydraulic Unit
221128	NS	Hose DS-PH34-10	1	NR		100,151.4	100,151	11,640	70,106.0	30%	65,098.4	35%	65,098.4	35%	65,098.4	35%	65,098.4	35%	DS Accessories	2 nos. required
221129	NS	Hose DD-FH4/14-10 set	1	NR		153,227.1	153,227	14,289	107,259.0	30%	99,597.6	35%	99,597.6	35%	99,597.6	35%	99,597.6	35%	DS Accessories	
369315	NS	Sawing head DS TS32 54CM3	1	NR		3,922,664.3	3,922,664	40,000	2,745,865.0	30%	2,549,731.8	35%	2,549,731.8	35%	2,549,731.8	35%	2,549,731.8	35%	Wall Saw & Wire Saw	-
238002	NS	Center section DS-BG 80	1			106,062.9	106,063	9,335	74,244.0	30%	68,940.9	35%	68,940.9	35%	68,940.9	35%	68,940.9	35%	DS Accessories	-
238003	NS	Side section DS-BG 80	1			116,681.4	116,681	9,900	81,677.0	30%	75,842.9	35%	75,842.9	35%	75,842.9	35%	75,842.9	35%	DS Accessories	-
238004	NS	Center section DS-BG 120	1			111,955.7	111,956	9,400	78,369.0	30%	72,771.2	35%	72,771.2	35%	72,771.2	35%	72,771.2	35%	DS Accessories	-
238005	NS	Side section DS-BG 120	1			126,078.6	126,079	13,350	88,255.0	30%	81,951.1	35%	81,951.1	35%	81,951.1	35%	81,951.1	35%	DS Accessories	-
2204331	NS	Saw blade guard DST-BGF 160 Side section	1	NR		252,337.1	252,337	10,700	176,636.0	30%	164,019.1	35%	164,019.1	35%	164,019.1	35%	164,019.1	35%	DS Accessories	-
2204114	NS	Saw blade guard DST-BGF 160 Center section	1	NR	333883	224,072.9	224,073	9,500	156,851.0	30%	145,647.4	35%	145,647.4	35%	145,647.4	35%	145,647.4	35%	DS Accessories	-
204808	NS	Guide rail DS-R100-L	1		310336	123,071.4	123,071	10,100	86,150.0	30%	79,996.4	35%	79,996.4	35%	79,996.4	35%	79,996.4	35%	DS Accessories	supplied along with 2 end stop
204809	\$	Guide rail DS-R200-L	1			200,697.1	200,697	19,000	140,488.0	30%	130,453.1	35%	130,453.1	35%	130,453.1	35%	130,453.1	35%	DS Accessories	supplied along with 2 end stop
204814	\$	Rail support DS-RF-L	1			55,781.4	55,781	1,819	39,047.0	30%	36,257.9	35%	36,257.9	35%	36,257.9	35%	36,257.9	35%	DS Accessories	4 nos. required
204816	NS	Rail support DS-RFP-L	1			64,880.0	64,880	3,192	45,416.0	30%	42,172.0	35%	42,172.0	35%	42,172.0	35%	42,172.0	35%	DS Accessories	-
232241	\$	Double taper pin D-CO-ML	1			26,507.1	26,507	2,282	18,555.0	30%	17,229.6	35%	17,229.6	35%	17,229.6	35%	17,229.6	35%	DD Accessories	-
232244	\$	Eccentric pin DD-EP-ML	1			3,885.7	3,886	193	2,720.0	30%	2,525.7	35%	2,525.7	35%	2,525.7	35%	2,525.7	35%	DD Accessories	-
370690	NS	Tool set DS-LP32/TS32	1	NR		368,335.7	368,336	23,100	2											



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
* Note - Remote to bill seperately																				
2052100	NS	Remote control DST WRC-CA assy	1			603,292.9	603,293	-	422,305.0	30%	392,140.4	35%	392,140.4	35%	392,140.4	35%	392,140.4	35%	DS Accessories	
2051936	NS	Overload protector 32A assy	1	NR		265,988.6	265,989	2,700	186,192.0	30%	172,892.6	35%	172,892.6	35%	172,892.6	35%	172,892.6	35%	DS Accessories	
Accessories for Wire saw DSW 1510-CA 3x400V(Electric)																				
2205152	NS	Single-pair pulley DSW-SPP	1	Old Item - 365427		638,771.4	638,771	-	447,140.0	30%	415,201.4	35%	415,201.4	35%	415,201.4	35%	415,201.4	35%	DS Accessories	Basic System
2301713	NS	Vertical sawing device DSW-VHSD 1510-CA	1	Old Item - 2079489		183,697.1	183,697	-	128,588.0	30%	119,403.1	35%	119,403.1	35%	119,403.1	35%	119,403.1	35%	DS Accessories	
2205155	NS	Protective cover DSW-WG 250	1			465,085.7	465,086	-	325,560.0	30%	302,305.7	35%	302,305.7	35%	302,305.7	35%	302,305.7	35%	DS Accessories	
DS-WS-10/30 Wire Saw Systems (Hydraulic)																				
365430	NS	Wire saw DS WSS30	1	NR	0YNC	4,202,817.1	4,202,817	182,000	2,941,972.0	30%	2,731,831.1	35%	2,731,831.1	35%	2,731,831.1	35%	2,731,831.1	35%	Wall Saw & Wire Saw	Basic System
Accessories																				
2205152	NS	Single-pair pulley DSW-SPP	1	NR		638,771.4	638,771	-	447,140.0	30%	415,201.4	35%	415,201.4	35%	415,201.4	35%	415,201.4	35%	DS Accessories	-
315834	NS	Release pulley DS-WSRW	1	NR		111,659.3	111,659	6,840	111,659.3	0%	111,659.3	0%	111,659.3	0%	111,659.3	0%	111,659.3	0%	Spares/Repairs	-
365428	NS	Plunging wheel DSW-PW	1	NR		781,865.5	781,866	26,000	781,865.5	0%	781,865.5	0%	781,865.5	0%	781,865.5	0%	781,865.5	0%	Spares/Repairs	-
247620	NS	Plunging wheel DSW-PW rotatable	1	NR		118,475.1	118,475	5,800	118,475.1	0%	118,475.1	0%	118,475.1	0%	118,475.1	0%	118,475.1	0%	Spares/Repairs	-
235845	NS	Crimping pliers DS-WSTHY	1			357,908.6	357,909	6,637	250,536.0	30%	232,640.6	35%	232,640.6	35%	232,640.6	35%	232,640.6	35%	DS Accessories	-
340426	NS	Chuck jaw DS-WJ MK9 set	1	NR		44,268.6	44,269	90	30,988.0	30%	28,774.6	35%	28,774.6	35%	28,774.6	35%	28,774.6	35%	DS Accessories	-
340427	NS	Connector DS-WC 10mm	1			5,271.4	5,271	31	3,690.0	30%	3,426.4	35%	3,426.4	35%	3,426.4	35%	3,426.4	35%	DS Accessories	-
235841	NS	Sleeve DS-WS 10mm	1			1,442.9	1,443	6	1,010.0	30%	937.9	35%	937.9	35%	937.9	35%	937.9	35%	DS Accessories	-
235842	NS	Pin DS-WP	10			595.7	5,957	1	4,170.0	30%	3,872.1	35%	3,872.1	35%	3,872.1	35%	3,872.1	35%	DS Accessories	-
235844	NS	O-ring	10	NR		160.0	1,600	0	1,120.0	30%	1,040.0	35%	1,040.0	35%	1,040.0	35%	1,040.0	35%	DS Accessories	-
371383	\$	Connector DS-WC 10mm set	1			24,147.1	24,147	103	16,903.0	30%	15,695.6	35%	15,695.6	35%	15,695.6	35%	15,695.6	35%	DS Accessories	-
251834	\$	Quick-locking nut DD-CN-SML	1			6,028.6	6,029	793	4,220.0	30%	3,918.6	35%	3,918.6	35%	3,918.6	35%	3,918.6	35%	DD Accessories	-
251830	\$	Jack screw DD-CS M12S-SM	1			2,900.0	2,900	265	2,030.0	30%	1,885.0	35%	1,885.0	35%	1,885.0	35%	1,885.0	35%	DD Accessories	-
385459	\$	Flush anchor HKD-D M12x50	50			93.0	4,650	51	3,720.0	20%	3,255.0	30%	3,255.0	30%	3,487.5	25%	3,487.5	25%	Flush Anchor HKD (Premium)	50 pc/box
385460	NS	Flush anchor HKD-D M12x50" bucket	250	NR		92.8	23,211	50	18,569.0	20%	16,247.9	30%	16,247.9	30%	17,408.4	25%	17,408.4	25%	Flush Anchor HKD (Premium)	250 pc/bucket
243743	\$	Setting tool HSD-G M12 1/2"X50	1			3,537.5	3,538	450	2,830.0	20%	2,476.3	30%	2,476.3	30%	2,653.1	25%	2,653.1	25%	Flush Anchor HKD (Premium)	Setting tool
339300	NS	Tool set DS-WS	1	NR		132,157.1	132,157	10,420	92,510.0	30%	85,902.1	35%	85,902.1	35%	85,902.1	35%	85,902.1	35%	DS Accessories	-
Diamond Wires for Hydraulic/Electric Wire Saw ( Xtra-Life )																				
SPX Wires (Ultimate)																				
2299886	NS	Diamond wire DS-W 10.5-100m SI SPX-MH	100			12,235.6	1,223,556	-	856,489.0	30%	795,311.2	35%	795,311.2	35%	795,311.2	35%	795,311.2	35%	Diamond Wires	Will be sold in bundle of 100 meter
2299887	NS	Diamond wire DS-W 10.5-50m SI SPX-MH	50			12,634.5	631,727	-	442,209.0	30%	410,622.6	35%	410,622.6	35%	410,622.6	35%	410,622.6	35%	Diamond Wires	Will be sold in bundle of 50 meter
2299888	NS	Diamond wire DS-W 10.5-25m SI SPX-MH	25			13,299.6	332,490	-	232,743.0	30%	216,118.5	35%	216,118.5	35%	216,118.5	35%	216,118.5	35%	Diamond Wires	Will be sold in bundle of 25 meter
SP Wires (Premium)																				
2299889	NS	Diamond wire DS-W 10.5-100m SI SP-MH	100			7,969.8	796,977	-	557,884.0	30%	518,035.1	35%	518,035.1	35%	518,035.1	35%	518,035.1	35%	Diamond Wires	Will be sold in bundle of 100 meter
2299890	NS	Diamond wire DS-W 10.5-50m SI SP-MH	50			8,229.7	411,483	-	288,038.0	30%	267,463.9	35%	267,463.9	35%	267,463.9	35%	267,463.9	35%	Diamond Wires	Will be sold in bundle of 50 meter
2299891	NS	Diamond wire DS-W 10.5-25m SI SP-MH	25			8,662.9	216,571	-	151,600.0	30%	140,771.4	35%	140,771.4	35%	140,771.4	35%	140,771.4	35%	Diamond Wires	Will be sold in bundle of 25 meter
DS-WS-10/30 Wire Saw Systems (Hydraulic)																				



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item # & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2228627	NS	Wire saw DSW 2005-TS kit	1	NR		2,332,014.3	2,332,014	-	1,632,410.0	30%	1,515,809.3	35%	1,515,809.3	35%	1,515,809.3	35%	1,515,809.3	35%	Wall Saw & Wire Saw	Will be sold in bundle of 100 meter
Screw Fastening																				
Screw Guns																				
2228975	\$	Cordl. dryw. screwdr. SD 5000-A22 box	1	NR	2YNC	35,528.6	35,529	-	24,870.0	30%	23,093.6	35%	23,093.6	35%	23,093.6	35%	23,093.6	35%	SD 5000	Cordless Metal construction screwgun
437867	\$	Cordl. metal screwdr. ST 1800-A22 case	1		2YNC	71,551.4	71,551	4,640	50,086.0	30%	46,508.4	35%	46,508.4	35%	46,508.4	35%	46,508.4	35%	Screw Driver	Cordless Metal construction screwgun
378558	\$	Metal constr screwdr. ST 1800 230V case	1		1YNC	63,382.9	63,383	3,765	44,368.0	30%	41,198.9	35%	41,198.9	35%	41,198.9	35%	41,198.9	35%	SS Corded Tools	Metal construction screwgun
2208485	NS	Screw magazine SD-M 2	1			20,762.9	20,763	376	14,534.0	30%	13,495.9	35%	13,495.9	35%	13,911.1	33%	13,911.1	33%	Screw Fastening Accessories	Magazine holder for SD 5000
2131008	NS	Driver bit S-SY PH2 102/4" (5)	5			848.6	4,243	21	2,970.0	30%	2,757.9	35%	2,757.9	35%	2,842.7	33%	2,842.7	33%	Screw Fastening Accessories	Driver bit extension for SD-M 2
2134608	NS	Drywall screw S-DS01B 3.5x25 M1	1000			2.5	2,486	2	1,740.0	30%	1,615.7	35%	1,615.7	35%	1,615.7	35%	1,615.7	35%	SD 5000	Collated magazine screw 25mm long, for drywall boarding
2131088	NS	Drywall screw S-DS01B 3.5x45 M1	1000			3.4	3,429	2	2,400.0	30%	2,228.6	35%	2,228.6	35%	2,228.6	35%	2,228.6	35%	SD 5000	Collated magazine screw 45mm long, for drywall boarding
2131089	NS	Drywall screw S-DS01B 3.5x51 M1	1000			3.8	3,814	3	2,670.0	30%	2,479.3	35%	2,479.3	35%	2,479.3	35%	2,479.3	35%	SD 5000	Collated magazine screw 51mm long, for drywall boarding
Bits & Adaptors																				
Accessories for Screw Drivers																				
2038979	\$	Driver bit S-B PH2 25/1" T (10)	10			147.1	1,471	5	1,030.0	30%	956.4	35%	956.4	35%	985.9	33%	985.9	33%	Screw Fastening Accessories	Phillips-Type Torsion bits
2039047	NS	Driver bit S-B PZ2 25/1" T (10)	10			145.7	1,457	5	1,020.0	30%	947.1	35%	947.1	35%	976.3	33%	976.3	33%	Screw Fastening Accessories	Pozidriv-Type Torsion bits
2039244	\$	Nut setter S-NS 8 C 50/2"	1			3,000.0	3,000	28	2,100.0	30%	1,950.0	35%	1,950.0	35%	2,010.0	33%	2,010.0	33%	Screw Fastening Accessories	Hexagon Socket - for 4.8 & 5.5mm screw head
308902	NS	Socket wrench insert S-NSD 10	1	NR		2,828.6	2,829	44	1,980.0	30%	1,838.6	35%	1,838.6	35%	1,895.1	33%	1,895.1	33%	Screw Fastening Accessories	Hexagon Socket - for 10mm screw head
2039250	NS	Nut setter S-NS 3/8" C 50/2"	1			2,828.6	2,829	44	1,980.0	30%	1,838.6	35%	1,838.6	35%	1,895.1	33%	1,895.1	33%	Screw Fastening Accessories	Hexagon Socket - for 6.3mm screw head
2038637	NS	Bit set S-BSC UNI 25/1" T (7)	1			2,142.9	2,143	83	1,500.0	30%	1,392.9	35%	1,392.9	35%	1,435.7	33%	1,435.7	33%	Screw Fastening Accessories	
2039186	NS	Bit set S-BSC+ UNI 25/1" T (10)	1			4,542.9	4,543	122	3,180.0	30%	2,952.9	35%	2,952.9	35%	3,043.7	33%	3,043.7	33%	Screw Fastening Accessories	Pocketbox for all tools / old item #: 258702
2039217	NS	Bit holder S-BH QC 50/2"	1			3,114.3	3,114	36	2,180.0	30%	2,024.3	35%	2,024.3	35%	2,086.6	33%	2,086.6	33%	Screw Fastening Accessories	Univ. Magnetic Bit Holder for SB 10/12 & SR 16
2039218	\$	Bit holder S-BH QC 75/3" SDS	1			4,528.6	4,529	57	3,170.0	30%	2,943.6	35%	2,943.6	35%	3,034.1	33%	3,034.1	33%	Screw Fastening Accessories	Magnetic bit holder with TE-C (SDS) connection end
2039140	\$	Driver bit S-B TX40 25/1" T-HF (10)	10			312.9	3,129	7	2,190.0	30%	2,033.6	35%	2,033.6	35%	2,096.1	33%	2,096.1	33%	Screw Fastening Accessories	for HRD UGT 10
2039062	\$	Driver bit S-B TX30 25/1" T (10)	10			310.0	3,100	6	2,170.0	30%	2,015.0	35%	2,015.0	35%	2,077.0	33%	2,077.0	33%	Screw Fastening Accessories	for HRD UGT 8
Self Drilling Screws for Metal Construction																				
Galvanised -Steel Self Drilling Screws without sealing washer																				
S-MD03K Self Drilling Screws - for fastening of "non weathered" overlaps of support sheet																				
3428650	NS	Self-drill screw S-MD03K 6.3x25	500			9.3	4,643	15	3,250.0	30%	3,017.9	35%	3,017.9	35%	3,110.7	33%	3,110.7	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
3428647	\$	Self-drill screw S-MD03K 4.8x19	500			4.8	2,386	4	1,670.0	30%	1,550.7	35%	1,550.7	35%	1,598.4	33%	1,598.4	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
3428648	\$	Self-drill screw S-MD03K 5.5x25	500			5.8	2,886	5	2,020.0	30%	1,875.7	35%	1,875.7	35%	1,933.4	33%	1,933.4	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
3428670	\$	Self-drill screw S-MD03K 5.5x38	500			10.6	5,314	7	3,720.0	30%	3,454.3	35%	3,454.3	35%	3,560.6	33%	3,560.6	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
3428072	\$	Self-drill screw S-MD03K 5.5x55	250			13.5	3,386	9	2,370.0	30%	2,200.7	35%	2,200.7	35%	2,268.4	33%	2,268.4	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
3428649	\$	Self-drill screw S-MD03K 5.5x63	250			12.4	3,100	10	2,170.0	30%	2,015.0	35%	2,015.0	35%	2,077.0	33%	2,077.0	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
3423443	\$	Self-drill screw S-MD03K 5.5x75	250			15.5	3,871	11	2,710.0	30%	2,516.4	35%	2,516.4	35%	2,593.9	33%	2,593.9	33%	Drywall/Self drilling Screw	Drilling capacity 2.1 to 6 mm/Width Across Flats - 8mm
Stainless Steel -with carbon steel tip																				
Self Drilling Screws - for fastening of "non weathered" overlaps of support sheet																				
375228	NS	Self-drill screw S-MD51S 4.8x22	250	NR		49.9	12,486	6	8,740.0	30%	8,115.7	35%	8,115.7	35%	8,365.4	33%	8,365.4	33%	Drywall/Self drilling Screw	Thickness Drilled - 2 mm - 4mm , Width Across Flats - 8mm
413434	\$	Self-drill screw S-MD53S 5.5x25	500			104.3	52,173	6	36,521.0	30%	33,912.4	35%	33,912.4	35%	34,955.8	33%	34,955.8	33%	Drywall/Self drilling Screw	Thickness Drilled - 2 mm - 4mm , Width Across Flats - 8mm
413409	NS	Self-drill screw S-MD03S 5.5x32	250			70.3	17,566	6	12,296.0	30%	11,417.7	35%	11,417.7	35%	11,769.0	33%	11,769.0	33%	Drywall/Self drilling Screw	Thickness Drilled - 2 mm - 4mm , Width Across Flats - 8mm
413410	\$	Self-drill screw S-MD03S 5.5x38	250			71.5	17,883	7	12,518.0	30%	11,623.9	35%	11,623.9	35%	11,981.5	33%	11,981.5	33%	Drywall/Self drilling Screw	Thickness Drilled - 2 mm - 4mm , Width Across Flats - 8mm
413411	NS	Self-drill screw S-MD03S 5.5x50	250			89.9	22,467	9	15,727.0	30%	14,603.6	35%	14,603.6	35%	15,053.0	33%	15,053.0	33%	Drywall/Self drilling Screw	Thickness Drilled - 2 mm - 4mm , Width Across Flats - 8mm
413412	NS	Self-drill screw S-MD03S 5.5x63	100			102.3	10,229	11	7,160.0	30%	6,648.6	35%	6,648.6	35%	6,853.1	33%	6,853.1	33%	Drywall/Self drilling Screw	Thickness Drilled - 2 mm - 4mm , Width Across Flats - 8mm
Washer																				
Stainless Steel bonded EPDM washers																				
3428645	\$	V16-S Bonded Stainless steel EPDM Washer	250			5.4	1,362	2	953.5	30%	885.4	35%	885.4	35%	912.6	33%	912.6	33%	Screw Fastening Accessories	Diameter of washer - 16 mm
3428646	NS	V19-S Bonded Stainless steel EPDM washer	250			8.5	2,129	2	1,490.0	30%	1,383.6	35%	1,383.6	35%	1,426.1	33%	1,426.1	33%	Screw Fastening Accessories	Diameter of washer - 19 mm
Dry Wall Screws																				
S-DD03Z Dry Wall Screws, Drill Point (Zinc Plated)																				
2315223	\$	Drywall screw S-DD03Z 4.2x13	1000			4.4	4,414	2	3,090.0	30%	2,869.3	35%	2,869.3	35%	2,957.6	33%	2,957.6	33%	Drywall/Self drilling Screw	Thickness Drilled - 0.88-2.25, for metal framing
2315224	\$	Drywall screw S-DD03Z 4.2x25	1000			5.9	5,900	3	4,130.0	30%	3,835.0	35%	3,835.0	35%	3,953.0	33%	3,953.0	33%	Drywall/Self drilling Screw	Thickness Drilled - 0.88-2.25, for metal framing
SBT																				
2139174	NS	Threaded stud S-BT-MF M8/7 AN 6	100			506.7	50,666	14	35,466.0	30%	32,932.7	35%	32,932.7	35%	33,946.0	33%	33,946.0	33%	Threaded Stud	For Multi Purpose fastening in Onshore
2140528	NS	Threaded stud S-BT-MF M10/15 AN 6	100			572.7	57,274	26	40,092.0	30%	37,228.3	35%	37,228.3	35%	38,373.8	33%	38,373.8	33%	Threaded Stud	For Multi Purpose fastening in Onshore
2140527	NS	Threaded stud S-BT-GF M8/7 AN 6	100			506.7	50,666	7	35,466.0	30%	32,932.7	35%	32,932.7	35%	33,946.0	33%	33,946.0	33%	Threaded Stud	For Grating Fixing in Onshore
2139172	NS	Threaded stud S-BT-MR M8/7 SN 6	100	NR		627.4	62,740	14	43,918.0	30%	40,781.0	35%	40,781.0	35%	42,035.8	33%	42,035.8	33%	Threaded Stud	For Multi Purpose fastening in Offshore
2140743	NS	Threaded stud S-BT-MR M8/7 SN 6 AL	100	NR		1,334.3	133,430	14	93,401.0	30%	86,729.5	35%	86,729.5	35%	89,398.1	33%	89,398.1	33%	Threaded Stud	For Multi Purpose fastening in Offshore with Al base
2140740	NS	Threaded stud S-BT-MR M10/15 SN 6	100	NR		693.4	69,344	25	48,541.0	30%	45,073.8	35%	45,073.8	35%	46,460.7	33%	46,460.7	33%	Threaded Stud	For Multi Purpose fastening in Offshore
2140529	NS	Threaded stud S-BT-GR M8/7 SN 6	100	NR		577.9	57,787	7	40,451.0	30%	37,561.6	35%	37,561.6	35%	38,717.4	33%	38,717.4	33%	Threaded Stud	For Grating Fixing in Offshore
2143260	NS	Depth gauge S-DG BT M8/7 Short 6	1	NR		26,940.0	26,940	217	18,858.0	30%	17,511.0	35%	17,511.0	35%	18,049.8	33%	18,049.8	33%	Screw Fastening Accessories	For M8 Stud setting
2143261	NS	Depth gauge S-DG BT M10-V10/15 Long 6	1	NR		27,938.6	27,939	202	19,557.0	30%	18,160.1	35%	18,160.1	35%	18,718.8	33%	18,718.8	33%	Screw Fastening Accessories	For M10 Stud setting
2143270	NS	Calibration card S-CC BT 6	1			5,228.6	5,229	8	3,660.0	30%	3,398.6	35%	3,398.6	35%	3,503.1	33%	3,503.1	33%	Screw Fastening Accessories	
2149244	NS	Nut setter S-NS 13 C 95/3 3/4"	1			4,857.1	4,857	85	3,260.0	30%	3,027.1	35%	3,027.1	35%	3,120.3	33%	3,120.3	33%	Screw Fastening Accessories	For M8 Stud setting
2149245	NS	Nut setter S-NS 15 C 95/3 3/4"	1			4,814.3	4,814	110	3,370.0	30%	3,129.3	35%	3,129.3	35%	3,225.6	33%	3,225.6	33%	Screw Fastening Accessories	For M10 Stud setting
2143271	NS	Torque tool S-BT 1/4" - 5Nm	1	NR		21,512.9	21,513	270	15,059.0	30%	13,983.4	35%	13,983.4	35%	14,413.6	33%	14,413.6	33%	Screw Fastening Accessories	Hard torque tool for Al Base material
2143137	NS	Stepped drill bit TS-BT 5.5-74 S	1			6,628.6	6,629	26	4,640.0	30%	4,308.6	35%	4,308.6	35%	4,441.1	33%	4,441.1	33%	Screw Fastening Accessories	For Steel Base
2143138	NS	Stepped drill bit TS-BT 5.5-74 AL	1	NR		10,071.4	10,071	26	7,050.0	30%	6,546.4	35%	6,546.4	35%	6,747.9	33%	6,747.9	33%	Screw Fastening Accessories	For Al Base
2180532	NS	Cordless drill driver SBT 4-A22 box	1			48,527.1	48,527	2,507	33,969.0	30%	31,542.6	35%	31,542.6							



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description	
										In Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
Direct Fastening																					
GX & BX Tools																					
3601383	\$	Kit BX-3 2nd Gen + XC 20 Battery-actuated tool BX 3-L A22 case Concrete nail X-C 20 B3 MX	1 1 1000		2YNC	245,528.57	245,529	NA	171,870.0	30%	159,593.6	35%	159,593.6	35%	159,593.6	35%	159,593.6	35%	GX & BX	Battery actuated tool	
3595521	\$	Kit GX3 + Gas Can Gas Actuated Tool GX-3 Gas Can GC-42	1 1 1		2YNC	225,341.4	225,341	NA	157,739.0	30%	146,471.9	35%	146,471.9	35%	146,471.9	35%	146,471.9	35%	GX & BX	Gas actuated tool	
GX Consumables - nails for use with GX3 / GX 120 only																					
386341	\$	Gas can GC 22 (ROW)	1			4,657.1	4,657	141	3,260.0	30%	3,027.1	35%	3,027.1	35%	3,027.1	35%	3,027.1	35%	GX & BX	Gas can (for fastening ~750 nails), Gas Can for GX 120 only	
2105698	\$	Gas can GC 42	1	NR		4,642.9	4,643	155	3,250.0	30%	3,017.9	35%	3,017.9	35%	3,017.9	35%	3,017.9	35%	GX & BX	Gas can for GX-3 only; 1 can=1200 fastenings	
2100955	\$	Gas nail X-C 20 G3 MX	1200			7.4	8,829	1	6,180.0	30%	5,738.6	35%	5,738.6	35%	5,915.1	33%	5,915.1	33%	GX Acc & Concrete Nails	Concrete nail for concrete grade M25 or less, for use with GX3 / GX 120 only	
2100956	\$	Gas nail X-C 27 G3 MX	1200	NR		8.6	10,286	2	7,200.0	30%	6,685.7	35%	6,685.7	35%	6,891.4	33%	6,891.4	33%	GX Acc & Concrete Nails	Concrete nail for concrete grade M25 or less, for use with GX3 / GX 120 only	
2100957	NS	Gas nail X-C 32 G3 MX	1200	NR		9.9	11,914	2	8,340.0	30%	7,744.3	35%	7,744.3	35%	7,982.6	33%	7,982.6	33%	GX Acc & Concrete Nails	Concrete nail for concrete grade M25 or less, for use with GX3 / GX 120 only	
2100958	\$	Gas nail X-C 39 G3 MX	1200			12.8	15,313	2	10,719.0	30%	9,953.4	35%	9,953.4	35%	10,259.6	33%	10,259.6	33%	GX Acc & Concrete Nails	Concrete nail for concrete grade M25 or less, for use with GX3 / GX 120 only	
2101547	\$	Gas nail X-S 14 G3 MX	1200			11.6	13,971	1	9,780.0	30%	9,081.4	35%	9,081.4	35%	9,081.4	35%	9,081.4	35%	GX & BX	Nail for base steel min. 4 mm thick, for use with GX3 / GX 120 only	
2101046	\$	Gas nail X-P 17 G3 MX	1200			14.4	17,326	1	12,128.0	30%	11,261.7	35%	11,261.7	35%	11,261.7	35%	11,261.7	35%	GX & BX	Concrete nail for concrete grade M25 or more, for use with GX3 / GX 120 only	
2101047	\$	Gas nail X-P 17 G3 MX	1200			16.5	19,803	1	13,862.0	30%	12,871.9	35%	12,871.9	35%	12,871.9	35%	12,871.9	35%	GX & BX	Concrete nail for concrete grade M25 or more, for use with GX3 / GX 120 only	
2101048	\$	Gas nail X-P 24 G3 MX	1000			19.0	19,039	2	13,327.0	30%	12,375.1	35%	12,375.1	35%	12,375.1	35%	12,375.1	35%	GX & BX	Concrete nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
340232	\$	Gas nail X-GN 20 MX	750			7.2	5,386	2	3,770.0	30%	3,500.7	35%	3,500.7	35%	3,608.4	33%	3,608.4	33%	GX Acc & Concrete Nails	20mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
340230	\$	Gas nail X-GN 27 MX	750	NR		8.3	6,257	2	4,380.0	30%	4,067.1	35%	4,067.1	35%	4,192.3	33%	4,192.3	33%	GX Acc & Concrete Nails	27mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
340233	NS	Gas nail X-GN 32 MX	750	NR		9.7	7,243	2	5,070.0	30%	4,707.9	35%	4,707.9	35%	4,852.7	33%	4,852.7	33%	GX Acc & Concrete Nails	32mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
340234	\$	Gas nail X-GN 39 MX	750	NR		12.4	9,329	2	6,530.0	30%	6,063.6	35%	6,063.6	35%	6,250.1	33%	6,250.1	33%	GX Acc & Concrete Nails	39mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
340228	\$	Gas nail X-GHP 18 MX	750			15.5	11,629	1	8,140.0	30%	7,558.6	35%	7,558.6	35%	7,558.6	35%	7,558.6	35%	GX & BX	18mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
285724	\$	Gas nail X-GHP 20 MX	750	NR		17.7	13,271	1	9,290.0	30%	8,626.4	35%	8,626.4	35%	8,626.4	35%	8,626.4	35%	GX & BX	20mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
438945	\$	Gas nail X-GHP 24 MX	750			20.4	15,313	2	10,719.0	30%	9,953.4	35%	9,953.4	35%	9,953.4	35%	9,953.4	35%	GX & BX	24mm nail for fastening in concrete (for grade of concrete ≤ M25), for use with GX3 / GX 120 only	
340231	\$	Gas nail X-EGN 14 MX	750			12.0	9,014	1	6,310.0	30%	5,859.3	35%	5,859.3	35%	5,859.3	35%	5,859.3	35%	GX & BX	Nail for fixing to base material steel. Min 4mm thick, for use with GX3 / GX 120 only	
408022	NS	Form stop X-FS MX	100		INP 2020 Wave 2	70.3	7,029	19	4,920.0	30%	4,568.6	35%	4,568.6	35%	4,709.1	33%	4,709.1	33%	DX	Formstop element to used with XC-39 nail length only	
BX Consumables																					
2123993	\$	Concrete nail X-C 20 B3 MX	1000			7.1	7,100	2	4,970.0	30%	4,615.0	35%	4,615.0	35%	4,757.0	33%	4,757.0	33%	GX Acc & Concrete Nails	Concrete grade <=M25, for use with BX only	
2123994	\$	Concrete nail X-C 24 B3 MX	1000			7.4	7,357	2	5,150.0	30%	4,782.1	35%	4,782.1	35%	4,929.3	33%	4,929.3	33%	GX Acc & Concrete Nails	Concrete grade <=M25, for use with BX only	
2149888	\$	Concrete nail X-C 30 B3 MX	1000	NR		8.4	8,386	-	5,870.0	30%	5,450.7	35%	5,450.7	35%	5,450.7	35%	5,450.7	35%	GX & BX	Concrete grade <=M25, for use with BX 2nd Gen only	
2149889	\$	Concrete nail X-C 36 B3 MX	1000	NR		8.7	8,714	-	6,100.0	30%	5,664.3	35%	5,664.3	35%	5,664.3	35%	5,664.3	35%	GX & BX	Concrete grade <=M25, for use with BX 2nd Gen only	
2156219	\$	High performance nail X-P 17 B3 MX BULK	1000			15.2	15,153	1	10,607.0	30%	9,849.4	35%	9,849.4	35%	9,849.4	35%	9,849.4	35%	GX & BX	Concrete grade >M25, for use with BX only	
2156390	\$	High performance nail X-P 20 B3 MX BULK	1000			17.4	17,417	1	12,192.0	30%	11,321.1	35%	11,321.1	35%	11,321.1	35%	11,321.1	35%	GX & BX	Concrete grade >M25, for use with BX only	
2156391	\$	High performance nail X-P 24 B3 MX BULK	1000			20.0	19,981	2	13,987.0	30%	12,987.9	35%	12,987.9	35%	12,987.9	35%	12,987.9	35%	GX & BX	Concrete grade >M25, for use with BX only	
2156393	NS	Steel nail X-S 14 B3 MX BULK	1000			12.4	12,429	1	8,700.0	30%	8,078.6	35%	8,078.6	35%	8,078.6	35%	8,078.6	35%	GX & BX	For base material Steel with thickness>=4mm, for use with BX only	
GX Accessories																					
2102283	NS	Washer holder X-WH G3 magnetic	1	NR		20,411.4	20,411	82	14,288.0	30%	13,267.4	35%	13,267.4	35%	13,267.4	35%	13,267.4	35%	GX & BX	Magnetic Washer Holder for GX 3	
39619	NS	Washer holder X-120 WH	1	NR		20,642.9	20,643	163	14,450.0	30%	13,417.9	35%	13,417.9	35%	13,417.9	35%	13,417.9	35%	GX & BX	Washer holder for GX 120	
2116237	NS	Receptacle X-PT G3	1	NR		22,850.0	22,850	1,934	15,995.0	30%	14,852.5	35%	14,852.5	35%	14,852.5	35%	14,852.5	35%	GX & BX	Pole tool accessory GX 3	
254684	NS	Pipe X-PT 3FT	1	NR		23,852.9	23,853	922	16,697.0	30%	15,504.4	35%	15,504.4	35%	15,504.4	35%	15,504.4	35%	GX & BX	Pole tool accessory GX 3	
254687	NS	Grip section X-PT assy	1	NR		25,940.0	25,940	862	18,158.0	30%	16,861.0	35%	16,861.0	35%	16,861.0	35%	16,861.0	35%	GX & BX	Pole tool accessory GX 3	
BX Accessories																					
2101255	NS	Receptacle X-PT B3	1	NR		28,927.1	28,927	1,460	20,249.0	30%	18,802.6	35%	18,802.6	35%	18,802.6	35%	18,802.6	35%	GX & BX	Pole tool accessory BX 3	
254684	NS	Pipe X-PT 3FT	1	NR		23,852.9	23,853	922	16,697.0	30%	15,504.4	35%	15,504.4	35%	15,504.4	35%	15,504.4	35%	GX & BX	Pole tool accessory BX 3	
254687	NS	Grip section X-PT assy	1	NR		25,940.0	25,940	862	18,158.0	30%	16,861.0	35%	16,861.0	35%	16,861.0	35%	16,861.0	35%	GX & BX	Pole tool accessory BX 3	
2101256	NS	Washer holder X-WH B3 packed	1	NR		22,658.6	22,659	136	15,861.0	30%	14,728.1	35%	14,728.1	35%	14,728.1	35%	14,728.1	35%	GX & BX	Washer Holder for BX 3	
X-BT ( Fastening on steel in highly corrosive environment)																					
2194595	NS	Battery-actuated tool BX 3-BT A22 case	1	NR	INP 2020	290,457.1	290,457	-	203,320.0	30%	188,797.1	35%	188,797.1	35%	188,797.1	35%	188,797.1	35%	GX & BX	To fasten long X-BT M8/M10 studs	
2194339	NS	Threaded stud X-BT-MR M8/14 SN 8	100	NR	INP 2020	1,076.9	107,690	-	75,383.0	30%	69,998.5	35%	69,998.5	35%	72,152.3	33%	72,152.3	33%	DX	For Grating Fixing in Offshore	
2194344	NS	Threaded stud X-BT-GR M8/7 SN 8	100	NR	INP 2020	946.7	94,674	-	66,272.0	30%	61,538.3	35%	61,538.3	35%	63,431.8	33%	63,431.8	33%	DX	For Grating Fixing in Offshore	
2194340	NS	Threaded stud X-BT-MR M10/15 SN 8	100	NR	INP 2020	1,113.1	111,309	-	77,916.0	30%	72,350.6	35%	72,350.6	35%	74,576.7	33%	74,576.7	33%	DX	For Grating Fixing in Onshore	
2119272	NS	Torque tool X-BT 1/4"	1	NR		21,097.1	21,097	266	14,768.0	30%	13,713.1	35%	13,713.1	35%	14,135.1	33%	14,135.1	33%	GX Acc & Concrete Nails	Hand torque tool for Steel Base material	
2191625	NS	Fastener guide X-FG B3-BTG	1	NR	INP 2020	25,180.0	25,180	-	17,626.0	30%	16,387.0	35%	16,387.0	35%	16,870.6	33%	16,870.6	33%	GX Acc & Concrete Nails	Fastener guide for fastening short M8 grating studs	
2123719	NS	Coreless drill SF-BT 22-A	1	NR		30,285.7	30,286	2,316	21,200.0	30%	19,685.7	35%	19,685.7	35%	20,291.4	33%	20,291.4	33%	Threaded Stud	Drilling tool for pilot hole for X-BT	
2197930	NS	Stepped drill bit TX-BT 4.7/7-80	1	NR		13,542.9	13,543	22	9,4												



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description	
								In Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
TESTING SERVICES																					
On Site Testing																					
2116908	\$	On-site testing ≤ 30 KN Anchor/Rebar	1			654.9	655		654.9	0%	654.9	0%	654.9	0%	654.9	0%	654.9	0%	Software / Services (AX)		
2068237	\$	On-site testing ≤ 30 KN Direct Fastening	1			599.6	600		599.6	0%	599.6	0%	599.6	0%	599.6	0%	599.6	0%	Software / Services (AX)		
2068238	\$	On-site testing ≤ 30 KN Screw fastening	1			599.6	600		599.6	0%	599.6	0%	599.6	0%	599.6	0%	599.6	0%	Software / Services (AX)		
2116909	\$	On-site testing ≤ 180 KN Anchor/Rebar	1			1,310.0	1,310		1,310.0	0%	1,310.0	0%	1,310.0	0%	1,310.0	0%	1,310.0	0%	Software / Services (AX)		
2117210	\$	On-site testing ≤ 370 KN Anchor/Rebar	1			1,750.0	1,750		1,750.0	0%	1,750.0	0%	1,750.0	0%	1,750.0	0%	1,750.0	0%	Software / Services (AX)		
SOFTWARE SERVICES																					
PROFIS AND DOCUMANAGER																					
2097333	\$	PROFIS Rebar	1	NR		1,600.0	1,600		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	BW Reporting N/A		
3654610	\$	PROFIS ENG-PREM SINGLE USER WEB (Yearly)	1			20,160.0	20,160	-	20,160.0	0%	20,160.0	0%	20,160.0	0%	20,160.0	0%	20,160.0	0%	Software / Services (AX)		
3654611	\$	PROFIS ENG-PREM MULTI WEB PCK (Yearly)	1			30,240.0	30,240	-	30,240.0	0%	30,240.0	0%	30,240.0	0%	30,240.0	0%	30,240.0	0%	Software / Services (AX)		
3654609	\$	PROFIS ENG- ENTERPRISE WEB PCK (Yearly)	1			5,500.0	5,500	-	5,500.0	0%	5,500.0	0%	5,500.0	0%	5,500.0	0%	5,500.0	0%	Software / Services (AX)		
2320253	\$	FIT - Electrical	1			17,920.0	17,920	-	17,920.0	0%	17,920.0	0%	17,920.0	0%	17,920.0	0%	17,920.0	0%	Services		
2320252	\$	FIT - Mechanical	1			16,000.0	16,000	-	16,000.0	0%	16,000.0	0%	16,000.0	0%	16,000.0	0%	16,000.0	0%	Services		
2320254	\$	FIT - Joints	1			6,390.0	6,390	-	6,390.0	0%	6,390.0	0%	6,390.0	0%	6,390.0	0%	6,390.0	0%	Services		
2320255	\$	FIT - Façade	1			11,760.0	11,760	-	11,760.0	0%	11,760.0	0%	11,760.0	0%	11,760.0	0%	11,760.0	0%	Services		
2320256	\$	FIT - Mixed	1			28,000.0	28,000	-	28,000.0	0%	28,000.0	0%	28,000.0	0%	28,000.0	0%	28,000.0	0%	Services		
2093089	\$	Docu-manager CFS-DM Type 5	1			99,000.0	99,000		99,000.0	0%	99,000.0	0%	99,000.0	0%	99,000.0	0%	99,000.0	0%	Services	1 YEAR	
2093330	\$	Docu-manager CFS-DM Type 20	1			192,500.0	192,500		192,500.0	0%	192,500.0	0%	192,500.0	0%	192,500.0	0%	192,500.0	0%	Services	1 YEAR	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E	A		B		C		D		Discount Group	Description									
																			in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	
Chemical Anchors																												
HVU Adhesive Capsule																												
2164505	\$	Adhesive capsule HVU2 M8x80	20	NR	256691		281.7	5,634	9	4,620.0	18%	4,169.3	26%	4,169.3	26%	4,394.6	22%	4,394.6	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M8 Diameter							
2164506	\$	Adhesive capsule HVU2 M10x90	20	NR	256692		319.5	6,390	17	5,240.0	18%	4,728.8	26%	4,728.8	26%	4,984.4	22%	4,984.4	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M10 Diameter							
2164507	\$	Adhesive capsule HVU2 M12x110	20	NR	256693		487.2	9,744	28	7,990.0	18%	7,210.5	26%	7,210.5	26%	7,600.2	22%	7,600.2	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M12 Diameter							
2164508	\$	Adhesive capsule HVU2 M16x125	20	NR	256694		711.7	14,234	41	11,672.0	18%	10,533.3	26%	10,533.3	26%	11,102.6	22%	11,102.6	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M16 Diameter							
2164509	\$	Adhesive capsule HVU2 M20x170	10	NR	256695		1,081.7	10,817	80	8,870.0	18%	8,004.6	26%	8,004.6	26%	8,437.3	22%	8,437.3	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M20 Diameter							
2164560	\$	Adhesive capsule HVU2 M24x210	5	NR	256696		1,190.2	5,951	184	4,880.0	18%	4,403.9	26%	4,403.9	26%	4,642.0	22%	4,642.0	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M24 Diameter							
2164561	\$	Adhesive capsule HVU2 M27x240	4	NR	256697		1,737.8	6,951	213	5,700.0	18%	5,143.9	26%	5,143.9	26%	5,422.0	22%	5,422.0	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M27 Diameter							
2164562	\$	Adhesive capsule HVU2 M30x270	4	NR	256698		2,109.8	8,439	324	6,920.0	18%	6,244.9	26%	6,244.9	26%	6,582.4	22%	6,582.4	22%	HVU	Chemical Anchor Capsule for Anchoring Applications M30 Diameter							
HAS-U Anchor Rod, complete with nut & washer																												
2223853	\$	Anchor rod HAS-U 5.8 M8x110	20				127.5	2,550	38	2,040.0	20%	1,836.0	28%	1,836.0	28%	1,938.0	24%	1,938.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M8 Diameter Anchor Length - 110 mm							
2223854	\$	Anchor rod HAS-U 5.8 M8x150	20	NR	333099		153.1	3,063	49	2,450.0	20%	2,205.0	28%	2,205.0	28%	2,327.5	24%	2,327.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M8 Diameter Anchor Length - 150 mm							
2223707	\$	Anchor rod HAS-U 5.8 M10x130	20		332220		188.8	3,775	75	3,020.0	20%	2,718.0	28%	2,718.0	28%	2,869.0	24%	2,869.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M10 Diameter Anchor Length - 130 mm							
2223709	\$	Anchor rod HAS-U 5.8 M10x170	20		333100		218.1	4,363	94	3,490.0	20%	3,141.0	28%	3,141.0	28%	3,315.5	24%	3,315.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M10 Diameter Anchor Length - 170 mm							
2223820	\$	Anchor rod HAS-U 5.8 M10x190	20		333101		240.6	4,813	104	3,850.0	20%	3,465.0	28%	3,465.0	28%	3,657.5	24%	3,657.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M10 Diameter Anchor Length - 190 mm							
2223823	\$	Anchor rod HAS-U 5.8 M12x160	20		332221		301.9	6,038	129	4,830.0	20%	4,347.0	28%	4,347.0	28%	4,588.5	24%	4,588.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M12 Diameter Anchor Length - 160 mm							
2223827	\$	Anchor rod HAS-U 5.8 M12x220	20		333102		328.8	6,575	165	5,260.0	20%	4,734.0	28%	4,734.0	28%	4,997.0	24%	4,997.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M12 Diameter Anchor Length - 220 mm							
2223867	\$	Anchor rod HAS-U 5.8 M12x260	20		333103		360.0	7,200	201	5,760.0	20%	5,184.0	28%	5,184.0	28%	5,472.0	24%	5,472.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M12 Diameter Anchor Length - 260 mm							
2223868	\$	Anchor rod HAS-U 5.8 M12x300	20		333104		423.1	8,463	229	6,770.0	20%	6,093.0	28%	6,093.0	28%	6,431.5	24%	6,431.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M12 Diameter Anchor Length - 300 mm							
2223829	\$	Anchor rod HAS-U 5.8 M16x165	20		333105		431.3	8,625	253	6,900.0	20%	6,210.0	28%	6,210.0	28%	6,555.0	24%	6,555.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M16 Diameter Anchor Length - 165 mm							
2223830	\$	Anchor rod HAS-U 5.8 M16x190	20				541.3	10,825	284	8,660.0	20%	7,794.0	28%	7,794.0	28%	8,227.0	24%	8,227.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M16 Diameter Anchor Length - 190 mm							
2223832	\$	Anchor rod HAS-U 5.8 M16x220	10		333106		603.8	6,038	311	4,830.0	20%	4,347.0	28%	4,347.0	28%	4,588.5	24%	4,588.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M16 Diameter Anchor Length - 220 mm							
2223870	\$	Anchor rod HAS-U 5.8 M16x300	10		333107		743.8	7,438	411	5,950.0	20%	5,355.0	28%	5,355.0	28%	5,652.5	24%	5,652.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M16 Diameter Anchor Length - 300 mm							
2223871	\$	Anchor rod HAS-U 5.8 M16x350	10		333108		851.3	8,513	478	6,810.0	20%	6,129.0	28%	6,129.0	28%	6,469.5	24%	6,469.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M16 Diameter Anchor Length - 350 mm							
2223872	\$	Anchor rod HAS-U 5.8 M16x500	10	NR	333109		1,247.5	12,475	680	9,980.0	20%	8,982.0	28%	8,982.0	28%	9,481.0	24%	9,481.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M16 Diameter Anchor Length - 500 mm							
2223874	\$	Anchor rod HAS-U 5.8 M20x240	10				1,128.8	11,288	551	9,030.0	20%	8,127.0	28%	8,127.0	28%	8,578.5	24%	8,578.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M20 Diameter Anchor Length - 240 mm							
2223876	\$	Anchor rod HAS-U 5.8 M20x260	10		333110		1,197.5	11,975	591	9,580.0	20%	8,622.0	28%	8,622.0	28%	9,101.0	24%	9,101.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M20 Diameter Anchor Length - 260 mm							
2223877	\$	Anchor rod HAS-U 5.8 M20x300	10		333111		1,285.3	12,853	670	10,282.0	20%	9,253.8	28%	9,253.8	28%	9,767.9	24%	9,767.9	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M20 Diameter Anchor Length - 300 mm							
2223878	\$	Anchor rod HAS-U 5.8 M20x350	10		333112		1,362.3	13,623	770	10,898.0	20%	9,808.2	28%	9,808.2	28%	10,353.1	24%	10,353.1	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M20 Diameter Anchor Length - 350 mm							
2223879	\$	Anchor rod HAS-U 5.8 M20x400	10		333113		1,508.1	15,081	869	12,065.0	20%	10,858.5	28%	10,858.5	28%	11,461.8	24%	11,461.8	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M20 Diameter Anchor Length - 400 mm							
2223881	\$	Anchor rod HAS-U 5.8 M24x300	5		332224		1,750.0	8,750	986	7,000.0	20%	6,300.0	28%	6,300.0	28%	6,650.0	24%	6,650.0	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M24 Diameter Anchor Length - 300 mm							
2223890	\$	Anchor rod HAS-U 5.8 M27x340	4	NR			5,021.9	20,088	1,503	16,070.0	20%	14,463.0	28%	14,463.0	28%	15,266.5	24%	15,266.5	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M27 Diameter Anchor Length - 340 mm							
2223891	\$	Anchor rod HAS-U 5.8 M30x380	4	NR	333115		6,211.6	24,846	1,968	19,877.0	20%	17,889.3	28%	17,889.3	28%	18,883.2	24%	18,883.2	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M30 Diameter Anchor Length - 380 mm							
2223892	\$	Anchor rod HAS-U 5.8 M33x420	4	NR	333116		7,917.8	31,671	2,814	25,337.0	20%	22,803.3	28%	22,803.3	28%	24,070.2	24%	24,070.2	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M33 Diameter Anchor Length - 420 mm							
2223893	\$	Anchor rod HAS-U 5.8 M36x460	4	NR	333117		10,868.4	43,474	3,627	34,779.0	20%	31,301.1	28%	31,301.1	28%	33,040.1	24%	33,040.1	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M36 Diameter Anchor Length - 460 mm							
2223894	\$	Anchor rod HAS-U 5.8 M39x510	4	NR	333118		13,114.1	52,456	4,782	41,965.0	20%	37,768.5	28%	37,768.5	28%	39,866.8	24%	39,866.8	24%	HAS-E rods	Galvanized threaded Rod for Capsule and Injection chemical anchors, M39 Diameter Anchor Length - 510 mm							
HAS-U - R Anchor Rod, complete with nut & washer( Stainless Steel A4 SS 316)																												
2223865	\$	Anchor rod HAS-U A4 M8x110	20	NR	333119		431.3	8,625	38	6,900.0	20%	6,210.0	28%	6,210.0	28%	6,555.0	24%	6,555.0	24%	HAS-E rods	SS 316 threaded Rod for Capsule and Injection chemical anchors, M8 diameter, Anchor Length - 110 mm							
2223866	\$	Anchor rod																										



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
HIS Internally Threaded Rods (Stainless Steel version A4 316)																				
258024	NS	Int. threaded sleeve HIS-RN M8x90 A4	10	NR		928.0	9,280	67	7,610.0	18%	6,867.6	26%	6,867.6	26%	7,238.8	22%	7,238.8	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Internally threaded rod ( SS- A4 316 grade ) M8 dia
258025	NS	Int. threaded sleeve HIS-RN M10x110 A4	10	NR		1,289.4	12,894	146	10,573.0	18%	9,541.5	26%	9,541.5	26%	10,057.2	22%	10,057.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Internally threaded rod ( SS- A4 316 grade ) M10 dia
258026	NS	Int. threaded sleeve HIS-RN M12x125 A4	5	NR		1,739.0	8,695	307	7,130.0	18%	6,434.4	26%	6,434.4	26%	6,782.2	22%	6,782.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Internally threaded rod ( SS- A4 316 grade ), M12 dia
258027	NS	Int. threaded sleeve HIS-RN M16x170 A4	5	NR		3,299.8	16,499	574	13,529.0	18%	12,209.1	26%	12,209.1	26%	12,869.0	22%	12,869.0	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Internally threaded rod ( SS- A4 316 grade ), M16 dia
258028	NS	Int. threaded sleeve HIS-RN M20x205 A4	5	NR		10,173.2	50,866	751	41,710.0	18%	37,640.7	26%	37,640.7	26%	39,675.4	22%	39,675.4	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Internally threaded rod ( SS- A4 316 grade ), M20 dia
HIS Setting Tool (to be inserted in HIS Rods)																				
45964	NS	Setting tool HIS-S M8	1	NR		2,109.8	2,110	40	1,730.0	18%	1,561.2	26%	1,561.2	26%	1,645.6	22%	1,645.6	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting tool for Internally threaded rod M8
45965	NS	Setting tool HIS-S M10	1	NR		2,146.3	2,146	67	1,760.0	18%	1,588.3	26%	1,588.3	26%	1,674.1	22%	1,674.1	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting tool for Internally threaded rod M10
45966	NS	Setting tool HIS-S M12	1	NR		3,268.3	3,268	83	2,680.0	18%	2,418.5	26%	2,418.5	26%	2,549.3	22%	2,549.3	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting tool for Internally threaded rod M12
45967	NS	Setting tool HIS-S M16	1	NR		5,097.6	5,098	203	4,180.0	18%	3,772.2	26%	3,772.2	26%	3,976.1	22%	3,976.1	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting tool for Internally threaded rod M16
45968	NS	Setting tool HIS-S M20	1	NR		7,451.2	7,451	307	6,110.0	18%	5,513.9	26%	5,513.9	26%	5,812.0	22%	5,812.0	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting tool for Internally threaded rod M20
Drive Socket (to mount the HIS setting tools)																				
2070371	\$	Impact socket S-NSD 1/2"-13 S	1			1,076.6	1,077	75	753.6	30%	699.8	35%	699.8	35%	699.8	35%	699.8	35%	PT&A Accessories	Used with SHANK TE-C-1/2" for 13mm hex nut
2070374	NS	Impact socket S-NSD 1/2"-17 S	1			1,542.9	1,543	130	1,080.0	30%	1,002.9	35%	1,002.9	35%	1,002.9	35%	1,002.9	35%	PT&A Accessories	Used with SHANK TE-C-1/2" for 17mm hex nut
2070376	\$	Impact socket SI-S 1/2"-19 S	1			1,614.3	1,614	133	1,130.0	30%	1,049.3	35%	1,049.3	35%	1,049.3	35%	1,049.3	35%	PT&A Accessories	Width Across Flat 19 mm, connection end standard 1/2" square
2070410	\$	Impact socket SI-S 3/4"-24	1			2,385.7	2,386	356	1,670.0	30%	1,550.7	35%	1,550.7	35%	1,550.7	35%	1,550.7	35%	PT&A Accessories	For 16mm bolts, connection end standard 3/4" square
2070412	\$	Impact socket SI-S 3/4"-30	1			2,614.3	2,614	407	1,830.0	30%	1,699.3	35%	1,699.3	35%	1,699.3	35%	1,699.3	35%	PT&A Accessories	Used with SHANK TE-FY-3/4" for 30mm hex nut
TE Adaptor with square drive, connection shafts for TE Tools (to connect the drive socket to the drill machine)																				
32220	NS	Insert shaft TE-C 1/2	1	NR		3,771.4	3,771	74	2,640.0	30%	2,451.4	35%	2,451.4	35%	2,451.4	35%	2,451.4	35%	PT&A Accessories	Setting tool component for fixing HIS-NRN rod
32221	NS	Insert shaft TE-FY 3/4	1	NR		4,900.0	4,900	332	3,430.0	30%	3,185.0	35%	3,185.0	35%	3,185.0	35%	3,185.0	35%	PT&A Accessories	Setting tool component for fixing HIS-NRN rod
HVZ Adhesive System (for dynamic loads)																				
2295595	NS	Adhesive capsule HVU-TZ M10	20	NR	311368	475.6	9,512	-	7,800.0	18%	7,039.0	26%	7,039.0	26%	7,419.5	22%	7,419.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor M10 dia
2295596	NS	Adhesive capsule HVU-TZ M12	20	NR	311369	609.8	12,195	-	10,000.0	18%	9,024.4	26%	9,024.4	26%	9,512.2	22%	9,512.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor M12 dia
2295597	\$	Adhesive capsule HVU-TZ M16	16	NR	311370	922.2	14,755	-	12,099.0	18%	10,918.6	26%	10,918.6	26%	11,508.8	22%	11,508.8	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor M16 dia
2295598	NS	Adhesive capsule HVU-TZ M20	4	NR	335942	1,338.4	5,354	-	4,390.0	18%	3,961.7	26%	3,961.7	26%	4,175.9	22%	4,175.9	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor M20 dia
HAS-TZ Rods (Galvanised Version)																				
310018	NS	Anchor rod HAS-TZ M10X75/15	10	NR		1,200.0	12,000	76	9,840.0	18%	8,880.0	26%	8,880.0	26%	9,360.0	22%	9,360.0	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M10 dia
308383	NS	Anchor rod HAS-TZ M10X75/30	10	NR		1,283.9	12,839	83	10,528.0	18%	9,500.9	26%	9,500.9	26%	10,014.4	22%	10,014.4	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M10 dia
308384	NS	Anchor rod HAS-TZ M10X75/50	10	NR		1,370.6	13,706	93	11,239.0	18%	10,142.5	26%	10,142.5	26%	10,690.8	22%	10,690.8	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M10 dia
308385	NS	Anchor rod HAS-TZ M12X95/25	10	NR		1,558.2	15,582	132	12,777.0	18%	11,530.5	26%	11,530.5	26%	12,153.7	22%	12,153.7	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M12 dia
308386	NS	Anchor rod HAS-TZ M12X95/50	10	NR		1,849.3	18,493	154	15,984.0	18%	14,424.6	26%	14,424.6	26%	15,204.3	22%	15,204.3	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M12 dia
308387	NS	Anchor rod HAS-TZ M12X95/100	10	NR		2,433.7	24,337	187	19,956.0	18%	18,009.1	26%	18,009.1	26%	18,982.5	22%	18,982.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M12 dia
308388	NS	Anchor rod HAS-TZ M16X105/30	5	NR		2,669.0	13,345	259	10,943.0	18%	9,875.4	26%	9,875.4	26%	10,409.2	22%	10,409.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M16 dia
308389	NS	Anchor rod HAS-TZ M16X105/60	5	NR		3,152.4	15,762	304	12,925.0	18%	11,664.0	26%	11,664.0	26%	12,294.5	22%	12,294.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M16 dia
308390	NS	Anchor rod HAS-TZ M16X105/100	5	NR		2,942.7	14,713	360	12,065.0	18%	10,887.9	26%	10,887.9	26%	11,476.5	22%	11,476.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M16 dia
332519	NS	Anchor rod HAS-TZ M16X125/30	5	NR		2,796.8	13,984	287	11,467.0	18%	10,348.3	26%	10,348.3	26%	10,907.6	22%	10,907.6	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M16 dia
332520	NS	Anchor rod HAS-TZ M16X125/60	5	NR		2,831.0	14,155	327	11,607.0	18%	10,474.6	26%	10,474.6	26%	11,040.8	22%	11,040.8	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M16 dia
332521	NS	Anchor rod HAS-TZ M16X125/100	5	NR		3,382.4	16,912	384	13,868.0	18%	12,515.0	26%	12,515.0	26%	13,191.5	22%	13,191.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M16 dia
335943	NS	Anchor rod HAS-TZ M20X170/40	4	NR		5,843.6	23,374	646	19,167.0	18%	17,297.0	26%	17,297.0	26%	18,232.0	22%	18,232.0	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod M20 dia



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight	E		A		B		C		D		Discount Group	Description	
								/ PC													
HAS-RTZ Rods (Stainless Steel version A4 316)																					
310019	NS	Anchor rod HAS-RTZ M10x75/15	10	NR			1,877.3	18,773	76	15,394.0	18%	13,892.1	26%	13,892.1	26%	14,643.1	22%	14,643.1	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M10 dia
308391	NS	Anchor rod HAS-RTZ M10x75/30	10	NR			2,037.0	20,370	85	16,703.0	18%	15,073.4	26%	15,073.4	26%	15,888.2	22%	15,888.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M10 dia
308392	NS	Anchor rod HAS-RTZ M10x75/50	10	NR			2,212.9	22,129	94	18,146.0	18%	16,375.7	26%	16,375.7	26%	17,260.8	22%	17,260.8	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M10 dia
308393	NS	Anchor rod HAS-RTZ M12x95/25	10	NR			2,985.9	29,859	134	24,484.0	18%	22,095.3	26%	22,095.3	26%	23,289.7	22%	23,289.7	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M12 dia
308394	NS	Anchor rod HAS-RTZ M12x95/50	10	NR			2,851.0	28,510	154	23,378.0	18%	21,097.2	26%	21,097.2	26%	22,237.6	22%	22,237.6	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M12 dia
308395	NS	Anchor rod HAS-RTZ M12x95/100	10	NR			3,621.3	36,213	189	29,695.0	18%	26,797.9	26%	26,797.9	26%	28,246.5	22%	28,246.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M12 dia
308396	NS	Anchor rod HAS-RTZ M16x105/30	5	NR			4,546.3	22,732	265	18,640.0	18%	16,821.5	26%	16,821.5	26%	17,730.7	22%	17,730.7	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M16 dia
308397	NS	Anchor rod HAS-RTZ M16x105/60	5	NR			4,802.0	24,010	308	19,688.0	18%	17,767.2	26%	17,767.2	26%	18,727.6	22%	18,727.6	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M16 dia
308398	NS	Anchor rod HAS-RTZ M16x105/100	5	NR			5,819.8	29,099	364	23,861.0	18%	21,533.1	26%	21,533.1	26%	22,697.0	22%	22,697.0	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M16 dia
332522	NS	Anchor rod HAS-RTZ M16x125/30	5	NR			5,832.0	29,160	294	23,911.0	18%	21,578.2	26%	21,578.2	26%	22,744.6	22%	22,744.6	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M16 dia
332523	NS	Anchor rod HAS-RTZ M16x125/60	5	NR			6,167.3	30,837	335	25,286.0	18%	22,819.1	26%	22,819.1	26%	24,052.5	22%	24,052.5	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M16 dia
332524	NS	Anchor rod HAS-RTZ M16x125/100	5	NR			8,036.8	40,184	388	32,951.0	18%	29,736.3	26%	29,736.3	26%	31,343.6	22%	31,343.6	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M16 dia
335944	NS	Anchor rod HAS-RTZ M20x170/40	4	NR			8,573.5	34,294	655	28,121.0	18%	25,377.5	26%	25,377.5	26%	26,749.2	22%	26,749.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Dynamic Load Approved Capsule Chemical Anchor rod SS 316 M20 dia
Setting Tool for HAS-TZ & HAS-RTZ Rods																					
311415	NS	Setting tool TE-C HEX M10	1	NR			9,073.2	9,073	364	7,440.0	18%	6,714.1	26%	6,714.1	26%	7,077.1	22%	7,077.1	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting Tool for Dynamic Load Anchor HVU-TZ, M10 dia
311416	NS	Setting tool TE-C HEX M12	1	NR			11,792.7	11,793	359	9,670.0	18%	8,726.6	26%	8,726.6	26%	9,198.3	22%	9,198.3	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting Tool for Dynamic Load Anchor HVU-TZ, M12 dia
311417	NS	Setting tool TE-C HEX M16	1	NR			12,048.8	12,049	395	9,880.0	18%	8,916.1	26%	8,916.1	26%	9,398.0	22%	9,398.0	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting Tool for Dynamic Load Anchor HVU-TZ, M16 dia
336420	NS	Setting tool TE-Y HEX M20	1	NR			18,732.9	18,733	731	15,361.0	18%	13,862.4	26%	13,862.4	26%	14,611.7	22%	14,611.7	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Setting Tool for Dynamic Load Anchor HVU-TZ, M20 dia
Hilti HIT Injection System 330ml cartridges																					
2287553	\$	Injectable mortar HIT-RE 500 V4/330/1	1	NR	INP 2022 , Old Item 2123403		6,597.6	6,598	566	5,410.0	18%	4,882.2	26%	4,882.2	26%	5,146.1	22%	5,146.1	22%	RE 500	
2262134	\$	Injectable mortar HY 200-R V3 330/2	1	NR	INP 2021, Old Item 2022699		5,426.8	5,427	710	4,450.0	18%	4,015.9	26%	4,015.9	26%	4,232.9	22%	4,232.9	22%	HY 200	Injection Hybrid Chemical HY 200-R V3, Approved for 100 year, Siesmic, Cracked Concrete, Safeset, Fire Etc (330ml pack)
2095982	\$	Injectable mortar HIT-HY 270 330/2/EE	1	NR			4,658.5	4,659	646	3,820.0	18%	3,447.3	26%	3,447.3	26%	3,633.7	22%	3,633.7	22%	HY 270	ETA approved Injection chemical for Masonry, Approved for Fire(330ml pack)
2031079	\$	Injectable mortar HIT-MM PLUS 330/2	1	NR			2,062.5	2,063	645	1,650.0	20%	1,485.0	28%	1,485.0	28%	1,567.5	24%	1,567.5	24%	HIT-MM	Economical Fast Cure injection chemical for daily for non critical fixings(330ml pack)
500ml cartridges																					
2287554	\$	Injectable mortar HIT-RE 500 V4/500/1	1	NR	INP 2022 , Old Item 2123406		8,561.0	8,561	805	7,020.0	18%	6,335.1	26%	6,335.1	26%	6,677.6	22%	6,677.6	22%	RE 500	
2262131	\$	Injectable mortar HY 200-R V3 500/2	1	NR			6,939.0	6,939	1,023	5,690.0	18%	5,134.9	26%	5,134.9	26%	5,412.4	22%	5,412.4	22%	HY 200	Injection Hybrid Chemical HY 200-R V3, Approved for 100 year, Siesmic, Cracked Concrete, Safeset, Fire Etc (500ml pack)
2123386	\$	Injectable mortar HIT-RE 100/500/1	1	NR			5,125.0	5,125	805	4,100.0	20%	3,690.0	28%	3,690.0	28%	3,895.0	24%	3,895.0	24%	RE 100	ETA approved Injection Epoxy Chemical RE 100, Approved for Cracked Concrete, Under water, Fire Etc(500ml pack)
3623114	\$	Kit Injectable Mortar HIT-RE 100/500mm(50)	1				255,052.6	255,053	40,250	198,941.0	22%	165,784.2	35%	165,784.2	35%	178,536.8	30%	178,536.8	30%	RE 100 Sales Kit	ETA approved Injection Epoxy Chemical RE 100, Approved for Cracked Concrete, Under water, Fire Etc(500ml pack) - 50 foils
		Injectable Mortar HIT-RE 100/500ml	50																		
2153748	\$	Injectable mortar HIT-RE 10 580/1-A1	1	NR			3,100.0	3,100	930	2,480.0	20%	2,232.0	28%	2,232.0	28%	2,356.0	24%	2,356.0	24%	RE 10	Economical Epoxy Injection chemical( 580ml pack)
2153749	\$	Injectable mortar HIT-RE 10 580/1-A1-P	12	NR			2,895.7	34,749	930	27,799.0	20%	25,019.1	28%	25,019.1	28%	26,409.1	24%	26,409.1	24%	RE 10	Economical Epoxy Injection chemical( 580ml pack) 12 Pcs
2132024	\$	Injectable mortar HIT-HY 170 500/2-EE	1	NR			3,812.5	3,813	925	3,050.0	20%	2,745.0	28%	2,745.0	28%	2,897.5	24%	2,897.5	24%	HY 170	ETA approved fast cure Injection chemical, approved for Cracked concrete, Masonry, Fire etc(500ml pack)
BULK RE 500 & HY 200																					
3788386	\$	Kit RE 500 V4(75)+HDE+22V+CB500+8try+Chgr	1				728,709.5	728,710	NA	612,116.0	16%	408,077.3	44%	408,077.3	44%	408,077.3	44%	408,077.3	44%		75 foils of RE 500 V4/500ML + HDE Battery Dispenser + Cartridge Holder + Battery + Charger
		Battery charger C 4/36-90 230V box	1																		
		Cartridge holder HIT-CB 500	1																		
		Cordl. dispenser HDE 500-A22 box	1																		
		Battery pack B 22/1 6 Li-Ion	1																		
		Injectable mortar HIT-RE 500 V4/500/1	75																		
3606934	\$	Kit HY 200(75)+HDE+Charger+Battery+CR500	1				563,129.6	563,130	NA	456,135.0	19%	315,352.6	44%	315,352.6	44%	315,352.6	44%	315,352.6	44%		75 foils of HY 200-R/500ML + HDE Battery Dispenser + Cartridge Holder + Battery + Charger
		Battery charger C 4/36-90 230V box	1																		
		Cordl. dispenser HDE 500-A22 box	1																		
		Battery pack B 22/1 6 Li-Ion	1																		
		Injectable mortar HIT-HY 200-R 500/2	1																		
		Cartridge holder HIT-CR 500	75																		
HIT Dispensers & Accessories																					
2326714	\$	Cordl. dispenser HDE 500-A12	1		INP 2022		25,425.0	25,425	-	20,340.0	20%	18,306.0	28%	18,306.0	28%	19,323.0	24%	19,323.0			



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
HIT-V Anchor Rod, complete with nut & washer (Galvanised version, Grade 5.8)																				
2057806	\$	Anchor rod HIT-V- 5.8 M8X110	20			133.8	2,675	42	2,140.0	20%	1,926.0	28%	1,926.0	28%	2,033.0	24%	2,033.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M8 Dia, Anchor Length - 110 mm
2057807	\$	Anchor rod HIT-V- 5.8 M10X115	10			185.0	1,850	68	1,480.0	20%	1,332.0	28%	1,332.0	28%	1,406.0	24%	1,406.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M10 Dia, Anchor Length - 115 mm
3505747	\$	Anchor rod HIT-V-5.8 M10X125	10			191.3	1,913	82	1,530.0	20%	1,377.0	28%	1,377.0	28%	1,453.5	24%	1,453.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M10 Dia, Anchor Length - 125mm
3505748	\$	Anchor rod HIT-V-5.8 M10X185	10			253.8	2,538	114	2,030.0	20%	1,827.0	28%	1,827.0	28%	1,928.5	24%	1,928.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M10 Dia, Anchor Length - 185mm
3505749	\$	Anchor rod HIT-V-5.8 M12X110	10			242.5	2,425	116	1,940.0	20%	1,746.0	28%	1,746.0	28%	1,843.0	24%	1,843.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 110 mm
2057808	\$	Anchor rod HIT-V- 5.8 M12X120	10			278.8	2,788	112	2,230.0	20%	2,007.0	28%	2,007.0	28%	2,118.5	24%	2,118.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 120 mm
2057809	\$	Anchor rod HIT-V- 5.8 M12X150	10			300.0	3,000	134	2,400.0	20%	2,160.0	28%	2,160.0	28%	2,280.0	24%	2,280.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 150 mm
2057870	\$	Anchor rod HIT-V- 5.8 M12X220	10			341.3	3,413	176	2,730.0	20%	2,457.0	28%	2,457.0	28%	2,593.5	24%	2,593.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 220 mm
2057871	\$	Anchor rod HIT-V- 5.8 M12X255	10			418.8	4,188	206	3,350.0	20%	3,015.0	28%	3,015.0	28%	3,182.5	24%	3,182.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 255 mm
2057872	\$	Anchor rod HIT-V- 5.8 M16X150	5			447.5	2,238	473	1,790.0	20%	1,611.0	28%	1,611.0	28%	1,700.5	24%	1,700.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 150 mm
3505750	\$	Anchor rod HIT-V-5.8 M16X165	5			460.0	2,300	268	1,840.0	20%	1,656.0	28%	1,656.0	28%	1,748.0	24%	1,748.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 165mm
3505751	\$	Anchor rod HIT-V-5.8 M16X185	5			527.5	2,638	299	2,110.0	20%	1,899.0	28%	1,899.0	28%	2,004.5	24%	2,004.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 185mm
2057873	\$	Anchor rod HIT-V- 5.8 M16X200	5			547.5	2,738	302	2,190.0	20%	1,971.0	28%	1,971.0	28%	2,080.5	24%	2,080.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 200 mm
2057874	\$	Anchor rod HIT-V- 5.8 M16X260	5			675.0	3,375	379	2,700.0	20%	2,430.0	28%	2,430.0	28%	2,565.0	24%	2,565.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 260 mm
3505752	\$	Anchor rod HIT-V-5.8 M16X300	5			767.5	3,838	459	3,070.0	20%	2,763.0	28%	2,763.0	28%	2,916.5	24%	2,916.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 300 mm
3505873	\$	Anchor rod HIT-V-5.8 M16X500	5			1,175.0	5,875	666	4,700.0	20%	4,230.0	28%	4,230.0	28%	4,465.0	24%	4,465.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 500mm
3505874	\$	Anchor rod HIT-V-5.8 M20X180	5			830.0	4,150	485	3,320.0	20%	2,988.0	28%	2,988.0	28%	3,154.0	24%	3,154.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 180 mm
2057875	\$	Anchor rod HIT-V- 5.8 M20X240	5			1,157.5	5,788	562	4,630.0	20%	4,167.0	28%	4,167.0	28%	4,398.5	24%	4,398.5	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 240mm
3505875	\$	Anchor rod HIT-V-5.8 M20X260	5			1,150.0	5,750	663	4,600.0	20%	4,140.0	28%	4,140.0	28%	4,370.0	24%	4,370.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 260 mm
2057876	\$	Anchor rod HIT-V- 5.8 M20X300	5			1,385.0	6,925	682	5,540.0	20%	4,986.0	28%	4,986.0	28%	5,263.0	24%	5,263.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 300 mm
2057877	\$	Anchor rod HIT-V- 5.8 M20X350	5			1,460.0	7,300	782	5,840.0	20%	5,256.0	28%	5,256.0	28%	5,548.0	24%	5,548.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 350 mm
3505876	\$	Anchor rod HIT-V-5.8 M20X400	5			1,525.0	7,625	968	6,100.0	20%	5,490.0	28%	5,490.0	28%	5,795.0	24%	5,795.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 400mm
3505877	\$	Anchor rod HIT-V-5.8 M20X500	5			1,855.0	9,275	1,188	7,420.0	20%	6,678.0	28%	6,678.0	28%	7,049.0	24%	7,049.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 500mm
2057878	\$	Anchor rod HIT-V- 5.8 M24X300	5			2,070.0	10,350	1,027	8,280.0	20%	7,452.0	28%	7,452.0	28%	7,866.0	24%	7,866.0	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M24 Dia, Anchor Length - 300 mm
3505878	\$	Anchor rod HIT-V- 5.8 M24X450	5			2,710.5	13,553	1,550	10,842.0	20%	9,757.8	28%	9,757.8	28%	10,299.9	24%	10,299.9	24%	HIT-V	ETA approved 5.8 Grade Standard threaded for anchoring with all HIT Chemicals, M24 Dia, Anchor Length - 450 mm
HIT-V Anchor Rod, complete with nut & washer (Galvanised version, Grade 8.8)																				
2218552	\$	Anchor rod HIT-V-8.8 M12x130	10			365.0	3,650	118	2,920.0	20%	2,628.0	28%	2,628.0	28%	2,774.0	24%	2,774.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 130 mm
2218553	\$	Anchor rod HIT-V-8.8 M12x170	10			405.0	4,050	147	3,240.0	20%	2,916.0	28%	2,916.0	28%	3,078.0	24%	3,078.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 170 mm
2218266	\$	Anchor rod HIT-V-8.8 M12x220	10			415.0	4,150	184	3,320.0	20%	2,988.0	28%	2,988.0	28%	3,154.0	24%	3,154.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 dia, Anchor Length - 220 mm
2218267	\$	Anchor rod HIT-V-8.8 M12x260	10			515.0	5,150	214	4,120.0	20%	3,708.0	28%	3,708.0	28%	3,914.0	24%	3,914.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 Dia, Anchor Length - 260 mm
2218268	\$	Anchor rod HIT-V-8.8 M16x180	5			650.0	3,250	287	2,600.0	20%	2,340.0	28%	2,340.0	28%	2,470.0	24%	2,470.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 180 mm
2218269	\$	Anchor rod HIT-V-8.8 M16x210	5			742.5	3,713	328	2,970.0	20%	2,673.0	28%	2,673.0	28%	2,821.5	24%	2,821.5	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 210 mm
2218540	\$	Anchor rod HIT-V-8.8 M16x260	5			900.0	4,500	396	3,600.0	20%	3,240.0	28%	3,240.0	28%	3,420.0	24%	3,420.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 260 mm
2218541	\$	Anchor rod HIT-V-8.8 M16X310	5			1,050.0	5,250	465	4,200.0	20%	3,780.0	28%	3,780.0	28%	3,990.0	24%	3,990.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 Dia, Anchor Length - 310 mm
2218542	\$	Anchor rod HIT-V-8.8 M20X190	5			1,120.0	5,600	504	4,480.0	20%	4,032.0	28%	4,032.0	28%	4,256.0	24%	4,256.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia, Anchor Length - 190 mm
2218554	\$	Anchor rod HIT-V-8.8 M20X250	5			1,442.5	7,213	637	5,770.0	20%	5,193.0	28%	5,193.0	28%	5,481.5	24%	5,481.5	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia,Anchor Length - 250 mm
2218543	\$	Anchor rod HIT-V-8.8 M20X300	5			1,680.0	8,400	747	6,720.0	20%	6,048.0	28%	6,048.0	28%	6,384.0	24%	6,384.0	24%	HIT-V	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 Dia,Anchor Length - 300 mm
2218544	\$	Anchor rod HIT-V-8.8 M20X400	5			2,1														



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	
2008567	\$	Threaded rod AM12x3000 8.8 zincd	15			3,938.3	59,074	1,958	47,259.0	20%	42,533.1	28%	42,533.1	28%	44,896.1	24%	44,896.1	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M12 dia, Anchor Length - 3000mm
2008568	\$	Threaded rod AM16x3000 8.8 zincd	5			6,337.8	31,689	3,880	25,351.0	20%	22,815.9	28%	22,815.9	28%	24,083.5	24%	24,083.5	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M16 dia, Anchor Length - 3000mm
2008569	\$	Threaded rod AM20x3000 8.8 zincd	5			10,200.0	51,000	6,100	40,800.0	20%	36,720.0	28%	36,720.0	28%	38,760.0	24%	38,760.0	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M20 dia, Anchor Length - 3000mm
2008580	\$	Threaded rod AM24x3000 8.8 zincd	5			14,836.0	74,180	8,800	59,344.0	20%	53,409.6	28%	53,409.6	28%	56,376.8	24%	56,376.8	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M24 dia, Anchor Length - 3000mm
2008138	NS	Threaded rod AM27x1000 8.8 zincd	1	NR		6,200.0	6,200	3,824	4,960.0	20%	4,464.0	28%	4,464.0	28%	4,712.0	24%	4,712.0	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M27 dia, Anchor Length - 1000mm
2008333	\$	Threaded rod AM27x3000 8.8 zincd	1	NR		19,190.0	19,190	11,460	15,352.0	20%	13,816.8	28%	13,816.8	28%	14,584.4	24%	14,584.4	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M27 dia, Anchor Length - 3000mm
2008139	\$	Threaded rod AM30x1000 8.8 zincd	1	NR		8,912.5	8,913	4,640	7,130.0	20%	6,417.0	28%	6,417.0	28%	6,773.5	24%	6,773.5	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M30 dia, Anchor Length - 1000mm
2008334	\$	Threaded rod AM30x3000 8.8 zincd	1	NR		24,386.3	24,386	14,000	19,509.0	20%	17,558.1	28%	17,558.1	28%	18,533.6	24%	18,533.6	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M30 dia, Anchor Length - 3000mm
2008330	NS	Threaded rod AM33x1000 8.8 zincd	1	NR		9,525.0	9,525	5,733	7,620.0	20%	6,858.0	28%	6,858.0	28%	7,239.0	24%	7,239.0	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M33 dia, Anchor Length - 1000mm
2008335	\$	Threaded rod AM33x3000 8.8 zincd	1	NR		29,258.8	29,259	17,200	23,407.0	20%	21,066.3	28%	21,066.3	28%	22,236.7	24%	22,236.7	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M33 dia, Anchor Length - 3000mm
2008331	NS	Threaded rod AM36x1000 8.8 zincd	1	NR		11,575.0	11,575	6,800	9,260.0	20%	8,334.0	28%	8,334.0	28%	8,797.0	24%	8,797.0	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M36 dia, Anchor Length - 1000mm
2008336	\$	Threaded rod AM36x3000 8.8 zincd	1	NR		33,937.5	33,938	20,500	27,150.0	20%	24,435.0	28%	24,435.0	28%	25,792.5	24%	25,792.5	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M36 dia, Anchor Length - 3000mm
2008332	NS	Threaded rod AM39x1000 8.8 zincd	1	NR		13,160.0	13,160	8,067	10,528.0	20%	9,475.2	28%	9,475.2	28%	10,001.6	24%	10,001.6	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M39 dia, Anchor Length - 1000mm
2008337	NS	Threaded rod AM39x3000 8.8 zincd	1	NR		39,187.5	39,188	24,500	31,350.0	20%	28,215.0	28%	28,215.0	28%	29,782.5	24%	29,782.5	24%	AM Rod	ETA approved 8.8 Grade Standard threaded for anchoring with all HIT Chemicals, M39 dia, Anchor Length - 3000mm

P.S. Note : Nuts and washers are to be purchased separately ( refer to "Nuts & Washer" discount group)

Customer will have to arrange the cut by themselves for AM rods at jobsite and apply anti-corrosive paint after cutting to desired length

Extra nut & washer (Galvanised version, Grade 8)																				
3495195	NS	M8 CLASS 8 1N(DIN 934) + 1W(DIN 125)	20			19.9	398	14	298.4	25%	278.5	30%	278.5	30%	286.5	28%	286.5	28%	Nuts & Washers	Set of 1 nut and 1 washer M8 dia Anchor
3493951	\$	M10 CLASS 8 1N(DIN 934) + 1W(DIN 125)	10			34.9	349	14	261.8	25%	244.3	30%	244.3	30%	251.3	28%	251.3	28%	Nuts & Washers	Set of 1 nut and 1 washer M10 dia Anchor
3498641	\$	M12 CLASS 8 1N(DIN 934) + 1W(DIN 126)	10			62.2	622	27	465.5	25%	435.4	30%	435.4	30%	447.8	28%	447.8	28%	Nuts & Washers	Set of 1 nut and 1 washer M12 dia Anchor
3491435	\$	M16 CLASS 8 1N(DIN 934) + 1W(DIN 125)	5			113.3	567	40	424.9	25%	396.6	30%	396.6	30%	407.9	28%	407.9	28%	Nuts & Washers	Set of 1 nut and 1 washer M16 dia Anchor
3488737	\$	M20 CLASS 8 1N(DIN 934) + 1W(DIN 125)	5			138.5	693	100	519.5	25%	484.9	30%	484.9	30%	498.7	28%	498.7	28%	Nuts & Washers	Set of 1 nut and 1 washer M20 dia Anchor
3496152	\$	M24 CLASS 8 1N(DIN 934) + 1W(DIN 125)	5			368.0	1,840	130	1,380.0	25%	1,288.0	30%	1,288.0	30%	1,324.8	28%	1,324.8	28%	Nuts & Washers	Set of 1 nut and 1 washer M24 dia Anchor
362307	\$	Hexagon nut M27 zincd	25			516.9	12,921	150	10,337.0	20%	9,044.9	30%	9,044.9	30%	9,690.9	25%	9,690.9	25%	All Installation Systems	Hex Nut for M27 dia threaded rod
362309	\$	Hexagon nut M30 zincd	25			688.2	17,205	210	13,764.0	20%	12,043.5	30%	12,043.5	30%	12,903.8	25%	12,903.8	25%	All Installation Systems	Hex Nut for M30 dia threaded rod
362134	\$	Hexagon nut M33 zincd	20			968.5	19,370	268	15,496.0	20%	13,559.0	30%	13,559.0	30%	14,527.5	25%	14,527.5	25%	All Installation Systems	Hex Nut for M33 dia threaded rod
362135	NS	Hexagon nut M36 zincd	10			1,168.8	11,688	359	9,350.0	20%	8,181.3	30%	8,181.3	30%	8,765.6	25%	8,765.6	25%	All Installation Systems	Hex Nut for M36 dia threaded rod
362136	NS	Hexagon nut M39 zincd	10			2,160.0	21,600	354	17,280.0	20%	15,120.0	30%	15,120.0	30%	16,200.0	25%	16,200.0	25%	All Installation Systems	Hex Nut for M39 dia threaded rod
2008282	\$	Flat washer A 28/50 zincd	100			107.8	10,775	38	8,620.0	20%	7,542.5	30%	7,542.5	30%	8,081.3	25%	8,081.3	25%	All Installation Systems	Flat Washer for M27 dia threaded rod
2008283	\$	Flat washer A 31/56 zincd	100			129.2	12,921	48	10,337.0	20%	9,044.9	30%	9,044.9	30%	9,690.9	25%	9,690.9	25%	All Installation Systems	Flat Washer for M30 dia threaded rod
2048043	\$	Flat washer A 34/60 zincd	50			189.8	9,488	68	7,590.0	20%	6,641.3	30%	6,641.3	30%	7,115.6	25%	7,115.6	25%	All Installation Systems	Flat Washer for M33 dia threaded rod
2048044	NS	Flat washer A 37/66 zincd	50			413.2	20,660	83	16,528.0	20%	14,462.0	30%	14,462.0	30%	15,495.0	25%	15,495.0	25%	All Installation Systems	Flat Washer for M36 dia threaded rod
2008286	NS	Flat washer A 42/72 zincd	50	NR		324.5	16,224	120	12,979.0	20%	11,356.6	30%	11,356.6	30%	12,167.8	25%	12,167.8	25%	All Installation Systems	Flat Washer for M39 dia threaded rod

Seismic / Filling set (or dynamic set)																				
2127787	NS	Filling set M8	50	NR		103.9	5,195	44	4,260.0	18%	3,844.4	26%	3,844.4	26%	4,052.2	22%	4,052.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Filling Set Suitable for fixing M8 anchor
2127788	NS	Filling set M10	50	NR		135.4	6,768	55	5,550.0	18%	5,008.5	26%	5,008.5	26%	5,279.3	22%	5,279.3	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Filling Set Suitable for fixing M10 anchor
2127789	NS	Filling set M12	16	NR		262.2	4,195	61	3,440.0	18%	3,104.4	26%	3,104.4	26%	3,272.2	22%	3,272.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Filling Set Suitable for fixing M12 anchor
2127890	\$	Filling set M16	24	NR		382.1	9,171	105	7,520.0	18%	6,786.3	26%	6,786.3	26%	7,153.2	22%	7,153.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Filling Set Suitable for fixing M16 anchor
2127891	\$	Filling set M20	6	NR		619.9	3,720	141	3,050.0	18%	2,752.4	26%	2,752.4	26%	2,901.2	22%	2,901.2	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Filling Set Suitable for fixing M20 anchor
2127892	NS	Filling set M24	5	NR		1,080.5	5,402	188	4,430.0	18%	3,997.8	26%	3,997.8	26%	4,213.9	22%	4,213.9	22%	HIS + HAS-TZ/HVU-TZ + HIT-Z	Filling Set Suitable for fixing M24 anchor



New Item#	KP	Item Name	Box Qty	Return Category / (NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
Mechanical Anchor																				
HSI Anchor																				
2204579	\$	Light-duty anchor HSI 14x165&#160;WC	2	NR		287.6	575	156	402.6	30%	373.8	35%	373.8	35%	385.3	33%	385.3	33%	Others (Standard)	
2204710		Light-duty anchor HSI 12x120&#160;WB	2	NR		121.0	242	67	169.4	30%	157.3	35%	157.3	35%	162.1	33%	162.1	33%	Others (Standard)	
2204711	NS	Cover cap HSI CP	100	NR		15.1	1,514	10	1,060.0	30%	984.3	35%	984.3	35%	1,014.6	33%	1,014.6	33%	Others (Standard)	
2204712	\$	Light-duty anchor HSI 14x140 WC	2	NR		276.1	552	140	386.5	30%	358.9	35%	358.9	35%	369.9	33%	369.9	33%	Others (Standard)	
Stone Undercut Anchor HSU-R																				
2179422	NS	Stone undercut anchor HSU-R M6x13 / 11	250			216.2	54,049	8	43,239.0	20%	37,834.1	30%	37,834.1	30%	40,536.6	25%	40,536.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179423	\$	Stone undercut anchor HSU-R M6x13 / 13	250			195.1	48,769	9	39,015.0	20%	34,138.1	30%	34,138.1	30%	36,576.6	25%	36,576.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179424	NS	Stone undercut anchor HSU-R M6x13 / 15	250			239.0	59,739	9	47,791.0	20%	41,817.1	30%	41,817.1	30%	44,804.1	25%	44,804.1	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179425	NS	Stone undercut anchor HSU-R M6x13 / 17	250	NR		244.6	61,161	9	48,929.0	20%	42,812.9	30%	42,812.9	30%	45,870.9	25%	45,870.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179426	NS	Stone undercut anchor HSU-R M6x15 / 11	250			250.3	62,585	9	50,068.0	20%	43,809.5	30%	43,809.5	30%	46,938.8	25%	46,938.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179427	\$	Stone undercut anchor HSU-R M6x15 / 13	250			224.3	56,081	10	44,865.0	20%	39,256.9	30%	39,256.9	30%	42,060.9	25%	42,060.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179428	NS	Stone undercut anchor HSU-R M6x15 / 15	250			273.1	68,273	10	54,618.0	20%	47,790.8	30%	47,790.8	30%	51,204.4	25%	51,204.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179429	NS	Stone undercut anchor HSU-R M6x15 / 17	250	NR		278.8	69,696	10	55,757.0	20%	48,787.4	30%	48,787.4	30%	52,272.2	25%	52,272.2	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179430	NS	Stone undercut anchor HSU-R M8x15 / 13	250	NR		295.9	73,963	15	59,170.0	20%	51,773.8	30%	51,773.8	30%	55,471.9	25%	55,471.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179431	NS	Stone undercut anchor HSU-R M8x15 / 15	250	NR		307.2	76,806	16	61,445.0	20%	53,764.4	30%	53,764.4	30%	57,604.7	25%	57,604.7	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179432	NS	Stone undercut anchor HSU-R M8x15 / 17	250	NR		312.9	78,229	16	62,583.0	20%	54,760.1	30%	54,760.1	30%	58,671.6	25%	58,671.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179433	NS	Stone undercut anchor HSU-R M8x21 / 13	250	NR		318.6	79,651	18	63,721.0	20%	55,755.9	30%	55,755.9	30%	59,738.4	25%	59,738.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179434	NS	Stone undercut anchor HSU-R M8x21 / 15	250	NR		330.0	82,494	19	65,995.0	20%	57,745.6	30%	57,745.6	30%	61,870.3	25%	61,870.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179435	NS	Stone undercut anchor HSU-R M8x21 / 17	250	NR		341.4	85,340	20	68,272.0	20%	59,738.0	30%	59,738.0	30%	64,005.0	25%	64,005.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2221150	NS	Drilling tool HSU ADT D 220V IN advanced	1	NR	2193036	648,530.0	648,530	-	518,824.0	20%	453,971.0	30%	453,971.0	30%	486,397.5	25%	486,397.5	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	
2179450	\$	Hole inspection gauge HSU IG M6	1	NR		21,646.3	21,646	150	17,317.0	20%	15,152.4	30%	15,152.4	30%	16,234.7	25%	16,234.7	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	For M6 Anchor
2179451	\$	Hole inspection gauge HSU IG M8	1	NR		22,263.8	22,264	150	17,811.0	20%	15,584.6	30%	15,584.6	30%	16,697.8	25%	16,697.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	For M8 Anchor
2179452	\$	Setting tool HSU ST-G M6 manual	1	NR		3,437.5	3,438	373	2,750.0	20%	2,406.3	30%	2,406.3	30%	2,578.1	25%	2,578.1	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	For M6 Anchor
2179453	NS	Setting tool HSU ST-G M8 manual	1	NR		3,575.0	3,575	360	2,860.0	20%	2,502.5	30%	2,502.5	30%	2,681.3	25%	2,681.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	For M8 Anchor
2179456	NS	Drill bit HSU CDB 11/13.5 conveyor	10	NR		4,357.3	43,573	45	34,858.0	20%	30,500.8	30%	30,500.8	30%	32,679.4	25%	32,679.4	25%	Galvanised Stud Anchor HST3 (Ultimate)	For M6 Anchor
2179457	NS	Drill bit HSU CDB 13/15.5 conveyor	10	NR		4,705.7	47,057	45	47,057.0	0%	47,057.0	0%	47,057.0	0%	47,057.0	0%	47,057.0	0%	0% Discount	For M8 Anchor
2179458	\$	Flange nut HSU-R FN M6	250			12.5	3,125	3	2,500.0	20%	2,187.5	30%	2,187.5	30%	2,343.8	25%	2,343.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	For M6 Anchor
2179459	NS	Flange nut HSU-R FN M8	250	NR		28.8	7,200	7	5,760.0	20%	5,040.0	30%	5,040.0	30%	5,400.0	25%	5,400.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	For M8 Anchor
HDA-T for through fastening																				
331545	NS	Undercut anchor HDA-T M10x100/20	12	NR		5,020.3	60,244	271	48,195.0	20%	42,170.6	30%	42,170.6	30%	45,182.8	25%	45,182.8	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 150mm
331548	NS	Undercut anchor HDA-T M12x125/30	8	NR		6,694.8	53,559	421	42,847.0	20%	37,491.1	30%	37,491.1	30%	40,169.1	25%	40,169.1	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 180mm
331549	NS	Undercut anchor HDA-T M12x125/50	8	NR		6,992.3	55,939	477	44,751.0	20%	39,157.1	30%	39,157.1	30%	41,954.1	25%	41,954.1	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 210mm
331552	NS	Undercut anchor HDA-T M16x190/40	4	NR		12,452.8	49,811	1,156	39,849.0	20%	34,867.9	30%	34,867.9	30%	37,358.4	25%	37,358.4	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 275mm
331553	NS	Undercut anchor HDA-T M16x190/60	4	NR		11,917.5	47,670	1,261	38,136.0	20%	33,369.0	30%	33,369.0	30%	35,752.5	25%	35,752.5	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 295mm
339267	NS	Undercut anchor HDA-T M20x250/50	2	NR		20,063.8	40,128	2,249	32,102.0	20%	28,089.3	30%	28,089.3	30%	30,095.6	25%	30,095.6	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 360mm
339268	NS	Undercut anchor HDA-T M20x250/100	2	NR		21,308.1	42,616	2,601	34,093.0	20%	29,831.4	30%	29,831.4	30%	31,962.2	25%	31,962.2	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 410mm
HDA-P for pre-setting																				
331544	NS	Undercut anchor HDA-P M10x100/20	12	NR		4,652.1	55,825	239	44,660.0	20%	39,077.5	30%	39,077.5	30%	41,868.8	25%	41,868.8	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 150mm
331546	\$	Undercut anchor HDA-P M12x125/30	8	NR		6,490.3	51,923	373	41,538.0	20%	36,345.8	30%	36,345.8	30%	38,941.9	25%	38,941.9	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 180mm
331547	NS	Undercut anchor HDA-P M12x125/50	8	NR		6,360.9	50,888	313	40,710.0	20%	35,621.3	30%	35,621.3	30%	38,165.6	25%	38,165.6	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 210mm
331550	\$	Undercut anchor HDA-P M16x190/40	4	NR		11,081.6	44,326	1,015	35,461.0	20%	31,028.4	30%	31,028.4	30%	33,244.7	25%	33,244.7	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 275mm
331551	NS	Undercut anchor HDA-P M16x190/60	4	NR		10,654.1	42,616	1,050	34,093.0	20%	29,831.4	30%	29,831.4	30%	31,962.2	25%	31,962.2	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 295mm
339265	NS	Undercut anchor HDA-P M20x250/50	2	NR		18,431.3	36,863	1,979	29,490.0	20%	25,803.8	30%	25,803.8	30%	27,646.9	25%	27,646.9	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	Anchor Length - 360mm
339266	NS	Undercut anchor HDA-P M20x250/100	2	NR		18,782.5	37,565	2,096	30,052.0	20%	26,295.5	30%	26,295.5	30%	28,173.8	25%	28,173.8	25%	Heavy Duty Undercut Anchor HDA (Ultimate)	



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E			A		B		C		D		Discount Group	Description
										NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%				
2237439	NS	Anchor HSL4-G M12 d18x222 100/75/50	20	NR	371831		1,380.6	27,611	374	22,089.0	20%	19,327.9	30%	19,327.9	30%	20,708.4	25%	20,708.4	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237450	NS	Anchor HSL4-G M16 d24x160 10/-/-	10	NR	371801		1,799.4	17,994	451	14,395.0	20%	12,595.6	30%	12,595.6	30%	13,495.3	25%	13,495.3	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237444	NS	Anchor HSL4-G M16 d24x175 25/-/-	10	NR	371802		2,173.1	21,731	498	17,385.0	20%	15,211.9	30%	15,211.9	30%	16,298.4	25%	16,298.4	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237445	NS	Anchor HSL4-G M16 d24x200 50/25/-	10	NR	371803		2,415.3	24,153	572	19,322.0	20%	16,906.8	30%	16,906.8	30%	18,114.4	25%	18,114.4	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237451	NS	Anchor HSL4-G M16 d24x260 100/75/50	10	NR	371832		2,488.8	24,888	741	19,910.0	20%	17,421.3	30%	17,421.3	30%	18,665.6	25%	18,665.6	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237447	NS	Anchor HSL4-G M20 d28x185 10/-/-	6	NR	371804		3,020.2	18,121	761	14,497.0	20%	12,684.9	30%	12,684.9	30%	13,590.9	25%	13,590.9	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237449	NS	Anchor HSL4-G M20 d28x205 30/-/-	6	NR	371805		3,847.7	23,086	845	18,469.0	20%	16,160.4	30%	16,160.4	30%	17,314.7	25%	17,314.7	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237373	NS	Anchor HSL4-G M20 d28x235 60/30/-	6	NR	371806		4,110.8	24,665	970	19,732.0	20%	17,265.5	30%	17,265.5	30%	18,498.8	25%	18,498.8	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237448	NS	Anchor HSL4-G M20 d28x275 100/70/40	6	NR	371833		3,944.6	23,668	1,138	18,934.0	20%	16,567.3	30%	16,567.3	30%	17,750.6	25%	17,750.6	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237453	NS	Anchor HSL4-G M24 d32x230 30/-/-	4	NR	324930		7,363.4	29,454	1,273	23,563.0	20%	20,617.6	30%	20,617.6	30%	22,090.3	25%	22,090.3	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237456	NS	Anchor HSL4-G M8 d12x107 20/-/-	40	NR	371793		561.9	22,478	75	17,982.0	20%	15,734.3	30%	15,734.3	30%	16,858.1	25%	16,858.1	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237457	NS	Anchor HSL4-G M8 d12x127 40/20/-	40	NR	371794		747.4	29,896	90	23,917.0	20%	20,927.4	30%	20,927.4	30%	22,422.2	25%	22,422.2	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237455	NS	Anchor HSL4-G M8 d12x187 100/80/60	40	NR	371829		877.2	35,086	137	28,069.0	20%	24,560.4	30%	24,560.4	30%	26,314.7	25%	26,314.7	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
HSLG-R (threaded rod, stainless steel) - Available on request only																					
67920	NS	Heavy-duty anchor HSLGR M8/20	40	NR			2,478.0	99,120	72	79,296.0	20%	69,384.0	30%	69,384.0	30%	74,340.0	25%	74,340.0	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	Anchor Length - 95 mm
67924	NS	Heavy-duty anchor HSLGR M12/25	20	NR			4,451.5	89,030	212	71,224.0	20%	62,321.0	30%	62,321.0	30%	66,772.5	25%	66,772.5	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	Anchor Length - 120 mm
67926	NS	Heavy-duty anchor HSLGR M16/25	10	NR			9,037.0	90,370	479	72,296.0	20%	63,259.0	30%	63,259.0	30%	67,777.5	25%	67,777.5	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	Anchor Length - 148 mm
67928	NS	Heavy-duty anchor HSLGR M20/30	6	NR			13,745.0	82,470	796	65,976.0	20%	57,729.0	30%	57,729.0	30%	61,852.5	25%	61,852.5	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	Anchor Length - 183 mm
HSL4-SK (Countersunk version)																					
2237395	NS	Anchor HSL4-SK M10 d15x100 20/-/-	20	NR	371827		1,054.6	21,093	123	16,874.0	20%	14,764.8	30%	14,764.8	30%	15,819.4	25%	15,819.4	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237396	NS	Anchor HSL4-SK M12 d18x120 25/-/-	20	NR	371828		1,187.5	23,750	211	19,000.0	20%	16,625.0	30%	16,625.0	30%	17,812.5	25%	17,812.5	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237397	NS	Anchor HSL4-SK M8 d12x80 10/-/-	40	NR	371825		599.3	23,973	62	19,178.0	20%	16,780.8	30%	16,780.8	30%	17,979.4	25%	17,979.4	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
2237398	NS	Anchor HSL4-SK M8 d12x90 20/-/-	40	NR	371826		746.0	29,841	71	23,873.0	20%	20,888.9	30%	20,888.9	30%	22,380.9	25%	22,380.9	25%	Heavy Duty Expansion HMU & HSL (Ultimate)	
HSC Undercut Anchor																					
HSC-A (External Thread, Selfcut Anchors, Galvanised Steel) - Available																					
31139	NS	Safety anchor HSC-A M8x40/15	25	NR			233.7	5,843	62	4,090.0	30%	3,797.9	35%	3,797.9	35%	3,914.7	33%	3,914.7	33%	Others (Standard)	Anchor Length - 71.5mm
31141	NS	Safety anchor HSC-A M8x50/15	25	NR			305.7	7,643	71	5,350.0	30%	4,967.9	35%	4,967.9	35%	5,120.7	33%	5,120.7	33%	Others (Standard)	Anchor Length - 81.5mm
31140	NS	Safety anchor HSC-A M10x40/20	25	NR			719.9	17,997	92	12,598.0	30%	11,698.1	35%	11,698.1	35%	12,058.1	33%	12,058.1	33%	Others (Standard)	Anchor Length - 79.5mm
15507	NS	Safety anchor HSC-A M12x60/20	20	NR			801.9	16,037	164	11,226.0	30%	10,424.1	35%	10,424.1	35%	10,744.9	33%	10,744.9	33%	Others (Standard)	Anchor Length - 103.5mm
HSC-AR (External Thread, Selfcut Anchors, Stainless Steel) - Available																					
31149	NS	Safety anchor HSC-AR M10x40/20	25	NR			1,069.5	26,739	93	18,717.0	30%	17,380.1	35%	17,380.1	35%	17,914.8	33%	17,914.8	33%	Others (Standard)	Anchor Length - 79.5mm
15506	NS	Safety anchor HSC-AR M12x60/20	20	NR			1,585.9	31,717	170	22,202.0	30%	20,616.1	35%	20,616.1	35%	21,250.5	33%	21,250.5	33%	Others (Standard)	Anchor Length - 103.5mm
HSC-I (Selfcut Anchors, Internal Thread, Galvanised Steel) - Available on																					
31142	NS	Safety anchor HSC-I M6x40	25	NR			315.4	7,886	41	5,520.0	30%	5,125.7	35%	5,125.7	35%	5,283.4	33%	5,283.4	33%	Others (Standard)	Anchor Length - 43mm
31143	NS	Safety anchor HSC-I M6x40	25	NR			573.5	14,337	52	10,036.0	30%	9,319.1	35%	9,319.1	35%	9,605.9	33%	9,605.9	33%	Others (Standard)	Anchor Length - 43.5mm
31144	NS	Safety anchor HSC-I M10x50	25	NR			632.3	15,809	76	11,066.0	30%	10,275.6	35%	10,275.6	35%	10,591.7	33%	10,591.7	33%	Others (Standard)	Anchor Length - 54.5mm
31145	NS	Safety anchor HSC-I M10x60	25	NR			751.6	18,790	92	13,153.0	30%	12,213.5	35%	12,213.5	35%	12,589.3	33%	12,589.3	33%	Others (Standard)	Anchor Length - 64.5mm
31146	NS	Safety anchor HSC-I M12x60	25	NR			579.9	14,497	113	10,148.0	30%	9,423.1	35%	9,423.1	35%	9,713.1	33%	9,713.1	33%	Others (Standard)	Anchor Length - 64.5mm
HSC-IR (Selfcut Anchors, Internal Thread, Stainless Steel) - Available on																					
31153	NS	Safety anchor HSC-IR M10x50	25	NR			1,320.8	33,020	78	23,114.0	30%	21,463.0	35%	21,463.0	35%	22,123.4	33%	22,123.4	33%	Others (Standard)	
31154	NS	Safety anchor HSC-IR M10x60	25	NR			1,474.6	36,864	94	25,805.0	30%	23,961.8	35%	23,961.8	35%	24,699.1	33%	24,699.1	33%	Others (Standard)	
31155	NS	Safety anchor HSC-IR M12x60	25	NR			1,849.5	46,237	116	32,366.0	30%	30,054.1	35%	30,054.1	35%	30,978.9	33%	30,978.9	33%	Others (Standard)	
Stop Bit for accurate hole depth - Available on request only (Minimum																					
31157	NS	Stop drill bit TE-C-HSC-B 14x40	1	NR			9,100.0	9,100	177	6,370.0	30%	5,915.0	35%	5,915.0	35%	6,097.0	33%	6,097.0	33%	Others (Standard)	Stop Drill Bit
26568	NS	Stop drill bit TE-C-HSC-B 16x40	1	NR			10,357.1	10,357	200	7,250.0	30%	6,732.1	35%	6,732.1	35%	6,939.3	33%	6,939.3	33%	Others (Standard)	Stop Drill Bit
30708	NS	Stop drill bit TE-C-HSC-B 18x50	1	NR			12,471.4	12,471	223	8,730.0	30%	8,106.4	35%	8,106.4	35%	8,355.9	33%	8,355.9	33%	Others (Standard)	Stop Drill Bit
30709	NS	Stop drill bit TE-C-HSC-B 18x60	1	NR			12,771.4	12,771	236	8,940.0	30%	8,301.4	35%	8,301.4	35%	8,556.9	33%	8,556.9	33%	Others (Standard)	Stop Drill Bit
30710	NS	Stop drill bit TE-C-HSC-B 20x60	1	NR			13,085.7	13,086	276	9,160.0	30%	8,505.7	35%	8,505.7	35%	8,767.4	33%	8,767.4	33%	Others (Standard)	Stop Drill Bit
Setting tool for HSC																					
31169	NS	Setting tool TE-C-HSC-MW14	1	NR			3,614.3	3,614	71	2,530.0	30%	2,349.3	35%	2,349.3	35%	2,421.6	33%	2,421.6	33%	Others (Standard)	Machine Setting Tool
11267	NS	Setting tool TE-C-HSC-MW16	1	NR			4,600.0	4,600	108	3,220.0	30%	2,990.0	35%	2,990.0	35%	3,082.0	3				



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
2105865	\$	Safety stud anchor HST3-R M10x100 40/20	50			646.2	32,309	64	25,847.0	20%	22,616.1	30%	22,616.1	30%	24,231.6	25%	24,231.6	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length-100mm
2105866	\$	Safety stud anchor HST3-R M10x110 50/30	40			662.0	26,481	70	21,185.0	20%	18,536.9	30%	18,536.9	30%	19,860.9	25%	19,860.9	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 110mm
2105867	\$	Safety stud anchor HST3-R M10x130 70/50	25			866.8	21,670	78	17,336.0	20%	15,169.0	30%	15,169.0	30%	16,252.5	25%	16,252.5	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 130mm
2105868	NS	Safety stud anchor HST3-R M10x160 100/80	25			895.7	22,391	93	17,913.0	20%	15,673.9	30%	15,673.9	30%	16,793.4	25%	16,793.4	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 160 mm
2105869	NS	Safety stud anchor HST3-R M12x105 30/10	25			1,101.8	27,544	95	22,035.0	20%	19,280.6	30%	19,280.6	30%	20,657.8	25%	20,657.8	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 105 mm
2105870	\$	Safety stud anchor HST3-R M12x115 40/20	25			988.6	24,715	102	19,772.0	20%	17,300.5	30%	17,300.5	30%	18,536.3	25%	18,536.3	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 115mm
2105871	\$	Safety stud anchor HST3-R M12x125 50/30	25			1,112.8	27,819	109	22,255.0	20%	19,473.1	30%	19,473.1	30%	20,864.1	25%	20,864.1	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor length-125mm
2105872	\$	Safety stud anchor HST3-R M12x145 70/50	25			1,201.4	30,035	129	24,028.0	20%	21,024.5	30%	21,024.5	30%	22,526.3	25%	22,526.3	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 145mm
2105873	NS	Safety stud anchor HST3-R M12x165 90/70	25			1,249.4	31,235	137	24,988.0	20%	21,864.5	30%	21,864.5	30%	23,426.3	25%	23,426.3	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 165mm
2105874	\$	Safety stud anchor HST3-R M12x185 110/90	25	NR		1,289.2	32,229	151	25,783.0	20%	22,560.1	30%	22,560.1	30%	24,171.6	25%	24,171.6	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 185mm
2105875	NS	Safety stud anchor HST3-R M12x215 140/120	25	NR		1,480.0	36,999	172	29,599.0	20%	25,899.1	30%	25,899.1	30%	27,749.1	25%	27,749.1	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 215mm
2105876	NS	Safety stud anchor HST3-R M16x135 35/15	12			1,594.9	19,139	218	15,311.0	20%	13,397.1	30%	13,397.1	30%	14,354.1	25%	14,354.1	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 135 mm
2105877	\$	Safety stud anchor HST3-R M16x145 45/25	12			1,550.0	18,600	231	14,880.0	20%	13,020.0	30%	13,020.0	30%	13,950.0	25%	13,950.0	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 145mm
2105878	NS	Safety stud anchor HST3-R M16x170 70/50	12			1,872.1	22,465	264	17,972.0	20%	15,725.5	30%	15,725.5	30%	16,848.8	25%	16,848.8	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 170mm
2105879	NS	Safety stud anchor HST3-R M16x220 120/100	12			2,318.2	27,819	330	22,255.0	20%	19,473.1	30%	19,473.1	30%	20,864.1	25%	20,864.1	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 220mm
2105880	NS	Safety stud anchor HST3-R M16x260 160/140	12	NR		2,676.1	32,114	382	25,691.0	20%	22,479.6	30%	22,479.6	30%	24,085.3	25%	24,085.3	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 260mm
2105899	\$	Safety stud anchor HST3-R M20x170 -/30	5			3,664.5	18,323	458	14,658.0	20%	12,825.8	30%	12,825.8	30%	13,741.9	25%	13,741.9	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 170mm
2105900	NS	Safety stud anchor HST3-R M20x200 -/60	5			4,150.5	20,753	494	16,602.0	20%	14,526.8	30%	14,526.8	30%	15,564.4	25%	15,564.4	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 200mm
2105901	\$	Safety stud anchor HST3-R M24x200 -/30	5			4,747.5	23,738	770	18,990.0	20%	16,616.3	30%	16,616.3	30%	17,803.1	25%	17,803.1	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 200mm
2105902	NS	Safety stud anchor HST3-R M24x200 -/60	5	NR		5,360.5	26,803	860	21,442.0	20%	18,761.8	30%	18,761.8	30%	20,101.9	25%	20,101.9	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor Length - 230mm

HST3 (Shorter lengths)																					
2113974	NS	Safety stud anchor HST3 M10x70 10/-	50	NR		180.0	9,000	48	7,200.0	20%	6,300.0	30%	6,300.0	30%	6,750.0	25%	6,750.0	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor Length- 70mm	
2113975	NS	Safety stud anchor HST3 M10x80 20/-	50	NR		190.5	9,525	53	7,620.0	20%	6,667.5	30%	6,667.5	30%	7,143.8	25%	7,143.8	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor Length- 80mm	
2113978	NS	Safety stud anchor HST3 M12x85 10/-	25	NR		245.5	6,138	79	4,910.0	20%	4,296.3	30%	4,296.3	30%	4,603.1	25%	4,603.1	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor Length-85mm	
2113979	NS	Safety stud anchor HST3 M12x95 20/-	25			228.0	5,700	86	4,560.0	20%	3,990.0	30%	3,990.0	30%	4,275.0	25%	4,275.0	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor length-95mm	
2114053	NS	Safety stud anchor HST3 M16x115 15/-	12			583.3	7,000	189	5,600.0	20%	4,900.0	30%	4,900.0	30%	5,250.0	25%	5,250.0	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor length-115mm	
2113976	NS	Safety stud anchor HST3-R M10x70 10/-	50	NR		630.7	31,534	48	25,227.0	20%	22,073.6	30%	22,073.6	30%	23,650.3	25%	23,650.3	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor length- 70mm	
2113977	NS	Safety stud anchor HST3-R M10x80 20/-	50	NR		651.7	32,584	54	26,067.0	20%	22,808.6	30%	22,808.6	30%	24,437.8	25%	24,437.8	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor length- 80mm	
2114051	NS	Safety stud anchor HST3-R M12x85 10/-	25	NR		1,013.4	25,334	81	20,267.0	20%	17,733.6	30%	17,733.6	30%	19,000.3	25%	19,000.3	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor length- 85mm	
2114052	NS	Safety stud anchor HST3-R M12x95 20/-	25	NR		1,009.2	25,229	88	20,183.0	20%	17,660.1	30%	17,660.1	30%	18,921.6	25%	18,921.6	25%	Stainless Steel Stud Anchor HST3-R (Ultimate)	Anchor length- 95mm	

HST-HCR (High Corrosion Resistance) : *Available on request only (Minimum																					
295369	NS	Safety stud anchor HST-HCR M10x110/30	40	NR		4,887.6	195,503	71	156,402.0	20%	136,851.8	30%	136,851.8	30%	146,626.9	25%	146,626.9	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor Length - 110mm	
376067	NS	Safety stud anchor HST-HCR M12x145/50	10	NR		6,429.9	64,299	138	51,439.0	20%	45,009.1	30%	45,009.1	30%	48,224.1	25%	48,224.1	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor Length - 145mm	
376071	NS	Safety stud anchor HST-HCR M16x165/50	10	NR		9,727.3	97,273	278	77,818.0	20%	68,090.8	30%	68,090.8	30%	72,954.4	25%	72,954.4	25%	Galvanised Stud Anchor HST3 (Ultimate)	Anchor Length - 165mm	

HUS3 for through fastening																						
2079794	NS	Screw anchor HUS3-H 6x55 5/-/-	50	NR		174.0	8,700	33	6,960.0	20%	6,090.0	30%	6,090.0	30%	6,090.0	25%	6,525.0	25%	6,525.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079795	NS	Screw anchor HUS3-H 6x65 15/5/-	50			167.5	8,375	37	6,700.0	20%	5,862.5	30%	5,862.5	30%	6,281.3	25%	6,281.3	25%	6,281.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079796	NS	Screw anchor HUS3-H 6x75 25/15/5	50			173.8	8,688	41	6,950.0	20%	6,081.3	30%	6,081.3	30%	6,515.6	25%	6,515.6	25%	6,515.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079797	\$	Screw anchor HUS3-H 6x85 35/25/15	50			181.0	9,050	45	7,240.0	20%	6,335.0	30%	6,335.0	30%	6,787.5	25%	6,787.5	25%	6,787.5	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079798	NS	Screw anchor HUS3-H 6x100 50/40/30	50	NR		212.3	10,613	53	8,490.0	20%	7,428.8	30%	7,428.8	30%	7,959.4	25%	7,959.4	25%	7,959.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079799	NS	Screw anchor HUS3-H 6x120 70/60/50	50	NR		234.0	11,700	60	9,360.0	20%	8,190.0	30%	8,190.0	30%	8,775.0	25%	8,775.0	25%	8,775.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079910	NS	Screw anchor HUS3-H 6x150 100/90/80	50	NR		241.8	12,088	72	9,670.0	20%	8,461.3	30%	8,461.3	30%	9,065.6	25%	9,065.6	25%	9,065.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079911	NS	Screw anchor HUS3-H 10x60 5/-/-	50			202.5	10,125	55	8,100.0	20%	7,087.5	30%	7,087.5	30%	7,593.8	25%	7,593.8	25%	7,593.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079912	NS	Screw anchor HUS3-H 10x70 15/-/-	50			204.0	10,200	62	8,160.0	20%	7,140.0	30%	7,140.0	30%	7,650.0	25%	7,650.0	25%	7,650.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079913	NS	Screw anchor HUS3-H 10x80 25/5/-	50	NR		225.8	11,288	69	9,030.0	20%	7,901.3	30%	7,901.3	30%	8,465.6	25%	8,465.6	25%	8,465.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079914	NS	Screw anchor HUS3-H 10x90 35/15/5	50			254.0	12,699	75	10,159.0	20%	8,889.1	30%	8,889.1	30%	9,524.1	25%	9,524.1	25%	9,524.1	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079915	\$	Screw anchor HUS3-H 10x100 45/25/15	50			279.2	13,959	81	11,167.0	20%	9,771.1	30%	9,771.1	30%	10,469.1	25%	10,469.1	25%	10,469.1	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079916	NS	Screw anchor HUS3-H 10x110 55/35/25	50			299.1	14,954	87	11,963.0	20%	10,467.6	30%	10,467.6	30%	11,215.3	25%	11,215.3	25%	11,215.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079917	NS	Screw anchor HUS3-H 10x130 75/55/45	50			359.9	17,996	103	14,397.0	20%	12,597.4	30%	12,597.4	30%	13,497.2	25%	13,497.2	25%	13,497.2	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079918	NS	Screw anchor HUS3-H 10x150 95/75/65	50			381.7	19,083	115	15,266.0	20%	13,357.8	30%	13,357.8	30%	14,311.9	25%	14,311.9	25%	14,311.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
368742	NS	Screw anchor HUS-H 10x200/115/130/140	25	NR		852.6	21,315	166	17,052.0	20%	14,920.5	30%	14,920.5	30%	15,986.3	25%	15,986.3	25%	15,986.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
368743	NS	Screw anchor HUS-H 10x240/155/170/180	25	NR		1,029.6	25,740	190	20,592.0	20%	18,018.0	30%	18,018.0	30%	19,305.0	25%	19,305.0	25%	19,305.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
368744	NS	Screw anchor HUS-H 10x280/195/210/220	25	NR		1,135.7	28,393	211	22,714.0	20%	19,874.8	30%	19,874.8	30%	21,294.4	25%	21,294.4	25%	21,294.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079921	NS	Screw anchor HUS3-H 14x75 10/-/-	16			520.3	8,325	128	6,660.0	20%	5,827.5	30%	5,827.5	30%	6,243.8	25%	6,243.8	25%	6,243.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079922	\$	Screw anchor HUS3-H 14x100 35/15/-	16			492.2	7,875	155	6,300.0	20%	5,512.5	30%	5,512.5	30%	5,906.3	25%	5,906.3	25%	5,906.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079923	NS	Screw anchor HUS3-H 14x130 65/45/15	16			584.4	9,350	188	7,480.0	20%	6,545.0	30%	6,545.0	30%	7,012.5	25%	7,012.5	25%	7,012.5	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079924	\$	Screw anchor HUS3-H 14x150 85/65/35	16			611.7	9,788	214	7,830.0	20%	6,851.3	30%	6,851.3	30%	7,340.6	25%	7,340.6	25%	7,340.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2079931	NS	Screw anchor HUS3-C 8x65 15/-/-	50	NR		169.3	8,463	33	6,770.0	20%	5,923.8	30%	5,923.8	30%	6,346.9	25%	6,346.9	25%	6,346.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2079932	NS	Screw anchor HUS3-C 8x75 25/15/-	50	NR		176.0	8,800	35	7,040.0	20%	6,160.0	30%	6,160.0	30%	6,600.0	25%	6,600.0	25%	6,600.0	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2079933	NS	Screw anchor HUS3-C 8x85 35/25/15	50			183.3	9,163	41	7,330.0	20%	6,413.8	30%	6,413.8	30%	6,871.9	25%	6,871.9	25%	6,871.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2079934	NS	Screw anchor HUS3-C 10x70 15/-/-	50	NR		206.3	10,313	52	8,250.0	20%	7,218.8	30%	7,218.8	30%	7,734.4	25%	7,734.4	25%	7,734.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2079935	\$	Screw anchor HUS3-C 10x90 35/15/-	50			252.6	12,629	65	10,103.0	20%	8,840.1	30%	8,840.1	30%	9,471.6	25%	9,471.6	25%	9,471.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2079936	\$	Screw anchor HUS3-C 10x100 45/25/15	50			282.2	14,111	72	11,289.0	20%	9,877.9	30%	9,877.9	30%	10,583.4	25%	10,583.4	25%	10,583.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2293135	\$	Screw anchor HUS4-H 6x55 15/-/-	50	INP July 22	2079794	130.2	6,510	-	5,208.0	20%	4,557.0	30%	4,557.0	30%	4,882.5	25%	4,882.5	25%	4,882.5	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293136	\$	Screw anchor HUS4-H 6x65 25/5/-	50	INP July 22	2079795	134.6	6,728	-	5,382.0	20%	4,709.3	30%	4,709.3	30%	5,045.6	25%	5,045.6	25%	5,045.6	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293137	\$	Screw anchor HUS4-H 6x75 35/15/5	50	INP July 22	2079796	138.5	6,975	-	5,590.0	20%	4,882.5	30%	4,882.5	30%	5,231.3	25%	5,231.3	25%	5,231.3	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293138	\$	Screw anchor HUS4-H 6x85 45/25/15	50	INP July 22	2079797	145.4	7,267	-	5,814.0	20%	5,067.3	30%	5,067.3	30%	5,450.6	25%	5,450.6	25%	5,450.6	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293139	\$	Screw anchor HUS4-H 6x100 60/40/30	50	INP July 22	2079798	170.6	8,528	-	6,822.0	20%	5,969.3	30%	5,969.3	30%	6,395.6	25%	6,395.6	25%	6,395.6	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293552	\$	Screw anchor HUS4-H 10x60 5/-/-	50	INP July 22	2079911	162.7	8,134	-	6,507.0	20%	5,693.6	30%	5,693.6	30%	6,100.3	25%	6,100.3	25%	6,100.3	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293553	\$	Screw anchor HUS4-H 10x70 15/-/-	50	INP July 22	2079912	163.8	8,190	-	6,552.0	20%	5,733.0	30%	5,733.0	30%	6,142.5	25%	6,142.5	25%	6,142.5	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293554	\$	Screw anchor HUS4-H 10x80 25/5/-	50	INP July 22	2079913	181.4	9,068	-	7,254.0	20%	6,347.3	30%	6,347.3	30%	6,800.6	25%	6,800.6	25%	6,800.6	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293555	\$	Screw anchor HUS4-H 10x90 35/15/5	50	INP July 22	2079914	204.1	10,204	-	8,163.0	20%	7,142.6	30%	7,142.6	30%	7,652.8	25%	7,652.8	25%	7,652.8	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293556	\$	Screw anchor HUS4-H 10x100 45/25/15	50	INP July 22	2079915	224.3	11,216	-	8,973.0	20%	7,851.4	30%	7,851.4	30%	8,412.2	25%	8,412.2	25%	8,412.2	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293557	\$	Screw anchor HUS4-H 10x110 55/35/25	50	INP July 22	2079916	240.3	12,016	-	9,612.9	20%	8,411.3	30%	8,411.3	30%	9,012.1	25%	9,012.1	25%	9,012.1	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293558	\$	Screw anchor HUS4-H 10x130 75/55/45	50	INP July 22	2079917	289.2	14,461	-	11,568.6	20%	10,122.5	30%	10,122.5	30%	10,845.6	25%	10,845.6	25%	10,845.6	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293559	\$	Screw anchor HUS4-H 10x150 95/75/65	50	INP July 22	2079918	306.7	15,334	-	12,267.0	20%	10,733.6	30%	10,733.6	30%	11,500.3	25%	11,500.3	25%	11,500.3	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293560	\$	Screw anchor HUS4-H 10x180 125/105/95	25	INP July 22		325.1	8,127	-	6,501.5	20%	5,688.8	30%	5,688.8	30%	6,095.2	25%	6,095.2	25%	6,095.2	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293565	\$	Screw anchor HUS4-H 12x70 10/-/-	25	INP July 22		376.5	9,411	-	7,529.1	20%	6,588.0	30%	6,588.0	30%	7,058.6	25%	7,058.6	25%	7,058.6	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293566	\$	Screw anchor HUS4-H 12x100 40/20/-	25	INP July 22		407.9	10,197	-	8,157.8	20%	7,138.1	30%	7,138.1	30%	7,648.0	25%	7,648.0	25%	7,648.0	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293567	\$	Screw anchor HUS4-H 12x130 70/50/30	25	INP July 22		484.5	12,111	-	9,689.0	20%	8,477.9	30%	8,477.9	30%	9,083.5	25%	9,083.5	25%	9,083.5	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293569	\$	Screw anchor HUS4-H 14x75 10/-/-	16	INP July 22	2079921	417.7	6,683	-	5,346.0	20%	4,677.8	30%	4,677.8	30%	5,011.9	25%	5,011.9	25%	5,011.9	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293570	\$	Screw anchor HUS4-H 14x100 35/15/-	16	INP July 22	2079922	395.2	6,323	-	5,058.0	20%	4,425.8	30%	4,425.8	30%	4,741.9	25%	4,741.9	25%	4,741.9	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293571	\$	Screw anchor HUS4-H 14x130 65/45/15	16	INP July 22	2079923	469.0	7,504	-	6,003.0	20%	5,252.6	30%	5,252.6	30%	5,627.8	25%	5,627.8	25%	5,627.8	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293572	\$	Screw anchor HUS4-H 14x150 85/65/35	16	INP July 22	2079924	491.5	7,864	-	6,291.0	20%	5,504.6	30%	5,504.6	30%	5,897.8	25%	5,897.8	25%	5,897.8	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2335577	\$	Screw anchor HUS4-H 16x165 80/35	25	INP July 22		921.1	23,027	-	18,421.8	20%	16,119.0	30%	16,119.0	30%	17,270.4	25%	17,270.4	25%	17,270.4	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2335578	\$	Screw anchor HUS4-H 10x140 M12x38 / 30	16	INP July 22		252.3	4,037	-	3,229.9	20%	2,826.2	30%	2,826.2	30%	3,028.1	25%	3,028.1	25%	3,028.1	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2302119	\$	Screw anchor HUS4-H 10x120 M12x33 / 20	16	INP July 22		276.4	4,428	-	3,537.8	20%	3,095.4	30%	3,095.4	30%	3,316.4	25%	3,316.4	25%	3,316.4	25%	Galvanised Stud Anchor HST3 (Ultimate)	
2293583	\$	Screw anchor HUS4-C 8x65 15/-/-	50	INP July 22	2079931	135.9	6,795	-	5,436.0</													



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
HUS-HR/CR for through fastening																				
290029	NS	Screw anchor HUS-HR 8x55 5/-/-	25	NR		844.3	21,108	33	16,886.0	20%	14,775.3	30%	14,775.3	30%	15,830.6	25%	15,830.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290030	NS	Screw anchor HUS-HR 8x65 15/-/-	25	NR		861.4	21,534	36	17,227.0	20%	15,073.6	30%	15,073.6	30%	16,150.3	25%	16,150.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290031	NS	Screw anchor HUS-HR 8x75 25/15/-	25	NR		883.1	22,078	39	17,662.0	20%	15,454.3	30%	15,454.3	30%	16,558.1	25%	16,558.1	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290032	NS	Screw anchor HUS-HR 8x85 35/25/5	25	NR		914.8	22,869	43	18,295.0	20%	16,008.1	30%	16,008.1	30%	17,151.6	25%	17,151.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290033	NS	Screw anchor HUS-HR 8x95 45/35/15	20	NR		938.1	18,763	48	15,010.0	20%	13,133.8	30%	13,133.8	30%	14,071.9	25%	14,071.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290034	NS	Screw anchor HUS-HR 8x105 55/45/25	20	NR		963.8	19,275	52	15,420.0	20%	13,492.5	30%	13,492.5	30%	14,456.3	25%	14,456.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290062	NS	Screw anchor HUS-HR 10x65 5/-/-	25	NR		961.7	24,043	53	19,234.0	20%	16,829.8	30%	16,829.8	30%	18,031.9	25%	18,031.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290063	NS	Screw anchor HUS-HR 10x75 15/5/-	25	NR		993.4	24,835	60	19,868.0	20%	17,384.5	30%	17,384.5	30%	18,626.3	25%	18,626.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290067	NS	Screw anchor HUS-HR 10x85 25/15/-	25	NR		1,023.4	25,584	66	20,467.0	20%	17,908.6	30%	17,908.6	30%	19,187.8	25%	19,187.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290068	NS	Screw anchor HUS-HR 10x95 35/25/5	25			1,061.4	26,534	71	21,227.0	20%	18,573.6	30%	18,573.6	30%	19,900.3	25%	19,900.3	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290072	NS	Screw anchor HUS-HR 10x105 45/35/15	25	NR		1,003.6	25,090	77	20,072.0	20%	17,563.0	30%	17,563.0	30%	18,817.5	25%	18,817.5	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290131	NS	Screw anchor HUS-HR 10x115 55/45/25	25	NR		1,116.5	27,911	82	22,329.0	20%	19,537.9	30%	19,537.9	30%	20,933.4	25%	20,933.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290161	NS	Screw anchor HUS-HR 10x130 70/60/40	25	NR		1,169.9	29,248	92	23,398.0	20%	20,473.3	30%	20,473.3	30%	21,935.6	25%	21,935.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290181	NS	Screw anchor HUS-HR 14x80 10/-	12	NR		1,276.0	15,313	140	12,250.0	20%	10,718.8	30%	10,718.8	30%	11,484.4	25%	11,484.4	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290182	NS	Screw anchor HUS-HR 14x120 50/10	12	NR		1,540.7	18,489	188	14,791.0	20%	12,942.1	30%	12,942.1	30%	13,866.6	25%	13,866.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
290183	NS	Screw anchor HUS-HR 14x135 65/25	12	NR		1,575.2	18,903	201	15,122.0	20%	13,231.8	30%	13,231.8	30%	14,176.9	25%	14,176.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Hexagon head
2082432	NS	Screw anchor HUS-CR 8x75 25/15/-	25	NR		760.1	19,003	36	15,202.0	20%	13,301.8	30%	13,301.8	30%	14,251.9	25%	14,251.9	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2082433	NS	Screw anchor HUS-CR 8x95 45/35/15	20	NR		874.4	17,488	41	13,990.0	20%	12,241.3	30%	12,241.3	30%	13,115.6	25%	13,115.6	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2082435	NS	Screw anchor HUS-CR 10x85 25/15/-	25	NR		929.8	23,245	61	18,596.0	20%	16,271.5	30%	16,271.5	30%	17,433.8	25%	17,433.8	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
2082436	NS	Screw anchor HUS-CR 10x105 45/35/15	25			940.3	23,506	68	18,805.0	20%	16,454.4	30%	16,454.4	30%	17,629.7	25%	17,629.7	25%	Undercut & Screw Anchors HUS & HSU (Ultimate)	Countersunk head
HUS-HR setting tool and accessories																				
3595317	\$	Kit SIW 22T-A kit + B 22S/2 Li-Ion Cordl. impact wrench SIW 22T-A kit Battery pack B 22S/2 Li-Ion	1		2YNC	64,911.4	64,911	NA	45,438.0	30%	42,192.4	35%	42,192.4	35%	42,192.4	35%	42,192.4	35%	All LDT Tools, Battery, Charger	
2015761	\$	Battery charger C 4/36-90 230V box	1		2YNC	10,214.3	10,214	820	7,150.0	30%	6,639.3	35%	6,639.3	35%	6,639.3	35%	6,639.3	35%	PT&A Accessories	Standard universal charger to charge Hifi Li-Ion batteries
2037125	NS	Battery charger C 4/36-350 box	1		2YNC	16,657.1	16,657	1,340	11,660.0	30%	10,827.1	35%	10,827.1	35%	10,827.1	35%	10,827.1	35%	PT&A Accessories	Fast Charger to charge all Hifi Li-Ion batteries.
2070371	\$	Impact socket SI-S 1/2"-13 S	1			1,076.6	1,077	75	753.6	30%	699.8	35%	699.8	35%	699.8	35%	699.8	35%	PT&A Accessories	Impact socket SI-S 1/2"-13 S for HUS3 H8
2070372	\$	Impact socket SI-S 1/2"-15 S	1			1,150.3	1,150	125	805.2	30%	747.7	35%	747.7	35%	747.7	35%	747.7	35%	PT&A Accessories	Impact socket SI-S 1/2"-15 S for HUS3 H10
2070377	\$	Impact socket SI-S 1/2"-21 S	1			1,714.3	1,714	135	1,200.0	30%	1,114.3	35%	1,114.3	35%	1,114.3	35%	1,114.3	35%	PT&A Accessories	Impact socket SI-S 1/2"-21 S for HUS3 H14
2094452	NS	Impact socket SI-SA 3/4" - 1/2"SQ	1			4,442.9	4,443	346	3,110.0	30%	2,887.9	35%	2,887.9	35%	2,887.9	35%	2,887.9	35%	PT&A Accessories	1/4" to 1/2" socket adaptor to convert SIW 22TAV" to SIW 22TA3/4"
HSA (galvanised steel, assembled)																				
2036084	\$	Std stud anchor HSA M6x50 5/-/-	200			59.1	11,813	12	9,450.0	20%	8,268.8	30%	8,268.8	30%	8,859.4	25%	8,859.4	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 50mm
2036085	\$	Std stud anchor HSA M6x65 20/10/-	200			68.2	13,636	15	10,909.0	20%	9,545.4	30%	9,545.4	30%	10,227.2	25%	10,227.2	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 65mm
2036086	\$	Std stud anchor HSA M6 x 85 40/30/10	100			81.1	8,113	18	6,490.0	20%	5,678.8	30%	5,678.8	30%	6,084.4	25%	6,084.4	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 85mm
2036087	\$	Std stud anchor HSA M6x100 55/45/25	100			94.5	9,450	21	7,560.0	20%	6,615.0	30%	6,615.0	30%	7,087.5	25%	7,087.5	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 100mm
2004122	NS	Std stud anchor HSA M6x55 5/-/-	100	NR		76.0	7,600	25	6,080.0	20%	5,320.0	30%	5,320.0	30%	5,700.0	25%	5,700.0	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 55mm
2004123	\$	Std stud anchor HSA M6x70 20/10/-	100			90.6	9,063	28	7,250.0	20%	6,343.8	30%	6,343.8	30%	6,796.9	25%	6,796.9	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 70mm
2004124	\$	Std stud anchor HSA M6x85 35/25/-	80			101.9	8,150	33	6,520.0	20%	5,705.0	30%	5,705.0	30%	6,112.5	25%	6,112.5	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 85mm
2004125	\$	Std stud anchor HSA M6x105 55/45/15	50			105.0	5,250	40	4,200.0	20%	3,675.0	30%	3,675.0	30%	3,937.5	25%	3,937.5	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 105mm
2004126	\$	Std stud anchor HSA M6x130 80/70/40	50			122.3	6,113	48	4,890.0	20%	4,278.8	30%	4,278.8	30%	4,584.4	25%	4,584.4	25%	Galvanised Stud Anchor HSA (Premium)	Anchor Length - 130mm
2004127	\$	Std stud anchor HSA M10x88 5/-/-	50</																	



VERSION 1-01112022	34	Price List 1st N
--------------------	----	------------------



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E	A	B	C	D	Discount Group	Description			
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
385824	\$	Sleeve anchor HLC 10x100/65	50			83.4	4,171	58	2,920.0	30%	2,711.4	35%	2,711.4	35%	2,794.9	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 108mm
385825	\$	Sleeve anchor HLC 12x55/15	50			93.7	4,686	55	3,280.0	30%	3,045.7	35%	3,045.7	35%	3,139.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 65mm
385827	\$	Sleeve anchor HLC 12x75/35	50	NR		95.4	4,771	70	3,340.0	30%	3,101.4	35%	3,101.4	35%	3,196.9	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 85mm
385829	\$	Sleeve anchor HLC 12x100/60	25			108.0	2,700	87	1,890.0	30%	1,755.0	35%	1,755.0	35%	1,809.0	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 110mm
385830	NS	Sleeve anchor HLC 16x60/10	25	NR		111.4	2,786	103	1,950.0	30%	1,810.7	35%	1,810.7	35%	1,866.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 72mm
385831	NS	Sleeve anchor HLC 16x100/50	10			168.6	1,686	158	1,180.0	30%	1,095.7	35%	1,095.7	35%	1,129.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 112mm
385832	\$	Sleeve anchor HLC 16x140/90	10			231.4	2,314	205	1,620.0	30%	1,504.3	35%	1,504.3	35%	1,550.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 152mm
385833	NS	Sleeve anchor HLC 20x80/25	10	NR		225.7	2,257	210	1,580.0	30%	1,467.1	35%	1,467.1	35%	1,512.3	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 95mm
385834	NS	Sleeve anchor HLC 20x115/60	10	NR		268.6	2,686	301	1,880.0	30%	1,745.7	35%	1,745.7	35%	1,799.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 130mm
385835	NS	Sleeve anchor HLC 20x150/95	10	NR	230788	345.7	3,457	352	2,420.0	30%	2,247.1	35%	2,247.1	35%	2,316.3	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 165mm
HLC-H (Hexagon Bolt Version with washer)																		
385836	NS	Sleeve anchor HLC-H 8x40/10	100	NR		28.9	2,886	20	2,020.0	30%	1,875.7	35%	1,875.7	35%	1,933.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 46mm
385838	NS	Sleeve anchor HLC-H 8x55/25	100			36.9	3,686	24	2,580.0	30%	2,395.7	35%	2,395.7	35%	2,469.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 61mm
385840	NS	Sleeve anchor HLC-H 8x70/40	100			50.4	5,043	28	3,530.0	30%	3,277.9	35%	3,277.9	35%	3,378.7	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 76mm
385841	NS	Sleeve anchor HLC-H 10x40/5	50	NR		68.0	3,400	34	2,380.0	30%	2,210.0	35%	2,210.0	35%	2,278.0	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 48mm
385842	\$	Sleeve anchor HLC-H 10x60/25	50	NR		83.4	4,171	46	2,920.0	30%	2,711.4	35%	2,711.4	35%	2,794.9	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 68mm
385845	NS	Sleeve anchor HLC-H 10x80/45	50	NR		92.6	4,629	49	3,240.0	30%	3,008.6	35%	3,008.6	35%	3,101.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 88mm
385847	NS	Sleeve anchor HLC-H 10x100/65	50	NR		92.9	4,643	64	3,250.0	30%	3,017.9	35%	3,017.9	35%	3,110.7	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 108mm
385848	NS	Sleeve anchor HLC-H 12x55/15	50	NR		91.1	4,557	69	3,190.0	30%	2,962.1	35%	2,962.1	35%	3,053.3	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 65mm
385849	NS	Sleeve anchor HLC-H 12x75/35	50	NR		111.7	5,586	79	3,910.0	30%	3,630.7	35%	3,630.7	35%	3,742.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 85mm
385852	NS	Sleeve anchor HLC-H 12x100/60	25	NR		127.4	3,186	104	2,230.0	30%	2,070.7	35%	2,070.7	35%	2,134.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 110mm
385853	NS	Sleeve anchor HLC-H 16x60/10	10	NR		135.1	1,351	117	945.9	30%	878.3	35%	878.3	35%	905.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 72mm
385855	NS	Sleeve anchor HLC-H 16x140/90	10			282.9	2,829	205	1,980.0	30%	1,838.6	35%	1,838.6	35%	1,895.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 152mm
HLC-H (Hexagon Bolt Version with washer)- Bucket Package																		
385839	NS	Sleeve anchor HLC-H 8x55/25 bucket	500	NR		34.8	17,417	21	12,192.0	30%	11,321.1	35%	11,321.1	35%	11,669.5	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 61mm
385844	NS	Sleeve anchor HLC-H 10x60/25 bucket	300	NR		62.7	18,824	40	13,177.0	30%	12,235.8	35%	12,235.8	35%	12,612.3	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 68mm
385846	NS	Sleeve anchor HLC-H 10x80/45 bucket	200	NR		66.0	13,200	52	9,240.0	30%	8,580.0	35%	8,580.0	35%	8,844.0	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 88mm
385851	NS	Sleeve anchor HLC-H 12x75/35 bucket	150	NR		91.9	13,786	84	9,650.0	30%	8,960.7	35%	8,960.7	35%	9,236.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 85mm
HLC-SK (Countersunk Head Version with Torx Drive)																		
385856	NS	Sleeve anchor HLC-SK 6.5x45/20	100	NR		41.3	4,129	10	2,890.0	30%	2,683.6	35%	2,683.6	35%	2,766.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 45mm
385858	NS	Sleeve anchor HLC-SK 6.5x85/60	100	NR		47.1	4,714	17	3,300.0	30%	3,064.3	35%	3,064.3	35%	3,158.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 85mm
385859	\$	Sleeve anchor HLC-SK 8x60/25	100	NR		49.6	4,957	22	3,470.0	30%	3,222.1	35%	3,222.1	35%	3,321.3	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 60mm
385860	\$	Sleeve anchor HLC-SK 8x75/40	100			56.4	5,643	26	3,950.0	30%	3,667.9	35%	3,667.9	35%	3,780.7	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 75mm
385861	NS	Sleeve anchor HLC-SK 8x90/55	100			68.1	6,814	32	4,770.0	30%	4,429.3	35%	4,429.3	35%	4,565.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 90mm
385862	NS	Sleeve anchor HLC-SK 10x45/5	50	NR		68.0	3,400	28	2,380.0	30%	2,210.0	35%	2,210.0	35%	2,278.0	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 45mm
385863	NS	Sleeve anchor HLC-SK 10x65/45	50			89.7	4,486	48	3,140.0	30%	2,915.7	35%	2,915.7	35%	3,005.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 85mm
385864	NS	Sleeve anchor HLC-SK 10x105/65	50	NR		100.3	5,014	59	3,510.0	30%	3,259.3	35%	3,259.3	35%	3,359.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 105mm
385865	\$	Sleeve anchor HLC-SK 10x130/95	25	NR		105.7	2,643	75	1,850.0	30%	1,717.9	35%	1,717.9	35%	1,770.7	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 130mm
385866	NS	Sleeve anchor HLC-SK 12x80/35	50	NR		178.0	8,900	70	6,230.0	30%	5,785.0	35%	5,785.0	35%	5,963.0	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 80mm
HLC-L (Round Head Version with Torx Drive)																		
385868	NS	Sleeve anchor HLC-L 10x60/25	50	NR		68.6	3,429	40	2,400.0	30%	2,228.6	35%	2,228.6	35%	2,297.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 68mm
385869	NS	Sleeve anchor HLC-L 10x80/45	50	NR		80.3	4,014	50	2,810.0	30%	2,609.3	35%	2,609.3	35%	2,689.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	Anchor Length - 88mm
HLC-EC (Ring Head Version)																		
385871	\$	Sleeve anchor HLC-EC 8x40	50			126.3	6,314	29	4,420.0	30%	4,104.3	35%	4,104.3	35%	4,230.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	Ring Hole Dia 13 mm
385872	\$	Sleeve anchor HLC-EC 10x50	50			228.6	11,429	45	8,000.0	30%	7,428.6	35%	7,428.6	35%	7,657.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	Ring Hole Dia 16 mm
385873	\$	Sleeve anchor HLC-EC 16x100	10			487.1	4,871	264	3,410.0	30%	3,166.4	35%	3,166.4	35%	3,263.9	33%	Sleeve Anchor HLC & HLV-X( Standard)	Ring Hole Dia 24.9 mm
385874	\$	Sleeve anchor HLC-EC 16x160	15			761.9	11,429	318	8,000.0	30%	7,428.6	35%	7,428.6	35%	7,657.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	Ring Hole Dia 24.9 mm
HLC-EO (Hook Head Version)																		
385875	\$	Sleeve anchor HLC-EO 8x40	50	NR		73.7	3,686	27	2,580.0	30%	2,395.7	35%	2,395.7	35%	2,469.4	33%	Sleeve Anchor HLC & HLV-X( Standard)	
New HLV Anchor																		
2227747	NS	Sleeve anchor HLV-X 8x35/10 (Total length - 47)	100			15.1	1,514	17	1,060.0	30%	984.3	35%	984.3	35%	1,014.6	33%	Sleeve Anchor HLC & HLV-X( Standard)	
2227748	NS	Sleeve anchor HLV-X 8x50/25 (Total length - 62)	100			18.3	1,829	22	1,280.0	30%	1,188.6	35%	1,188.6	35%	1,225.1	33%	Sleeve Anchor HLC & HLV-X( Standard)	
2227749	NS																	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
HLD (Plastic anchor for mounting fixtures on Gypsum Board)																				
335506	\$	Light-duty anchor HLD 2	150			48.3	7,243	2	5,070.0	30%	4,707.9	35%	4,707.9	35%	4,852.7	33%	4,852.7	33%	Others (Standard)	Anchor Length - 4-12mm
335507	NS	Light-duty anchor HLD 3	100			49.1	4,914	3	3,440.0	30%	3,194.3	35%	3,194.3	35%	3,292.6	33%	3,292.6	33%	Others (Standard)	Anchor Length - 15-19mm
335508	\$	Light-duty anchor HLD 4	100			68.9	6,886	3	4,820.0	30%	4,475.7	35%	4,475.7	35%	4,613.4	33%	4,613.4	33%	Others (Standard)	Anchor Length - 24-28mm
Plastic Anchors																				
HRD-C8																				
202341	\$	Frame anchor HRD-C 8x60	50			59.5	2,975	15	2,380.0	20%	2,082.5	30%	2,082.5	30%	2,231.3	25%	2,231.3	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 60 mm
202342	\$	Frame anchor HRD-C 8x80	50			63.5	3,175	20	2,540.0	20%	2,222.5	30%	2,222.5	30%	2,381.3	25%	2,381.3	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 80 mm
202343	\$	Frame anchor HRD-C 8x100	50			71.5	3,575	25	2,860.0	20%	2,502.5	30%	2,502.5	30%	2,681.3	25%	2,681.3	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 100 mm
202344	\$	Frame anchor HRD-C 8x120	50			83.8	4,188	31	3,350.0	20%	2,931.3	30%	2,931.3	30%	3,140.6	25%	3,140.6	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 120 mm
202345	\$	Frame anchor HRD-C 8x140	50			102.5	5,125	34	4,100.0	20%	3,587.5	30%	3,587.5	30%	3,843.8	25%	3,843.8	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 140 mm
2022681	\$	Frame anchor HRD-CR 8x60	50			147.5	7,375	16	5,900.0	20%	5,162.5	30%	5,162.5	30%	5,531.3	25%	5,531.3	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 60 mm
2022682	\$	Frame anchor HRD-CR 8x80	50			173.5	8,675	21	6,940.0	20%	6,072.5	30%	6,072.5	30%	6,506.3	25%	6,506.3	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 80 mm
2022683	\$	Frame anchor HRD-CR 8x100	50			205.8	10,288	25	8,230.0	20%	7,201.3	30%	7,201.3	30%	7,715.6	25%	7,715.6	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 100 mm
2022684	\$	Frame anchor HRD-CR 8x120	50			237.5	11,875	30	9,500.0	20%	8,312.5	30%	8,312.5	30%	8,906.3	25%	8,906.3	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 120 mm
2022685	NS	Frame anchor HRD-CR 8x140	50	NR		311.5	15,576	35	12,461.0	20%	10,903.4	30%	10,903.4	30%	11,682.2	25%	11,682.2	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 140 mm
HRD-C10 Counter Sunk Head (Galvanized, A4, A2 Versions)																				
423859	\$	Frame anchor HRD-C 10x60	50			60.0	3,000	24	2,400.0	20%	2,100.0	30%	2,100.0	30%	2,250.0	25%	2,250.0	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 60mm
423860	\$	Frame anchor HRD-C 10x80	50			72.3	3,613	30	2,890.0	20%	2,528.8	30%	2,528.8	30%	2,709.4	25%	2,709.4	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 80mm
423861	\$	Frame anchor HRD-C 10x100	50			77.5	3,875	37	3,100.0	20%	2,712.5	30%	2,712.5	30%	2,906.3	25%	2,906.3	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 100mm
423862	\$	Frame anchor HRD-C 10x120	50			87.3	4,363	43	3,490.0	20%	3,053.8	30%	3,053.8	30%	3,271.9	25%	3,271.9	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 120mm
423863	\$	Frame anchor HRD-C 10x140	50			100.3	5,013	51	4,010.0	20%	3,508.8	30%	3,508.8	30%	3,759.4	25%	3,759.4	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 140mm
423864	\$	Frame anchor HRD-C 10x160	50			134.8	6,738	58	5,390.0	20%	4,716.3	30%	4,716.3	30%	5,053.1	25%	5,053.1	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 160mm
423865	\$	Frame anchor HRD-C 10x180	50			155.0	7,750	64	6,200.0	20%	5,425.0	30%	5,425.0	30%	5,812.5	25%	5,812.5	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 180mm
423866	\$	Frame anchor HRD-C 10x200	50			237.5	11,875	71	9,500.0	20%	8,312.5	30%	8,312.5	30%	8,906.3	25%	8,906.3	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 200mm
423867	\$	Frame anchor HRD-C 10x230	50			268.6	13,431	79	10,745.0	20%	9,401.9	30%	9,401.9	30%	10,073.4	25%	10,073.4	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 230mm
423868	\$	Frame anchor HRD-C 10x270	50			404.2	20,211	94	16,169.0	20%	14,147.9	30%	14,147.9	30%	15,158.4	25%	15,158.4	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 270mm
423869	\$	Frame anchor HRD-C 10x310	50	NR		444.5	22,226	107	17,781.0	20%	15,558.4	30%	15,558.4	30%	16,669.7	25%	16,669.7	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 310mm
423885	NS	Frame anchor HRD-CR 10x60	50			152.5	7,625	24	6,100.0	20%	5,337.5	30%	5,337.5	30%	5,718.8	25%	5,718.8	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 60mm ( Stainless Steel - A4 )
423886	\$	Frame anchor HRD-CR 10x100	50			205.3	10,263	37	8,210.0	20%	7,183.8	30%	7,183.8	30%	7,696.9	25%	7,696.9	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 100mm ( Stainless Steel - A4 )
423887	\$	Frame anchor HRD-CR 10x140	50			282.5	14,126	51	11,301.0	20%	9,888.4	30%	9,888.4	30%	10,594.7	25%	10,594.7	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 140mm ( Stainless Steel - A4 )
423892	NS	Frame anchor HRD-CR2 10x60	50			127.0	6,350	24	5,080.0	20%	4,445.0	30%	4,445.0	30%	4,762.5	25%	4,762.5	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 60mm ( Stainless Steel - A2 )
423893	\$	Frame anchor HRD-CR2 10x80	50			149.0	7,450	30	5,960.0	20%	5,215.0	30%	5,215.0	30%	5,587.5	25%	5,587.5	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 80mm ( Stainless Steel - A2 )
423894	\$	Frame anchor HRD-CR2 10x100	50			161.0	8,050	37	6,440.0	20%	5,635.0	30%	5,635.0	30%	6,037.5	25%	6,037.5	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 100mm ( Stainless Steel - A2 )
423895	\$	Frame anchor HRD-CR2 10x120	50			208.0	10,400	44	8,320.0	20%	7,280.0	30%	7,280.0	30%	7,800.0	25%	7,800.0	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 120mm ( Stainless Steel - A2 )
423896	\$	Frame anchor HRD-CR2 10x140	50			231.0	11,550	51	9,240.0	20%	8,085.0	30%	8,085.0	30%	8,662.5	25%	8,662.5	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 140mm ( Stainless Steel - A2 )
HRD-H10 Hex Head (Galvanized, A4, A2 Versions)																				
423870	\$	Frame anchor HRD-H 10x60	50			61.8	3,088	30	2,470.0	20%	2,161.3	30%	2,161.3	30%	2,315.6	25%	2,315.6	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 60mm with integrated washer
423871	\$	Frame anchor HRD-H 10x80	50			70.0	3,500	38	2,800.0	20%	2,450.0	30%	2,450.0	30%	2,625.0	25%	2,625.0	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 80mm with integrated washer
423872	\$	Frame anchor HRD-H 10x100	50			76.5	3,825	45	3,060.0	20%	2,677.5	30%	2,677.5	30%	2,868.8	25%	2,868.8	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 100mm with integrated washer
423873	\$	Frame anchor HRD-H 10x120	50			86.3	4,313	51	3,450.0	20%	3,018.8	30%	3,018.8	30%	3,234.4	25%	3,234.4	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 120mm with integrated washer
423874	\$	Frame anchor HRD-H 10x140	50			100.3	5,013	58	4,010.0	20%	3,508.8	30%	3,508.8	30%	3,759.4	25%	3,759.4	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 140mm with integrated washer
423875	\$	Frame anchor HRD-H 10x160	50			139.5	6,975	64	5,580.0	20%	4,882.5	30%	4,882.5	30%	5,231.3	25%	5,231.3	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 160mm with integrated washer
423876	NS	Frame anchor HRD-H 10x180	50	NR		159.0	7,500	71	6,090.0	20%	5,250.0	30%	5,250.0	30%	5,625.0	25%	5,625.0	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 180mm with integrated washer
423877	\$	Frame anchor HRD-H 10x200	50			236.0	11,800	78	9,440.0	20%	8,260.0	30%	8,260.0	30%	8,850.0	25%	8,850.0	25%	Polyamide Anchor HRD (Premium)	Anchor Length - 200mm with integrated washer
423888	NS	Frame anchor HRD-HR 10x60	50			145.3	7,263	31	5,810.0	20%	5,083.8	30%	5,083.8	30%	5,446.9	25%	5,446.9	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 60mm with integrated washer ( Stainless Steel - A4 )
423889	\$	Frame anchor HRD-HR 10x80	50			170.5	8,525	38	6,820.0	20%	5,967.5	30%	5,967.5	30%	6,393.8	25%	6,393.8	25%	Stainless Steel Polyamide Anchor HRD (Premium)	Anchor Length - 80mm with integrated washer ( Stainless Steel - A4 )
423890	\$	Frame anchor HRD																		



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / Gms	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
331616	\$	Universal anchor HUD-1 6x30 (500)	500	NR		4.9	2,429	1	1,700.0	30%	1,578.6	35%	1,578.6	35%	1,627.1	33%	Others (Standard)		Anchor Length - 30mm	
331617	\$	Universal anchor HUD-1 8x40 (400)	400	NR		7.3	2,900	1	2,030.0	30%	1,885.0	35%	1,885.0	35%	1,943.0	33%	Others (Standard)		Anchor Length - 40mm	
331618	\$	Universal anchor HUD-1 10x50 (200)	200	NR		18.6	3,714	2	2,600.0	30%	2,414.3	35%	2,414.3	35%	2,488.6	33%	Others (Standard)		Anchor Length - 50mm	
331619	NS	Universal anchor HUD-1 12x60	100	NR		30.9	3,086	4	2,160.0	30%	2,005.7	35%	2,005.7	35%	2,067.4	33%	Others (Standard)		Anchor Length - 60 mm	
331620	NS	Universal anchor HUD-1 14x70	50	NR		65.1	3,257	6	2,280.0	30%	2,117.1	35%	2,117.1	35%	2,182.3	33%	Others (Standard)		Anchor Length - 70 mm	
Elevator Hoist anchor Point - HAP																				
2247638	\$	Elevator hoist anchor point HAP 2.5	2	NR	INP 2021	21,606.3	43,213	-	34,570.0	20%	30,248.8	30%	30,248.8	30%	32,409.4	25%	Galvanised Stud Anchor HST3 (Ultimate)		HAP 2.5 Hoist Anchor Point (2 piece per box)	
2247639	\$	Elevator hoist anchor point HAP 2.5 HST3	2	NR	INP 2021	22,326.9	44,654	-	35,723.0	20%	31,257.6	30%	31,257.6	30%	33,490.3	25%	Galvanised Stud Anchor HST3 (Ultimate)		HAP 2.5 Hoist Anchor Point (2 piece per box), 8 nos. of HST3 M12 X115	
2248000	\$	Elevator hoist anchor point HAP 2.5 HUS3	2	NR	INP 2021	22,326.9	44,654	-	35,723.0	20%	31,257.6	30%	31,257.6	30%	33,490.3	25%	Galvanised Stud Anchor HST3 (Ultimate)		HAP 2.5 Hoist Anchor Point (2 piece per box), 8 nos. of HUS3 H M10x110	
HUD-L (extra long)																				
315938	\$	Universal anchor HUD-L 6x50	400			9.2	3,671	1	2,570.0	30%	2,386.4	35%	2,386.4	35%	2,459.9	33%	Others (Standard)		Anchor Length - 50mm	
315939	\$	Universal anchor HUD-L 8x60	200			13.3	2,657	2	1,860.0	30%	1,727.1	35%	1,727.1	35%	1,780.3	33%	Others (Standard)		Anchor Length - 60mm	
315940	\$	Universal anchor HUD-L 10x70	100			23.3	2,329	4	1,630.0	30%	1,513.6	35%	1,513.6	35%	1,560.1	33%	Others (Standard)		Anchor Length - 70mm	
Special Screws																				
3424696	\$	HEX SCREW WITH WASHER FOR HUD-L 8x60	200			8.4	1,671	10	1,170.0	30%	1,086.4	35%	1,086.4	35%	1,119.9	33%	Others (Standard)		Compatible with HUD-L 8 X 60	
HPS-1 Impact Anchor																				
260369	NS	Impact anchor HPS-1 4/0x20	250	NR		10.2	2,557	1	1,790.0	30%	1,662.1	35%	1,662.1	35%	1,713.3	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 20mm	
260347	NS	Impact anchor HPS-1 5/5x25	200	NR		11.6	2,329	2	1,630.0	30%	1,513.6	35%	1,513.6	35%	1,560.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 25mm	
230515	NS	Impact anchor HPS-1 5/10x30	200	NR		12.4	2,486	3	1,740.0	30%	1,615.7	35%	1,615.7	35%	1,665.4	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 30mm	
260348	NS	Impact anchor HPS-1 5/15x35	200	NR		18.1	3,614	3	2,530.0	30%	2,349.3	35%	2,349.3	35%	2,421.6	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 35mm	
238159	NS	Impact anchor HPS-1 6/0x25	150	NR		21.5	3,229	4	2,260.0	30%	2,098.6	35%	2,098.6	35%	2,163.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 25mm	
260349	NS	Impact anchor HPS-1 6/5x30	150	NR		15.6	2,343	4	1,640.0	30%	1,522.9	35%	1,522.9	35%	1,569.7	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 30mm	
230516	NS	Impact anchor HPS-1 6/10x35	150	NR		20.7	3,100	5	2,170.0	30%	2,015.0	35%	2,015.0	35%	2,077.0	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 35mm	
260350	\$	Impact anchor HPS-1 6/15x40	150	NR		15.9	2,386	5	1,670.0	30%	1,550.7	35%	1,550.7	35%	1,598.4	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 40mm	
260351	\$	Impact anchor HPS-1 6/25x50	100	NR		15.3	1,529	6	1,070.0	30%	993.6	35%	993.6	35%	1,024.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 50mm	
230517	NS	Impact anchor HPS-1 6/30x55	100	NR		25.9	2,586	7	1,810.0	30%	1,680.7	35%	1,680.7	35%	1,732.4	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 55mm	
260352	\$	Impact anchor HPS-1 6/40x65	100	NR		20.6	2,057	8	1,440.0	30%	1,337.1	35%	1,337.1	35%	1,378.3	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 65mm	
238160	NS	Impact anchor HPS-1 8/0x25	100	NR		19.9	1,986	6	1,390.0	30%	1,290.7	35%	1,290.7	35%	1,330.4	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 30mm	
260353	NS	Impact anchor HPS-1 8/10x40	100	NR		26.1	2,614	8	1,830.0	30%	1,699.3	35%	1,699.3	35%	1,751.6	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 40mm	
230518	NS	Impact anchor HPS-1 8/20x50	50	NR		34.6	1,729	10	1,210.0	30%	1,123.6	35%	1,123.6	35%	1,158.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 50mm	
260354	\$	Impact anchor HPS-1 8/30x60	50	NR		24.8	1,242	10	869.1	30%	807.0	35%	807.0	35%	831.9	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 60mm	
230519	\$	Impact anchor HPS-1 8/40x70	50	NR		36.6	1,829	12	1,280.0	30%	1,188.6	35%	1,188.6	35%	1,225.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 70mm	
260355	\$	Impact anchor HPS-1 8/60x90	50	NR		34.3	1,714	14	1,200.0	30%	1,114.3	35%	1,114.3	35%	1,148.6	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 90mm	
260356	\$	Impact anchor HPS-1 8/80x110	50	NR		59.1	2,957	18	2,070.0	30%	1,922.1	35%	1,922.1	35%	1,981.3	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 110mm	
260367	NS	Impact anchor HPS-1 8/100x130	100	NR		57.3	5,729	20	4,010.0	30%	3,723.6	35%	3,723.6	35%	3,838.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 130mm	
HMU																				
2084274	NS	Undercut anchor HMU-PF M12x80/35	20	NR		1,636.1	32,721	213	26,177.0	20%	22,904.9	30%	22,904.9	30%	24,540.9	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2084275	NS	Undercut anchor HMU-PF M12x80/65	20	NR		1,738.5	34,770	233	27,816.0	20%	24,339.0	30%	24,339.0	30%	26,077.5	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2110621	NS	Undercut anchor HMU-PF M16x100/30	12	NR		2,045.3	24,544	407	19,635.0	20%	17,180.6	30%	17,180.6	30%	18,407.8	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2110622	NS	Undercut anchor HMU-PF M16x100/60	12	NR		2,249.7	26,996	455	21,597.0	20%	18,897.4	30%	18,897.4	30%	20,247.2	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2110623	NS	Undercut anchor HMU-PF M16x125/30	12	NR		2,352.1	28,225	443	22,580.0	20%	19,757.5	30%	19,757.5	30%	21,168.8	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2110624	NS	Undercut anchor HMU-PF M16x125/60	12	NR		2,863.4	34,361	508	27,489.0	20%	24,052.9	30%	24,052.9	30%	25,770.9	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2084138	NS	Setting tool TE-C HMU-ST M12	1	NR		2,000.0	2,000	200	1,600.0	20%	1,400.0	30%	1,400.0	30%	1,500.0	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2110528	NS	Setting tool TE-C HMU-ST M16	1	NR		2,900.0	2,900	367	2,320.0	20%	2,030.0	30%	2,030.0	30%	2,175.0	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2115097	NS	Setting tool TE-Y HMU-ST M16	1	NR		4,762.5	4,763	583	3,810.0	20%	3,333.8	30%	3,333.8	30%	3,571.9	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2084137	NS	Stop drill bit TE-C-HMU-B M12x80	1	NR		8,475.0	8,475	328	6,780.0	20%	5,932.5	30%	5,932.5	30%	6,356.3	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2115766	NS	Stop drill bit TE-C-HMU-B M16x100	1	NR		11,625.0	11,625	515	9,300.0	20%	8,137.5	30%	8,137.5	30%	8,718.8	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2115767	NS	Stop drill bit TE-C-HMU-B M16x125	1	NR		13,986.3	13,986	553	11,189.0	20%	9,790.4	30%	9,790.4	30%	10,489.7	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2115768	NS	Stop drill bit TE-Y-HMU-B M16x100	1	NR		14,571.3	14,571	787	11,657.0	20%	10,199.9	30%	10,199.9	30%	10,928.4	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
2115769	NS	Stop drill bit TE-Y-HMU-B M16x125	1	NR		15,542.5	15,543	827	12,434.0	20%	10,879.8	30%	10,879.8	30%	11,656.9	25%	Heavy Duty Expansion HMU & HSL (Ultimate)			
HPS-1R																				
260357	NS	Impact anchor HPS-1 R 5/5x25	200	NR		37.9	7,586	3	5,310.0	30%	4,930.7	35%	4,930.7	35%	5,082.4	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 25mm	
230524	NS	Impact anchor HPS-1 R 5/10x30	200	NR		36.1	7,229	3	5,060.0	30%	4,698.6	35%	4,698.6	35%	4,843.1	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 30mm	
260358	NS	Impact anchor HPS-1 R 5/15x35	200	NR		43.2	8,643	4	6,050.0	30%	5,617.9	35%	5,617.9	35%	5,790.7	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 35mm	
238161	NS	Impact anchor HPS-1 R 6/0x25	150	NR		43.7	6,557	4	4,590.0	30%	4,262.1	35%	4,262.1	35%	4,393.3	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 25mm	
260359	NS	Impact anchor HPS-1 R 6/5x30	150	NR		43.8	6,571	4	4,600.0	30%	4,271.4	35%	4,271.4	35%	4,402.9	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 30mm	
230525	NS	Impact anchor HPS-1 R 6/10x35	150	NR		48.8	7,314	5	5,120.0	30%	4,754.3	35%	4,754.3	35%	4,900.6	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 35mm	
260361	\$	Impact anchor HPS-1 R 6/25x50	100	NR		54.6	5,457	6	3,820.0	30%	3,547.1	35%	3,547.1	35%	3,656.3	33%	Polyamide Anchor HPS & HFV (Standard)		Anchor Length - 50mm	
260362	\$	Impact anchor HPS-1 R 6/40x65																		



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight	E		A		B		C		D		Discount Group	Description
								/ PC												
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
Cast-in																				
HAC & HAC-C																				
TCRS HAC 30																				
431889	NS	Anchor channel HAC-30 68/200 F	1	NR		1,912.5	1,913	375	1,530.0	20%	1,338.8	30%	1,338.8	30%	1,434.4	25%	1,434.4	25%	HAC and HAC-C	
431890	NS	Anchor channel HAC-30 68/250 F	1	NR		2,162.5	2,163	460	1,730.0	20%	1,513.8	30%	1,513.8	30%	1,621.9	25%	1,621.9	25%	HAC and HAC-C	
431891	NS	Anchor channel HAC-30 68/300 F	1	NR		2,400.0	2,400	546	1,920.0	20%	1,680.0	30%	1,680.0	30%	1,800.0	25%	1,800.0	25%	HAC and HAC-C	
TCRS HAC 40																				
431906	NS	Anchor channel HAC-40 91/200 F	1	NR		1,475.0	1,475	452	1,180.0	20%	1,032.5	30%	1,032.5	30%	1,106.3	25%	1,106.3	25%	HAC and HAC-C	
431914	NS	Anchor channel HAC-40 91/1300 F	1	NR		11,200.0	11,200	2,660	8,960.0	20%	7,840.0	30%	7,840.0	30%	8,400.0	25%	8,400.0	25%	HAC and HAC-C	
2107349	NS	Anchor channel HAC-40 91/300 F	1			2,075.0	2,075	640	1,660.0	20%	1,452.5	30%	1,452.5	30%	1,556.3	25%	1,556.3	25%	HAC and HAC-C	
2122492	NS	Anchor channel HAC-40 91/250 F	1			1,562.5	1,563	550	1,250.0	20%	1,093.8	30%	1,093.8	30%	1,171.9	25%	1,171.9	25%	HAC and HAC-C	
2122493	NS	Anchor channel HAC-40 91/350 F	1	NR		2,625.0	2,625	780	2,100.0	20%	1,837.5	30%	1,837.5	30%	1,968.8	25%	1,968.8	25%	HAC and HAC-C	
2122495	NS	Anchor channel HAC-40 91/550 F	1	NR		4,450.0	4,450	1,170	3,560.0	20%	3,115.0	30%	3,115.0	30%	3,337.5	25%	3,337.5	25%	HAC and HAC-C	
2122496	NS	Anchor channel HAC-40 91/800 F	1	NR		6,687.5	6,688	1,680	5,350.0	20%	4,681.3	30%	4,681.3	30%	5,015.6	25%	5,015.6	25%	HAC and HAC-C	
2122497	NS	Anchor channel HAC-40 91/1050 F	1	NR		8,575.0	8,575	2,200	6,860.0	20%	6,002.5	30%	6,002.5	30%	6,431.3	25%	6,431.3	25%	HAC and HAC-C	
2122498	NS	Anchor channel HAC-40 91/1300 F	1	NR		11,200.0	11,200	2,720	8,960.0	20%	7,840.0	30%	7,840.0	30%	8,400.0	25%	8,400.0	25%	HAC and HAC-C	
2122499	NS	Anchor channel HAC-40 91/1550 F	1	NR		10,087.5	10,088	3,230	8,070.0	20%	7,061.3	30%	7,061.3	30%	7,565.6	25%	7,565.6	25%	HAC and HAC-C	
2122531	NS	Anchor channel HAC-40 91/2050 F	1	NR		17,047.5	17,048	4,250	13,638.0	20%	11,933.3	30%	11,933.3	30%	12,785.6	25%	12,785.6	25%	HAC and HAC-C	
2122532	NS	Anchor channel HAC-40 91/2300 F	1	NR		18,820.0	18,820	4,750	15,056.0	20%	13,174.0	30%	13,174.0	30%	14,115.0	25%	14,115.0	25%	HAC and HAC-C	
2122533	NS	Anchor channel HAC-40 91/2550 F	1	NR		22,220.0	22,220	5,280	17,776.0	20%	15,554.0	30%	15,554.0	30%	16,665.0	25%	16,665.0	25%	HAC and HAC-C	
TCRS HAC 50																				
2036022	NS	Anchor channel HAC-50-W 6000	6	NR		3,541.7	21,250	2,418	17,000.0	20%	14,875.0	30%	14,875.0	30%	15,937.5	25%	15,937.5	25%	HAC and HAC-C	
2107511	NS	Anchor channel HAC-50 106/300 F	1	NR		2,512.5	2,513	870	2,010.0	20%	1,758.8	30%	1,758.8	30%	1,884.4	25%	1,884.4	25%	HAC and HAC-C	
2122538	NS	Anchor channel HAC-50 106/250 F	1	NR		2,262.5	2,263	750	1,810.0	20%	1,583.8	30%	1,583.8	30%	1,696.9	25%	1,696.9	25%	HAC and HAC-C	
TCRS HAC 60																				
431851	NS	Anchor channel HAC-60 148/350 F	1	NR		3,487.5	3,488	1,418	2,790.0	20%	2,441.3	30%	2,441.3	30%	2,615.6	25%	2,615.6	25%	HAC and HAC-C	
431852	NS	Anchor channel HAC-60 148/450 F	1	NR		4,125.0	4,125	1,733	3,300.0	20%	2,887.5	30%	2,887.5	30%	3,093.8	25%	3,093.8	25%	HAC and HAC-C	
431856	NS	Anchor channel HAC-60 148/5800 F	6	NR		71,098.1	426,589	21,000	341,271.0	20%	298,612.1	30%	298,612.1	30%	319,941.6	25%	319,941.6	25%	HAC and HAC-C	
TCRS HAC 70																				
431860	NS	Anchor channel HAC-70 175/300 F	1	NR		3,250.0	3,250	1,616	2,600.0	20%	2,275.0	30%	2,275.0	30%	2,437.5	25%	2,437.5	25%	HAC and HAC-C	
431861	NS	Anchor channel HAC-70 175/350 F	1	NR		5,212.5	5,213	1,989	4,170.0	20%	3,648.8	30%	3,648.8	30%	3,909.4	25%	3,909.4	25%	HAC and HAC-C	
431862	NS	Anchor channel HAC-70 175/450 F	1	NR		6,112.5	6,113	2,420	4,890.0	20%	4,278.8	30%	4,278.8	30%	4,584.4	25%	4,584.4	25%	HAC and HAC-C	
2036024	NS	Anchor channel HAC-70-W 6000	6	NR		7,704.4	46,226	4,433	36,981.0	20%	32,358.4	30%	32,358.4	30%	34,669.7	25%	34,669.7	25%	HAC and HAC-C	
Cold Rolled HAC-C 28/15																				
2168307	NS	Anchor channel HAC-C 28/15 100 F&#160;	1	NR		408.5	409	144	326.8	20%	286.0	30%	286.0	30%	306.4	25%	306.4	25%	HAC and HAC-C	
2168308	NS	Anchor channel HAC-C 28/15 150 F&#160;	1	NR		491.5	492	202	393.2	20%	344.1	30%	344.1	30%	368.6	25%	368.6	25%	HAC and HAC-C	
2168309	NS	Anchor channel HAC-C 28/15 200 F&#160;	1	NR		577.6	578	261	462.1	20%	404.3	30%	404.3	30%	433.2	25%	433.2	25%	HAC and HAC-C	
2168410	NS	Anchor channel HAC-C 28/15 250 F&#160;	1	NR		663.5	664	319	530.8	20%	464.5	30%	464.5	30%	497.6	25%	497.6	25%	HAC and HAC-C	
2168411	NS	Anchor channel HAC-C 28/15 300 F&#160;	1	NR		851.9	852	391	681.5	20%	596.3	30%	596.3	30%	638.9	25%	638.9	25%	HAC and HAC-C	
2168415	NS	Anchor channel HAC-C 28/15 550 F&#160;	1	NR		1,387.5	1,388	696	1,110.0	20%	971.3	30%	971.3	30%	1,040.6	25%	1,040.6	25%	HAC and HAC-C	
2168416	NS	Anchor channel HAC-C 28/15 850 F&#160;	1	NR		2,037.5	2,038	1,060	1,630.0	20%	1,426.3	30%	1,426.3	30%	1,528.1	25%	1,528.1	25%	HAC and HAC-C	
2168420	NS	Anchor channel HAC-C 28/15 3050 F&#160;	1	NR		7,000.0	7,000	3,777	5,600.0	20%	4,900.0	30%	4,900.0	30%	5,250.0	25%	5,250.0	25%	HAC and HAC-C	
Cold Rolled HAC-C 38/17																				
2168436	NS	Anchor channel HAC-C 38/17 150 F&#160;	1	NR		718.4	718	343	574.7	20%	502.9	30%	502.9	30%	538.8	25%	538.8	25%	HAC and HAC-C	
2168437	NS	Anchor channel HAC-C 38/17 200 F&#160;	1	NR		847.4	847	432	677.9	20%	593.2	30%	593.2	30%	635.5	25%	635.5	25%	HAC and HAC-C	
2168438	NS	Anchor channel HAC-C 38/17 250 F&#160;	1	NR		975.1	975	522	780.1	20%	682.6	30%	682.6	30%	731.3	25%	731.3	25%	HAC and HAC-C	
2168439	NS	Anchor channel HAC-C 38/17 300 F&#160;	1	NR		1,262.5	1,263	649	1,010.0	20%	883.8	30%	883.8	30%	946.9	25%	946.9	25%	HAC and HAC-C	
2168440	NS	Anchor channel HAC-C 38/17 350 F&#160;	1	NR		1,387.5	1,388	738	1,110.0	20%	971.3	30%	971.3	30%	1,040.6	25%	1,040.6	25%	HAC and HAC-C	
2168442	NS	Anchor channel HAC-C 38/17 450 F&#160;	1	NR		1,650.0	1,650	917	1,320.0	20%	1,155.0	30%	1,155.0	30%	1,237.5	25%	1,237.5	25%	HAC and HAC-C	
2168444	NS	Anchor channel HAC-C 38/17 850 F&#160;	1	NR		3,012.5	3,013	1,708	2,410.0	20%	2,108.8	30%	2,108.8	30%	2,259.4	25%	2,259.4	25%	HAC and HAC-C	
Cold Rolled HAC-C 40/25																				
2168490	NS	Anchor channel HAC-C 40/25 150 F	1	NR		862.1	862	397	689.7	20%	603.5	30%	603.5	30%	646.6	25%	646.6	25%	HAC and HAC-C	
2168491	NS	Anchor channel HAC-C 40/25 200 F	1	NR		1,021.1	1,021	505	816.9	20%	714.8	30%	714.8	30%	765.8	25%	765.8	25%	HAC and HAC-C	
2168492	NS	Anchor channel HAC-C 40/25 250 F	1	NR		1,181.3	1,181	612	945.0	20%	826.9	30%	826.9	30%	885.9	25%	885.9	25%	HAC and HAC-C	
2168493	NS	Anchor channel HAC-C 40/25 300 F&#160;	1	NR		1,350.0	1,350	720	1,080.0	20%	945.0	30%	945.0	30%	1,012.5	25%	1,012.5	25%	HAC and HAC-C	
2168494	NS	Anchor channel HAC-C 40/25 350 F	1	NR		1,687.5	1,688	864	1,350.0	20%	1,181.3	30%	1,181.3	30%	1,265.6	25%	1,265.6	25%	HAC and HAC-C	
2168495	NS	Anchor channel HAC-C 40/25 400 F	1	NR		1,862.5														



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
TCRS T Bolts																				
433475	NS	T-head bolt HBC-C-N M16x50 8.8F	100	NR		490.7	49,068	141	39,254.0	20%	34,347.3	30%	34,347.3	30%	36,800.6	25%	36,800.6	25%	T-Bolt	
433479	NS	T-head bolt HBC-C-N M16x80 8.8F	100	NR		790.8	79,083	183	63,266.0	20%	55,357.8	30%	55,357.8	30%	59,311.9	25%	59,311.9	25%	T-Bolt	
2019736	NS	T-head bolt HBC-C-N M16x60 8.8F	100	NR		708.1	70,808	156	56,646.0	20%	49,565.3	30%	49,565.3	30%	53,105.6	25%	53,105.6	25%	T-Bolt	
2068370	NS	T-head bolt HBC-C-N M12x40 8.8F	100	NR		386.3	38,625	82	30,900.0	20%	27,037.5	30%	27,037.5	30%	28,968.8	25%	28,968.8	25%	T-Bolt	
2069471	NS	T-head bolt HBC-C-N M16x40 8.8F	100	NR		607.5	60,746	130	48,597.0	20%	42,522.4	30%	42,522.4	30%	45,559.7	25%	45,559.7	25%	T-Bolt	
434345	NS	T-head bolt HBC-C-N M20x60 8.8F	50	NR		769.3	38,465	229	30,772.0	20%	26,925.5	30%	26,925.5	30%	28,848.8	25%	28,848.8	25%	T-Bolt	
2019739	NS	T-head bolt HBC-C-N M20x80 8.8F	50	NR		1,159.2	57,960	272	46,368.0	20%	40,572.0	30%	40,572.0	30%	43,470.0	25%	43,470.0	25%	T-Bolt	
2095645	NS	T-head bolt HBC-C M12x50 8.8F	100			421.0	42,095	90	33,676.0	20%	29,466.5	30%	29,466.5	30%	31,571.3	25%	31,571.3	25%	T-Bolt	
2095646	NS	T-head bolt HBC-C M12x60 8.8F	100			498.7	49,874	97	39,899.0	20%	34,911.6	30%	34,911.6	30%	37,405.3	25%	37,405.3	25%	T-Bolt	
2095647	NS	T-head bolt HBC-C M12x80 8.8F	100			610.0	61,001	108	48,801.0	20%	42,700.9	30%	42,700.9	30%	45,750.9	25%	45,750.9	25%	T-Bolt	
2095648	NS	T-head bolt HBC-C M12x100 8.8F	100	NR		689.8	68,978	123	55,182.0	20%	48,284.3	30%	48,284.3	30%	51,733.1	25%	51,733.1	25%	T-Bolt	
2095691	NS	T-head bolt HBC-C M16x100 50R	25	NR		4,025.3	100,631	210	80,505.0	20%	70,441.9	30%	70,441.9	30%	75,473.4	25%	75,473.4	25%	T-Bolt	
T Bolts Cold Rolled 28/15																				
2170175	NS	T-head bolt HBC-28/15 M10x60 8.8F	100	NR		163.8	16,384	48	13,107.0	20%	11,468.6	30%	11,468.6	30%	12,287.8	25%	12,287.8	25%	T-Bolt	
2170176	NS	T-head bolt HBC-28/15 M12x40 8.8F	100	NR		179.8	17,978	52	14,382.0	20%	12,584.3	30%	12,584.3	30%	13,483.1	25%	13,483.1	25%	T-Bolt	
T Bolts Cold Rolled 38/17																				
2168619	NS	T-head bolt HBC-38/17 M12x40 8.8F	100	NR		215.3	21,533	65	17,226.0	20%	15,072.8	30%	15,072.8	30%	16,149.4	25%	16,149.4	25%	T-Bolt	
T Bolts Hot Rolled 40/22																				
2169073	NS	T-head bolt HBC-40/22 M12x40 8.8F	100	NR		215.3	21,531	77	17,225.0	20%	15,071.9	30%	15,071.9	30%	16,148.4	25%	16,148.4	25%	T-Bolt	
2169078	NS	T-head bolt HBC-40/22 M16x80 8.8F	50	NR		471.3	23,564	176	18,851.0	20%	16,494.6	30%	16,494.6	30%	17,672.8	25%	17,672.8	25%	T-Bolt	
2169075	NS	T-head bolt HBC-40/22 M12x80 8.8F	100	NR		334.5	33,454	104	26,763.0	20%	23,417.6	30%	23,417.6	30%	25,090.3	25%	25,090.3	25%	T-Bolt	
2169074	NS	T-head bolt HBC-40/22 M12x60 8.8F	100	NR		244.5	24,445	90	19,556.0	20%	17,111.5	30%	17,111.5	30%	18,333.8	25%	18,333.8	25%	T-Bolt	
T Bolts Hot Rolled 50/30 - Compatible with Hot Rolled 52/34, 52/33, 49/30																				
2168747	NS	T-head bolt HBC-50/30 M16x80 8.8F	50	NR		431.3	21,564	210	17,251.0	20%	15,094.6	30%	15,094.6	30%	16,172.8	25%	16,172.8	25%	T-Bolt	
2168741	NS	T-head bolt HBC-50/30 M12x50 8.8F	100	NR		349.5	34,950	114	27,960.0	20%	24,465.0	30%	24,465.0	30%	26,212.5	25%	26,212.5	25%	T-Bolt	
2168746	NS	T-head bolt HBC-50/30 M16x60 8.8F	50	NR		489.5	24,475	185	19,580.0	20%	17,132.5	30%	17,132.5	30%	18,356.3	25%	18,356.3	25%	T-Bolt	
2168743	NS	T-head bolt HBC-50/30 M12x80 8.8F	100	NR		514.3	51,433	128	41,146.0	20%	36,002.8	30%	36,002.8	30%	38,574.4	25%	38,574.4	25%	T-Bolt	



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%				
Fire Protection																				
CP 680																				
244244	\$	Cast-in device CP 680-P 2"	1	NR		2,100.0	2,100	260	1,680.0	20%	1,470.0	30%	1,470.0	30%	1,575.0	25%	1,575.0	25%	CP Foam	
244245	\$	Cast-in device CP 680-P 3"	1	NR		2,950.0	2,950	400	2,360.0	20%	2,065.0	30%	2,065.0	30%	2,212.5	25%	2,212.5	25%	CP Foam	
244246	\$	Cast-in device CP 680-P 4"	1	NR		4,162.5	4,163	590	3,330.0	20%	2,913.8	30%	2,913.8	30%	3,121.9	25%	3,121.9	25%	CP Foam	
244247	\$	Cast-in device CP 680-P 6"	1	NR		8,225.0	8,225	1,280	6,580.0	20%	5,757.5	30%	5,757.5	30%	6,168.8	25%	6,168.8	25%	CP Foam	
Foams (CF I - 65)																				
2104140	\$	Insulating foam CF-I 65 ECO	1	NR		2,387.5	2,388	949	1,910.0	20%	1,671.3	30%	1,671.3	30%	1,790.6	25%	1,790.6	25%	CF Construction Foam	Insulating & Fixing Foam
259768	\$	Dispenser gun CF-DS-1	1			18,317.5	18,318	400	14,654.0	20%	12,822.3	30%	12,822.3	30%	13,738.1	25%	13,738.1	25%	CF Construction Foam	-
Foams (CF 116-45)																				
307219	\$	Filling foam CF 116-45 750ML	1	NR		2,237.5	2,238	912	1,790.0	20%	1,566.3	30%	1,566.3	30%	1,678.1	25%	1,678.1	25%	CF Construction Foam	Filling Foam
259766	\$	Finger adapter CF-FA1	1			146.4	146	10	117.1	20%	102.5	30%	102.5	30%	109.8	25%	109.8	25%	CF Construction Foam	Finger Adaptor
Accessories																				
24506	\$	Cleaner CFR1 500ML	1	NR		1,437.5	1,438	504	1,150.0	20%	1,006.3	30%	1,006.3	30%	1,078.1	25%	1,078.1	25%	CF Construction Foam	-
Firestop Mortar																				
2219154	\$	Firestop mortar CP 636 20KG	1	NR		8,650.0	8,650	20,000	6,920.0	20%	6,055.0	30%	6,055.0	30%	6,487.5	25%	6,487.5	25%	CFS Mortar & Coated Board System	20 kg sack
3520780	\$	Firestop Mortar CFS-M BAS	1	NR		4,975.0	4,975	20,000	3,980.0	20%	3,482.5	30%	3,482.5	30%	3,731.3	25%	3,731.3	25%	CFS Mortar & Coated Board System	20 kg sack
Hilti Mineral Wool Board System																				
2281088	\$	Firestop coating CP 670 6kg	1	NR		36,086.3	36,086	6,300	28,869.0	20%	25,260.4	30%	25,260.4	30%	27,064.7	25%	27,064.7	25%	CFS Mortar & Coated Board System	Board Coating
2281190	NS	Firestop coating CP 670 17.5kg	1	NR		113,847.5	113,848	18,400	91,078.0	20%	79,693.3	30%	79,693.3	30%	85,385.6	25%	85,385.6	25%	CFS Mortar & Coated Board System	
209638	\$	FS joint filler CP 606 5L white	1	NR		15,306.3	15,306	8,500	12,245.0	20%	10,714.4	30%	10,714.4	30%	11,479.7	25%	11,479.7	25%	CP Sealants	Joint Filler
209632	NS	FS joint filler CP 606 580ml white	1	NR		1,825.0	1,825	916	1,460.0	20%	1,277.5	30%	1,277.5	30%	1,368.8	25%	1,368.8	25%	CP Sealants	
3499802	\$	Mineral Wool Board 1000*600*60	5	NR		2,584.5	12,923	6,400	10,338.0	20%	9,045.8	30%	9,045.8	30%	9,691.9	25%	9,691.9	25%	CFS Mortar & Coated Board System	per board of 0.6 sqm
2135884	\$	CFS COS Sheet	4	NR		69,565.9	278,264	6,800	222,611.0	20%	194,784.6	30%	194,784.6	30%	208,697.8	25%	208,697.8	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
Firestop Sealant																				
2097883	\$	Firestop sleeve CP 653 4"	1	NR	236324	34,162.5	34,163	1,500	27,330.0	20%	23,913.8	30%	23,913.8	30%	25,621.9	25%	25,621.9	25%	CP Sealants	
FS-One Intumescent Firestop Sealant																				
2101534	\$	Firestop sealant FS-ONE MAX 10.1OZ CART	1	NR		2,062.5	2,063	463	1,650.0	20%	1,443.8	30%	1,443.8	30%	1,546.9	25%	1,546.9	25%	CP Sealants	Red, Fire sealant FS-one max 300ml content
2005843	\$	Dispenser CFS-DISP	1			15,621.3	15,621	643	12,497.0	20%	10,934.9	30%	10,934.9	30%	11,715.9	25%	11,715.9	25%	CP Foam	Dispenser CFS-DISP
CP 648-E Intumescent Firestop Wrap																				
304310	\$	Firestop wrap strip CP 648-E-W45/1.8"	1	NR		37,506.3	37,506	3,162	30,005.0	20%	26,254.4	30%	26,254.4	30%	28,129.7	25%	28,129.7	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
283225	NS	Retaining collar CP 648-ER 1.75" x 25"	1	NR		26,715.0	26,715	3,680	21,372.0	20%	18,700.5	30%	18,700.5	30%	20,036.3	25%	20,036.3	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
304339	NS	Firestop collar CP 644-180/7"	1	NR		45,355.0	45,355	3,600	36,284.0	20%	31,748.5	30%	31,748.5	30%	34,016.3	25%	34,016.3	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
304340	NS	Firestop collar CP 644-200/8"	1	NR		38,181.3	38,181	4,600	30,545.0	20%	26,726.9	30%	26,726.9	30%	28,635.9	25%	28,635.9	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
304342	NS	Firestop collar CP 644-225/9"	1	NR		62,258.8	62,259	5,900	49,807.0	20%	43,581.1	30%	43,581.1	30%	46,694.1	25%	46,694.1	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
304343	NS	Firestop collar CP 644-250/10"	1	NR		67,885.0	67,885	7,085	54,308.0	20%	47,519.5	30%	47,519.5	30%	50,913.8	25%	50,913.8	25%	CP Wraps/Collar/Firestop Foam/Composite sheet	-
CP606 Joint Filler																				
209625	\$	FS joint filler CP 606 310ml white	1	NR		1,104.3	1,104	562	883.4	20%	773.0	30%	773.0	30%	828.2	25%	828.2	25%	CP Sealants	Joint Filler
209630	NS	FS joint filler CP 606 310ml INT grey	1	NR		1,275.0	1,275	559	1,020.0	20%	892.5	30%	892.5	30%	956.3	25%	956.3	25%	CP Sealants	
209637	\$	FS joint filler CP 606 5GAL white	1	NR		62,748.8	62,749	30,805	50,199.0	20%	43,924.1	30%	43,924.1	30%	47,061.6	25%	47,061.6	25%	CP Sealants	FS joint filler CP 606 19 liters.
209638	\$	FS joint filler CP 606 5L white	1	NR		15,306.3	15,306	8,500	12,245.0	20%	10,714.4	30%	10,714.4	30%	11,479.7	25%	11,479.7	25%	CP Sealants	
2005843	\$	Dispenser CFS-DISP	1			15,621.3	15,621	643	12,497.0	20%	10,934.9	30%	10,934.9	30%	11,715.9	25%	11,715.9	25%	CP Foam	Dispenser CFS-DISP
CP 506 Smoke and acoustic sealant																				
412590	NS	Smoke and acoustic sealant CP 506 580ml	1	NR		1,262.5	1,263	932	1,010.0	20%	883.8	30%	883.8	30%	946.9	25%	946.9	25%	CP Sealants	
24669	NS	Dispenser CS 270-P1	1			12,516.3	12,516	991	10,013.0	20%	8,761.4	30%	8,761.4	30%	9,387.2	25%	9,387.2	25%	CP Sealants	
CP617 Firestop Putty Pad																				
309760	\$	Firestop Putty pad CP 617 6"x7"	20	NR		1,594.0	31,880	147	25,504.0	20%	22,316.0	30%	22,316.0	30%	23,910.0	25%	23,910.0	25%	CP Sealants	Joint Filler
CP601S Elastic Firestop Sealant																				
310633	\$	Firestop sealant CP 601S 310ML white	1	NR		2,012.5	2,013	534	1,610.0	20%	1,408.8	30%	1,408.8	30%	1,509.4	25%	1,509.4	25%	CP Sealants	White
310635	NS	Firestop sealant CP 601S 310ML grey	1	NR		2,362.5	2,363	531	1,890.0	20%	1,653.8	30%	1,653.8	30%	1,771.9	25%	1,771.9	25%	CP Sealants	
2005843	\$	Dispenser CFS-DISP	1			15,621.3	15,621	643	12,497.0	20%	10,934.9	30%	10,934.9	30%	11,715.9	25%	11,715.9	25%	CP Foam	Dispenser CFS-DISP
CFS BL																				
2062863	NS	Firestop block CFS-BL	20	NR		5,550.9	111,018	380	88,814.0	20%	77,712.3	30%	77,712.3	30%	83,263.1	25%	83,263.1	25%	CP Foam	
CP 620 Fire Stop Foam																				
338725	\$	Firestop foam CP 620	1	NR		6,100.0	6,100	548	4,880.0	20%	4,270.0	30%	4,270.0	30%	4,575.0	25%	4,575.0	25%	CP Foam	
338716	NS	Extension tube CP 620-EXT	12	NR		202.1	2,425	5	1,940.0	20%	1,697.5	30%	1,697.5	30%	1,818.8	25%	1,818.8	25%	CP Foam	optional
338718	NS	Mixer CP 620-M	1	NR		80.4	80	12	64.3	20%	56.3	30%	56.3	30%	60.3	25%	60.3	25%	CP Foam	optional
339131	\$	Dispenser DSC case	1			38,367.5	38,368	3,290	30,694.0	20%	26,857.3	30%	26,857.3	30%	28,775.6	25%	28,775.6	25%	CP Foam	with Hard Red Box
Coatings																				
372097	\$	Firestop cable coating CP 679 A 20KG	1	NR		81,590.0	81,590	21,120	65,272.0	20%	57,113.0	30%	57,113.0	30%	61,192.5	25%	61,192.5	25%	CT Cable Coating	Ablative coating
334892	\$	Firestop cable coating CP 678 20KG	1	NR		50,846.3	50,846	20,845	40,677.0	20%	35,592.4	30%	35,592.4	30%	38,134.7	25%	38,134.7	25%	CT Cable Coating	Intumescent coating
430815	\$	Firestop joint spray CFS-SP WB red	1	NR		60,283.8	60,284	25,500	48,227.0	20%	42,198.6	30%	42,198.6	30%	45,212.8	25%	45,212.8	25%	CP Jointspray	Firestop Joint Spray
2095007	NS	Firestop silicone joint spray CFS-SP SIL	1	NR		105,762.5	105,763	25,000	84,610.0	20%	74,033.8	30%	74,033.8	30%	79,321.9	25%	79,321.9	25%	CP Jointspray	
Cable Transit System																				
2014863	NS	Filler module CFS-T FB 12x10/0	18	NR		1,660.6	29,890	114	23,912.0	20%	20,923.0	30%	20,923.0	30%	22,417.5	25%	22,417.5	25%	CP Sealants	
2014862	NS	Filler module CFS-T FB 24x5/0	36	NR		1,015.1	36,544	58	29,235.0	20%	25,580.6	30%	25,580.6	30%	27,407.8	25%	27,407.8	25%	CP Sealants	
2014864	NS	Filler module CFS-T FB 15/0	96	NR		317.2	30,454	21	24,363.0	20%	21,317.6	30%	21,317.6	30%	22,840.3	25%	22,840.3	25%	CP Sealants	
2014865	NS	Filler module CFS-T FB 20/0	54	NR		406.1	21,928	37	17,542.0	20%	15,349.3	30%	15,349.3	30%	16,445.6	25%	16,445.6	25%	CP Sealants	



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP		
2014598	NS	Cable module CFS-T 40/0+23-33	9	NR		2,076.0	18,684	157	14,947.0	20%	13,078.6	30%	13,078.6	30%	14,012.8	25%	14,012.8	25%	CP Sealants	
2014599	NS	Cable module CFS-T 60/0+34-51	4	NR		3,234.1	12,936	398	10,349.0	20%	9,055.4	30%	9,055.4	30%	9,702.2	25%	9,702.2	25%	CP Sealants	
2014860	NS	Cable module CFS-T 90/0+52-78	1	NR		12,685.0	12,685	1,010	10,148.0	20%	8,879.5	30%	8,879.5	30%	9,513.8	25%	9,513.8	25%	CP Sealants	
2014861	NS	Cable module CFS-T 120/0+79-99	1	NR		20,421.3	20,421	1,610	16,337.0	20%	14,294.9	30%	14,294.9	30%	15,315.9	25%	15,315.9	25%	CP Sealants	
2060568	NS	Cable module CFS-T 60/34-51	4	NR		3,241.3	12,965	340	10,372.0	20%	9,075.5	30%	9,075.5	30%	9,723.8	25%	9,723.8	25%	CP Sealants	
2060569	NS	Cable module CFS-T 90/52-78	1	NR		11,225.0	11,225	960	8,980.0	20%	7,857.5	30%	7,857.5	30%	8,418.8	25%	8,418.8	25%	CP Sealants	
2060670	NS	Cable module CFS-T 120/79-99	1	NR		18,179.8	18,179	1,240	14,543.0	20%	12,725.1	30%	12,725.1	30%	13,634.1	25%	13,634.1	25%	CP Sealants	
2042718	NS	Cable module CFS-T S 15/0+3-9	128	NR		913.6	116,935	11	93,548.0	20%	81,854.5	30%	81,854.5	30%	87,701.3	25%	87,701.3	25%	CP Sealants	
2042719	NS	Cable module CFS-T S 20/0+5-12	72	NR		583.7	42,028	20	33,622.0	20%	29,419.3	30%	29,419.3	30%	31,520.6	25%	31,520.6	25%	CP Sealants	
2042720	NS	Cable module CFS-T S 30/0+13-23	32	NR		913.6	29,234	47	23,387.0	20%	20,463.6	30%	20,463.6	30%	21,925.3	25%	21,925.3	25%	CP Sealants	
2042721	NS	Cable module CFS-T S 40/0+23-33	18	NR		1,649.7	29,694	78	23,755.0	20%	20,785.6	30%	20,785.6	30%	22,270.3	25%	22,270.3	25%	CP Sealants	
2042724	NS	Wedge compr. kit CFS-T WD 60	1	NR		4,862.5	4,863	200	3,890.0	20%	3,403.8	30%	3,403.8	30%	3,646.9	25%	3,646.9	25%	CP Sealants	
2014880	NS	Wedge compr. kit CFS-T WD 120 GS	1	NR		20,882.5	20,883	1,620	16,706.0	20%	14,617.8	30%	14,617.8	30%	15,661.9	25%	15,661.9	25%	CP Sealants	
2014881	NS	Wedge compr. kit CFS-T WD 120 S/S	1	NR		28,691.3	28,691	1,532	22,953.0	20%	20,083.9	30%	20,083.9	30%	21,518.4	25%	21,518.4	25%	CP Sealants	
2042730	NS	Plug seal CFS-T RRS-43/0+5-23 S/S	1	NR		12,965.0	12,965	250	10,372.0	20%	9,075.5	30%	9,075.5	30%	9,723.8	25%	9,723.8	25%	CP Sealants	
2042738	NS	Plug seal CFS-T RRS-100/0+23-78 S/S	1	NR		29,946.3	29,946	1,500	23,957.0	20%	20,962.4	30%	20,962.4	30%	22,459.7	25%	22,459.7	25%	CP Sealants	
2042741	NS	Lubricant CFS-T LUB 500 g	1	NR		4,225.0	4,225	550	3,380.0	20%	2,957.5	30%	2,957.5	30%	3,168.8	25%	3,168.8	25%	CP Sealants	
2047206	NS	Wedge seal CFS-T WD 120 GS	1	NR		10,200.0	10,200	810	8,160.0	20%	7,140.0	30%	7,140.0	30%	7,650.0	25%	7,650.0	25%	CP Sealants	
2047207	NS	Wedge seal CFS-T WD 120 S/S	1	NR		13,972.5	13,973	800	11,178.0	20%	9,780.8	30%	9,780.8	30%	10,479.4	25%	10,479.4	25%	CP Sealants	
2060542	NS	Transit frame CFS-T SB-2x1 GS	1	NR		6,412.5	6,413	2,480	5,130.0	20%	4,488.8	30%	4,488.8	30%	4,809.4	25%	4,809.4	25%	CP Sealants	
2060544	NS	Transit frame CFS-T SB-4x2 GS	1	NR		14,080.0	14,080	4,710	11,264.0	20%	9,856.0	30%	9,856.0	30%	10,560.0	25%	10,560.0	25%	CP Sealants	
2060545	NS	Transit frame CFS-T SB-4x3 GS	1	NR		21,100.0	21,100	6,190	16,880.0	20%	14,770.0	30%	14,770.0	30%	15,825.0	25%	15,825.0	25%	CP Sealants	
2060546	NS	Transit frame CFS-T SB-4x4 GS	1	NR		28,131.3	28,131	7,880	22,505.0	20%	19,691.9	30%	19,691.9	30%	21,098.4	25%	21,098.4	25%	CP Sealants	
2060547	NS	Transit frame CFS-T SB-4x5 GS	1	NR		42,836.3	42,836	10,030	34,269.0	20%	29,985.4	30%	29,985.4	30%	32,127.2	25%	32,127.2	25%	CP Sealants	
2060548	NS	Transit frame CFS-T SB-4x6 GS	1	NR		51,146.3	51,146	11,500	40,917.0	20%	35,802.4	30%	35,802.4	30%	38,359.7	25%	38,359.7	25%	CP Sealants	
2060549	NS	Transit frame CFS-T SB-4x7 GS	1	NR		59,457.5	59,458	12,950	47,566.0	20%	41,620.3	30%	41,620.3	30%	44,593.1	25%	44,593.1	25%	CP Sealants	
2060570	NS	Transit frame CFS-T SB-4x8 GS	1	NR		67,768.8	67,769	14,600	54,215.0	20%	47,438.1	30%	47,438.1	30%	50,826.6	25%	50,826.6	25%	CP Sealants	
2060571	NS	Transit frame CFS-T SB-4x9 GS	1	NR		76,717.5	76,718	16,250	61,374.0	20%	53,702.3	30%	53,702.3	30%	57,538.1	25%	57,538.1	25%	CP Sealants	
2060572	NS	Transit frame CFS-T SB-4x10 GS	1	NR		84,133.8	84,134	17,900	67,307.0	20%	58,893.6	30%	58,893.6	30%	63,100.3	25%	63,100.3	25%	CP Sealants	
2060593	NS	Transit frame CFS-T SB-6x1 GS	1	NR		6,412.5	6,413	3,510	5,130.0	20%	4,488.8	30%	4,488.8	30%	4,809.4	25%	4,809.4	25%	CP Sealants	
2060594	NS	Transit frame CFS-T SB-6x2 GS	1	NR		12,810.0	12,810	5,490	10,248.0	20%	8,967.0	30%	8,967.0	30%	9,607.5	25%	9,607.5	25%	CP Sealants	
2060595	NS	Transit frame CFS-T SB-6x3 GS	1	NR		19,182.5	19,183	7,400	15,346.0	20%	13,427.8	30%	13,427.8	30%	14,386.9	25%	14,386.9	25%	CP Sealants	
2060596	NS	Transit frame CFS-T SB-6x4 GS	1	NR		23,748.8	23,749	9,230	18,999.0	20%	16,624.1	30%	16,624.1	30%	17,811.6	25%	17,811.6	25%	CP Sealants	
2060597	NS	Transit frame CFS-T SB-6x5 GS	1	NR		39,640.0	39,640	11,400	31,712.0	20%	27,748.0	30%	27,748.0	30%	29,730.0	25%	29,730.0	25%	CP Sealants	
2060598	NS	Transit frame CFS-T SB-6x6 GS	1	NR		48,590.0	48,590	13,200	38,872.0	20%	34,013.0	30%	34,013.0	30%	36,442.5	25%	36,442.5	25%	CP Sealants	
2060599	NS	Transit frame CFS-T SB-6x7 GS	1	NR		54,982.5	54,983	15,000	43,986.0	20%	38,487.8	30%	38,487.8	30%	41,236.9	25%	41,236.9	25%	CP Sealants	
2060600	NS	Transit frame CFS-T SB-6x8 GS	1	NR		62,142.5	62,143	16,900	49,714.0	20%	43,499.8	30%	43,499.8	30%	46,606.9	25%	46,606.9	25%	CP Sealants	
2060601	NS	Transit frame CFS-T SB-6x9 GS	1	NR		70,323.8	70,324	18,800	56,250.0	20%	49,226.6	30%	49,226.6	30%	52,742.8	25%	52,742.8	25%	CP Sealants	
2060602	NS	Transit frame CFS-T SB-6x10 GS	1	NR		78,636.3	78,636	20,700	62,909.0	20%	55,045.4	30%	55,045.4	30%	58,977.2	25%	58,977.2	25%	CP Sealants	
2060603	NS	Transit frame CFS-T SB-6+6x1 GS	1	NR		16,048.8	16,049	7,200	12,839.0	20%	11,234.1	30%	11,234.1	30%	12,036.6	25%	12,036.6	25%	CP Sealants	
2060604	NS	Transit frame CFS-T SB-6+6x2 GS	1	NR		31,968.8	31,969	10,250	25,575.0	20%	22,378.1	30%	22,378.1	30%	23,976.6	25%	23,976.6	25%	CP Sealants	
2060605	NS	Transit frame CFS-T SB-6+6x3 GS	1	NR		47,567.5	47,568	13,400	38,054.0	20%	33,297.3	30%	33,297.3	30%	35,675.6	25%	35,675.6	25%	CP Sealants	
2060606	NS	Transit frame CFS-T SB-6+6x4 GS	1	NR		62,142.5	62,143	16,550	49,714.0	20%	43,499.8	30%	43,499.8	30%	46,606.9	25%	46,606.9	25%	CP Sealants	
2060607	NS	Transit frame CFS-T SB-6+6x5 GS	1	NR		78,636.3	78,636	19,700	62,909.0	20%	55,045.4	30%	55,045.4	30%	58,977.2	25%	58,977.2	25%	CP Sealants	
2060608	NS	Transit frame CFS-T SB-6+6x6 GS	1	NR		93,341.3	93,341	22,700	74,673.0	20%	65,338.9	30%	65,338.9	30%	70,005.9	25%	70,005.9	25%	CP Sealants	
2060623	NS	Transit frame CFS-T SB-8x1 GS	1	NR		7,062.5	7,063	3,930	5,650.0	20%	4,943.8	30%	4,943.8	30%	5,296.9	25%	5,296.9	25%	CP Sealants	
2060624	NS	Transit frame CFS-T SB-8x2 GS	1	NR		13,455.0	13,455	6,263	10,764.0	20%	9,418.5	30%	9,418.5	30%	10,091.3	25%	10,091.3	25%	CP Sealants	
2060625																				



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
Installation																				
Channels																				
2184772	\$	I-channel MQ-21.5 3m	1		2148544	3,175.0	3,175	-	2,540.0	20%	2,222.5	30%	2,222.5	30%	2,381.3	25%	2,381.3	25%	All Installation Systems	
369591	\$	I-channel MQ-41 3m	1			4,487.5	4,488	2,214	3,590.0	20%	3,141.3	30%	3,141.3	30%	3,365.6	25%	3,365.6	25%	All Installation Systems	
369592	\$	I-channel MQ-41 6m	1			11,875.0	11,875	2,214	9,500.0	20%	8,312.5	30%	8,312.5	30%	8,906.3	25%	8,906.3	25%	All Installation Systems	
2268492	\$	I-Channel MT-10 2m	1		INP	783.3	783	-	626.6	20%	548.3	30%	548.3	30%	587.4	25%	587.4	25%	All Installation Systems	
2268493	\$	I-Channel MT-15 2m	1		INP	1,262.5	1,263	-	1,010.0	20%	883.8	30%	883.8	30%	946.9	25%	946.9	25%	All Installation Systems	
2268495	\$	I-Channel MT-20- 2m	1		INP	2,162.5	2,163	-	1,730.0	20%	1,513.8	30%	1,513.8	30%	1,621.9	25%	1,621.9	25%	All Installation Systems	
2268497	\$	I-Channel MT-30 S 3m	1		INP	3,587.5	3,588	-	2,870.0	20%	2,511.3	30%	2,511.3	30%	2,690.6	25%	2,690.6	25%	All Installation Systems	
2268505	\$	I-Channel MT-40 S 3m	1		INP	5,112.5	5,113	-	4,090.0	20%	3,578.8	30%	3,578.8	30%	3,834.4	25%	3,834.4	25%	All Installation Systems	
2268513	\$	I-Channel MT-60 S 3m	1		INP	9,025.0	9,025	-	7,220.0	20%	6,317.5	30%	6,317.5	30%	6,768.8	25%	6,768.8	25%	All Installation Systems	
2268517	\$	I-Channel MT-40D S 3m	1		INP	12,535.0	12,535	-	10,028.0	20%	8,774.5	30%	8,774.5	30%	9,401.3	25%	9,401.3	25%	All Installation Systems	
2268502	\$	I-Channel MT-40 T 6m	1		INP	8,662.5	8,663	-	6,930.0	20%	6,063.8	30%	6,063.8	30%	6,496.9	25%	6,496.9	25%	All Installation Systems	
2268506	\$	I-Channel MT-40 6m	1		INP	9,412.5	9,413	-	7,530.0	20%	6,588.8	30%	6,588.8	30%	7,059.4	25%	7,059.4	25%	All Installation Systems	
2268514	\$	I-Channel MT-60- 6m	1		INP	17,621.3	17,621	-	14,097.0	20%	12,334.9	30%	12,334.9	30%	13,215.9	25%	13,215.9	25%	All Installation Systems	
2268498	\$	I-Channel MT-30 6m	1		INP	6,962.5	6,963	-	5,570.0	20%	4,873.8	30%	4,873.8	30%	5,221.9	25%	5,221.9	25%	All Installation Systems	
2268518	\$	I-Channel MT-40D 6m	1		INP	22,576.3	22,576	-	18,061.0	20%	15,803.4	30%	15,803.4	30%	16,932.2	25%	16,932.2	25%	All Installation Systems	
2268494	\$	I-Channel MT-15 OC 2m	1		INP	1,437.5	1,438	-	1,150.0	20%	1,006.3	30%	1,006.3	30%	1,078.1	25%	1,078.1	25%	All Installation Systems	
2268499	\$	I-Channel MT-30 S OC 3m	1		INP	4,137.5	4,138	-	3,310.0	20%	2,896.3	30%	2,896.3	30%	3,103.1	25%	3,103.1	25%	All Installation Systems	
2268507	\$	I-Channel MT-40 S OC 3m	1		INP	5,687.5	5,688	-	4,550.0	20%	3,981.3	30%	3,981.3	30%	4,265.6	25%	4,265.6	25%	All Installation Systems	
2268519	\$	I-Channel MT-40D S OC 3m	1		INP	13,713.8	13,714	-	10,971.0	20%	9,599.6	30%	9,599.6	30%	10,285.3	25%	10,285.3	25%	All Installation Systems	
2268496	\$	I-Channel MT-20 OC 2m	1		INP	2,412.5	2,413	-	1,930.0	20%	1,688.8	30%	1,688.8	30%	1,809.4	25%	1,809.4	25%	All Installation Systems	
2268504	\$	I-Channel MT-40 T OC 6m	1		INP	9,800.0	9,800	-	7,840.0	20%	6,860.0	30%	6,860.0	30%	7,350.0	25%	7,350.0	25%	All Installation Systems	
2268511	\$	I-Channel MT-60 S OC 3m	1		INP	7,062.5	7,063	-	5,650.0	20%	4,943.8	30%	4,943.8	30%	5,296.9	25%	5,296.9	25%	All Installation Systems	
2268515	\$	I-Channel MT-60 S OC 3m	1		INP	9,800.0	9,800	-	7,840.0	20%	6,860.0	30%	6,860.0	30%	7,350.0	25%	7,350.0	25%	All Installation Systems	
2268508	\$	I-Channel MT-40 OC 6m	1		INP	10,550.0	10,550	-	8,440.0	20%	7,385.0	30%	7,385.0	30%	7,912.5	25%	7,912.5	25%	All Installation Systems	
2268500	\$	I-Channel MT-30 OC 6m	1		INP	7,537.5	7,538	-	6,030.0	20%	5,276.3	30%	5,276.3	30%	5,653.1	25%	5,653.1	25%	All Installation Systems	
2268520	\$	I-Channel MT-40D OC 6m	1		INP	24,833.8	24,834	-	19,867.0	20%	17,383.6	30%	17,383.6	30%	18,625.3	25%	18,625.3	25%	All Installation Systems	
2268512	\$	I-Channel MT-50 OC 6m	1		INP	13,713.8	13,714	-	10,971.0	20%	9,599.6	30%	9,599.6	30%	10,285.3	25%	10,285.3	25%	All Installation Systems	
2268516	\$	I-Channel MT-60 OC 6m	1		INP	20,362.5	20,363	-	16,290.0	20%	14,253.8	30%	14,253.8	30%	15,271.9	25%	15,271.9	25%	All Installation Systems	
2268368	\$	I-Girder MT-90 S OC 3m	1		INP	45,031.3	45,031	-	36,025.0	20%	31,521.9	30%	31,521.9	30%	33,773.4	25%	33,773.4	25%	All Installation Systems	
2268364	\$	I-Girder MT-70 S OC 3m	1		INP	24,278.8	24,279	-	19,423.0	20%	16,995.1	30%	16,995.1	30%	18,209.1	25%	18,209.1	25%	All Installation Systems	
2268491	\$	I-Girder MT-100 OC 6m	1		INP	140,967.5	140,968	-	112,774.0	20%	98,677.3	30%	98,677.3	30%	105,725.6	25%	105,725.6	25%	All Installation Systems	
2268490	\$	I-Girder MT-100 S OC 3m	1		INP	68,526.3	68,526	-	54,821.0	20%	47,968.4	30%	47,968.4	30%	51,394.7	25%	51,394.7	25%	All Installation Systems	
2268367	\$	I-Girder MT-80 OC 6m	1		INP	67,726.3	67,726	-	54,181.0	20%	47,408.4	30%	47,408.4	30%	50,794.7	25%	50,794.7	25%	All Installation Systems	
2268369	\$	I-Girder MT-90 OC 6m	1		INP	87,713.8	87,714	-	70,171.0	20%	61,399.6	30%	61,399.6	30%	65,785.3	25%	65,785.3	25%	All Installation Systems	
2268365	\$	I-Girder MT-70 OC 6m	1		INP	44,641.3	44,641	-	35,713.0	20%	31,248.9	30%	31,248.9	30%	33,480.9	25%	33,480.9	25%	All Installation Systems	
2268366	\$	I-Girder MT-80 S OC 3m	1		INP	33,285.0	33,285	-	26,628.0	20%	23,299.5	30%	23,299.5	30%	24,963.8	25%	24,963.8	25%	All Installation Systems	
369603	\$	I-channel MQ-41 D 3m	1	NR		13,495.0	13,495	4,428	10,796.0	20%	9,446.5	30%	9,446.5	30%	10,121.3	25%	10,121.3	25%	All Installation Systems	
Brackets																				
369607	NS	Bracket MQK-21/300	10	NR		1,830.8	18,308	704	14,646.0	20%	12,815.3	30%	12,815.3	30%	13,730.6	25%	13,730.6	25%	All Installation Systems	
369609	NS	Bracket MQK-41/300	10	NR		2,865.5	28,655	1,017	22,924.0	20%	20,058.5	30%	20,058.5	30%	21,491.3	25%	21,491.3	25%	All Installation Systems	
2271287	NS	Bracket MT-BR-40D O4 1500 OC	2		INP 2022	21,138.8	42,278	-	33,822.0	20%	29,594.3	30%	29,594.3	30%	31,708.1	25%	31,708.1	25%	All Installation Systems	
2271289	NS	Bracket MT-BR-30 300 OC	12		INP 2022	2,791.7	33,500	-	26,800.0	20%	23,450.0	30%	23,450.0	30%	25,125.0	25%	25,125.0	25%	All Installation Systems	
2271440	NS	Bracket MT-BR-30 450	16		INP 2022	2,827.8	45,245	-	36,196.0	20%	31,671.5	30%	31,671.5	30%	33,933.8	25%	33,933.8	25%	All Installation Systems</	



New Item #	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
									NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
2272058	NS	Connector MT-C-T 3D/2 transversal	10		INP 2022	1,103.8	11,038	-	8,830.0	20%	7,726.3	30%	7,726.3	30%	8,278.1	25%	8,278.1	25%	All Installation Systems	
2272060	NS	Connector MT-C-T 3D/3 transversal	10		INP 2022	1,625.8	16,258	-	13,006.0	20%	11,380.3	30%	11,380.3	30%	12,193.1	25%	12,193.1	25%	All Installation Systems	
2272086	NS	1-hole Baseplate MT-B-L	20		INP 2022	311.9	6,238	-	4,990.0	20%	4,366.3	30%	4,366.3	30%	4,678.1	25%	4,678.1	25%	All Installation Systems	
2272113	NS	Angle brace MT-AB-L 45	10		INP 2022	1,097.5	10,975	-	8,780.0	20%	7,682.5	30%	7,682.5	30%	8,231.3	25%	8,231.3	25%	All Installation Systems	
2272114	NS	Angle brace MT-AB-L 45 OC	10		INP 2022	1,242.5	12,425	-	9,940.0	20%	8,697.5	30%	8,697.5	30%	9,318.8	25%	9,318.8	25%	All Installation Systems	
2272098	NS	4-hole Baseplate MT-B-O4	4		INP 2022	7,191.9	28,768	-	23,014.0	20%	20,137.3	30%	20,137.3	30%	21,575.6	25%	21,575.6	25%	All Installation Systems	
2282212	NS	2-hole Baseplate MT-B-O2B	6		INP 2022	4,013.5	24,081	-	19,265.0	20%	16,856.9	30%	16,856.9	30%	18,060.9	25%	18,060.9	25%	All Installation Systems	
2282213	NS	2-hole Baseplate MT-B-O2B OC	6		INP 2022	6,322.5	37,935	-	30,348.0	20%	26,554.5	30%	26,554.5	30%	28,451.3	25%	28,451.3	25%	All Installation Systems	
2272099	NS	4-hole Baseplate MT-B-O4 OC	4		INP 2022	7,925.3	31,701	-	25,361.0	20%	22,190.9	30%	22,190.9	30%	23,775.9	25%	23,775.9	25%	All Installation Systems	
2272090	NS	2-hole Baseplate MT-B-T	20		INP 2022	1,097.9	21,958	-	17,566.0	20%	15,370.3	30%	15,370.3	30%	16,468.1	25%	16,468.1	25%	All Installation Systems	
2272092	NS	2-hole Baseplate MT-B-T OC	20		INP 2022	1,595.4	31,908	-	25,526.0	20%	22,335.3	30%	22,335.3	30%	23,930.6	25%	23,930.6	25%	All Installation Systems	
2273657	NS	Plate MT-FP M10 fixation	100		INP 2022	82.8	8,275	-	6,620.0	20%	5,792.5	30%	5,792.5	30%	6,206.3	25%	6,206.3	25%	All Installation Systems	
2273659	NS	Plate MT-FP M12 fixation	100		INP 2022	84.0	8,400	-	6,720.0	20%	5,880.0	30%	5,880.0	30%	6,300.0	25%	6,300.0	25%	All Installation Systems	
2273655	NS	Plate MT-FP M8 fixation	100		INP 2022	84.0	8,400	-	6,720.0	20%	5,880.0	30%	5,880.0	30%	6,300.0	25%	6,300.0	25%	All Installation Systems	
2273688	NS	Angle MT-FA-C M10 fixation	20		INP 2022	196.3	3,925	-	3,140.0	20%	2,747.5	30%	2,747.5	30%	2,943.8	25%	2,943.8	25%	All Installation Systems	
2272069	NS	Angle connector MT-C-GL A OC adjustable	10		INP 2022	3,878.6	38,786	-	31,029.0	20%	27,150.4	30%	27,150.4	30%	29,089.7	25%	29,089.7	25%	All Installation Systems	
2272076	NS	Splice connector MT-ES-90 OC	4		INP 2022	11,340.6	45,363	-	36,290.0	20%	31,753.8	30%	31,753.8	30%	34,021.9	25%	34,021.9	25%	All Installation Systems	
2272078	NS	Splice connector MT-ES-70 OC	8		INP 2022	4,423.9	35,391	-	28,313.0	20%	24,773.9	30%	24,773.9	30%	26,543.4	25%	26,543.4	25%	All Installation Systems	
2272106	NS	Baseplate MT-B-GXL S1 OC	2		INP 2022	23,310.6	46,621	-	37,297.0	20%	32,634.9	30%	32,634.9	30%	34,965.9	25%	34,965.9	25%	All Installation Systems	
2272107	NS	Baseplate MT-B-GXL S2 OC	2		INP 2022	23,115.0	46,230	-	36,984.0	20%	32,361.0	30%	32,361.0	30%	34,672.5	25%	34,672.5	25%	All Installation Systems	
2272108	NS	Baseplate MT-B-GXL S3 OC	2		INP 2022	26,441.9	52,884	-	42,307.0	20%	37,018.6	30%	37,018.6	30%	39,662.8	25%	39,662.8	25%	All Installation Systems	
2273589	NS	Beam clamp MT-BC-GXL T OC	10		INP 2022	12,582.3	125,823	-	100,658.0	20%	88,075.8	30%	88,075.8	30%	94,366.9	25%	94,366.9	25%	All Installation Systems	
2273636	NS	Twist-Lock MT-TL 3/8	50		INP 2022	179.8	8,988	-	7,190.0	20%	6,291.3	30%	6,291.3	30%	6,740.6	25%	6,740.6	25%	All Installation Systems	
2273637	NS	Twist-Lock MT-TL 3/8 OC	50		INP 2022	224.3	11,213	-	8,970.0	20%	7,848.8	30%	7,848.8	30%	8,409.4	25%	8,409.4	25%	All Installation Systems	
2273638	NS	Twist-Lock MT-TL 1/2	30		INP 2022	293.8	8,813	-	7,050.0	20%	6,168.8	30%	6,168.8	30%	6,609.4	25%	6,609.4	25%	All Installation Systems	
2273639	NS	Twist-Lock MT-TL 1/2 OC	30		INP 2022	326.7	9,800	-	7,840.0	20%	6,860.0	30%	6,860.0	30%	7,350.0	25%	7,350.0	25%	All Installation Systems	
2273650	NS	Angle connector MT-S-L 60 seismic	10		INP 2022	2,089.6	20,896	-	16,717.0	20%	14,627.4	30%	14,627.4	30%	15,672.2	25%	15,672.2	25%	All Installation Systems	
2273651	NS	Angle connector MT-S-L 40D seismic	10		INP 2022	2,148.0	21,480	-	17,184.0	20%	15,036.0	30%	15,036.0	30%	16,110.0	25%	16,110.0	25%	All Installation Systems	
2273683	NS	Angle MT-FA-G M16 5/8 OC fixation	10		INP 2022	665.0	6,650	-	5,320.0	20%	4,655.0	30%	4,655.0	30%	4,987.5	25%	4,987.5	25%	All Installation Systems	
2273695	NS	Slider plate MT-PS-GL OC	10		INP 2022	888.8	8,888	-	7,110.0	20%	6,221.3	30%	6,221.3	30%	6,665.6	25%	6,665.6	25%	All Installation Systems	
2273701	NS	Pipe shoe MT-FPS-GL OC fixation	10		INP 2022	1,033.8	10,338	-	8,270.0	20%	7,236.3	30%	7,236.3	30%	7,753.1	25%	7,753.1	25%	All Installation Systems	
2272110	NS	Plate MT-P-GXL S1 OC	2		INP 2022	16,329.4	32,659	-	26,127.0	20%	22,861.1	30%	22,861.1	30%	24,494.1	25%	24,494.1	25%	All Installation Systems	
2282197	NS	Channel end cap MT-EC-20	50		INP 2022	50.3	2,513	-	2,010.0	20%	1,758.8	30%	1,758.8	30%	1,884.4	25%	1,884.4	25%	All Installation Systems	
2272068	NS	Angle connector MT-C-GS A OC adjustable	10		INP 2022	1,535.8	15,358	-	12,286.0	20%	10,750.3	30%	10,750.3	30%	11,518.1	25%	11,518.1	25%	All Installation Systems	
2272070	NS	T-Beam MT-U-GL1 OC	2		INP 2022	26,663.1	53,326	-	42,661.0	20%	37,328.4	30%	37,328.4	30%	39,994.7	25%	39,994.7	25%	All Installation Systems	
2272073	NS	Connector MT-C-GSP L OC plate	10		INP 2022	1,163.8	11,638	-	9,310.0	20%	8,146.3	30%	8,146.3	30%	8,728.1	25%	8,728.1	25%	All Installation Systems	
2282190	NS	Hexagon bolt MT-TLB 30	200		INP 2022	90.5	18,099	-	14,479.0	20%	12,669.1	30%	12,669.1	30%	13,574.1	25%	13,574.1	25%	All Installation Systems	
2282191	NS	Hexagon bolt MT-TLB 30 OC	200		INP 2022	119.6	23,924	-	19,139.0	20%	16,746.6	30%	16,746.6	30%	17,942.8	25%	17,942.8	25%	All Installation Systems	
2272104	NS	4-hole Baseplate MT-B-GXL O4 OC	1		INP 2022	43,692.5	43,693	-	34,954.0	20%	30,584.8	30%	30,584.8	30%	32,769.4	25%	32,769.4	25%	All Installation Systems	
2273584	NS	Rod stiffener MT-S-RS OC seismic	25		INP 2022	409.0	10,225	-	8,180.0	20%	7,157.5	30%	7,157.5	30%	7,668.8	25%	7,668.8	25%	All Installation Systems	
2282199	NS	Hinge MT-S-H1 M10 OC seismic	10		INP 2022	1,035.0	10,350	-	8,280.0	20%	7,245.0	30%	7,245.0	30%	7,762.5	25%	7,762.5	25%	All Installation Systems	
2282200	NS	Hinge MT-S-H1 M12 OC seismic	10		INP 2022	1,046.3	10,463	-	8,370.0	20%	7,323.8	30%	7,323.8	30%	7,846.9	25%	7,846.9	25%	All Installation Systems	
2273647	NS	Hinge MT-S-H2 M10 seismic	10		INP 2022	1,225.0	12,250	-	9,800.0</											



New Item#	KP	Item Name	Box Qty	Return Category (NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E		A		B		C		D		Discount Group	Description
								in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		
Channel End Cap																				
370598	\$	Channel end cap MQZ-E21	50			29.5	1,475	3	1,180.0	20%	1,032.5	30%	1,032.5	30%	1,106.3	25%	1,106.3	25%	All Installation Systems	
369685	\$	Channel end cap MQZ-E41	50			38.3	1,913	5	1,530.0	20%	1,338.8	30%	1,338.8	30%	1,434.4	25%	1,434.4	25%	All Installation Systems	
Beam Clamps																				
375956	NS	Clamping bow MAB-9	12	NR		606.3	7,275	84	5,820.0	20%	5,092.5	30%	5,092.5	30%	5,456.3	25%	5,456.3	25%	All Installation Systems	
375957	NS	Clamping bow MAB-11	12			844.8	10,138	152	8,110.0	20%	7,096.3	30%	7,096.3	30%	7,603.1	25%	7,603.1	25%	All Installation Systems	
375958	NS	Clamping bow MAB-13	12	NR		1,035.4	12,425	219	9,940.0	20%	8,697.5	30%	8,697.5	30%	9,318.8	25%	9,318.8	25%	All Installation Systems	
228155	NS	Clamping bow MAB-17	12	NR		1,171.6	14,059	352	11,247.0	20%	9,841.1	30%	9,841.1	30%	10,544.1	25%	10,544.1	25%	All Installation Systems	
369675	NS	Beam clamp MQT-21-41	10	NR		1,026.3	10,263	378	8,210.0	20%	7,183.8	30%	7,183.8	30%	7,696.9	25%	7,696.9	25%	All Installation Systems	
369676	NS	Beam clamp MQT-41-82	10	NR		1,035.0	10,350	591	8,280.0	20%	7,245.0	30%	7,245.0	30%	7,762.5	25%	7,762.5	25%	All Installation Systems	
284239	NS	Swivel beam clamp MQT-G M10	20	NR		1,510.9	30,219	266	24,175.0	20%	21,153.1	30%	21,153.1	30%	22,664.1	25%	22,664.1	25%	All Installation Systems	
374409	NS	Retaining strap MAB-S 11/13	12	NR		409.4	4,913	198	3,930.0	20%	3,438.8	30%	3,438.8	30%	3,684.4	25%	3,684.4	25%	All Installation Systems	
228156	NS	Retaining strap MAB-S 17	12	NR		604.2	7,250	363	5,800.0	20%	5,075.0	30%	5,075.0	30%	5,437.5	25%	5,437.5	25%	All Installation Systems	
90° Angle																				
369658	\$	4-hole angle MQW-4	10			1,361.5	13,615	254	10,892.0	20%	9,530.5	30%	9,530.5	30%	10,211.3	25%	10,211.3	25%	All Installation Systems	
369659	\$	8-hole angle MQW-8/90	10	NR		2,268.1	22,681	430	18,145.0	20%	15,876.9	30%	15,876.9	30%	17,010.9	25%	17,010.9	25%	All Installation Systems	
369655	NS	2-hole angle MQW-Q2	20			1,145.8	22,916	199	18,333.0	20%	16,041.4	30%	16,041.4	30%	17,187.2	25%	17,187.2	25%	All Installation Systems	
Base Material Connector & Channel Base																				
369651	\$	Rail support MQP-21-72	12			3,378.6	40,544	940	32,435.0	20%	28,380.6	30%	28,380.6	30%	30,407.8	25%	30,407.8	25%	All Installation Systems	
369652	\$	Rail support MQP-82	8			4,245.5	33,964	1,713	27,171.0	20%	23,774.6	30%	23,774.6	30%	25,472.8	25%	25,472.8	25%	All Installation Systems	
369639	\$	Rail support MQV-2/2 D-14	10	NR		1,473.6	14,736	420	11,789.0	20%	10,315.4	30%	10,315.4	30%	11,052.2	25%	11,052.2	25%	All Installation Systems	
Channel Connector																				
369668	NS	Clamp MQB-41	10	NR		808.8	8,088	226	6,470.0	20%	5,661.3	30%	5,661.3	30%	6,065.6	25%	6,065.6	25%	All Installation Systems	
Shear Brace																				
369691	NS	Shear brace MQZ-SS	40	NR		171.6	6,863	62	5,490.0	20%	4,803.8	30%	4,803.8	30%	5,146.9	25%	5,146.9	25%	All Installation Systems	
Wing Nut																				
369698	NS	Wing nut MQM-M8	50	NR		311.8	15,588	24	12,470.0	20%	10,911.3	30%	10,911.3	30%	11,690.6	25%	11,690.6	25%	All Installation Systems	
369626	NS	Wing nut MQM-M10	50	NR		316.4	15,821	23	12,657.0	20%	11,074.9	30%	11,074.9	30%	11,865.9	25%	11,865.9	25%	All Installation Systems	
369627	NS	Wing nut MQM-M12	50			339.8	16,989	32	13,591.0	20%	11,892.1	30%	11,892.1	30%	12,741.6	25%	12,741.6	25%	All Installation Systems	
Pipe Hanger MP-SP																				
2180269	NS	Sprinkler pipe hanger MP-SPN 3/4"-M10	100	NR		198.0	19,804	-	15,843.0	20%	13,862.6	30%	13,862.6	30%	14,852.8	25%	14,852.8	25%	All Installation Systems	
2180410	NS	Sprinkler pipe hanger MP-SPN 1"-M10	100	NR		203.3	20,329	-	16,263.0	20%	14,230.1	30%	14,230.1	30%	15,246.6	25%	15,246.6	25%	All Installation Systems	
2180411	NS	Sprinkler pipe hanger MP-SPN 1 1/4"-M10	50	NR		214.0	10,700	-	8,560.0	20%	7,490.0	30%	7,490.0	30%	8,025.0	25%	8,025.0	25%	All Installation Systems	
2180412	NS	Sprinkler pipe hanger MP-SPN 1 1/2"-M10	50	NR		218.8	10,938	-	8,750.0	20%	7,656.3	30%	7,656.3	30%	8,203.1	25%	8,203.1	25%	All Installation Systems	
2180413	NS	Sprinkler pipe hanger MP-SPN 2"-M10	50	NR		227.3	11,363	-	9,090.0	20%	7,953.8	30%	7,953.8	30%	8,521.9	25%	8,521.9	25%	All Installation Systems	
2180414	NS	Sprinkler pipe hanger MP-SPN 2 1/2"-M10	25	NR		302.5	7,563	-	6,050.0	20%	5,293.8	30%	5,293.8	30%	5,671.9	25%	5,671.9	25%	All Installation Systems	
2180415	NS	Sprinkler pipe hanger MP-SPN 3"-M10	25	NR		320.0	8,000	-	6,400.0	20%	5,600.0	30%	5,600.0	30%	6,000.0	25%	6,000.0	25%	All Installation Systems	
2180417	NS	Sprinkler pipe hanger MP-SPN 133-M12	100	NR		460.0	45,995	-	36,796.0	20%	32,196.5	30%	32,196.5	30%	34,496.3	25%	34,496.3	25%	All Installation Systems	
2180418	NS	Sprinkler pipe hanger MP-SPN 5"-M12	100	NR		117.8	11,775	-	9,420.0	20%	8,242.5	30%	8,242.5	30%	8,831.3	25%	8,831.3	25%	All Installation Systems	
2180419	NS	Sprinkler pipe hanger MP-SPN 159-M12	100	NR		494.1	49,410	-	39,528.0	20%	34,587.0	30%	34,587.0	30%	37,057.5	25%	37,057.5	25%	All Installation Systems	
2180420	NS	Sprinkler pipe hanger MP-SPN 6"-M12	25	NR		519.2	12,980	-	10,384.0	20%	9,086.0	30%	9,086.0	30%	9,735.0	25%	9,735.0	25%	All Installation Systems	
216601	NS	Sprinkler pipe hanger MP-SP 133-M12	25	NR		674.4	16,860	294	13,488.0	20%	11,802.0	30%	11,802.0	30%	12,645.0	25%	12,645.0	25%	All Installation Systems	
216605	NS	Sprinkler pipe hanger MP-SP 219, 1-M16	10	NR		1,480.0	14,800	713	11,840.0	20%	10,360.0	30%	10,360.0	30%	11,100.0	25%	11,100.0	25%	All Installation Systems	
Pipe Ring MP-LHI Light Duty																				
2020730	NS	Resid. pipe ring MP-LHI 16-20 3/8" M8	25	NR		135.0	3,375	31	2,700.0	20%	2,362.5	30%	2,362.5	30%	2,531.3	25%	2,531.3	25%	All Installation Systems	
2020731	NS	Resid. pipe ring MP-LHI 20-25 1/2" M8	25	NR		155.0	3,875	35	3,100.0	20%	2,712.5	30%	2,712.5	30%	2,906.3	25%	2,906.3	25%	All Installation Systems	
2020732	NS	Resid. pipe ring MP-LHI 25-31 3/4" M8	25	NR		167.5	4,188	38	3,350.0	20%	2,931.3	30%	2,931.3	30%	3,140.6	25%	3,140.6	25%	All Installation Systems	
2020733	NS	Resid. pipe ring MP-LHI 31-38 1" M8	25	NR		191.0	4,775	45	3,820.0	20%	3,342.5	30%	3,342.5	30%	3,581.3	25%	3,581.3	25%	All Installation Systems	
2020734	NS	Resid. pipe ring MP-LHI 38-45 1 1/4" M8	25	NR		221.0	5,525	51	4,420.0	20%	3,867.5	30%	3,867.5	30%	4,143.8	25%	4,143.8	25%	All Installation Systems	
2020735	NS	Resid. pipe ring MP-LHI 45-52 1 1/2" M8	25	NR		255.5	6,388	70	5,110.0	20%	4,471.3	30%	4,471.3	30%	4,790.6	25%	4,790.6	25%	All Installation Systems	
2020736	NS	Resid. pipe ring MP-LHI 52-59 M8	25	NR		267.5	6,688	73	5,350.0	20%	4,681.3	30%	4,681.3	30%	5,015.6	25%	5,015.6	25%	All Installation Systems	
2020737	NS	Resid. pipe ring MP-LHI 59-66 2" M8	10	NR		292.5	2,925	77	2,340.0	20%	2,047.5	30%	2,047.5	30%	2,193.8	25%	2,193.8	25%	All Installation Systems	
Pipe Ring MPN-RC																				
335673	NS	Comfort pipe ring MPN-RC 1/4" A	25	NR		171.0	4,275	39	3,420.0	20%	2,992.5	30%	2,992.5	30%	3,206.3	25%	3,206.3	25%	All Installation Systems	
335674	NS	Comfort pipe ring MPN-RC 3/8" A	25	NR		190.0	4,750	41	3,800.0	20%	3,325.0	30%	3,325.0	30%	3,562.5	25%	3,562.5	25%	All Installation Systems	
335675	\$	Comfort pipe ring MPN-RC 1/2" A	25	NR		177.0	4,425	45	3,540.0	20%	3,097.5	30%	3,097.5	30%	3,318.8	25%	3,318.8	25%	All Installation Systems	
335676	\$	Comfort pipe ring MPN-RC 3/4" A	25			201.5	5,038	49	4,030.0	20%	3,526.3	30%	3,526.3	30%						



New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E			A		B		C		D		Discount Group	Description	
									NSP	Disc%		NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%			
335184	NS	Refring. pipe ring KF 175-34	10	NR		2,132.3	21,323	189	17,058.0	20%		14,925.8	30%	14,925.8	30%	15,991.9	25%	15,991.9	25%	All Installation Systems		
335186	NS	Refring. pipe ring KF 175-40	10	NR		2,788.8	27,888	204	22,310.0	20%		19,521.3	30%	19,521.3	30%	20,915.6	25%	20,915.6	25%	All Installation Systems		
335188	NS	Refring. pipe ring KF 175-42	10	NR		3,123.5	31,235	205	24,988.0	20%		21,864.5	30%	21,864.5	30%	23,426.3	25%	23,426.3	25%	All Installation Systems		
335190	NS	Refring. pipe ring KF 175-48	10	NR		2,750.8	27,508	216	22,006.0	20%		19,255.3	30%	19,255.3	30%	20,630.6	25%	20,630.6	25%	All Installation Systems		
335191	NS	Refring. pipe ring KF 175-50	10	NR		2,884.3	28,843	208	23,074.0	20%		20,189.8	30%	20,189.8	30%	21,631.9	25%	21,631.9	25%	All Installation Systems		
335194	NS	Refring. pipe ring KF 175-60	10	NR		3,596.3	35,963	270	28,770.0	20%		25,173.8	30%	25,173.8	30%	26,971.9	25%	26,971.9	25%	All Installation Systems		
335198	NS	Refring. pipe ring KF 175-74	10	NR		4,141.8	41,418	446	33,134.0	20%		28,992.3	30%	28,992.3	30%	31,063.1	25%	31,063.1	25%	All Installation Systems		
335199	NS	Refring. pipe ring KF 175-76	10	NR		4,303.9	43,039	442	34,431.0	20%		30,127.1	30%	30,127.1	30%	32,279.1	25%	32,279.1	25%	All Installation Systems		
335200	NS	Refring. pipe ring KF 175-80	10	NR		4,379.4	43,794	417	35,035.0	20%		30,655.6	30%	30,655.6	30%	32,845.3	25%	32,845.3	25%	All Installation Systems		
335202	NS	Refring. pipe ring KF 175-89	5	NR		4,677.0	23,385	457	18,708.0	20%		16,369.5	30%	16,369.5	30%	17,538.8	25%	17,538.8	25%	All Installation Systems		
335203	NS	Refring. pipe ring KF 175-92	5	NR		4,687.3	23,436	431	18,749.0	20%		16,405.4	30%	16,405.4	30%	17,577.2	25%	17,577.2	25%	All Installation Systems		
335204	NS	Refring. pipe ring KF 175-101	5	NR		6,115.0	30,575	1,028	24,460.0	20%		21,402.5	30%	21,402.5	30%	22,931.3	25%	22,931.3	25%	All Installation Systems		
335206	NS	Refring. pipe ring KF 175-108	5	NR		5,708.8	28,544	1,087	22,835.0	20%		19,980.6	30%	19,980.6	30%	21,407.8	25%	21,407.8	25%	All Installation Systems		
335207	NS	Refring. pipe ring KF 175-114	5	NR		6,157.3	30,786	1,107	24,629.0	20%		21,550.4	30%	21,550.4	30%	23,089.7	25%	23,089.7	25%	All Installation Systems		
335209	NS	Refring. pipe ring KF 175-129	5	NR		7,113.5	35,568	1,171	28,454.0	20%		24,897.3	30%	24,897.3	30%	26,675.6	25%	26,675.6	25%	All Installation Systems		
335210	NS	Refring. pipe ring KF 175-133	5	NR		5,868.3	29,341	1,132	23,473.0	20%		20,538.9	30%	20,538.9	30%	22,005.9	25%	22,005.9	25%	All Installation Systems		
335211	NS	Refring. pipe ring KF 175-140	5	NR		6,376.8	31,884	1,223	25,507.0	20%		22,318.6	30%	22,318.6	30%	23,912.8	25%	23,912.8	25%	All Installation Systems		
335212	NS	Refring. pipe ring KF 175-154	4	NR		8,153.4	32,614	1,392	26,091.0	20%		22,829.6	30%	22,829.6	30%	24,460.3	25%	24,460.3	25%	All Installation Systems		
335214	NS	Refring. pipe ring KF 175-168	4	NR		8,521.6	34,086	1,422	27,269.0	20%		23,860.4	30%	23,860.4	30%	25,564.7	25%	25,564.7	25%	All Installation Systems		
335216	NS	Refring. pipe ring KF 175-204	1	NR		17,868.8	17,869	3,623	14,295.0	20%		12,508.1	30%	12,508.1	30%	13,401.6	25%	13,401.6	25%	All Installation Systems		
335217	NS	Refring. pipe ring KF 175-219	1	NR		18,497.5	18,498	3,498	14,798.0	20%		12,948.3	30%	12,948.3	30%	13,873.1	25%	13,873.1	25%	All Installation Systems		
Threaded Rod 4.8 Grade																						
3511098	\$	Anchor rod HIT-C 4.8 M8X1000	20	NR		373.1	7,463	313	5,970.0	20%		5,373.0	28%	5,373.0	28%	5,671.5	24%	5,671.5	24%	HIT-C		
3511099	\$	Anchor Rod HIT-C 4.8 M10X1000	10	NR		575.0	5,750	507	4,600.0	20%		4,140.0	28%	4,140.0	28%	4,370.0	24%	4,370.0	24%	HIT-C		
3511100	\$	Anchor rod HIT-C 4.8 M12X1000	10	NR		776.3	7,763	736	6,210.0	20%		5,589.0	28%	5,589.0	28%	5,899.5	24%	5,899.5	24%	HIT-C		
3511101	\$	Anchor rod HIT-C 4.8 M16X1000	5	NR		1,490.0	7,450	1,408	5,960.0	20%		5,364.0	28%	5,364.0	28%	5,662.0	24%	5,662.0	24%	HIT-C		
HWS																						
2208116	\$	HWS-Lock 1.5mm	10			171.4	1,714	17	1,200.0	30%		1,114.3	35%	1,114.3	35%	1,148.6	33%	1,148.6	33%	HWS		
2208117	\$	HWS-Lock 2.0mm	10			220.0	2,200	31	1,540.0	30%		1,430.0	35%	1,430.0	35%	1,474.0	33%	1,474.0	33%	HWS		
2208118	\$	HWS-Lock 3.2mm	10			407.1	4,071	88	2,850.0	30%		2,646.4	35%	2,646.4	35%	2,727.9	33%	2,727.9	33%	HWS		
2208119	\$	HWS-Lock 5.0mm	5			925.7	4,629	191	3,240.0	30%		3,008.6	35%	3,008.6	35%	3,101.1	33%	3,101.1	33%	HWS		
2208300	\$	HWS-Lock 6.0mm	5			1,508.6	7,543	245	5,280.0	30%		4,902.9	35%	4,902.9	35%	5,053.7	33%	5,053.7	33%	HWS		
2208301	\$	HWS-Corner Protector	50			19.2	962	9	673.5	30%		625.4	35%	625.4	35%	644.6	33%	644.6	33%	HWS		
2208302	\$	HWS-Sleeve 3.2mm 50m	1			962.1	962	1,410	673.5	30%		625.4	35%	625.4	35%	644.6	33%	644.6	33%	HWS		
2208303	\$	HWS-Sleeve 6.0mm 50m	1			962.1	962	1,760	673.5	30%		625.4	35%	625.4	35%	644.6	33%	644.6	33%	HWS		
2208304	\$	HWS-Eyebolt M8	25			28.9	722	14	505.7	30%		469.6	35%	469.6	35%	484.0	33%	484.0	33%	HWS		
2208305	\$	HWS-Eyebolt M10	25			69.7	1,743	20	1,220.0	30%		1,132.9	35%	1,132.9	35%	1,167.7	33%	1,167.7	33%	HWS		
2266131	NS	HWS-Wire 1.5 crimped loop 1.5m	5	NR		109.6	548	18	383.7	30%		356.3	35%	356.3	35%	367.3	33%	367.3	33%	HWS		
2208307	\$	HWS-Wire 1.5 crimped loop 3m	5	NR		177.0	885	31	619.4	30%		575.2	35%	575.2	35%	592.9	33%	592.9	33%	HWS		
2281478	NS	HWS-Wire 1.5 crimped loop 4m	5	NR		215.6	1,078	43	754.7	30%		700.8	35%	700.8	35%	722.4	33%	722.4	33%	HWS		
2208308	\$	HWS-Wire 1.5 crimped loop 5m	5	NR		269.7	1,348	49	943.9	30%		876.5	35%	876.5	35%	903.4	33%	903.4	33%	HWS		
2268132	NS	HWS-Wire 2.0 crimped loop 1.5m	5	NR		108.2	541	30	378.8	30%		351.7	35%	351.7	35%	362.						







New Item#	KP	Item Name	Box Qty	Return Category ( NR - Non Returnable)	Old Item# & INP flag	LSP/PC	LSP/Box	Weight / PC	E			A		B		C		D		Discount Group	Description
									in Gms	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%	NSP	Disc%		