



TUFTUL[®]
TUF tools for TUF jobs



www.globetools.co.in

PRICELIST 2022
w.e.f. 1st April



TUFTUL® is an Indian Brand

Manufactured, Source & Promoted by **Globe Tools Incorporation**, an ISO 9001:2015 Certified Company, located at Gurugram

Tools are meant for their specific use.

We Suggest, "Right Tools for the Right Job" - and of course at a **Reasonable Price**.

TUFTUL® have Indian and Global Partners who Manufacture, Tests and Provides us the Best Tools that Satisfy our Customer Needs.

Our range of Tools Meet or Exceeds many international standards & certification.
(**DIN, ANSI, IS, TUV, AMC, CE** etc....)

Offers wide range of Tools for - Automotive, Industrial, Construction, Service & Repair, Installation Applications and for other daily Trade / Domestic Use.

Guarantees - High Quality, Durability, Toughness, Assures Reliability along with many other features at very Genuine Costs.

Value Satisfaction at your Job Site is our Prime Goal.

TUFTUL®
TUF tools for TUF jobs

INDEX

| | |
|-------------------------|-------|
| RATCHET & SOCKETS | 1-2 |
| FASTENING | 3 |
| FASTENING & PLIERS | 4 |
| STORAGE & GRIPPING | 5 |
| CAULKING & LUBRICATION | 6 |
| GRIPPING & HOLDING | 7 |
| CUTTING & SPECIAL TOOLS | 8 |
| STRIKING | 9 |
| POWER TOOLS ACCESSORIES | 10-12 |
| AIR COMPRESSORS | 13-14 |
| POWER TOOLS | 15-17 |

RATCHET & SOCKETS

TUFTUL®
TUF tools for TUF jobs

Cr-v Chrome Plated Socket sets passed various Crack and Other Tests ensuring Durability and Toughness.
Quality Ensures Best International Standards DIN & ANSI.

1/2" DR. 24 PCS SOCKET SET HEAVY DUTY



PART CODE : TUFH424A

HSN CODE : 8204

M.R.P. : 5382

PBQ : 1

1/2" DR. 25 PCS SOCKET SET



PART CODE : TUF425A

HSN CODE : 8204

M.R.P. : 4608

PBQ : 1

24 Pcs 1/2" Drive Set Includes:

72 Teeth Ratchet handle

Extension Bars 5", 10"; Universal joint,

Tri-way Adapter : 3/8"FX1/2" M;

19Pcs 1/2" Metric Sockets: 8,9,10,11,12,13,14,15,16,17,18,19,

21,22,23,24,27,30,32mm.

Recommended for Automotive and Maintenance jobs

25Pcs 1/2" Drive set Includes

Ratchet Handle

19pcs Metric sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,

22, 24, 27, 30, 32mm

Extension Bars 5" & 10"

Spark Plug Socket: 16mm & 21mm

Sliding T-Bar 10"

1/4" DR. 46 PCS SOCKET SET HEAVY DUTY



PART CODE : TUFH246A

HSN CODE : 8204

M.R.P. : 3540

PBQ : 1

1/4" DR. 46PCS SOCKET SET PLASTIC BOX



PART CODE : TUF1002

HSN CODE : 8204

M.R.P. : 2680

PBQ : 1

46Pcs 1/4" Drive set Includes

72 Teeth Ratchet Handle

13 pcs metric sockets : 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14

22Pcs Insert Bit sockets : T8,T10,T15,T20,T25,T30,T40, H3,H4,

H5,H6,H7,H8, SL4,5,5.6,5 PH1,2,3 PZ1,2,3

Extensions Bar 2"&4", Flexible Extension 6"

Spinner Handle, Sliding T-Bar, Universal Joint,

Hex Key Wrench:1.27,1.5,2,2.5mm.

46 Pcs 1/4" Drive Socket Set Include :

Ratchet Handle

13 pcs Metric Sockets : 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14

21Pcs Insert Bit Sockets: SL4,5,5.7 PH1,2,3 PZ1,2,3

Hexagonal: H3,H4,H5,H6,H7,H8

Torx:T10,T15,T20,T25,T30,T40,

Hex Key wrench 1.5,2,2.5

Universal Joint, Extension 2"&4"

Flexible Extension 6",

Sliding T-Bar, Spinner Handle, Bit Adapter, Below Case.

RATCHET & SOCKETS

TUFTUL®
TUF tools for TUF jobs

1/4" DR. 46PCS SOCKET SET METAL BOX GREEN



PART CODE : TUF1003
HSN CODE : 8204
M.R.P. : 3036

46 pcs 1/4" Drive Socket set Includes :

Cushion Grip Quick Release Ratchet Handle
13pcs Metric Sockets: 4, 4.4,5, 5.5, 6,7,8,9,10,11,12,13, 14.
21Pcs Bit Sockets: Flat: 4,5,5, 7 Phillips: 1,2,3 Pozidrive:
PZ1,2,3 Hexagonal HW3,4,5,6,7,8 Torx:10,15,20,25,30,40
Universal Joint Extension:2" & 4" ; Flexible extension:6"
Sliding T-BAR, Spinner handle, Bit Adapter
Hex Key: 1.5,2,2.5,3

Recommended for precise Electronics and Automotive applications

46-PIECE STUBBY TOOLS SET



PART CODE : TUF1005
HSN CODE : 8204
M.R.P. : 3384
PBQ : 1

46 Pcs Stubby Set Includes

1/4"/&3/8" drive Reversible Comfortable Grip Ratchet
Stubby Adjustable Wrench Comfortable
Ratcheting Screwdriver Comfortable Grip
9 Pcs 1/4" SAE Sockets Cr-v: 5/32,3/16,7/32,1/4,
9/32,5/16,11/32,3/8,7/16
9 Pcs 1/4"metric sockets Cr-v: 4,5,6,7,8,9, 10,11,12mm
(2) 3/8" SAE sockets Cr-v: 1/2,9/16"
(2) 3/8" metric sockets Cr-v: 13,14mm
1/4"X3/8" Adapter
(19) High Grade Screwdriver bits
Slotted: 5/32, 3/16, 1/4 Phillips: PH1(2), PH2(2),
PH3(2) Hex:1/8,1/4" Torx T10, T15, T20, T25, T30 Square: SQ0,
SQ1, SQ2
Screwdriver Adapter.

Recommended for Precision and Electronic Jobs. Assuring High Quality, Durability and Guaranteed toughness.

3/4" DR. RATCHET HANDLE



PART CODE : TUF1070
HSN CODE : 8204
M.R.P. : 3600

3/4" Ratchet Handle 500mm, Deep Forged Cr-v steel

SPANNERS

TUFTUL®
TUF tools for TUF jobs

T-HANDLE

Chrome Vanadium Forged Steel with Satisfactory Job Results and Ensuring Best Quality at low costs.
Equivalent and matches to International Standards.

HSN CODE : 8204



| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TUF-TS6 | 6MM | 162 | 10 |
| TUF-TS7 | 7MM | 162 | 10 |
| TUF-TS8 | 8MM | 162 | 10 |
| TUF-TS9 | 9MM | 162 | 10 |
| TUF-TS10 | 10MM | 162 | 10 |
| TUF-TS11 | 11MM | 162 | 10 |
| TUF-TS12 | 12MM | 162 | 10 |
| TUF-TS13 | 13MM | 210 | 10 |
| TUF-TS14 | 14MM | 210 | 10 |
| TUF-TS15 | 15MM | 210 | 10 |
| TUF-TS16 | 16MM | 210 | 10 |
| TUF-TS17 | 17MM | 240 | 10 |
| TUF-TS18 | 18MM | 240 | 10 |
| TUF-TS19 | 19MM | 240 | 10 |

FASTENING

Traditional Screwdrivers

Ergonomic, Bi-material, Slip Resistant Cushion Grip provides Better Control on Jobs
Made from Cr-v and Hard steel
Chrome Plated Blades with Hard Tempered and Heat Treated Blade with Magnetized tip
Designed and Tested on International parameters, Strong Holding of Bars
Grip provides Reliability and Safety
Comes Individually as well as in Packaging

6 PCS VDE SCREW DRIVER SET



PART CODE : TUF9512V
HSN CODE : 8205
M.R.P. : 780
PBQ : 1

Includes : In mm Slotted : 3*75, 5*100, 6*125, Standard Parallel 6.5*150, Phillips:1*80, 2*100.

Directly Injection-Moulded around the Bold Strengthen Insulation. VDE 1000V rated and tested upto 10,000V.
Black oxide finished blade with Super tempered Magnetized Tip. HRC 48-50.
Shock resistant and anti-slip grip provide better comfort and ensures safety.
Matched to Graphite and European Standards.

Recommended for Live-wire applications with Insulated Gloves

ALLEN KEY SET (INCH & METRIC)



PART CODE : TUF1134
HSN CODE : 8204
M.R.P. : 324
PBQ : 1

Cr-v Hex Key set 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8

PART CODE : TUF1135
M.R.P. : 324
Comfortable Grip and Foldable Cr-v Hex key set 1.5,2,2.5,3,4,5,6, 8mm

6 PCS PRECISION SCREW DRIVER SET



PART CODE : TUF1158
HSN CODE : 8205
SIZE : 6 PCS
M.R.P. : 480
PBQ. : 1
MOQ. : 6

Comfortable grip Bi-material precision Screwdriver set.
Cr-v steel black oxide finish
PH0, PH1 & Slotted:1.4, 2, 2.4, 3mm
Ideal for Precision Electronics and Watch-maker applications.

CUSHION GRIP SLOTTED SCREW DRIVER

HSN CODE : 8205



| PART CODE | SIZE | MRP. | PBQ. |
|---------------|---------------|------|------|
| TUF-SL3X100 | 3MM X 100MM | 117 | 12 |
| TUF-SL3X125 | 3MM X 125MM | 117 | 12 |
| TUF-SL3X150 | 3MM X 150MM | 133 | 12 |
| TUF-SL5X100 | 5MM X 100MM | 158 | 12 |
| TUF-SL5X150 | 5MM X 150MM | 206 | 12 |
| TUF-SL5X200 | 5MM X 200MM | 177 | 12 |
| TUF-SL6.5X45 | 6.5MM X 45MM | 156 | 12 |
| TUF-SL6.5X125 | 6.5MM X 125MM | 185 | 12 |
| TUF-SL6.5X150 | 6.5MM X 150MM | 190 | 12 |
| TUF-SL6.5X200 | 6.5MM X 200MM | 200 | 12 |
| TUF-SL8X200 | 8MM X 200MM | 292 | 12 |
| TUF-SL8X250 | 8MM X 250MM | 320 | 12 |

CUSHION GRIP PHILIPS SCREW DRIVER

HSN CODE : 8205



| PART CODE | SIZE | MRP. | PBQ. |
|-------------|-----------|------|------|
| TUF-PH0X60 | PH0*60MM | 126 | 12 |
| TUF-PH0X100 | PH0*100MM | 126 | 12 |
| TUF-PH0X125 | PH0*125MM | 132 | 12 |
| TUF-PH0X150 | PH0*150MM | 132 | 12 |
| TUF-PH1X100 | PH1*100MM | 155 | 12 |
| TUF-PH1X200 | PH1*200MM | 238 | 12 |
| TUF-PH2X45 | PH2*45MM | 172 | 12 |
| TUF-PH2X100 | PH2*100MM | 238 | 12 |
| TUF-PH2X150 | PH2*150MM | 186 | 12 |
| TUF-PH2X200 | PH2*200MM | 198 | 12 |
| TUF-PH2X250 | PH2*250MM | 266 | 12 |
| TUF-PH3X150 | PH3*150MM | 225 | 12 |
| TUF-PH3X250 | PH3*250MM | 324 | 12 |

FASTENING & PLIERS

TUFTUL®
TUF tools for TUF jobs

CUSHION GRIP TOREX SCREW DRIVER

HSN CODE : 8205



| PART CODE | SIZE | MRP. | PBQ. |
|-------------|-----------|------|------|
| TUF-T10X80 | T10*80MM | 113 | 12 |
| TUF-T15X80 | T15*80MM | 137 | 12 |
| TUF-T20X120 | T20*120MM | 158 | 12 |

10 PCS INTERCHANGABLE SCREW DRIVER



PART CODE : TUF1152
HSN CODE : 8205
SIZE : lbx1063

M.R.P. : 890

PBQ. : 1

Soft Grip handle with 9 Dual-speed screwdriver bits
H3-H3/16", H4-H7/32", H5-H9/64", H6-H5/32"
SL3/16"-PH1, SL1/4"-PH2,
SQ1-PZ1, SQ2-PZ2
T15-T25

10 PCS INTERCHANGABLE SCREW DRIVER



PART CODE : TUF1153
HSN CODE : 8205
SIZE : lbx1065

M.R.P. : 890

PBQ. : 1
MOQ. : 6

2 pc Cushion Grip handle with Interchangeable Precision & Standard Blades.

19 PCS MOBILE REPAIR TOOLS (IPHONE SPECIAL)



PART CODE : TUF1159

HSN CODE : 8205

SIZE : 19 PCS.

M.R.P. : 880

19 Pc Practical and Use-Friendly Precision Electronic kit includes
1 pc Screwdriver handle
1pc Extension Bar 110mm
12 pc Cr-v bits :
SL1.2 PH000, Y2.0, T4, T5, T6, T7, T8, T10
Star0.8,1.2
Triangular Pry Tool
Sim card Tray Ejector Pin
Suction Cup
Plastic Pry Tool, and Straight Tip ESD Tweezer

Ideal for I-phone and Mobile Repair Workshops.

COMBINATION PLIER 8"



PART CODE : TUF-CP8

HSN CODE : 8203

M.R.P. : 336

PBQ. : 10

Pliers with Insulated Thick CA Sleeve & Full Body hardened High Grade Induction Hardened Cr-v Steel composition.
Black-Phosphate Finish ensures rust protection
Better Quality at Economic Cost
Guaranteed Toughness and Durability.

PRESS WISE PLIER (RJ 45 TYPE)



HSN CODE : 8424

NEW

| PART CODE | MRP. | PBQ. |
|-----------|------|------|
| WJ-315 | 588 | 10 |

STORAGE & GRIPPING

TUFTUL®
TUF tools for TUF jobs

5 TRAY CANTILEVER BOX, HEAVY DUTY



HSN CODE : 7326

Heavy Steel
Best Quality
5 Solid Trays
Longer size 21"
Limited Lifetime Warranty
Tested & Assured as
per ISO Standards



| PART CODE | SIZE | MRP. | MOQ. |
|-----------|----------|------|------|
| TS-011 | 21X8.5X9 | 3456 | 1 |

BENCH VICE STEEL



HSN CODE : 8467



Heavy Duty Unbreakable
Double Anvil moulding for striking
Double Grip ensures better holding
Double Rib ensures proper alignment
SGI steem ensures long life & anti-rust coating
Jaw replacement option after wear and tear

| PART CODE | SIZE | MRP. | MOQ. |
|-----------|------|-------|------|
| TBV3 | 3" | 3384 | 4 |
| TBV4 | 4" | 4380 | 4 |
| TBV5 | 5" | 6300 | 2 |
| TBV6 | 6" | 8220 | 2 |
| TBV8 | 8" | 15360 | 1 |

HAND RIVETERS



HSN CODE : 8205



Professional Heavy Duty Riveters, Regular Types

| PART CODE | SIZE | MRP. | MOQ. |
|-----------|--------------------------------|------|------|
| TF-007 | 1/8", 5/32", 3/16" | 2256 | 1 |
| TF-009 | 1/8", 5/32", 3/16" SPRING TYPE | 2340 | 1 |

G CLAMPS



HSN CODE : 8205

Heavy Duty Unbreakable
Best Quality/ SGI Casting



| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TGC2 | 2" | 306 | 2 |
| TGC3 | 3" | 432 | 2 |
| TGC4 | 4" | 612 | 2 |
| TGC6 | 6" | 888 | 1 |
| TGC8 | 8" | 1260 | 1 |

CAULKING & LUBRICATION

TUFTUL®
TUF tools for TUF jobs

POUCH GUN FOR SILICON USE



HSN CODE : 8424

NEW

| PART CODE | SIZE | MRP. | PBQ. |
|-----------|--------|------|------|
| TUF-PG208 | 400gms | 1080 | 1 |
| TUF-PG209 | 600gms | 1500 | 1 |


PAINT SPRAY GUN



HSN CODE : 8424

NEW

SILICON GUN



HSN CODE : 8424

NEW

| PART CODE | MRP. | MOQ. |
|-----------|------|------|
| TUF-SG211 | 228 | 10 |

SILICON GUN



HSN CODE : 8424

NEW

| PART CODE | MRP. | PBQ. |
|-----------|------|------|
| TUF-SG201 | 552 | 2 |

FISCHER TYPE CHEMICAL GUN

HSN CODE : 8424



NEW

| PART CODE | MRP. | PBQ. |
|-----------|------|------|
| TUF-CG205 | 1584 | 1 |

KARALLE TCT BLADE



HSN CODE : 8202

| DESCRIPTION | SIZE | MRP. | MOQ. |
|-------------|--------|------|------|
| PLASTIC | 500 ML | 1535 | 1 |
| METAL | 500 ML | 1350 | 1 |

| SIZE | MRP. | MOQ. |
|----------|------|------|
| 4"X 40T | 500 | 10 |
| 5"X 40T | 700 | 10 |
| 7"X 60T | 1100 | 10 |
| 8"X 60T | 1500 | 5 |
| 10"X 60T | 2300 | 5 |

GRIPPING & HOLDING

TUFTUL®
TUF tools for TUF jobs

MAGNETIC PICK UP TOOL PEN TYPE



PART CODE : TUF1068
HSN CODE : 82042000

M.R.P. : 369

PBQ. : 1

Powerful Magnet Lift 10lbs
Telescopic High Visible type
Lifting Range from 6.5" to 26"
Soft Grip Holder Comes with Pen cap for fits into pocket
and pouches.

HUSKY STRAP WRENCH



PART CODE : TUF1151

HSN CODE : 82041120

SIZE : lbx1044

M.R.P. : 929

PBQ. : 1

MOQ. : 6

Extra Comfort & Secure Grip
For round and Irregular shapes without Marring Finishes
Strong Reinforced Rubber Strap
Made on German Engineering and European Standard.

1 CLAW GLASS SUCKER



PART CODE : TUF 019

HSN CODE : 82059090

M.R.P. : 920

PBQ. : 1

High Quality aluminium alloy with plastic Latches
Good Rubber holding strength recommended for 50kg capacity
for 1 cup

Ideal for Automotive/Construction works to port plane surface material

2 CLAW GLASS SUCKER



PART CODE : TUF 020

HSN CODE : 82059090

M.R.P. : 1700

PBQ. : 1

High Quality aluminium alloy with plastic Latches
Good Rubber holding strength recommended for 110kg capacity
for 2 Cups

Ideal for Automotive/Construction works to port plane surface material

3 CLAW GLASS SUCKER



PART CODE : TUF 022

HSN CODE : 82059090

M.R.P. : 2600

PBQ. : 1

High Quality aluminium alloy with plastic Latches
Good Rubber holding strength recommended for 140kg capacity
for 3 Cups

Ideal for Automotive/ Construction works to port plane surface material.

CUTTING & SPECIAL TOOLS

TUFTUL®
TUF tools for TUF jobs

MINI HACKSAW FRAME WITH BLADE



PART CODE : TUF1059
HSN CODE : 8202
M.R.P. : 132

PBQ : 20

Cut Plastic and Metal in hard to reach places.
Tough strength and durable plastic ensure easy operation

CONCRETE CUTTER SAW WITH PLASTIC HANDLE



Plastic Handle With Soft Grip for Better comfort and Control
on cutting concrete blocks (35 Teeth, 17 TCT, HRC 52)
Dimension : 600X5.5X1.7

AVIATION SNIP



PART CODE : TUF1001
HSN CODE : 82033000
M.R.P. : 864

PBQ : 1

250mm High leverage Structural cutting design ensuring
cutting performance and durability
Recommended for cutting aluminium, vinyl siding, screening,
cardboard, leather and copper
Hardness cutting upto 0.6mm for hard steel HRC60
and 1mm for hard steel HRC30mm
Mild steel and for Soft copper upto 1.2 and 1.5

3PC BRUSH SET



PART CODE : TUF1066
HSN CODE : 96033020
M.R.P. : 308

PBQ. : 1
MOQ. : 12

MAISN PVC High Quality Insulated Wire with Fully Insulated copper
clamp Jaws
Suitable for Petrol-Engines upto 2500cc and Diesel-Engine upto 2000cc
Recommended 12-24V Batteries.

LABOUR SAVING WRENCH



HSN CODE : 8204

1:64 Torque strength, Ensures faster screwing/unscrewing bolts.
Comes with three accessories : Adapter, and Sockets 32&33MM

| PART CODE | SIZE | MRP. | MOQ. |
|-------------|-------------|------|------|
| TUF-LSW1064 | 1X64 (20KG) | 6648 | 1 |

BOOSTER CABLE 1000 AMP.

PART CODE : TUF1069

M.R.P. : 2334

PBQ : 1
MOQ : 10



MAISN PVC High Quality Insulated Wire with Fully Insulated copper
clamp Jaws
Suitable for Petrol-Engines upto 2500cc and Diesel-Engine upto 2000cc
Recommended 12-24V Batteries.

STRIKING

TUFTUL®
TUF tools for TUF jobs

Wooden Handle, Full Hardened & Tempered Steel with
Toughness approved

BALL PEIN HAMMER



| PART CODE | SIZE | MRP. | PBQ. |
|------------|--------|------|------|
| TUF-BPH200 | 200gms | 178 | 6 |
| TUF-BPH300 | 300gms | 216 | 6 |
| TUF-BPH500 | 500gms | 288 | 6 |

WOODEN CLAW HAMMER



| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TUF-CWH1 | 1LB | 288 | 6 |

CROSS PEIN HAMMER



| PART CODE | SIZE | MRP. | PBQ. |
|------------|-------|------|------|
| TUF-CPH200 | 200gm | 178 | 6 |
| TUF-CPH300 | 300gm | 216 | 6 |
| TUF-CPH500 | 500gm | 288 | 6 |

SLEDGE HAMMER



| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TUF-SH1 | 1LB | 282 | 6 |
| TUF-SH2 | 2LB | 414 | 6 |
| TUF-SH3 | 3LB | 594 | 6 |
| TUF-SH4 | 4LB | 810 | 6 |
| TUF-SH6 | 6LB | 1074 | 6 |
| TUF-SH8 | 8LB | 1434 | 2 |
| TUF-SH10 | 10LB | 1806 | 2 |
| TUF-SH12 | 12LB | 2196 | 2 |

POWER TOOLS & ACCESSORIES

After getting satisfactory and positive response from the customer, we happily expanding from our range of Hand Tools to Power Tools and Accessories.

All **TUFTUL** Power Tools & Accessories are tested under various tough conditions and selected only once we get satisfied.

We offers general Power Tools at reasonable cost that not only perform job applications but also give value satisfaction to its users.

With our continuous efforts and your timely feedback help **TUFTUL** to deliver more products and services in future ahead.

CORE CUTTER BIT



HSN CODE : 8207

High Steel base with Diamond edges/ Durable / Recommended for Marble, Concrete. (use water during drilling to get better life)
Sizes Varies from 52-152mm

POLISHING DISC



NEW

HSN CODE : 6804

Plastic Velcro Pad :
Dia 180mm/125mm and
recommended for 8,500 RPM

| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TUF-PD4 | 4" | 132 | 10 |
| TUF-PD5 | 5" | 142 | 10 |

WOOLEN / BUFFING PAD



HSN CODE : 6804

High Grade Polishing Wheel
made up of Expert Recommended
Wool

| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TUF-WP7 | 7" | 680 | 10 |

MAGNETIC NUT DRIVER



HSN CODE : 8205

Magnetic Nut Setter
High Precision and Exact Fit on the Screw
Slip Reduction and Easy come out

| PART CODE | SIZE | MRP. | PBQ. |
|-----------|-------|------|------|
| TUF ND 5 | 5X65 | 53 | 5 |
| TUF ND 6 | 6X65 | 53 | 5 |
| TUF ND 7 | 7X65 | 53 | 5 |
| TUF ND 8 | 8X65 | 55 | 5 |
| TUF ND 9 | 9X65 | 55 | 5 |
| TUF ND 10 | 10X65 | 55 | 5 |
| TUF ND 11 | 11X65 | 92 | 5 |
| TUF ND 12 | 12X65 | 92 | 5 |
| TUF ND 13 | 13X65 | 92 | 5 |
| TUF ND 14 | 14X65 | 108 | 5 |
| TUF ND 15 | 15X65 | 108 | 3 |
| TUF ND 16 | 16X65 | 108 | 3 |

SDS MAX DRILL BIT



| PART CODE | HSN CODE | SIZE | MRP. |
|-------------|----------|--------|------|
| TUFMB12X400 | 8205 | 12x400 | 1130 |
| TUFMB16X400 | 8205 | 16x400 | 1232 |
| TUFMB16X60 | 8205 | 16x600 | 1719 |
| TUFMB18X400 | 8205 | 18x400 | 1291 |
| TUFMB18X600 | 8205 | 18x600 | 1780 |
| TUFMB20X400 | 8205 | 20x400 | 1359 |
| TUFMB20X600 | 8205 | 20x600 | 1824 |
| TUFMB22X400 | 8205 | 22x400 | 1563 |
| TUFMB22X600 | 8205 | 22x600 | 2090 |
| TUFMB25X400 | 8205 | 25x400 | 1914 |
| TUFMB25X600 | 8205 | 25x600 | 2546 |
| TUFMB28X400 | 8205 | 28x400 | 2365 |
| TUFMB28X600 | 8205 | 28x600 | 3084 |
| TUFMB30X400 | 8205 | 30x400 | 2902 |
| TUFMB30X600 | 8205 | 30x600 | 3806 |
| TUFMB32X400 | 8205 | 32x400 | 3171 |
| TUFMB32X600 | 8205 | 32x600 | 4202 |
| TUFMB38X400 | 8205 | 38x400 | 4528 |
| TUFMB38X600 | 8205 | 38x600 | 5913 |

POINTED & FLAT CHEESEL



| P. CODE | HSN CODE | DESCRIPTION | SIZE | MRP. |
|---------|----------|---------------|--------|------|
| TUF3201 | 82079090 | DM-5-Pointed | 17x280 | 362 |
| TUF3202 | 82079090 | DM-5-Flat | 17x280 | 362 |
| TUF3203 | 82079090 | DM-5-Pointed | 17x460 | 646 |
| TUF3204 | 82079090 | DM-5-FLAT | 17x460 | 646 |
| TUF3205 | 82079090 | 11-E-Pointed | 18x400 | 690 |
| TUF3206 | 82079090 | 11-E-Flat | 18x400 | 690 |
| TUF3207 | 82079090 | 11-E-Pointed | 18x600 | 866 |
| TUF3208 | 82079090 | 11-E-Flat | 18x600 | 866 |
| TUF3209 | 82079090 | PH-65 Pointed | 410MM | 1005 |
| TUF3210 | 82079090 | PH-65 Flat | 410MM | 1005 |
| TUF3211 | 82079090 | PH-65 Pointed | 600MM | 1706 |
| TUF3212 | 82079090 | PH-65 Flat | 600MM | 1706 |

HSS Steel with Hard Tempered and Forged Bull point Durable and Design Hold Maximum strength on Chipping and Demolition Manufactured and Tested on International Parameters

POWER TOOLS ACCESSORIES

TUFTUL®
TUF tools for TUF jobs

DIAMOND CORE BIT



HSN CODE : 8207

High Steel base with Diamond edges/ Durable / Recommended for Granite, Marble, Concrete. (use water during drilling to get better life)
Sizes Varies from 6.5-125mm

TCT HOLE SAW CUTTER



HSN CODE : 8207

Hole Saw cutter with Tungston Carbide Tip
Comes with Center Bit for easy start with
Durable and Tough

| PART CODE | SIZE | MRP. | PBQ. |
|-----------|------|------|------|
| TUFHS12 | 12 | 284 | 10 |
| TUFHS16 | 16 | 336 | 10 |
| TUFHS19 | 19 | 414 | 10 |
| TUFHS22 | 22 | 492 | 10 |
| TUFHS25 | 25 | 564 | 10 |
| TUFHS28 | 28 | 618 | 10 |
| TUFHS32 | 32 | 669 | 10 |
| TUFHS35 | 35 | 732 | 10 |
| TUFHS38 | 38 | 856 | 10 |
| TUFHS40 | 40 | 906 | 10 |
| TUFHS44 | 44 | 986 | 6 |
| TUFHS51 | 51 | 1146 | 6 |
| TUFHS57 | 57 | 1476 | 6 |
| TUFHS60 | 60 | 1626 | 6 |
| TUFHS64 | 64 | 1701 | 6 |
| TUFHS70 | 70 | 1860 | 6 |
| TUFHS75 | 75 | 1994 | 6 |
| TUFHS83 | 83 | 2100 | 4 |
| TUFHS90 | 90 | 2340 | 4 |
| TUFHS102 | 102 | 2712 | 4 |
| TUFHS125 | 125 | 3724 | 1 |
| TUFHS150 | 150 | 4320 | 1 |

CONCRETE CUTTER



NEW

Concrete Cutter Sharp Tip.
Comes with Center Bit for easy start with
Durability and Toughness is Guaranteed

| PART CODE | HSN CODE | SIZE MM | MRP. | PBQ. |
|------------|----------|---------|------|------|
| TUF CC 40 | 8205 | 40 | 1056 | 2 |
| TUF CC 50 | 8205 | 50 | 1296 | 2 |
| TUF CC 65 | 8205 | 65 | 1662 | 1 |
| TUF CC 75 | 8205 | 75 | 1980 | 1 |
| TUF CC 80 | 8205 | 90 | 2256 | 1 |
| TUF CC 100 | 8205 | 100 | 2610 | 1 |
| TUF CC 125 | 8205 | 125 | 3108 | 1 |

| | | | | |
|---------------|------|-----|-----|---|
| TUF CCE (EXT) | 8205 | 400 | 985 | 1 |
|---------------|------|-----|-----|---|

TWISTED WIRE BRUSH

NEW



HSN CODE : 6804
PBQ : 10
MOQ : 100

High Grade Polishing Wire Brush

| PART CODE | SIZE | GMS | MRP. |
|-----------|------|-----|------|
| TUF 1031 | 3" | 175 | 132 |
| TUF 1030 | 4" | 470 | 242 |

STAR BIT



HSN CODE : 8205

Hard Tempered and Heat
Tested High Grade Cr-v Steel
More Durable and recommended
for Tough Jobs Ensures Long
life with Economic output.

| PART CODE | DESCRIPTION | SIZE | MRP. | PBQ. |
|------------|---------------------|------|------|------|
| TUFSB2X65 | STAR BIT PH-2X65 | 65 | 48 | 10 |
| TUFSB-FLAT | DOUBLE END FLAT BIT | 65 | 47 | 10 |
| TUFSB1X65 | STAR BIT PH-1x65MM | 65 | 48 | 10 |
| TUFSB2X75 | STAR BIT PH-2x75MM | 75 | 59 | 10 |
| TUFSB2X100 | STAR BIT PH-2x100MM | 100 | 79 | 10 |
| TUFSB2X125 | STAR BIT PH-2x125MM | 125 | 104 | 10 |
| TUFSB2X150 | STAR BIT PH-2x150MM | 150 | 128 | 10 |
| TUFSB2X200 | STAR BIT PH-2x200MM | 200 | 266 | 10 |
| TUFSB2X250 | STAR BIT PH-2x250Mm | 250 | 325 | 5 |

POWER TOOLS ACCESSORIES

TUFTUL®
TUF tools for TUF jobs

SDS PLUS HAMMER DRILL BIT



HSS Steel, Tin Coated with Double Fluid
Durable and maximum strength on Drilling
Manufactured and Tested on International Parameters

| PART CODE | HSN CODE | SIZE | MRP. |
|-------------|----------|--------|------|
| TUFHB6X110 | 8205 | 6x110 | 79 |
| TUFHB6X160 | 8205 | 6x160 | 98 |
| TUFHB6X210 | 8205 | 6x210 | 104 |
| TUFHB6X260 | 8205 | 6x260 | 146 |
| TUFHB6X310 | 8205 | 6x310 | 202 |
| TUFHB8X160 | 8205 | 8x160 | 110 |
| TUFHB8X210 | 8205 | 8x210 | 138 |
| TUFHB8X260 | 8205 | 8x260 | 150 |
| TUFHB8X310 | 8205 | 8x310 | 174 |
| TUFHB10X160 | 8205 | 10x160 | 126 |
| TUFHB10X210 | 8205 | 10x210 | 155 |
| TUFHB10X260 | 8205 | 10x260 | 170 |
| TUFHB10X310 | 8205 | 10x310 | 227 |
| TUFHB10X360 | 8205 | 10x360 | 257 |
| TUFHB10X460 | 8205 | 10x460 | 324 |
| TUFHB12X160 | 8205 | 12x160 | 144 |
| TUFHB12X210 | 8205 | 12x210 | 163 |
| TUFHB12X260 | 8205 | 12x260 | 181 |
| TUFHB12X310 | 8205 | 12x310 | 213 |
| TUFHB12X360 | 8205 | 12x360 | 264 |
| TUFHB12X460 | 8205 | 12x460 | 294 |
| TUFHB12X510 | 8205 | 12x510 | 421 |
| TUFHB12X600 | 8205 | 12x600 | 445 |
| TUFHB14X160 | 8205 | 14x160 | 211 |
| TUFHB14X210 | 8205 | 14x210 | 237 |
| TUFHB14X260 | 8205 | 14x260 | 248 |
| TUFHB14X310 | 8205 | 14x310 | 280 |
| TUFHB14X360 | 8205 | 14x360 | 312 |
| TUFHB14X410 | 8205 | 14x410 | 378 |
| TUFHB14X460 | 8205 | 14x460 | 420 |
| TUFHB14X510 | 8205 | 14x510 | 512 |
| TUFHB14X600 | 8205 | 14x600 | 554 |
| TUFHB16X160 | 8205 | 16x160 | 216 |
| TUFHB16X210 | 8205 | 16x210 | 264 |
| TUFHB16X260 | 8205 | 16x260 | 290 |
| TUFHB16X310 | 8205 | 16x310 | 325 |
| TUFHB16X360 | 8205 | 16x360 | 408 |

| | | | |
|-------------|------|--------|------|
| TUFHB16X410 | 8205 | 16x410 | 434 |
| TUFHB16X460 | 8205 | 16x460 | 477 |
| TUFHB16X510 | 8205 | 16x510 | 560 |
| TUFHB16X600 | 8205 | 16x600 | 602 |
| TUFHB18X160 | 8205 | 18x160 | 270 |
| TUFHB18X210 | 8205 | 18x210 | 357 |
| TUFHB18X260 | 8205 | 18x260 | 393 |
| TUFHB18X310 | 8205 | 18x310 | 413 |
| TUFHB18X360 | 8205 | 18x360 | 475 |
| TUFHB18X410 | 8205 | 18x410 | 587 |
| TUFHB18X460 | 8205 | 18x460 | 630 |
| TUFHB18X510 | 8205 | 18x510 | 698 |
| TUFHB18X600 | 8205 | 18x600 | 741 |
| TUFHB19X210 | 8205 | 19x210 | 414 |
| TUFHB19X260 | 8205 | 19x260 | 504 |
| TUFHB19X310 | 8205 | 19x310 | 542 |
| TUFHB19X350 | 8205 | 19x350 | 564 |
| TUFHB20X210 | 8205 | 20x210 | 414 |
| TUFHB20X260 | 8205 | 20x260 | 546 |
| TUFHB20X310 | 8205 | 20x310 | 557 |
| TUFHB20X350 | 8205 | 20x350 | 564 |
| TUFHB20X450 | 8205 | 20x450 | 645 |
| TUFHB20X360 | 8205 | 20x360 | 564 |
| TUFHB20X460 | 8205 | 20x460 | 660 |
| TUFHB20X600 | 8205 | 20x600 | 739 |
| TUFHB22X210 | 8205 | 22x210 | 725 |
| TUFHB22X260 | 8205 | 22x260 | 816 |
| TUFHB22X310 | 8205 | 22x310 | 915 |
| TUFHB22X350 | 8205 | 22x350 | 969 |
| TUFHB22X410 | 8205 | 22x410 | 1082 |
| TUFHB22X460 | 8205 | 22x460 | 1164 |
| TUFHB22X600 | 8205 | 22x600 | 1392 |
| TUFHB24X210 | 8205 | 24x210 | 841 |
| TUFHB24X260 | 8205 | 24x260 | 930 |
| TUFHB24X310 | 8205 | 24x310 | 985 |
| TUFHB24X350 | 8205 | 24x350 | 1170 |
| TUFHB24X410 | 8205 | 24x410 | 1272 |
| TUFHB24X500 | 8205 | 24x500 | 1305 |
| TUFHB24X600 | 8205 | 24x600 | 1387 |
| TUFHB25X210 | 8205 | 25x210 | 855 |
| TUFHB25X260 | 8205 | 25x260 | 936 |
| TUFHB25X310 | 8205 | 25x310 | 1014 |
| TUFHB25X410 | 8205 | 25x410 | 1212 |
| TUFHB25X450 | 8205 | 25x450 | 1314 |
| TUFHB25X500 | 8205 | 25x500 | 1347 |
| TUFHB25X600 | 8205 | 25x600 | 1430 |

MOTOR DIRECT DRIVE



MOTOR OIL FREE, VERTICLE



DOUBLE MOTOR OIL FREE



International Certified Air Compressor range

Guaranteed Best Quality

Complete Copper Binding Motor with solid performance R&D

Bigger & Variable Motor size better than the existing Compressors

Ergonomic Design, Easy to Port (comes with wheels)

Less Service Costs with Trustworthy Performance

DIRECT DRIVE/OIL FREE MOTOR COMPRESSOR

| PART CODE | MOTOR POWER | | VOLTAGE | TANK | AIR DISPLACEMENT | | WORKING PRESSURE | | TYPE | WEIGHT | DIMENSION | MRP |
|---------------|-------------|-----|---------|--------|------------------|------|------------------|-----|-------------------------|--------|-----------|--------|
| | HP | KW | V | LITRES | LITRES/MIN | CFM | BAR | PSI | | | | |
| TUF750-30 | 1 | 0.8 | 220 | 30 | 68 | 2.4 | 8 | 116 | HORIZONTAL OIL FREE | 23 | 50x57x28 | 25,440 |
| TUF750-50LG | 1 | 0.8 | 220 | 50 | 68 | 2.4 | 8 | 116 | VERTICAL OIL FREE | 32 | NA | 25,800 |
| TUF750X2-50 | 2 | 1.5 | 220 | 50 | 136 | 4.8 | 8 | 116 | HORIZONTAL OIL FREE | 33 | 70x63x37 | 35,400 |
| TUF750X2-80LG | 2 | 1.5 | 220 | 80 | 136 | 4.8 | 8 | 116 | VERTICAL OIL FREE | 55 | NA | 59,980 |
| TUF-2550B | 2.5 | 1.8 | 220 | 50 | 221 | 8 | 8 | 116 | HORIZONTAL DIRECT DRIVE | 34 | 72x31x69 | 24,480 |
| TUF-3050V | 3 | 2.2 | 220 | 50 | 356 | 12.5 | 8 | 116 | HORIZONTAL DIRECT DRIVE | 35 | 73x36x73 | 30,480 |

BELT TYPE COMPRESSORS

NEW



International Certified Air Compressor range

Guaranteed Best Quality

Complete Copper Binding Motor with solid performance R&D

Bigger & Variable Motor size better than the existing Compressors

Ergonomic Design, Easy to Port (comes with wheels)

Less Service Costs with Trustworthy Performance

| PART CODE | MOTOR POWER | | | VOLTAGE | TANK | AIR DISPLACEMENT | | WORKING PRESSURE | | WEIGHT | DIMENSION | MRP |
|-------------|-------------|-----|------|---------|--------|------------------|------|------------------|-----|--------|---------------|---------------|
| | HP | KW | POLE | V | LITRES | LITRES/MIN | CFM | BAR | PSI | KG | LxWxH | INR (INC GST) |
| TUF20220V51 | 2 | 1.5 | 4 | 220/380 | 220 | 170 | 6 | 8 | 115 | 125 | 1410x500x940 | 87,000 |
| TUF30100V65 | 3 | 2.2 | 2 | 220/380 | 100 | 250 | 9 | 8 | 115 | 75 | 1080x440x840 | 67,800 |
| TUF40150W65 | 4 | 3 | 2 | 220/380 | 150 | 360 | 12.7 | 8 | 115 | 117 | 1370x530x930 | 1,10,000 |
| TUF55220V80 | 5.5 | 4 | 4 | 220/380 | 220 | 480 | 17 | 8 | 115 | 160 | 1470x580x1030 | 1,59,000 |
| TUF75300V90 | 7.5 | 5.5 | 4 | 380 | 300 | 670 | 24 | 8 | 115 | 190 | 1680x590x1180 | 2,07,000 |
| TUF75500V90 | 7.5 | 5.5 | 4 | 380 | 500 | 670 | 24 | 8 | 115 | NA | NA | 2,58,600 |

POWER TOOLS

TUFTUL®
TUF tools for TUF jobs

GRINDER 4"

| PART CODE | : TF4001 | TF4002 |
|-----------------|----------------|-------------|
| HSN | : 8467 | 8467 |
| MOQ | : 10 | 10 |
| Rated Voltage | : 220/240V | 220/240V |
| Rated Frequency | : 50/60Hz | 50/60Hz |
| Input Power | : 1050w | 980w |
| Speed | : 11000RPM | 11000RPM |

NEW



ELECTRIC MARBLE CUTTER(CM5)

| PART CODE | : TF5521M |
|-----------------|-------------|
| HSN CODE | : 8467 |
| MOQ | : 6 Pcs |
| Rated Voltage | : 220 |
| Rated Frequency | : 50Hz |
| Input Power | : 1450W |
| Frequency | : 13000 RPM |
| Capacity | : 125mm |



MARBLE CUTTER



| PART CODE | : TF5501 | TF5502 |
|---------------|--------------|------------|
| HSN CODE | : 8467 | 8467 |
| MOQ | : 6 | 6 |
| Rated Voltage | : 220V/250V | 220V/250V |
| Input Power | : 1050 | 1300 |
| No Load Speed | : 11000R/MIN | 12000R/MIN |

ELECTRIC PLANER



| PART CODE | : TF5526 | TF5524 |
|-----------------|-------------|-----------|
| FEATURE | : 90x2MM | 82x1 MM |
| HSN CODE | : 8467 | 8467 |
| MOQ | : 4 Pcs | 4 Pcs |
| Rated Voltage | : 220 | 220 |
| Rated Frequency | : 50Hz | 50Hz |
| Input Power | : 750W | 600W |
| Speed | : 16000 RPM | 16000 RPM |

PROFESSIONAL ELECTRIC PLANER HEAVY DUTY



NEW

| PART CODE | : TF5527 |
|-----------------|------------|
| SIZE | : 82MM |
| HSN CODE | : 8467 |
| MOQ | : 4 Pcs |
| Rated Voltage | : 220V |
| Rated Frequency | : 50HZ |
| Input Power | : 720W |
| No Load Speed | : 16000RPM |

PORTABLE CAR WASHER (HEAVY DUTY)



NEW

| PART CODE | : TF5120 |
|------------------|--------------|
| Working pressure | : 100-175bar |
| Flow capacity | : 480L/H |
| Input power | : 2500W |
| Motor Size | : 100mm |
| Rated Voltage | : 220V-240V |
| Rated Frequency | : 50/60Hz |

POWER TOOLS

TUFTUL®
TUF tools for TUF jobs

PORTABLE CAR WASHER



PART CODE : TF5119

HSN CODE : 8467

MOQ : 2 Pcs

Working Pressure : 130 bar

Flow (L/H) : 410

Rated Voltage : 220V

RATED FREQUENCY : 50/60Hz

INPUT POWER : 2000W

MOTOR TYPE : Induction Motor

ELECTRIC ROTARY HAMMER



PART CODE : TF5512

TF5513

SIZE : 20MM

26MM

HSN CODE : 8467

8467

MOQ : 5 Pcs

5 Pcs

Rated Voltage : 220-240V

220-240V

Rated Frequency : 50-60Hz

50-60Hz

Input Power : 800w

1100w

Impact Frequency : 0-850 RPM

0-1100 RPM

L/R Function : Yes

Yes

ELECTRIC CHIPPING HAMMER



PART CODE : TF5505 **TF7505**

SIZE : 5 kg : 7 KG

HSN CODE : 8467 : 8467

MOQ : 3Pcs : 2 Pcs

MEAS : 51x25x33 cm : 51x25x33 cm

Rated Voltage : 220V : 220V

Rated Frequency : 50-60Hz : 50-60Hz

Input Power : 1200W : 2000W

Impact Frequency : 2900RPM : 3200RPM

PART CODE : TF5115

SIZE : 16 kg

HSN CODE : 8467

MOQ : 1 Pcs

MEAS : 71x17x31 cm

Rated Voltage : 220V

Rated Frequency : 50Hz

Input Power : 1800W

Impact Frequency : 1450RPM

ELECTRIC DEMOLITION HAMMER 16 KG



POWER TOOLS

TUFTUL®
TUF tools for TUF jobs

POWER FULL MOTORISED CHOP SAW SINGLE PHASE

NEW




| | |
|--------------|-------------|
| PART CODE | : TF5528 |
| HSN CODE | : 84619090 |
| MOQ | : 1 Pcs |
| INPUT POWER | : 3000W |
| MOTOR RATING | : 4 HP |
| M.R.P. | : 50,900INR |

6 MONTHS WARRANTY*
Tested and Certified Performance

PAINT MIXTURE

NEW



| | |
|-----------------|-----------|
| PART CODE | : TF5504 |
| HSN CODE | : 8467 |
| MOQ | : 5 Pcs |
| Rated Voltage | : 220V |
| Rated Frequency | : 50-60HZ |
| Input Power | : 800W |
| No Load Speed | : 550RPM |

ELECTRIC CONCRETE VIBRATOR

NEW

| | |
|-----------------|-----------|
| PART CODE | : TF 5506 |
| HSN CODE | : 8204 |
| MOQ | : 10 |
| Rated Voltage | : 220V |
| Rated Frequency | : 50Hz |
| Input Power | : 1000W |
| No Load Speed | : 50 MM |

POWER FULL MOTORISED CHOP SAW THREE PHASE

NEW



| | |
|--------------|-------------|
| PART CODE | : TF5529 |
| HSN CODE | : 84619090 |
| MOQ | : 1 Pcs |
| INPUT POWER | : 3000W |
| MOTOR RATING | : 4 HP |
| M.R.P. | : 50,900INR |

6 MONTHS WARRANTY*
Tested and Certified Performance

WELDING MACHINE

NEW



| PART CODE | MMA200 | MMA250/300 | MMA400 |
|---------------|----------------|----------------|-----------------|
| HSN CODE | : 8515 | : 8515 | : 8515 |
| MOQ | : 1 | : 1 | : 1 |
| Rated Voltage | : 220V/250V | : 220V/250V | : 220V/250V |
| Size | : 41x22x31.5cm | : 45.5x26x34cm | : 41x22x31.5 cm |

| | |
|-----------------|-----------|
| PART CODE | : TF 5506 |
| HSN CODE | : 8204 |
| MOQ | : 10 |
| Rated Voltage | : 220V |
| Rated Frequency | : 50Hz |
| Input Power | : 1000W |
| No Load Speed | : 50 MM |



For Automotive



For General



For Premium



TUFTUL®

CHANNEL PARTNER



GLOBE TOOLS INCORPORATION
COMPLETE TOOLS SOLUTIONS

510, New Railway Road, Ashokpuri, Gurugram, Haryana-122001
Email : globetools1957@gmail.com | Customer Care No : 0124-4254455
www.globetools.co.in