

JavaScript Interview Questions — All-in-One

Part 1 — Core Concept Questions

Variables, Scope & Hoisting

- 1 What is the purpose of the let keyword?
- 2 What is the difference between let and var?
- 3 What is the reason to choose the name let as a keyword?
- 4 What's the difference between var, let, and const, and what is the Temporal Dead Zone?
- 5 How do you redeclare variables in a switch block without an error?
- 6 What is the Temporal Dead Zone?
- 7 Does the const variable make the value immutable?
- 8 Can I redeclare let and const variables?
- 9 What is scope in JavaScript?
- 10 What is a Variable Scope in JavaScript?
- 11 What is lexical scope in JavaScript?
- 12 What is the difference between Lexical and Dynamic Scoping?
- 13 How does lexical scoping work with the this keyword in JavaScript?
- 14 What has to be done in order to put Lexical Scoping into practice?
- 15 What are global variables?
- 16 What are the problems with global variables?
- 17 What is the precedence order between local and global variables?
- 18 What are shadowing and illegal shadowing?
- 19 What is module scope in JavaScript?
- 20 What is an environment record?
- 21 What is Hoisting?
- 22 What is hoisting in JavaScript?
- 23 What is called Variable typing in JavaScript?
- 24 What are "truthy" and "falsy" values in JavaScript?
- 25 What are undeclared and undefined variables?
- 26 What are the differences between undeclared and undefined variables?

Data Types & Type Coercion

- 1 What are the different data types present in JavaScript?
- 2 What are primitive data types?
- 3 What are the differences between primitives and non-primitives?

- 4 What is the difference between null and undefined?
- 5 What is null value?
- 6 What is undefined property?
- 7 What do you mean by Null in JavaScript?
- 8 What is negative infinity in JavaScript?
- 9 Why is typeof null === "object"?
- 10 What is typeof operator?
- 11 What is NaN property?
- 12 What is isNaN?
- 13 What is the difference between isNaN and Number.isNaN?
- 14 What is the use of isNaN, and how is it different from Number.isNaN?
- 15 What is the purpose of isFinite function?
- 16 What are wrapper objects?
- 17 Is JavaScript a statically typed or a dynamically typed language?
- 18 Is JavaScript statically typed or dynamically typed?
- 19 Why do we call JavaScript as dynamic language?
- 20 Explain Implicit Type Coercion in JavaScript.
- 21 Does JavaScript support automatic type conversion?
- 22 What is the purpose of double exclamation (!!)?
- 23 What is an Unary operator?
- 24 What is a void operator?
- 25 What is the purpose of void 0?
- 26 What is the comma operator?
- 27 What is the advantage of the comma operator?
- 28 What is the purpose of eval?
- 29 Is it recommended to use eval?

Functions

- 1 What is a first class function?
- 2 What is a first order function?
- 3 What is a higher order function?
- 4 What is a higher-order function in JavaScript?
- 5 What are the examples of built-in higher order functions?
- 6 What are the benefits of higher order functions?
- 7 What is a unary function?
- 8 What is a pure function?
- 9 What are the benefits of pure functions?

- 10 What are the differences between pure and impure functions?
- 11 What is referential transparency?
- 12 What are the possible side-effects in JavaScript?
- 13 What is the currying function?
- 14 What is currying in JavaScript?
- 15 What are lambda expressions or arrow functions?
- 16 What are arrow functions?
- 17 What is an IIFE (Immediately Invoked Function Expression)?
- 18 What is an Immediately Invoked Function (IIFE) in JavaScript?
- 19 How to invoke an IIFE without any extra brackets?
- 20 What do you mean by Self Invoking Functions?
- 21 What is a first class function?
- 22 What are Higher Order Functions in JavaScript?
- 23 What is a rest parameter?
- 24 What happens if you do not use rest parameter as a last argument?
- 25 What is a spread operator?
- 26 What are default parameters?
- 27 What is the way to find the number of parameters expected by a function?
- 28 How to find the number of parameters expected by a function?
- 29 What are the function parameter rules?
- 30 What is an arguments object?
- 31 What are the differences between arguments object and rest parameter?
- 32 What are the differences between spread operator and rest parameter?
- 33 What is a Short circuit condition?
- 34 What is the use of a constructor function in JavaScript?
- 35 Can we define properties for functions?
- 36 What is Function Composition?
- 37 What are compose and pipe functions?
- 38 What is memoization?
- 39 Explain the concept of memoization in JavaScript?
- 40 What is recursion in a programming language?
- 41 What is the difference between Function constructor and function declaration?
- 42 What is the difference between function and class declarations?
- 43 What is an async function?
- 44 What are generator functions?
- 45 What are the different kinds of generators?
- 46 What is a thunk function?

- 47 What are asynchronous thunks?
- 48 What is a Proper Tail Call?
- 49 How to detect if a function is called as constructor?

Objects & Prototypes

- 1 What are the possible ways to create objects in JavaScript?
- 2 In JavaScript, how many different methods can you use to create an object?
- 3 What is a prototype chain?
- 4 What are object prototypes?
- 5 What is the purpose of using Object.is method?
- 6 How do you determine if two values are the same using Object?
- 7 How do you copy properties from one object to another?
- 8 What are the applications of the assign method?
- 9 What is a proxy object?
- 10 What is the purpose of the seal method?
- 11 What are the applications of the seal method?
- 12 What are the differences between the freeze and seal methods?
- 13 How do you determine if an object is sealed or not?
- 14 What is the freeze method?
- 15 What is the purpose of the freeze method?
- 16 Why do I need to use the freeze method?
- 17 What is the difference between const and Object.freeze?
- 18 How do you determine whether an object is frozen or not?
- 19 What are the different ways to make an object non-extensible?
- 20 How do you prevent an object from being extended?
- 21 How do you check whether an object can be extended or not?
- 22 How do you define multiple properties on an object?
- 23 How do you get enumerable key and value pairs?
- 24 What is the main difference between Object.values and Object.entries method?
- 25 How can you get the list of keys of any object?
- 26 How do you create an object with a prototype?
- 27 How do you list all properties of an object?
- 28 How do you get property descriptors of an object?
- 29 What are the attributes provided by a property descriptor?
- 30 What are JavaScript accessors?
- 31 How do you define property on Object constructor?
- 32 What is the difference between get and defineProperty?

- 33 What are the advantages of Getters and Setters?
- 34 Can I add getters and setters using defineProperty method?
- 35 What is Object Destructuring?
- 36 What are default values in destructuring assignment?
- 37 How do you swap variables in destructuring assignment?
- 38 What is destructuring aliases?
- 39 What is destructuring assignment?
- 40 What are enhanced object literals?
- 41 How do you check if a key exists in an object?
- 42 How do you loop through or enumerate a JavaScript object?
- 43 How do you test for an empty object?
- 44 What is a WeakSet?
- 45 What are the differences between WeakSet and Set?
- 46 List down the collection of methods available on WeakSet.
- 47 Explain WeakSet in JavaScript.
- 48 What is a WeakMap?
- 49 What are the differences between WeakMap and Map?
- 50 List down the collection of methods available on WeakMap.
- 51 Explain WeakMap in JavaScript.
- 52 How do you compare Object and Map?
- 53 What is the difference between prototypal and classical inheritance?
- 54 Do all objects have prototypes?
- 55 How do you get the prototype of an object?
- 56 What happens if I pass a string type for getPrototypeOf method?
- 57 How do you set the prototype of one object to another?
- 58 What is the difference between __proto__ and prototype?
- 59 How do you extend classes?
- 60 What do you mean by the prototype design pattern?
- 61 Does JavaScript allow multiple inheritance?

Closures & Execution Context

- 1 What are closures?
- 2 Explain Closures in JavaScript.
- 3 How to explain closures in JavaScript and when to use it?
- 4 Can closures leak memory?
- 5 What are the uses of closures?
- 6 What is global execution context?

- 7 What is function execution context?
- 8 What are the phases of execution context?
- 9 What is module pattern?

Classes & OOP

- 1 What are classes in ES6?
- 2 What are classes in JavaScript?
- 3 What is a constructor method?
- 4 What happens if you write constructor more than once in a class?
- 5 How do you call the constructor of a parent class?
- 6 How do you define instance and non-instance properties?
- 7 What is an object initializer?
- 8 What do you mean by JavaScript Design Patterns?
- 9 What are the event phases of a browser?
- 10 What is the difference between == and === operators?
- 11 What is the difference between == and === in JavaScript?

The this Keyword

- 1 What is the this keyword in JavaScript?
- 2 Explain the this keyword.
- 3 What is the this keyword, and how does the call-site affect it?
- 4 What is the purpose of the this keyword in JavaScript?
- 5 What is the difference between call, apply, and bind?
- 6 What is the difference between call() and apply() methods?
- 7 How do call, apply, and bind change this?
- 8 Explain call(), apply(), and bind() methods.
- 9 How do you create your own bind method using either call or apply method?

Strict Mode

- 1 What is a strict mode in JavaScript?
- 2 Why do you need strict mode?
- 3 How do you declare strict mode?
- 4 What is the 'Strict' mode in JavaScript and how can it be enabled?
- 5 What do you mean by strict mode in JavaScript and what are its characteristics?
- 6 What are the list of cases error thrown from non-strict mode to strict mode?
- 7 Is that possible to use expressions in switch cases?

Asynchronous JavaScript

- 1 What is a callback function?

- 2 What are callbacks?
- 3 Why do we need callbacks?
- 4 Why do we use callbacks?
- 5 What is a callback hell?
- 6 What is callback in callback?
- 7 What is a promise?
- 8 Explain the concept of promises and how they work.
- 9 Why do you need a promise?
- 10 What is the use of promises in JavaScript?
- 11 Explain the three states of promise.
- 12 What are the main rules of promise?
- 13 What is promise chaining?
- 14 What is Promise.all?
- 15 What is the purpose of the race method in promise?
- 16 What are the pros and cons of promises over callbacks?
- 17 How do you prevent promises swallowing errors?
- 18 What is the easiest way to ignore promise errors?
- 19 How do you check if an object is a promise or not?
- 20 What is an async function?
- 21 How to use await outside of async function prior to ES2022?
- 22 What is the difference between Async/Await and Generators when used to achieve the same functionality?
- 23 What are server-sent events?
- 24 How do you receive server-sent event notifications?
- 25 How do you check browser support for server-sent events?
- 26 What are the events available for server sent events?
- 27 What is the event loop?
- 28 What is the call stack?
- 29 What is the event queue?
- 30 What are tasks in event loop?
- 31 What is a microtask?
- 32 What are different event loops?
- 33 What is the purpose of queueMicrotask?
- 34 What is a microTask queue?
- 35 What is an event table?
- 36 What is heap?
- 37 Explain microtasks vs macrotasks with a real example.

- 38 How does the JavaScript event loop work?
- 39 What is minimum timeout throttling?
- 40 How do you implement zero timeout in modern browsers?
- 41 What is debouncing?
- 42 What is throttling?
- 43 What are debouncing and throttling? Write a debounce function.

ES6+ Modern JavaScript

- 1 What is ES6?
- 2 List down some of the features of ES6.
- 3 What's new in ECMAScript 2025 (ES2025)?
- 4 What is ECMAScript?
- 5 What are template literals?
- 6 What is a template literal in JavaScript?
- 7 What are template literals and when do you use them?
- 8 How do you write multi-line strings in template literals?
- 9 What are nesting templates?
- 10 What are tagged templates?
- 11 What are raw strings?
- 12 What are dynamic imports?
- 13 What are the use cases for dynamic imports?
- 14 What are typed arrays?
- 15 What are TypedArrays and when would you use them?
- 16 What are the advantages of module loaders?
- 17 What are modules?
- 18 Why do you need modules?
- 19 What are JavaScript modules, and how do you import/export them?
- 20 What is module scope in JavaScript?
- 21 What are ES modules? Explain default vs named exports.
- 22 What is for...of statement?
- 23 What are the differences between for...of and for...in statements?
- 24 What are the built-in iterables?
- 25 What is an Iterator?
- 26 How does synchronous iteration work?
- 27 What is an observable?
- 28 What are the differences between promises and observables?
- 29 What are the common use cases of observables?

- 30 What is RxJS?
- 31 What are the array mutation methods?
- 32 What is optional chaining?
- 33 What is nullish coalescing operator (??)?
- 34 What is globalThis, and what is the importance of it?
- 35 What is collation?
- 36 What is tree shaking?
- 37 What is the need of tree shaking?
- 38 What is a polyfill?
- 39 What is the difference between shim and polyfill?
- 40 What is Babel?
- 41 What is TypeScript?
- 42 What are the differences between JavaScript and TypeScript?
- 43 What are the advantages of TypeScript over JavaScript?
- 44 How do you use JavaScript libraries in TypeScript file?
- 45 What is Deno?
- 46 What is Node.js?
- 47 Is Node.js completely single threaded?
- 48 What is the MEAN stack?

DOM, BOM & Browser APIs

- 1 What is the DOM?
- 2 What are events?
- 3 What is an event flow?
- 4 What is event capturing?
- 5 What is event bubbling?
- 6 What are event bubbling, capturing, and delegation?
- 7 What is an event delegation?
- 8 What is event delegation and why does it matter?
- 9 Why is it important to remove event listeners after use?
- 10 What is BOM?
- 11 What is the difference between window and document?
- 12 What are the different methods to find HTML elements in DOM?
- 13 How many ways can an HTML element be accessed in JavaScript code?
- 14 What are the tools or techniques used for debugging JavaScript code?
- 15 What is a debugger statement?
- 16 Why do we use the word "debugger" in JavaScript?

- 17 What is the purpose of breakpoints in debugging?
- 18 How do you change the style of a HTML element?
- 19 How do you access history in JavaScript?
- 20 How do you detect caps lock key turned on or not?
- 21 What is the purpose of clearTimeout method?
- 22 What is the purpose of clearInterval method?
- 23 What is the use of setTimeout?
- 24 What is the use of setInterval?
- 25 Explain the working of timers in JavaScript and explain the drawbacks of using the timer, if any.
- 26 How do you redirect to a new page in JavaScript?
- 27 How do you get the current URL with JavaScript?
- 28 What are the various URL properties of location object?
- 29 How do you get query string values in JavaScript?
- 30 How do you decode or encode a URL in JavaScript?
- 31 How do you encode a URL?
- 32 How do you decode a URL?
- 33 How do you submit a form using JavaScript?
- 34 How to submit a form using JavaScript?
- 35 How do you perform form validation using JavaScript?
- 36 How do you perform form validation without JavaScript?
- 37 What are the DOM methods available for constraint validation?
- 38 What are the available constraint validation DOM properties?
- 39 What are the validity properties?
- 40 Give an example usage of the rangeOverflow property.
- 41 What is the use of preventDefault method?
- 42 What is the use of stopPropagation method?
- 43 What are the steps involved in return false usage?
- 44 How do you detect a browser language preference?
- 45 How do you detect a mobile browser?
- 46 How do you detect a mobile browser without regexp?
- 47 How do you detect if JavaScript is disabled on the page?
- 48 How to detect system dark mode in JavaScript?
- 49 How do you find operating system details?
- 50 Explain how to detect the operating system on the client machine?
- 51 What are the properties used to get size of window?
- 52 How do you get the image width and height using JS?
- 53 What is the purpose of requestAnimationFrame method?

- 54 What is the Intl object?
- 55 What are the properties of the Intl object?
- 56 How do you perform language specific date and time formatting?
- 57 What are the types of Pop up boxes available in JavaScript?

Web Storage, Cookies & Workers

- 1 What is web storage?
- 2 How do you access web storage?
- 3 What are the methods available on session storage?
- 4 What is a storage event and its event handler?
- 5 Why do you need web storage?
- 6 How do you check web storage browser support?
- 7 What is the main difference between localStorage and sessionStorage?
- 8 What are the differences between cookie, local storage and session storage?
- 9 What is the difference between localStorage, sessionStorage, and cookies?
- 10 What is a Cookie?
- 11 Why do you need a Cookie?
- 12 What are the options in a cookie?
- 13 How do you delete a cookie?
- 14 What is a post message?
- 15 Is PostMessage secure?
- 16 What are the problems with postMessage target origin as wildcard?
- 17 How do you avoid receiving postMessages from attackers?
- 18 Can I avoid using postMessages completely?
- 19 Is postMessages synchronous?
- 20 What is a service worker?
- 21 How do you manipulate DOM using a service worker?
- 22 How do you reuse information across service worker restarts?
- 23 How do you check web workers browser support?
- 24 Give an example of a web worker.
- 25 What are the restrictions of web workers on DOM?
- 26 What is IndexedDB?
- 27 What are PWAs?

Performance & Optimization

- 1 What is garbage collection in V8 (mark-and-sweep)?
- 2 What are the optimization techniques of V8 engine?
- 3 What are hidden classes?

- 4 What is inline caching?
- 5 What are "deopts" and what causes them?
- 6 What causes memory leaks in JS apps? How do you detect them?
- 7 What are the possible reasons for memory leaks?
- 8 What is the difference between reflow and repaint?
- 9 How do you prevent expensive reflows and repaints?
- 10 What is the purpose of double tilde (~~) operator?
- 11 What are the different ways to execute external scripts?
- 12 What is the role of deferred scripts in JavaScript?
- 13 What are some advantages of using External JavaScript?
- 14 Mention some advantages of JavaScript.
- 15 What are various operators supported by JavaScript?
- 16 What are the bitwise operators available in JavaScript?
- 17 Is JavaScript faster than server side script?

Regular Expressions, Errors & Miscellaneous

- 1 What is a Regular Expression?
- 2 What are the string methods that accept Regular expression?
- 3 What are modifiers in regular expression?
- 4 What are regular expression patterns?
- 5 What is a RegExp object?
- 6 How do you search a string for a pattern?
- 7 What is the purpose of exec method?
- 8 What is the difference between exec() and test() methods in JavaScript?
- 9 What is an error object?
- 10 When do you get a syntax error?
- 11 What are the different error names from error object?
- 12 What are the various statements in error handling?
- 13 How do you handle errors in JavaScript? Explain try/catch/finally and custom errors.
- 14 What is the purpose of Error object?
- 15 What is the purpose of EvalError object?
- 16 What is same-origin policy?
- 17 What is AJAX?
- 18 What are the different ways to deal with Asynchronous Code?
- 19 How to cancel a fetch request?
- 20 What is web speech API?
- 21 What is jQuery?

- 22 What is V8 JavaScript engine?
- 23 What paradigm is JavaScript?
- 24 What is the difference between internal and external JavaScript?
- 25 What is the difference between native, host and user objects?
- 26 What is the difference between document load and DOMContentLoaded events?
- 27 Is JavaScript a compiled or interpreted language?
- 28 Is JavaScript a case-sensitive language?
- 29 Is there any relation between Java and JavaScript?
- 30 Who created JavaScript?
- 31 What are the two types of loops in JavaScript?
- 32 What is the purpose of switch-case?
- 33 What are the conventions to be followed for the usage of switch case?
- 34 What are break and continue statements?
- 35 What are JS labels?
- 36 What are the benefits of keeping declarations at the top?
- 37 What are the benefits of initializing variables?
- 38 What are the recommendations to create new objects?
- 39 What is an app shell model?
- 40 How would you design a concurrency limiter for async tasks?
- 41 What is the distinction between client-side and server-side JavaScript?
- 42 What is the difference between ViewState and SessionState?

Strings, Arrays & Date Utilities

- 1 What is the purpose of the array slice method?
- 2 What is the purpose of the array splice method?
- 3 What is the difference between slice and splice?
- 4 What is the purpose of some method in arrays?
- 5 How do you combine two or more arrays?
- 6 How do you check whether or not an array includes a particular value?
- 7 How do you compare scalar arrays?
- 8 How do you empty an array?
- 9 How do you get unique values of an array?
- 10 How do you remove falsy values from an array?
- 11 How do you map the array values without using map method?
- 12 How do you flatten multi dimensional arrays?
- 13 What is the easiest way to resize an array?
- 14 How do you create an array with some data?

- 15 How do you sort elements in an array?
- 16 What is the purpose of compareFunction while sorting arrays?
- 17 How do you reverse an array?
- 18 How do you reverse an array without modifying the original array?
- 19 How do you find the min and max values in an array?
- 20 How do you find the min and max values without Math functions?
- 21 What are the array mutation methods?
- 22 How do you create polyfills for map, filter and reduce methods?
- 23 What is the difference between map and forEach functions?
- 24 What is the difference between map() and forEach()?
- 25 What is the difference between dense and sparse arrays?
- 26 What are the different ways to create sparse arrays?
- 27 What is the purpose of some method in arrays?
- 28 What is ArrayBuffer?
- 29 What are typed arrays?
- 30 How do you trim a string in JavaScript?
- 31 How do you trim a string at the beginning or ending?
- 32 How do you make the first letter of the string in uppercase?
- 33 How to convert a string to title case with JavaScript?
- 34 How do you check whether a string contains a substring?
- 35 How do you check if a string starts with another string?
- 36 How do you validate an email in JavaScript?
- 37 How do you define multiline strings?
- 38 How do you create specific number of copies of a string?
- 39 How do you return all matching strings against a regular expression?
- 40 What is the difference between substring and substr methods?
- 41 Which method is used to retrieve a character from a certain index?
- 42 How to remove all line breaks from a string?
- 43 How do you display the current date in JavaScript?
- 44 How do you compare two date objects?
- 45 How do you convert date to another timezone in JavaScript?
- 46 How do you get the timezone offset of a date object?
- 47 How do you generate random integers?
- 48 Can you write a random integers function to print integers within a range?
- 49 How do you round numbers to certain decimals?
- 50 How do you print numbers with commas as thousand separators?
- 51 What is the easiest way to convert an array to an object?

- 52 How do you add a key value pair in JavaScript?
- 53 How do you assign default values to variables?
- 54 Is the !-- notation a special operator?

Console, Debugging & Utility

- 1 What are the placeholders from console object?
- 2 Is it possible to add CSS to console messages?
- 3 How do you style the console output using CSS?
- 4 What is the purpose of dir method of console object?
- 5 Is it possible to debug HTML elements in console?
- 6 How do you display data in a tabular format using console object?
- 7 How do you group and nest console output?
- 8 What is the shortcut to get a timestamp?
- 9 What is the easiest multi condition checking?
- 10 How do you capture the browser back button?
- 11 How do you disable right click in the web page?
- 12 How do you get the status of a checkbox?
- 13 How do you create a copy to clipboard button?
- 14 How do you load CSS and JS files dynamically?
- 15 How do you verify that an argument is a Number or not?
- 16 How do you create a custom HTML element?
- 17 What is the purpose of JSON.stringify?
- 18 How do you parse a JSON string?
- 19 What is JSON and its common operations?
- 20 What is JSON?
- 21 What are the syntax rules of JSON?
- 22 Why do you need JSON?
- 23 How do you define JSON arrays?
- 24 What are enums available in JavaScript?
- 25 What is an enum?
- 26 What is an empty statement and purpose of it?
- 27 How do you get the metadata of a module?
- 28 What is the purpose of uneval?
- 29 What is the difference between uneval and eval?
- 30 Can I use reserved words as identifiers?
- 31 Does JavaScript support namespaces?
- 32 How do you declare a namespace?

33 How do you invoke JavaScript code in an iframe from the parent page?

Deep Copy, Proxy, Reflection & Advanced APIs

- 1 What is the difference between Shallow and Deep copy?
- 2 What is structuredClone and how is it used for deep copying objects?
- 3 How does structured clone differ from JSON serialization?
- 4 What is pass by value and pass by reference?
- 5 Explain passed by value and passed by reference.
- 6 What are the real world use cases of proxy?
- 7 What is a decorator?
- 8 Give an example of statements affected by automatic semicolon insertion.
- 9 Does JavaScript use mixins?
- 10 Give a mixin example using Object composition.
- 11 What are the benefits of mixins?
- 12 What is obfuscation in JavaScript?
- 13 Why do you need Obfuscation?
- 14 What is Minification?
- 15 What are the advantages of minification?
- 16 What are the differences between obfuscation and Encryption?
- 17 What are the common tools used for minification?
- 18 What is the purpose of queueMicrotask?
- 19 How do you make an object iterable in JavaScript?
- 20 What is the purpose of the delete operator?
- 21 How to delete property-specific values?
- 22 What is a conditional operator in JavaScript?
- 23 Can you apply chaining on conditional operator?
- 24 What are the ways to execute JavaScript after a page load?
- 25 Can you give an example of when you really need a semicolon?
- 26 What is the difference between a parameter and an argument?
- 27 Explain how to read and write a file using JavaScript?
- 28 What is the purpose of the following JavaScript code? (var scope = "global scope" with nested function returning lexical scope)
- 29 Write a JavaScript code for adding new elements dynamically.
- 30 What will be logged by this code? `for (let i = 0; i < 3; i++) { setTimeout(() => console.log(i), i * 100); }`
- 31 What's the return-value difference between `x++` and `++x`?
- 32 Is it possible to break JavaScript code into several lines?

Part 2 — Coding / Output-Based Questions

- 1 What is the output of below code? (`new Vehicle("Honda", "white", "2010", "UK")`)
- 2 What is the output of below code? (`let x = (y = 0); x++; y++`)
- 3 What is the output of below code? (`main()` with `setTimeout` and two `console.log`)
- 4 What is the output of the equality check? (`console.log(0.1 + 0.2 === 0.3)`)
- 5 What is the output of below code? (`var y = 1; if (function f() {}) { y += typeof f; }`)
- 6 What is the output of below code? (`function foo() { return; { message: "Hello World" } }`)
- 7 What is the output of below code? (`delete myChars[0]` on array)
- 8 What is the output of below code in latest Chrome? (`new Array(3)`, sparse arrays)
- 9 What is the output of below code? (object with `prop2()` and `["prop" + 3]()` methods)
- 10 What is the output of below code? (`console.log(1 < 2 < 3); console.log(3 > 2 > 1)`)
- 11 What is the output of below code in non-strict mode? (`function printNumbers(first, second, first)`)
- 12 What is the output of below code? (`const printNumbersArrow = (first, second, first) => {}`)
- 13 What is the output of below code? (`const arrowFunc = () => arguments.length`)
- 14 What is the output of below code? (`String.prototype.trimLeft.name === "trimStart"`)
- 15 What is the output of below code? (`console.log(Math.max())`)
- 16 What is the output of below code? (`console.log(10 == [10]); console.log(10 == [[[[[[[10]]]]]])`)
- 17 What is the output of below code? (`console.log(10 + "10"); console.log(10 - "10")`)
- 18 What is the output of below code? (`console.log([0] == false); if ([0]) {...}`)
- 19 What is the output of below code? (`console.log([1, 2] + [3, 4])`)
- 20 What is the output of below code? (`new Set([1,1,2,3,4])` and `new Set("Firefox")`)
- 21 What is the output of below code? (`console.log(NaN === NaN)`)
- 22 What is the output of below code? (`numbers.indexOf(NaN)`)
- 23 What is the output of below code? (`let [a, ...b, c] = [1, 2, 3, 4, 5]`)
- 24 What is the output of below code? (`const arr = [1, 2, 3]; arr[10] = 99; console.log(arr.length)`)
- 25 What is the output of below code? (`let x = 0; console.log(x++); console.log(++x)`)
- 26 What is the output of below code? (`const a = [1,2,3]; const b = [1,2,3]; console.log(a == b, a === b)`)
- 27 What is the output of below code? (`async function func() { return 10; }`)
- 28 What is the output of below code? (`async function func() { await 10; }`)
- 29 What is the output of below code? (`processArray` using `forEach` with `await`)
- 30 What is the output of below code? (`process` using `async forEach` with `"Process completed!"`)
- 31 What is the output of below code? (`new Set().add("+0").add("-0").add(NaN).add(undefined).add(NaN)`)
- 32 What is the output of below code? (`Symbol("one") === Symbol("one")` and `Symbol.for("two") === Symbol.for("two")`)
- 33 What is the output of below code? (`const sym1 = new Symbol("one")`)
- 34 What is the output of below code? (`!typeof myNumber === "string"`)
- 35 What is the output of below code? (`JSON.stringify` with `undefined`, `functions`, and `Symbols`)

- 36 What is the output of below code? (new.target.name in class inheritance)
- 37 What is the output of below code? (const [x, ...y, z] = [1, 2, 3, 4])
- 38 What is the output of below code? (const { a: x = 10, b: y = 20 } = { a: 30 })
- 39 What is the output of below code? (function area({ length = 10, width = 20 }) called without args)
- 40 What is the output of below code? (nested destructuring [, , { name }] = props)
- 41 What is the output of below code? (checkType(num = 1) called with undefined, "", null)
- 42 What is the output of below code? (function add(item, items = []) called twice)
- 43 What is the output of below code? (greet("Hello", "John") with message = greeting + " " + name default)
- 44 What is the output of below code? (function outer(f = inner()) where inner is declared inside)
- 45 What is the output of below code? (function myFun(x, y, ...manyMoreArgs))
- 46 What is the output of below code? (const obj = { key: "value" }; const array = [...obj])
- 47 What is the output of below code? (var myGenObj = new myGenFunc())
- 48 What is the output of below code? (generator with yield 1; return 2; yield 3)
- 49 What is the output of below code? (generator with for...of and break, reused)
- 50 What is the output of below code? (const num = 0o38)
- 51 What is the output of below code? (new Square(10) used before class declaration)
- 52 What is the output of below code? (walk and run called without object context)
- 53 What is the output of below code? (Car extends Vehicle where Car.start() calls super.start())
- 54 What is the output of below code? (const USER = { age: 30 }; USER.age = 25)
- 55 What is the output of below code? (console.log("😊" === "😊"))
- 56 What is the output of below code? (console.log(typeof typeof typeof true))
- 57 What is the output of below code? (let zero = new Number(0); if (zero) {...})
- 58 What is the output of below code in non-strict mode? (msg.name = "John" on a string primitive)
- 59 What is the output of below code? (closure with outer let count = 10 and inner let count = 11)
- 60 What is the output of below code? (true && 'hi', true && 'hi' && 1, true && " && 0)
- 61 What is the output of below code? (let arr = [1,2,3]; let str = "1,2,3"; console.log(arr === str))
- 62 What is the output of below code? (getMessage() called before arrow function assignment)
- 63 What is the output of below code? (quickPromise.then(...) vs console.log("program finished"))
- 64 What is the output of below code? (console.log("First line") chained with array forEach and "Third line")
- 65 Write a function that returns a random HEX color.
- 66 What is the output of below code? (var of = ["of"]; for (var of of of) {...})
- 67 What is the output of below code? ([11, 25, 31, 23, 33, 18, 200].sort())
- 68 What is the output order of below code? (setTimeout, Promise.resolve, console.log("3"))
- 69 What is the output of below code? (console.log(name) before IIFE (function message() {}))
- 70 What is the output of below code? (message() with two same-name function declarations)
- 71 What is the output of below code? (changeCurrentCity function with var hoisting)

- 72 What is the output of below code in order? (nested second(), first(), global message)
- 73 What is the output of below code? (var expressionOne = function functionOne() {}; functionOne())
- 74 What is the output of below code? (user.eat() with inner eatFruit using regular function and this)
- 75 What is the output of below code? (string immutability — message[0] = "J" vs string reassignment)
- 76 What is the output of below code? (user1 === user2 with two identical objects)
- 77 What is the output of below code? (setTimeout closure capturing const message declared after it)
- 78 What is the output of below code? (const a = new Number(10); const b = 10; console.log(a === b))
- 79 What is the type of below function? (function add(a, b) { console.log(...); return a + b; })
- 80 What is the output of below code? (Promise.all with one resolve and one reject)
- 81 What is the output of below code? (try { setTimeout(() => { throw new Error(...) }) } catch(err) {})
- 82 What is the output of below code? (let a = 10; if (true) { let a = 20; ... })
- 83 What is the output of below code? (arr.length = 0 on a non-empty array)
- 84 How do you verify two strings are anagrams or not?
- 85 What is the output of below code? (printHello() and printMessage() with nested function hoisting)
- 86 What is the time taken to execute below timeout callback? (setTimeout with 5s delay inside a 10s while loop)
- 87 What is the output of below code? (["wöchentlich", "Woche", "wäre", "Wann"].sort())
- 88 What is the output of below code? (func(undefined) vs func() with default param + arguments.length)
- 89 What is the output of below code? (numbers.reduce counting odd values + IIFE using XOR bit shifting)
- 90 What will be the result of this expression? (null ?? 'default', undefined ?? 'default', false ?? 'default')
- 91 What would be the result of 3 + 2 + "7"?
- 92 What would be the result of 1 + 2 + '3'?