

Azure AKS Infrastructure Cost Estimation

Generated: March 17, 2026
Instance Type: Standard_D4s_v5 (4 vCPU, 16GB RAM)
Region: East US
Currency: USD
Use Case: 3-Day Event Setup

Executive Summary

This document provides detailed cost estimates for a 3-day event using Azure Kubernetes Service (AKS). The setup is optimized for cost-efficiency with Standard SSD disks, Basic container registry, and a single event environment.

Cost Overview

Configuration	3-Day Cost	Monthly Cost
Base (7 nodes)	\$145.73	\$1,457.20
Average (11 nodes)	\$212.77	\$2,127.60
Peak (15 nodes)	\$279.81	\$2,798.00

Hourly Rates

Configuration	Cost per Hour
Base (7 nodes)	\$2.02/hr
Average (11 nodes)	\$2.95/hr
Peak (15 nodes)	\$3.88/hr

Event-Optimized Configuration:

- Duration: 3 days (72 hours)
- Standard SSD disks (cost-effective)
- Basic ACR tier (single registry, no geo-replication)
- Single environment (no dev/prod separation)
- Recommended budget: **\$300** (covers peak with buffer)

1. Cost Breakdown by Component

1.1 AKS Cluster Management

Component	SKU/Tier	Monthly Cost	3-Day Cost	Notes
-----------	----------	--------------	------------	-------

Component	SKU/Tier	Monthly Cost	3-Day Cost	Notes
AKS Control Plane	Standard	\$73.00	\$7.30	99.5% uptime SLA

Cost Calculation:

- 3-Day Cost = (Monthly Cost / 30 days) × 3 days
- \$73.00 / 30 × 3 = **\$7.30**

Notes:

- Standard tier provides 99.5% uptime SLA
- Sufficient for event workloads
- Free tier available but no SLA guarantee

1.2 Compute Resources (Virtual Machines)

VM Specifications: Standard_D4s_v5

- vCPUs: 4
- RAM: 16 GB
- Temporary Storage: 150 GB SSD
- Monthly Cost: \$158.00 per VM
- Hourly Cost: \$0.219 per VM**
- 3-Day Cost: \$15.77 per VM**

Event Configuration

Node Pool	VM Size	Nodes	Hourly Cost	Monthly Cost	3-Day Cost
System Pool	Standard_D4s_v5	3	\$0.657/hr	\$474.00	\$47.40
Frontend Pool	Standard_D4s_v5	2	\$0.438/hr	\$316.00	\$31.60
Backend Pool	Standard_D4s_v5	2	\$0.438/hr	\$316.00	\$31.60
Total (Base - 7 nodes)		7	\$1.533/hr	\$1,106.00	\$110.60
Total (Average - 11 nodes)		11	\$2.409/hr	\$1,738.00	\$173.80
Total (Peak - 15 nodes)		15	\$3.285/hr	\$2,370.00	\$237.00

3-Day Event Calculation:

- Base (7 nodes): \$1,106.00 / 30 × 3 = **\$110.60**
- Average (11 nodes): \$1,738.00 / 30 × 3 = **\$173.80**
- Peak (15 nodes): \$2,370.00 / 30 × 3 = **\$237.00**

Autoscaling Configuration:

- System Pool:** Min: 3, Max: 5

- **Frontend Pool:** Min: 2, Max: 8
- **Backend Pool:** Min: 2, Max: 7
- **Peak Capacity:** 20 nodes maximum

1.3 Storage Costs

OS Disks (Standard SSD)

Component	Type	Size	Monthly Cost	3-Day Cost	Quantity	Total (Monthly)	Total (3-Day)
OS Disk (per node)	E10 Standard SSD	128 GB	\$9.60	\$0.96	Based on nodes	Variable	Variable

Cost by Configuration:

Scenario	Nodes	Monthly Cost	3-Day Cost
Base	7	\$67.20	\$6.72
Average	11	\$105.60	\$10.56
Peak	15	\$144.00	\$14.40

Cost Comparison: Standard SSD vs Premium SSD

Disk Type	Size	Monthly Cost/Disk	3-Day Cost/Disk	Savings
Premium SSD (P10)	128 GB	\$19.71	\$1.97	-
Standard SSD (E10)	128 GB	\$9.60	\$0.96	51%

Benefits of Standard SSD:

- 51% cost savings vs Premium SSD
- Sufficient IOPS (500) for most workloads
- Good for event workloads without extreme I/O requirements
- ~\$10/month per disk savings

Additional Storage (Optional)

Component	Type	Monthly Cost	3-Day Cost	Notes
Persistent Volume Claims	Standard SSD	\$9.60/100GB	\$0.96/100GB	As needed
Container Image Storage	Included in ACR	\$0.00	\$0.00	Up to 10 GB

1.4 Networking Costs

Component	Type	Monthly Cost	3-Day Cost	Notes
Load Balancer (Standard)	Standard	\$18.75	\$1.88	Required for AKS
Load Balancer Rules	Rule processing	\$8.00	\$0.80	10 rules
Public IP Address	Static	\$3.65	\$0.37	1 IP
Outbound Data Transfer	First 5 GB free	\$0.00	\$0.00	3-day event <5GB
Total		\$30.40	\$3.05	

3-Day Event Data Transfer Estimate:

- Estimated traffic: 2-4 GB for 3-day event
- First 5 GB/month: **Free**
- No additional data transfer charges expected

1.5 Container Registry (ACR)

Component	SKU	Storage	Monthly Cost	3-Day Cost	Notes
Registry	Basic	10 GB included	\$15.00	\$1.50	Cost-effective
Additional Storage	Over 10 GB	\$0.033/GB-day	-	-	Unlikely for events
Total			\$15.00	\$1.50	

Basic Tier Features:

- 10 GB storage included (sufficient for most events)
- Unlimited image pulls
- Webhooks for CI/CD
- Geo-replication: Not included (not needed for short events)
- Vulnerability scanning: Not included

Cost Comparison:

Tier	Monthly Cost	3-Day Cost	Storage	Geo-Replication	Best For
Basic	\$15.00	\$1.50	10 GB	No	Events/Dev
Standard	\$60.00	\$6.00	100 GB	No	Regular workloads
Premium	\$168.00	\$16.80	500 GB	Yes	Enterprise production

Savings: \$321/month (95% reduction from Premium with geo-replication)

1.6 Monitoring & Logging

Component	Service	Monthly Cost	3-Day Cost	Ingestion	Notes
-----------	---------	--------------	------------	-----------	-------

Component	Service	Monthly Cost	3-Day Cost	Ingestion	Notes
Log Analytics Workspace	Per GB	\$165.60	\$16.56	2 GB/day	Event monitoring
Data Retention (30 days)	First 31 days	\$0.00	\$0.00	Included	Free retention
Container Insights	Data collection	Included	Included	Included	Built-in
Total		\$165.60	\$16.56		

3-Day Event Log Estimates:

- Total logs for 3 days: ~6 GB
- Average: 2 GB/day
- Cost per GB: \$2.76
- Monthly equivalent: 2 GB/day × 30 days = 60 GB = \$165.60
- **3-Day cost: 6 GB × \$2.76 = \$16.56**

Log Volume Breakdown:

- Cluster metrics: ~0.5 GB/day
- Container logs: ~1 GB/day
- Application logs: ~0.5 GB/day
- Total: ~2 GB/day (reduced for event scenario)

1.7 Additional Resources

Component	Type	Monthly Cost	3-Day Cost	Notes
Virtual Network	Free	\$0.00	\$0.00	No charge
Subnets	Free	\$0.00	\$0.00	No charge
Managed Identity	Free	\$0.00	\$0.00	No charge
Network Security Groups	Free	\$0.00	\$0.00	No charge
Application Gateway	Not used	\$0.00	\$0.00	Not needed for event

2. Total Cost Estimates

2.1 Three-Day Event Costs

Component	Base (7 nodes)	Average (11 nodes)	Peak (15 nodes)
AKS Control Plane	\$7.30	\$7.30	\$7.30
Compute (VMs)	\$110.60	\$173.80	\$237.00

Component	Base (7 nodes)	Average (11 nodes)	Peak (15 nodes)
Storage (Standard SSD)	\$6.72	\$10.56	\$14.40
Networking	\$3.05	\$3.05	\$3.05
Container Registry (Basic)	\$1.50	\$1.50	\$1.50
Monitoring	\$16.56	\$16.56	\$16.56
3-Day Total	\$145.73	\$212.77	\$279.81

2.2 Monthly Cost Projection (if sustained)

Component	Base (7 nodes)	Average (11 nodes)	Peak (15 nodes)
AKS Control Plane	\$73.00	\$73.00	\$73.00
Compute (VMs)	\$1,106.00	\$1,738.00	\$2,370.00
Storage (Standard SSD)	\$67.20	\$105.60	\$144.00
Networking	\$30.40	\$30.40	\$30.40
Container Registry (Basic)	\$15.00	\$15.00	\$15.00
Monitoring	\$165.60	\$165.60	\$165.60
Monthly Total	\$1,457.20	\$2,127.60	\$2,798.00

2.3 Hourly Cost Breakdown

Component	Base (7 nodes)	Average (11 nodes)	Peak (15 nodes)
Compute	\$1.533/hr	\$2.409/hr	\$3.285/hr
Storage	\$0.093/hr	\$0.146/hr	\$0.200/hr
Networking	\$0.042/hr	\$0.042/hr	\$0.042/hr
Other	\$0.354/hr	\$0.354/hr	\$0.354/hr
Total per Hour	\$2.022/hr	\$2.951/hr	\$3.881/hr

72-Hour Event Calculation:

- Base: $\$2.022/\text{hr} \times 72 \text{ hours} = \text{\$145.58}$
- Average: $\$2.951/\text{hr} \times 72 \text{ hours} = \text{\$212.47}$
- Peak: $\$3.881/\text{hr} \times 72 \text{ hours} = \text{\$279.43}$

3. Cost Optimization Strategies Implemented

3.1 Standard SSD vs Premium SSD

Decision: Standard SSD ✓

Metric	Standard SSD	Premium SSD	Savings
Cost per disk	\$9.60/month	\$19.71/month	51%
IOPS	500	500	Same
Throughput	60 MB/s	100 MB/s	Sufficient for event
Monthly savings (7 nodes)			\$70.77
3-Day savings (7 nodes)			\$7.07

3.2 Container Registry Tier Selection

Decision: Basic Tier ✓

Feature	Basic	Premium (with geo-rep)	Savings
Monthly Cost	\$15.00	\$336.00	\$321.00
3-Day Cost	\$1.50	\$33.60	\$32.10
Storage	10 GB	1000 GB	Sufficient
Geo-Replication	No	Yes	Not needed for event

Result: 95% cost reduction on ACR

3.3 Single Environment Setup

Decision: One environment instead of separate dev/prod ✓

Aspect	Dual Environment	Single Event	Savings
AKS Control Planes	2×	1×	\$73-292/month
Node Pools	Duplicated	Consolidated	~50%
ACR Registries	2×	1×	\$15-336/month
Monitoring	2×	1×	\$165/month

Result: ~50% overall infrastructure savings

3.4 Event-Optimized Scaling

Strategy: Right-sized for 3-day duration

- No reserved instances (short duration doesn't justify commitment)
- Autoscaling configured for event traffic patterns
- Monitoring reduced to essential metrics only
- No unnecessary redundancy (appropriate for short-term event)

3.5 Cost Savings Summary

Optimization	Monthly Savings	3-Day Savings	Impact
Standard SSD vs Premium	\$70.77	\$7.07	51% on storage
Basic ACR vs Premium	\$321.00	\$32.10	95% on registry
Single environment	~\$1,200	~\$120	~50% overall
Event-optimized config	\$300+	\$30+	15-20%
Total Optimizations	~\$1,891	~\$189	56% reduction

Before Optimization: ~\$5,200/month for dual premium setup

After Optimization: ~\$2,128/month for event-optimized setup

Net Savings: 59%

4. Event Scenario Breakdown

4.1 3-Day Event Timeline

Time Period	Node Count	Hourly Cost	Period Cost	Use Case
Pre-Event (4 hours)	7 (base)	\$2.022	\$8.09	Setup & testing
Day 1 (24 hours)	11 (average)	\$2.951	\$70.82	Ramp-up traffic
Day 2 (24 hours)	15 (peak)	\$3.881	\$93.14	Peak traffic
Day 3 (20 hours)	11 (average)	\$2.951	\$59.02	Wind-down
Post-Event (4 hours)	7 (base)	\$2.022	\$8.09	Cleanup
Total (76 hours)			\$239.16	Full event

4.2 Traffic Pattern Scenarios

Scenario	Description	Nodes	3-Day Cost	Monthly Equivalent
Conservative	Low traffic, minimal scaling	7-9	\$145-170	\$1,457-1,700
Expected	Normal event traffic	7-15	\$213	\$2,128
Aggressive	High traffic, frequent scaling	10-20	\$300	\$3,000
Maximum	Sustained peak load	15-20	\$350	\$3,500

4.3 Cost by Event Phase

Setup Phase (Day 0):

- Duration: 4-8 hours
- Nodes: 7 (base)
- Cost: \$8-16
- Activities: Deployment, testing, warm-up

Active Event (Days 1-3):

- Duration: 68 hours
- Nodes: 7-15 (dynamic)
- Cost: \$197-264
- Activities: Serving traffic, monitoring, scaling

Teardown (Day 4):

- Duration: 4 hours
- Nodes: 7 (base)
- Cost: \$8
- Activities: Backup, cleanup, resource deallocation

Total Event Cycle: \$213-288 (includes full lifecycle)

5. Cost Monitoring & Alerts

5.1 Recommended Budget for 3-Day Event

Alert Level	Threshold	Amount	Action
Warning	75% of budget	\$225	Review scaling
Critical	100% of budget	\$300	Investigate anomalies
Emergency	150% of budget	\$450	Immediate review

Recommended Budget: \$300 (covers up to peak scenario with buffer)

5.2 Real-Time Cost Monitoring

Key Metrics to Watch:

Metric	Normal Range	Alert Threshold	Frequency
Active nodes	7-15	> 18 nodes	Every 15 min
Hourly cost	\$2-4/hr	> \$5/hr	Continuous
Data egress	<2 GB/day	>5 GB/day	Hourly
Log ingestion	<2 GB/day	>3 GB/day	Every 6 hours

5.3 Resource Tags for Cost Tracking

```
tags = {
  Environment = "Event"
  EventName   = "3-Day-Launch"
  CostCenter  = "Marketing"
  Owner       = "Event-Team"
  Duration    = "Temporary"
```

```
AutoShutdown = "Enabled"
}
```

5.4 Post-Event Cost Verification Checklist

- ☐ Verify all temporary resources deleted
- ☐ Confirm node pools scaled down or deleted
- ☐ Review final cost report in Azure Cost Management
- ☐ Export cost data for event ROI analysis
- ☐ Document actual vs. estimated costs
- ☐ Archive logs before workspace cleanup

6. Additional Optimization Options

6.1 Spot Virtual Machines (High Risk for Events)

Not Recommended for Critical Events ⚠

Configuration	Standard Cost	Spot Cost	Savings	Risk Level
Event workload	\$158.00/node	~\$31.60/node	80%	HIGH

Why Not Recommended:

- Spot VMs can be evicted with 30 seconds notice
- Unpredictable availability during events
- Could cause service disruptions at critical moments
- Better suited for batch jobs or dev environments

Exception: Could use Spot VMs for non-critical backend processing

6.2 Alternative VM Sizes

VM Size	vCPU	RAM	Monthly Cost	3-Day Cost	Use Case
Standard_D2s_v5	2	8 GB	\$79.00	\$7.90	Light workloads
Standard_D4s_v5	4	16 GB	\$158.00	\$15.80	Balanced (current)
Standard_F4s_v2	4	8 GB	\$142.00	\$14.20	CPU-optimized
Standard_D8s_v5	8	32 GB	\$316.00	\$31.60	Memory-intensive

Standard_F4s_v2 Alternative:

- 10% cheaper (\$16/node/month savings)
- Better CPU performance
- Half the RAM (8 GB vs 16 GB)
- Good for CPU-bound, memory-light workloads

Potential 3-Day Savings with F4s_v2: ~\$11 (for 7 nodes)

6.3 Infrastructure as Code Benefits

Current Setup (Terraform):

- ✓ Rapid deployment (< 1 hour)
- ✓ Consistent configuration
- ✓ Easy teardown after event
- ✓ Version controlled infrastructure
- ✓ Reusable for future events

Cost Benefits:

- No manual configuration errors
- Faster time-to-ready (saves operational costs)
- Easy to replicate for multiple events
- Automated cleanup prevents forgotten resources

7. Multiple Event Scenarios

7.1 Single vs Multiple Events

Frequency	Cost per Event	Monthly Total
One-time event	\$213	\$213 (once)
2 events/month	\$213 each	\$426
4 events/month	\$213 each	\$852
Weekly events	\$213 each	\$852-1,065

Note: Based on average configuration (11 nodes) per event

7.2 Event-Based vs Always-On

Approach	3-Day Cost	Monthly Cost	Best For
Event-Based (Current)	\$213	\$0 (when idle)	Infrequent events
Always-On (7 nodes)	Included	\$1,457	Daily usage
Always-On (11 nodes)	Included	\$2,128	Continuous usage
Always-On (15 nodes)	Included	\$2,798	High traffic

Break-Even Point:

- Event-based is cheaper for **<7 events per month**
- For weekly+ events, consider always-on infrastructure
- Current setup optimized for occasional events

8. Pre-Event Checklist & Recommendations

8.1 Before Event Deployment

Cost Preparation:

- ☐ Set Azure budget alert for \$300
- ☐ Enable cost anomaly detection
- ☐ Configure resource tags for event tracking
- ☐ Review and approve cost estimate with stakeholders
- ☐ Set up billing notifications to event team

Infrastructure Preparation:

- ☐ Test Terraform deployment in test subscription
- ☐ Validate autoscaling policies
- ☐ Configure monitoring dashboards
- ☐ Test application deployment process
- ☐ Prepare rollback procedures

Cost Optimization:

- ☐ Confirm Standard SSD disk selection
- ☐ Verify Basic ACR tier configuration
- ☐ Review node pool sizes (7-15 nodes)
- ☐ Set up automated shutdown post-event
- ☐ Document cleanup procedures

8.2 During Event

Monitoring:

- ☐ Track real-time costs in Azure Cost Management
- ☐ Monitor node scaling patterns
- ☐ Watch for cost anomalies (>\$5/hour)
- ☐ Check log ingestion rates
- ☐ Verify autoscaling is working correctly

Cost Controls:

- ☐ Alert on unexpected node scale-up
- ☐ Monitor data egress costs
- ☐ Track storage consumption
- ☐ Review application performance metrics

8.3 After Event

Immediate (Within 4 hours):

- ☐ Scale down node pools to minimum
- ☐ Export logs and metrics for analysis

- ☐ Backup critical data
- ☐ Stop unnecessary services

Within 24 hours:

- ☐ Delete temporary resources
- ☐ Remove unused persistent volumes
- ☐ Clean up container images
- ☐ Verify all resources stopped/deleted

Within 1 week:

- ☐ Generate final cost report
- ☐ Compare actual vs. estimated costs
- ☐ Document lessons learned
- ☐ Archive event data
- ☐ Update cost model for future events

9. Cost Reference Guide

9.1 Quick Cost Summary

Scenario	3-Day Cost	Monthly Cost	Hourly Cost
Minimum (7 nodes)	\$145.73	\$1,457.20	\$2.02/hr
Recommended (11 nodes)	\$212.77	\$2,127.60	\$2.95/hr
Peak (15 nodes)	\$279.81	\$2,798.00	\$3.88/hr

9.2 Component Costs

Component	Per Unit/Month	3-Day Cost
Standard_D4s_v5 VM	\$158.00	\$15.80
Standard SSD (128GB)	\$9.60	\$0.96
AKS Control Plane	\$73.00	\$7.30
Basic ACR	\$15.00	\$1.50
Load Balancer	\$30.40	\$3.05
Monitoring (2GB/day)	\$165.60	\$16.56

9.3 Per-Node Cost

Item	Monthly	3-Day
VM (Standard_D4s_v5)	\$158.00	\$15.80
OS Disk (Standard SSD)	\$9.60	\$0.96

Item	Monthly	3-Day
Total per Node	\$167.60	\$16.76

9.4 Savings Achieved

Optimization	Savings	Status
Standard SSD vs Premium	51% on storage	✓
Basic ACR vs Premium	95% on registry	✓
Single environment	~50% overall	✓
Event-based (vs always-on)	Only pay when used	✓

10. Appendix

10.1 Pricing Assumptions

- **Pricing Date:** March 2026
- **Region:** East US
- **Currency:** USD
- **Pricing Model:** Pay-as-you-go
- **Event Duration:** 72 hours (3 days)
- **Operating System:** Linux (Ubuntu)

10.2 Calculation Methodology

3-Day Cost Formula:

$$\text{3-Day Cost} = (\text{Monthly Cost} \div 30 \text{ days}) \times 3 \text{ days}$$

Hourly Cost Formula:

$$\text{Hourly Cost} = \text{Monthly Cost} \div 730 \text{ hours}$$

Total Event Cost:

$$\text{Total} = (\text{Compute} + \text{Storage} + \text{Networking} + \text{ACR} + \text{Monitoring} + \text{Control Plane}) \times (3/30)$$

10.3 Important Disclaimers

1. **Price Variability:** Azure prices may change; verify current pricing before deployment

2. **Data Transfer:** Actual costs depend on usage patterns; estimate assumes <5 GB (free tier)
3. **Event Duration:** Costs calculated for 72 hours; actual may vary based on setup/teardown time
4. **Autoscaling:** Actual node count depends on workload; estimates use average scenarios
5. **Regional Differences:** East US pricing; other regions may differ by 5-15%
6. **Hidden Costs:** Does not include: DNS, application-specific resources, third-party services

10.4 Cost Monitoring Tools

Built-in Azure Tools:

- **Azure Cost Management** - Real-time cost tracking
- **Azure Advisor** - Cost optimization recommendations
- **Azure Monitor** - Resource usage metrics
- **Azure Pricing Calculator** - Pre-deployment estimates

Kubernetes Tools:

- **kubecttl top** - Node/pod resource usage
- **Kubecost** - Kubernetes-specific cost allocation
- **Prometheus + Grafana** - Custom cost dashboards

10.5 Additional Resources

Azure Documentation:

- [AKS Pricing](#)
- [VM Pricing](#)
- [Storage Pricing](#)
- [ACR Pricing](#)
- [Monitor Pricing](#)

Cost Management:

- [Azure Cost Management Best Practices](#)
- [Azure Pricing Calculator](#)
- [Azure TCO Calculator](#)

10.6 Terraform Configuration for Events

Recommended terraform.tfvars for 3-day event:

```
# Event Configuration
environment          = "event"
cluster_name         = "aks-event-cluster"
resource_group_name  = "aks-event-rg"

# Cost Optimization
sku_tier              = "Standard" # vs Premium
system_node_vm_size  = "Standard_D4s_v5"
create_acr            = true
acr_sku              = "Basic"     # vs Premium
```

```
acr_geo_replication_location = null          # Disabled

# Node Pools - Event Optimized
system_node_count      = 3
system_node_min_count  = 3
system_node_max_count  = 5

frontend_node_initial_count = 2
frontend_node_min_count   = 2
frontend_node_max_count   = 8

backend_node_initial_count = 2
backend_node_min_count     = 2
backend_node_max_count     = 7

# Monitoring (reduced for short event)
log_retention_days = 7  # vs 30 days

# Tags for cost tracking
tags = {
  Environment = "Event"
  Duration    = "3-days"
  CostCenter  = "Marketing"
  AutoCleanup = "Enabled"
  Budget      = "300-USD"
}
```

10.7 Post-Event Cleanup Script

Save costs by ensuring complete cleanup:

```
#!/bin/bash
# Post-event cleanup script

echo "🔧 Starting cleanup for 3-day event..."

# Delete resource group (removes all resources)
az group delete --name aks-event-rg --yes --no-wait

echo "✓ Deletion initiated"
echo "⌚ Resources will be cleaned up in 5-10 minutes"

# Verify deletion (run after 10 minutes)
sleep 600
az group show --name aks-event-rg 2>/dev/null || echo "✓ All resources cleaned up successfully"

# Cost verification (run 24 hours after cleanup)
echo "📊 Checking final costs..."
az consumption usage list \
  --start-date $(date -d '3 days ago' +%Y-%m-%d) \
```



```
--end-date $(date +%Y-%m-%d) \  
--query "[?contains(instanceId, 'aks-event')].{Resource:instanceName,  
Cost:pretaxCost}"
```

PowerShell version:

```
# Post-event cleanup script  
  
Write-Host "🔪 Starting cleanup for 3-day event..." -ForegroundColor Green  
  
# Delete resource group (removes all resources)  
az group delete --name aks-event-rg --yes --no-wait  
  
Write-Host "✓ Deletion initiated" -ForegroundColor Green  
Write-Host "⌚ Resources will be cleaned up in 5-10 minutes" -ForegroundColor Yellow  
  
# Verify deletion  
Start-Sleep -Seconds 600  
az group show --name aks-event-rg 2>$null  
if ($LASTEXITCODE -ne 0) {  
    Write-Host "✓ All resources cleaned up successfully" -ForegroundColor Green  
}
```

Summary

🎯 Key Takeaways

Metric	Value
3-Day Event Cost	\$146 - \$280
Recommended (Average)	\$213
Hourly Rate	\$2 - \$4/hour
Monthly (if sustained)	\$1,457 - \$2,798
Cost per Node (3-day)	\$16.76

💡 Cost Breakdown

Component	% of Total
Compute (VMs)	75%
Monitoring	8%
Control Plane	6%

Component	% of Total
Storage	5%
Networking + ACR	6%

☒ Optimizations Applied

- ✓ **Standard SSD** - 51% cheaper than Premium
- ✓ **Basic ACR** - 95% cheaper than Premium with geo-replication
- ✓ **Single Environment** - 50% infrastructure savings
- ✓ **Event-Based Deployment** - Only pay for 3 days, not full month
- ✓ **Terraform Automation** - Rapid deploy and destroy

 Recommended Configuration

For a typical 3-day event with standard traffic:

- **Nodes:** Start with 7, scale to 11 average, 15 peak
- **Budget:** \$300 (includes 25% buffer)
- **Duration:** 72-76 hours (including setup/teardown)
- **Expected Cost:** \$210-220

Document Version: 2.0 (Event-Optimized)

Last Updated: March 17, 2026

Optimized For: 3-day event workloads

Cost Focus: 3-day and monthly projections only