LAPORAN PRAKTIKUM
STRUKTUR DATA

MODUL 10
PENGENALAN CODE BLOCKS

Disusun Oleh :
NAMA : Jauza Rasyiq Hernanta
NIM : **103112430033**

Dosen
WAHYU ANDI SAPUTRA

PROGRAM STUDI STRUKTUR DATA
FAKULTAS INFORMATIKA
TELKOM UNIVERSITY PURWOKERTO
2025

A. Dasar Teori

Stack merupakan salah satu bentuk struktur data dimana prinsip operasi yang digunakan seperti tumpukan. Seperti halnya tumpukan, elemen yang bisa diambil terlebih dahulu adalah elemen yang paling atas, atau elemen yang pertama kali masuk, prinsip ini biasa disebut LIFO (Last In First Out).

B. Guided (berisi screenshot source code & output program disertai penjelasannya)

Guided 1

Main.cpp

Modul 4 > main.cpp > displayAddSongMenu()

```cpp
#include "playlist.h"
#include "playlist.cpp"
#include <iostream>
#include <limits>

using namespace std;

void displayMainMenu() {
    cout << "\n      BAOKTIFY      \n";
    cout << "1. Tambah Lagu\n";
    cout << "2. Hapus Lagu Berdasarkan Judul\n";
    cout << "3. Tampilkan Seluruh Lagu\n";
    cout << "4. Keluar\n";
    cout << "Pilihan Anda: ";
}

void displayAddSongMenu() {
    cout << "\n-- TAMBAH LAGU --\n";
    cout << "1. Tambah di Awal Playlist\n";
    cout << "2. Tambah di Akhir Playlist\n";
    cout << "3. Tambah Setelah Lagu ke-3\n";
    cout << "4. Kembali ke Menu Utama\n";
    cout << "Pilihan Anda: ";
}

void clearInputBuffer() {
    cin.clear();
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
}

void addSongProcess(Playlist& playlist, int addChoice) {
    string title, artist;
    float duration;

    cout << "\n--- Tambah Lagu ---\n";
    cout << "Judul lagu: ";
    getline(cin, title);
    cout << "Nama penyanyi: ";
    getline(cin, artist);
    cout << "Durasi (menit): ";
    cin >> duration;
    clearInputBuffer();

    switch(addChoice) {
        case 1:
            playlist.addFirst(title, artist, duration);
            break;
        case 2:
            playlist.addLast(title, artist, duration);
            break;
        case 3:
            playlist.addAfterThird(title, artist, duration);
            break;
        default:
            cout << "Pilihan tidak valid!\n";
    }
}

int main() {
    Playlist myPlaylist;
    int choice, addChoice;
    string title;

    do {
        displayMainMenu();
```

```
66          cin >> choice;
67
68          if (cin.fail()) {
69              cin.clear();
70              clearInputBuffer();
71              cout << "Input tidak valid! Silakan masukkan angka.\n";
72              continue;
73          }
74
75          clearInputBuffer();
76
77          switch (choice) {
78              case 1: // Menu Tambah Lagu
79                  do {
80                      displayAddSongMenu();
81                      cin >> addChoice;
82
83                      if (cin.fail()) {
84                          cin.clear();
85                          clearInputBuffer();
86                          cout << "Input tidak valid! Silakan masukkan angka.\n";
87                          continue;
88                      }
89
90                      clearInputBuffer();
91
92                      if (addChoice == 4) {
93                          cout << "Kembali ke menu utama...\n";
94                          break;
95                      }
96
97                      if (addChoice >= 1 && addChoice <= 3) {
98                          addSongProcess(myPlaylist, addChoice);
99                          cout << "\nTekan Enter untuk melanjutkan...";
100                         cin.get();
101                     } else {
102                         cout << "Pilihan tidak valid! Silakan pilih 1-4.\n";
103                     }
104                 } while (addChoice != 4);
105                 break;
106
107             case 2: // Hapus Lagu
108                 cout << "\n--- Hapus Lagu Berdasarkan Judul ---\n";
109                 if (myPlaylist.isEmpty()) {
110                     cout << "Playlist kosong! Tidak ada lagu yang bisa dihapus.\n";
111                 } else {
112                     cout << "Masukkan judul lagu yang ingin dihapus: ";
113                     getline(cin, title);
114                     myPlaylist.removeByTitle(title);
115                 }
116                 break;
117
118             case 3: // Tampilkan Playlist
119                 myPlaylist.displayAll();
120                 break;
121
122             case 4: // Keluar
123                 cout << "\nTerima kasih telah menggunakan program Playlist!\n";
124                 break;
125
126             default:
127                 cout << "Pilihan tidak valid! Silakan pilih 1-4.\n";
128         }
129     } while (choice != 4);
```

Playlist,cpp

Modul 4 > playlist.cpp > removeByTitle(string)

```cpp
using namespace std;

Song::Song(string t, string a, float d)
    : title(t), artist(a), duration(d), next(nullptr) {}

Playlist::Playlist() : head(nullptr), count(0) {}

Playlist::~Playlist() {
    while (!isEmpty()) {
        removeByTitle(head->title);
    }
}

void Playlist::addFirst(string title, string artist, float duration) {
    Song* newSong = new Song(title, artist, duration);
    newSong->next = head;
    head = newSong;
    count++;
    cout << "Lagu \"" << title << "\" berhasil ditambahkan di awal playlist.\n";
}

void Playlist::addLast(string title, string artist, float duration) {
    Song* newSong = new Song(title, artist, duration);

    if (isEmpty()) {
        head = newSong;
    } else {
        Song* current = head;
        while (current->next != nullptr) {
            current = current->next;
        }
        current->next = newSong;
    }
    count++;
    cout << "Lagu \"" << title << "\" berhasil ditambahkan di akhir playlist.\n";
}

void Playlist::addAfterThird(string title, string artist, float duration) {
    if (count < 3) {
        cout << "Playlist belum memiliki 3 lagu. Menambahkan di akhir...\n";
        addLast(title, artist, duration);
        return;
    }

    Song* newSong = new Song(title, artist, duration);
    Song* current = head;

    for (int i = 1; i < 3; i++) {
        current = current->next;
    }

    newSong->next = current->next;
    current->next = newSong;
    count++;
    cout << "Lagu \"" << title << "\" berhasil ditambahkan setelah lagu ke-3.\n";
}

bool Playlist::removeByTitle(string title) {
    if (isEmpty()) {
        cout << "Playlist kosong! Tidak ada lagu yang bisa dihapus.\n";
        return false;
    }

    Song* current = head;
    Song* previous = nullptr;
```

```
    Song* previous = nullptr;

    if (current != nullptr && current->title == title) {
        head = current->next;
        cout << "Lagu \"" << current->title << "\" berhasil dihapus.\n";
        delete current;
        count--;
        return true;
    }

    while (current != nullptr && current->title != title) {
        previous = current;
        current = current->next;
    }

    if (current == nullptr) {
        cout << "Lagu dengan judul \"" << title << "\" tidak ditemukan.\n";
        return false;
    }

    previous->next = current->next;
    cout << "Lagu \"" << current->title << "\" berhasil dihapus.\n";
    delete current;
    count--;
    return true;
}

void Playlist::displayAll() {
    if (isEmpty()) {
        cout << "\nPlaylist kosong!\n";
        return;
    }

    cout << "\n=== DAFTAR LAGU DALAM PLAYLIST ===\n";
    cout << "Jumlah lagu: " << count << "\n\n";

    cout << left << setw(4) << "No."
         << setw(25) << "Judul Lagu"
         << setw(20) << "Penyanyi"
         << setw(10) << "Durasi"
         << endl;
    cout << string(60, '-') << endl;

    Song* current = head;
    int index = 1;

    while (current != nullptr) {
        cout << left << setw(4) << index
             << setw(25) << current->title.substr(0, 24)
             << setw(20) << current->artist.substr(0, 19)
             << fixed << setprecision(2) << current->duration << " menit"
             << endl;
        current = current->next;
        index++;
    }
    cout << endl;
}

int Playlist::getCount() {
    return count;
}

bool Playlist::isEmpty() {
    return head == nullptr;
}
```

Playlist.h

```h
#ifndef PLAYLIST_H
#define PLAYLIST_H

#include <string>

class Song {
public:
    std::string title;
    std::string artist;
    float duration;
    Song* next;

    Song(std::string t, std::string a, float d);
};

class Playlist {
private:
    Song* head;
    int count;

public:
    Playlist();
    ~Playlist();

    // Operasi dasar
    void addFirst(std::string title, std::string artist, float duration);
    void addLast(std::string title, std::string artist, float duration);
    void addAfterThird(std::string title, std::string artist, float duration);
    bool removeByTitle(std::string title);
    void displayAll();
    int getCount();
    bool isEmpty();
};

#endif
```

Screenshots Output





```
4. Kembali ke Menu Utama
Pilihan Anda: 1

--- Tambah Lagu ---
Judul lagu: Thats what i like
Nama penyanyi: Bruno mars
Durasi (menit): 3
Lagu "Thats what i like" berhasil ditambahkan di awal playlist.

Tekan Enter untuk melanjutkan...
```

```
=== DAFTAR LAGU DALAM PLAYLIST ===
Jumlah lagu: 5

No. Judul Lagu              Penyanyi           Durasi
------------------------------------------------------------
1   The Ruler's Back        Jay-z              4.00 menit
2   Thats what i like       Bruno mars         3.00 menit
3   Mockingbird             Eminem             3.00 menit
4   In da Club              4                  4.00 menit
5   ppp                     wewe               12.00 menit
```

```
Pilihan Anda: 2

--- Hapus Lagu Berdasarkan Judul ---
Masukkan judul lagu yang ingin dihapus: In da Club
Lagu "In da Club" berhasil dihapus.
```