

Source Code

LOGIN.HTML

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>loginSmartMirror</title>

  <link rel="stylesheet" href="SmartMmirror.css">


</head>

<body>

  <div class="left">


</div>


  <div class="center">

    <h1>Login</h1>

    <form method="Post" action="">

      <div class="text_field">

        <input type="text"required>

        <span></span>

        <label>Email</label>

      </div>

      <div class="text_field">

        <input type="password"required>

        <span></span>
```

```
        <label>Password</label>

    </div>

    <div class="pass">Forgot Password?</div>

    <input type="submit" value="Login">

    <div class="signup_link">

        Not a member ? <a href="#">Signup</a>

    </div>

</form>

</body>

</html>
```

LOGIN.CSS

```
body {
    margin: 0;
    padding: 0;
    font-family:'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
    sans-serif;
    background: linear-gradient(120deg,#2980b9,#000000);
    height: 100vh;
    overflow: hidden;
}

.center{
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%,-50%);
```

```
width: 400px;
background-color: rgb(255, 255, 255);
border-radius: 10px;
}
.center h1 {
text-align: center;
padding: 0 0 20px 0;
border-bottom: 1px solid silver;
}
.center form {
padding: 0 40px;
box: border-box;
}
form .text_field{
position: relative;
border-bottom: 2px solid #adadad;
margin: 30px 0;
}
.text_field input{
width: 100%;
padding: 0 5px;
height: 40px;
font-size: 16px;
border: none;
background: none;
outline: none;
}
.text_field label{
```

```
position: absolute;
top: 50%;
left: 5px;
color: #adadad;
transform: translateY(-50%);
font-size: 16px;
pointer-events: none;
}

.text_field span::before{
    content: "";
    position: absolute;
    top: 40px;
    left: 0%;
    width: 0%;
    height: 2px;
    background: #2691d9;
    transition: .5s;
}

.text_field input:focus ~ label,
.text_field input:valid ~ label{
    top: 5px;
    color: #2961d9;
}

.text_field input:focus ~ span::before,
.text_field input:valid ~ span::before{
    width: 100%;
}
```

```
.pass{  
    margin: -5px 0 20px 5px;  
    color: #a6a6a6;  
    cursor: pointer;  
}
```

```
.pass:hover {  
    text-decoration: underline;  
  
}
```

```
input[type="submit"]{  
    width: 100%;  
    height: 50px;  
    border: 1px solid;  
    background: #2691d9;  
    border-radius: 25px;  
    font-size: 18px;  
    color: #e9f4fb;  
    font-weight: 700;  
    cursor: pointer;  
    outline: none;  
}  
  
input[type="submit"] :hover{  
    border-color: #2691d9;  
    transition: .5s;  
}  
  
.signup_link{  
    margin: 30px 0;
```

```
text-align: center;
font-size: 16px;
color: #666666;
}
.signup_link a{
color: #2691d9;
text-decoration: none;

}
.signup_link a:hover{
text-decoration: underline;

}
}
```

SMARTMIRROR.HTML

```
<!DOCTYPE html>
<html>
  <head>
    <title>Type of Body</title>
  </head>

  <body style="background-color: black;">

    <h2 style="text-align: center; padding: 30px; font-style: italic; font-family: 'Courier New',
Courier, monospace;font-size: 60px;
color: rgb(255, 255, 255); border-radius: 10px; border: 2px solid ; ">Type Of Body</h2>

    <div style="display: flex; flex-wrap: wrap; justify-content: space-between;">

      <div style=" padding: 20px; font-size: 20px;text-align: center;">
```

```
<img src = "Ectomorph.png" width="400" height="550">
```

```
<form action="">
```

```
  <button type = "submit" style="padding: 16px;background-color: rgb(57, 56, 55); border: 7px solid #2E94E3;
```

```
    color:aliceblue;border-radius: 10px;font-size: 30px">Ectomorph</button>
```

```
</form>
```

```
</div>
```

```
<div style=" padding: 20px;text-align: center;font-size: 20px;color: #2E94E3(226, 226, 128);">
```

```
<img src = "Endomorph.png"width="400" height="550" >
```

```
<form action="">
```

```
  <button type = "submit" style=" padding: 16px;background-color: rgb(57, 56, 55);border: 7px solid #2E94E3; color:aliceblue;
```

```
    border-radius: 10px;font-size: 30px">Endomorph</button>
```

```
</form>
```

```
</div>
```

```
<div style=" padding: 20px;font-size: 20px;text-align: center;color: #2E94E3;">
```

```
<img src = "Mesomorph.png"width="400" height="550">
```

```
<form action="">
```

```
<button type="submit" style="padding: 16px;background-color: rgb(57, 56, 55);border: 7px solid #2E94E3;;
```

```
color:aliceblue; border-radius: 10px; font-size: 30px">Mesomorph</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<form action="">
```

```
<button type="submit" style="padding: 8px; background-color: #454040;border: 3px solid #454040; color:aliceblue;
```

```
border-radius: 10px;font-size: 18px;border: 2px solid #e4e2da;"> Back </button>
```

```
</form>
```

```
</body>
```

```
</html>
```

SMARTMIRROR.CSS

```
* {
```

```
margin: 0%;
```

```
padding: 0%;
```

```
}
```

```
::-webkit-scrollbar {
```

```
display: none;
```

```
}
```

```
body{
```

```
margin: 1cm;
```

```
height: 0px;
```



```
display: flex;
justify-content: last left;
align-items: left;
background: rgb(0, 0, 0);

}

.datetime{
color: #fff;
background: black;
font-family: "Segoe UI", sans-serif;
height: 95px ;
width: 340px;
padding: 15px 10px;
border: 3px solid #2E94E3;
border-radius: 5px;
transition: 0.5s;
transition-property: background, box-shadow;
}

.datetime: hover{
background: #2E94E3;
box-shadow: 0 0 30px #2E94E3;
}

.date {
font-size: 20px;
font-weight: 600;
```

```
text-align: center;
letter-spacing: 3px;

}

.time {
  font-size: 60px;
  display: flex;
  justify-content: center;
  align-items: center;

}

.time span:not(:last-child){
  position: relative;
  margin: 0 6px;
  font-weight: 600;
  text-align: center;
  letter-spacing: 3px;

}

.time span:last-child{

  background:#2E94E3;
  font-size: 30px;
  font-weight: 600;
  text-transform: uppercase;
  margin-top: 10px;
  padding: 0 5px;
  border-radius: 3px;
```

```
}  
.elfsight-app-f793ca4e-db7f-4908-93d3-9f3cfcc628d7{  
  left: 2%;  
}
```

```
.sidebar{  
  position: absolute;  
  right: 0px;  
  margin-top: 90px;  
  padding-top: 50px;  
  width: 220px;  
  height: 50%;  
  background: rgba(0, 0, 0, 0.133);  
  transition: 0.5s;  
  transition-property: right;  
  
}
```

```
.sidebar a{  
  
  display: block;  
  color: #fff;  
  text-decoration: none;  
  display: block;  
  line-height: 60px;  
  width: 100% ;
```

```
text-decoration: none;
margin-left: 90px;
box-sizing: border-box;
transition: 0.5s;
transition-property: background ;

}
```

```
.sidebar a:hover{
    background: #2691d9;
}
```

```
.sidebar i{
    padding-right: 10px;
}
```

```
label #sidebar_btn{
    z-index: 1;
    color: #fff;
    position: fixed;
    cursor: pointer;
    right: 20px;
    font-size: 30px;
    margin: 20px;
    transition: 0.5s;
    transition-property: color;

}
```

```
label #sidebar_btn :hover{
```

```
    color: #2691d9;
}
#check:checked ~ .sidebar{
    right: -90px;
}
#check:checked ~ .sidebar a span{
    display: none;
}
#check:checked ~ .sidebar a{
    font-size: 20px;
    margin-right: 100px;
    width: 80px;
}
```

CAMERA.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Camera</title>
    <style>
        *{
            background-color: black;

        }
        h1 {
```

```
    font-family: 'Courier New', Courier, monospace;
    color: rgb(255, 253, 253);
    text-align: center;
    font-size: 50px;

}

body {
    margin: 50px;
}

#container{
    margin: 50px auto;
    width: 500px;
    height: 375px;
    border: 5px #2E94E3 solid;
}

#videoElement {
    width: 500px;
    height: 375px;
    background-color:#666;

}

</style>
</head>
<body>
    <h1>Smart Mirror Camera</h1>
```

```
<div id="container">
```

```
  <video autoplay="true" id="videoElement">
```

```
  </video>
```

```
</div>
```

```
<form action="">
```

```
  <button type="submit" style="position: absolute; bottom: 50px; padding: 8px; background-color: rgb(57, 56, 55);border: 3px solid #ffffff;;
```

```
  color:aliceblue; border-radius: 10px;font-size: 18px"> Back </button>
```

```
</form>
```

```
</body>
```

```
</html>
```

SEARCH.HTML

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <link rel="stylesheet" href="search.css">
```

```
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.1.1/css/all.min.css">
```

```
  <title>Search</title>
```

</head>

<body>

<div class="search-box">

<input class="search-txt" type="text" name="" placeholder="Type to search">

<i class="fa-solid fa-magnifying-glass"></i>

</div>

<form action="">

<button type="submit" style="position: absolute; bottom: 50px; left: 2%; padding: 8px; background-color: rgb(57, 56, 55);border: 3px solid #ffffff;;

color:aliceblue; border-radius: 10px;font-size: 18px"> Back </button>

</form>

</body>

</html>

STORAGE.HTML

<!DOCTYPE html>

<html>

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Storage</title>

</head>

<body style= "background-color:black;">

<h2 style=" background-color: black; padding: 20px; text-align: center; font-family:
'Courier New', Courier, monospace;

font-size: 60px; color: rgb(255, 255, 255);"> Storage </h2>

<form action="">

<button type ="submit" style="position: absolute; bottom: 50px; left: 2%; padding: 8px;
background-color: rgb(57, 56, 55);border: 3px solid #ffffff;;

color:aliceblue; border-radius: 10px;font-size: 18px"> Back </button>

</form>

<div style="display: flex; flex-wrap: wrap; justify-content: space-evenly;">

<div style= "text-align: center;">

<form action= "">

<button type ="submit" style= "padding: 9px; background-color: rgb(57, 56,
55);border: 3px solid #ffffff;

color:aliceblue; border-radius: 10px;font-size: 18px"> Photos </button>

</form>

</div>

```
<div style= "text-align: center;">
    <img src= "icons8-music-120.png" >

    <form action= "Song Playlist.html">

        <button type= "submit" style= "padding: 9px; background-color: rgb(57, 56, 55);
border: 3px solid #ffffff;
        color:aliceblue; border-radius: 10px;font-size: 18px"> Music </button>
    </form>
</div>
```

```
<div style= "text-align: center;">
    <img src= "icons8-video-gallery-96.png" width= "120" height= "120">

    <form action= "">

        <button type= "submit" style= "padding: 9px; background-color: rgb(57, 56,
55);border: 3px solid #ffffff;
        color:aliceblue; border-radius: 10px;font-size: 18px"> Videos </button>
    </form>
</div>
```

```
<div style= "text-align: center;">
    <img src= "icons8-file-explorer-96.png" width= "120" height= "120">

    <form action= "">

        <button type= "submit" style= "padding: 9px; background-color: rgb(57, 56,
55);border: 3px solid #ffffff;
```

```
color:aliceblue; border-radius: 10px;font-size: 18px"> Files </button>
```

```
</body>
```

```
</html>
```

SETTINGS.HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Settings</title>
```

```
</head>
```

```
    <body style= "background-color:black;">
```

```
        <h2 style=" background-color: black; padding: 20px; text-align: center; font-family:
        'Courier New', Courier, monospace;
```

```
        font-size: 60px; color: rgb(255, 255, 255);"> Settings </h2>
```

```
<form action="">
```

```
<button type = "submit" style = "position: absolute; bottom: 50px; left: 2%; padding: 8px;
background-color: rgb(57, 56, 55); border: 3px solid #ffffff;;
```

```
color:aliceblue; border-radius: 10px;font-size: 18px"> Back </button>
```

```
</form>
```

```
<div style = "display: flex; flex-wrap: wrap; justify-content: space-evenly;">
```

```
<div style = "text-align: center;">
```

```
<img src = "icons8-bluetooth-100.png" width = "120" height = "120">
```

```
<form action = "">
```

```
<button type = "submit" style = "padding: 9px; background-color: rgb(57, 56,
55); border: 3px solid #ffffff;
```

```
color:aliceblue; border-radius: 10px;font-size: 18px"> Bluetooth
```

```
</button>
```

```
</form>
```

```
</div>
```

```
<div style = "text-align: center; background: none;">
```

```
<img src = "icons8-wi-fi-100.png" width = "120" height = "120">
```

```
<form action = "">
```

```
<button type = "submit" style = "padding: 9px; background-color: rgb(57, 56, 55);
border: 3px solid #ffffff;
```

```
color:aliceblue; border-radius: 10px;font-size: 18px"> WiFi </button>
```

</form>

</div>

<div style= "text-align: center;">

<form action= "">

<button type= "submit" style= "padding: 9px; background-color: rgb(57, 56, 55);border: 3px solid #ffffff;

color:aliceblue; border-radius: 10px;font-size: 18px"> Display Brightness

</button>

</form>

</div>

<div style= "">

<form action= "">

<button type= "submit" style= "padding: 9px; background-color: rgb(57, 56, 55);border: 3px solid #ffffff;

color:aliceblue; border-radius: 10px;font-size: 18px"> Security </button>

</body>

</html>

BEAUTY/FASION.HTML

<!DOCTYPE html>

<html>

<head>

<title> Try-Ons App </title>

</head>

<body style="-webkit-flex: 1;-ms-flex: 1;flex: 1;background:rgb(0, 0, 0);padding: 50px;">

<header style="background-image: url(Beauty.jpg);padding: 50px;justify-content: center;
border: 5px solid #2E94E3; border-radius: 30px;">

<h2 style=" background-color: black; text-align: center; padding: 30px;font-family: 'Courier
New', Courier, monospace;
font-size: 60px; color: rgb(255, 255, 255); border-radius: 10px;"> Beauty/Fashion </h2>

</header>

<div style="display: flex; flex-wrap: wrap; justify-content: space-between; align-items: center;
height: 200px">

<form action="">

<button type ="submit" style=" padding: 16px; background-color: rgb(57, 56, 55);border: 5px
solid #ffffff;;

```
color:aliceblue; border-radius: 10px;font-size: 22px"> Back </button>
```

```
</form>
```

```
<form action="">
```

```
<button type ="submit" style=" padding: 16px; background-color: rgb(57, 56, 55);border: 5px  
solid #ffffff;;
```

```
color:aliceblue; border-radius: 10px;font-size: 22px">Continue</button>
```

```
</form>
```

```
</div>
```

```
</body>
```

```
</html>
```

WHATTOTRY.HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title >What to try?</title>
```

```
</head>
```

```
<body style="background-color:black; background-size: 100%;">
```

```
<h2 style=" text-align: center; font-family: 'Courier New', Courier, monospace;font-size:  
100px;
```

```
color: #2E94E3"> What to try?</h2>
```

```
<div style=" display: grid; grid-template-columns: 1fr 1fr; grid-template-rows: 1fr 1fr;
justify-items: center;">
```

```
<div style=" background-color: rgb(0, 0, 0);padding: 20px;font-size: 20px;text-align: center;
color: #2E94E3">
```

```
<img src = "outfit.png" style = "background-color: aliceblue; border-radius: 10px;" width =
"200" height = "200">
```

```
<form action="">
```

```
<br>
```

```
<button type = "submit" style=" padding: 16px; background-color: rgb(57, 56, 55); border:
2px solid #2E94E3; color:aliceblue; border-radius: 10px;
```

```
font-family: 'Courier New', Courier, monospace ; text-align: center;font-size:
20px">Outfits</button>
```

```
</form>
```

```
</div>
```

```
<div style=" background-color: rgb(0, 0, 0);padding: 20px;font-size: 20px;
text-align: center;color: #2E94E3;">
```

```
<img src = "Make up.png" style = "background-color: aliceblue; border-radius: 10px;"
width = "200" height = "200">
```

```
<form action="">
```

```
<br>
```

```
<button type = "submit" style=" padding: 16px; background-color: rgb(57, 56, 55);
border: 2px solid#2E94E3; color:aliceblue; border-radius: 10px;
```



```
font-family: 'Courier New', Courier, monospace ; text-align: center;font-size: 20px">
Make up</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<div>
```

```
<form action="">
```

```
<button type ="submit" style="position: absolute; bottom: 50px; left: 2%; padding: 8px;
background-color: rgb(57, 56, 55);border: 3px solid #ffffff;;
```

```
color:aliceblue; border-radius: 10px;font-size: 18px"> Back </button>
```

```
</form>
```

```
</body>
```

```
</html>
```

```
CHOOSEMAKEUP.HTML
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title >Make up</title>
```

```
</head>
```

```
<body style="background-color:black;">
```

```
<h2 style="text-align: center; padding: 30px; font-style: italic; font-family: 'Courier New',  
Courier, monospace;font-size: 60px;
```

```
color: rgb(255, 255, 255); border-radius: 10px; border: 2px solid #2E94E3; "> Make up  
</h2>
```

```
<div style=" display: grid; grid-template-columns: 1fr 1fr; grid-template-rows: 1fr 1fr;  
justify-items: center;">
```

```
<div style=" background-color: rgb(0, 0, 0);padding: 20px;font-size: 20px;text-align: center;  
color: #2E94E3;">
```

```
<img src = "idea.webp" style="border-radius:100px;" width = "200" height = "200">
```

```
<form action="">
```

```
<br>
```

```
<button type = "submit" style=" padding: 16px; background-color: rgb(57, 56, 55);  
border: 2px solid #2E94E3; color:aliceblue; border-radius: 10px;
```

```
font-family: 'Courier New', Courier, monospace ; text-align: center;font-size:  
20px">Ideas</button>
```

```
</form>
```

```
</div>
```

```
<div style=" background-color: rgb(0, 0, 0);padding: 20px;font-size: 20px;  
text-align: center;color: ;">
```

```
<img src = "mirror.png" style="border-radius:100px;" width = "200" height = "200">
```

```
<form action="">
```

```

        <br>

        <button type ="submit" style=" padding: 16px;background-color: rgb(57, 56, 55);border:
2px solid #2E94E3;

        font-family: 'Courier New', Courier, monospace; color:aliceblue;border-radius: 10px;text-
align: center;font-size: 20px">Tutorial</button>

        </form>

</div>

</div>

<form action="">

        <button type ="submit" style="position: absolute; bottom: 50px; left: 2%; padding: 8px;
background-color: rgb(57, 56, 55);border: 3px solid #ffffff;;

        color:aliceblue; border-radius: 10px;font-size: 18px"> Back </button>

</form>

</body>
</html>

```

TYPEOFBODY.HTML

```

<!DOCTYPE html>

<html>

<head>

        <title>Type of Body</title>

</head>

<body style="background-color: black;">

```

```
<h2 style="text-align: center; padding: 30px; font-style: italic; font-family: 'Courier New',  
Courier, monospace;font-size: 60px;
```

```
color: rgb(255, 255, 255); border-radius: 10px; border: 2px solid ; ">Type Of Body</h2>
```

```
<div style="display: flex; flex-wrap: wrap; justify-content: space-between;">
```

```
<div style=" padding: 20px; font-size: 20px;text-align: center;">
```

```
<img src = "Ectomorph.png" width="400" height="550">
```

```
<form action="">
```

```
<button type ="submit" style="padding: 16px;background-color: rgb(57, 56, 55); border:  
7px solid #2E94E3;
```

```
color:aliceblue;border-radius: 10px;font-size: 30px">Ectomorph</button>
```

```
</form>
```

```
</div>
```

```
<div style=" padding: 20px;text-align: center;font-size: 20px;color: #2E94E3(226, 226,  
128);">
```

```
<img src = "Endomorph.png"width="400" height="550" >
```

```
<form action="">
```

```
<button type ="submit" style=" padding: 16px;background-color: rgb(57, 56, 55);border:  
7px solid #2E94E3; color:aliceblue;
```

```
border-radius: 10px;font-size: 30px">Endomorph</button>
```

```
</form>
```

</div>

<div style=" padding: 20px;font-size: 20px;text-align: center;color: #2E94E3;">

<form action="">

<button type ="submit" style=" padding: 16px;background-color: rgb(57, 56, 55);border: 7px solid #2E94E3;;

color:aliceblue; border-radius: 10px; font-size: 30px">Mesomorph</button>

</form>

</div>

</div>

<form action="">

<button type ="submit" style=" padding: 8px; background-color: #454040;border: 3px solid #454040; color:aliceblue;

border-radius: 10px;font-size: 18px;border: 2px solid #e4e2da;"> Back </button>

</form>

</body>

</html>

GENDER.HTML

<!DOCTYPE html>

<html>

<head>

<title >Select Gender</title>

```
</head>
```

```
<body style="background-color:black;">
```

```
  <h2 style=" background-color: black; text-align: center; padding: 30px; font-family: 'Courier  
New', Courier, monospace;font-size: 60px;
```

```
    color: rgb(255, 255, 255); border-radius: 10px; border: 2px solid #2691d9;"> Select Gender  
</h2>
```

```
<div style=" display: grid; grid-template-columns: 1fr 1fr; grid-template-rows: 1fr 1fr;  
justify-items: center;">
```

```
  <div style=" background-color: rgb(0, 0, 0);
```

```
    padding: 20px;
```

```
    font-size: 20px;
```

```
    text-align: center;
```

```
    color: rgb(226, 226, 128);">
```

```
      <img src = "4140047.png" width = "200" height = "200">
```

```
    <form action="">
```

```
      <button type = "submit" style=" padding: 16px; background-color: rgb(57, 56, 55);  
border: 2px solid #2691d9; color:aliceblue; border-radius: 10px;
```

```
        text-align: center;font-size: 20px">Female</button>
```

```
    </form>
```

```
</div>
```

```
  <div style=" background-color: rgb(0, 0, 0);padding: 20px;font-size: 20px;
```

```
    text-align: center;color: #2691d9;">
```

```
    <img src = "4140037.png" width = "200" height = "200">
```

```

        <form action="">

            <button type="submit" style=" padding: 16px;background-color: rgb(57, 56,
55);border: 2px solid #2691d9;
            color:aliceblue;border-radius: 10px;text-align: center;font-size: 20px">Male</button>

        </form>

    </div>

</div>

<form action="">

    <button type="submit" style=" padding: 8px; background-color: #454040;border: 3px solid
#454040; color:aliceblue;
    border-radius: 10px;font-size: 18px;border: 2px solid #e4e2da;"> Back </button>

</form>

</body>

</html>

```

CHOOSEYOURSTYLE.HTML

```

<!DOCTYPE html>

<html>

<head>

<title> Outfits </title>

</head>

<body style="-webkit-flex: 1;-ms-flex: 1;flex: 1;background:rgb(0, 0, 0);padding: 50px;">

<header>

<h2 style="text-align: center; padding: 30px; font-family: 'Courier New', Courier,
monospace;font-size: 60px;

```

color: rgb(255, 255, 255); border-radius: 10px; border: 2px solid #2E94E3;"> Choose your style
</h2>

</header>

<div style="display: flex;flex-wrap: wrap;flex-direction: column;align-items: center">

<form action="">

<button type ="submit" style="padding: 20px;background-color: hsl(0, 4%, 26%); font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif; color:aliceblue; font-size: 30px; border-radius: 5px;"> Formal Wear </button>

</form>

<form action="">

<button type ="submit" style=" padding: 20px;background-color: #454040; font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif ; color:aliceblue; font-size: 30px; border-radius: 5px; ">Casual Wear</button>

</form>

<form action="">

<button type ="submit" style = "padding: 20px;background-color: #454040; font-family:'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif;


```
color:aliceblue;font-size: 30px; border-radius: 5px; "> Streetwear </button>
```

```
</form>
```

```
<br>
```

```
<form action="">
```

```
<button type ="submit" style = "padding: 20px;background-color: #454040; font-family:  
'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif;
```

```
color:aliceblue; font-size: 30px; border-radius: 5px; "> Sportswear </button>
```

```
</form>
```

```
<br>
```

```
</div>
```

```
<br>
```

```
<form action="">
```

```
<button type ="submit" style=" position: absolute; bottom: 20px; padding: 8px; background-  
color: #454040;border: 3px solid #454040; color:aliceblue;
```

```
border-radius: 10px;font-size: 18px;border: 2px solid #e4e2da;"> Back </button>
```

```
</form>
```

```
</body>
```

```
</html>
```