Book EndPoint

POST /book/add

• Description: Add a new book

• Parameters: title, author, description, image

PUT /book/edit

• Description: Edit an existing book

o Body:

```
"title": "hil",
   "new_title": "hello1",
   "new_author": "Mg All"
}
```

Response:

```
"id": 6,
    "title": "Hehe6",
    "description": "hello",
    "available": true,
    "path": "/static/img/20240701214418_c3f9f5ede79df1007e343116ee823a96.png",
    "userEmail": null,
    "returnDate": null,
    "author": {
        "id": 1,
        "name": "Mg Zaw"
    }
}
```

GET /book

• Description: Get all books

GET /book/

• Description: Get a specific book by ID

• Response:

```
"id": 6,
   "title": "Hehe6",
   "description": "hello",
   "available": true,
   "path": "/static/img/20240701214418_c3f9f5ede79df1007e343116ee823a96.png",
   "userEmail": null,
   "returnDate": null,
   "author": {
        "id": 1,
        "name": "Mg Zaw"
   }
}
```

DELETE /book/delete

• Description: Delete a book

• Body:

```
{
  "title": "Hehe3"
}
```

POST /book/borrow/

• Description: Borrow a book by ID

• Response:

```
"id": 6,
    "title": "Hehe6",
    "description": "hello",
    "available": false,
    "path": "/static/img/20240701214418_c3f9f5ede79df1007e343116ee823a96.png",
    "userEmail": "tester02@java.com",
    "returnDate": "2024-07-08",
    "author": {
        "id": 1,
        "name": "Mg Zaw"
    }
}
```

- Description: Return a book by ID
 - Response:

```
{
    "fees": 150,
    "book": {
        "id": 5,
        "title": "Hehe5",
        "available": true,
        "path": null,
        "userEmail": null,
        "returnDate": "2024-07-08",
        "author": {
            "id": 1,
            "name": "Mg Zaw"
        }
    }
}
```

Authentication EndPoint

POST /auth/admin

• Description: Admin login

• Body:

```
{
  "email": "admin01@spring.com",
  "password": "admin"
}
```

• Response:

```
{
    "key": "2b6c06a9-1ce8-4c21-b67c-9da1142a9648"
}
```

POST /auth

• **Description:** Admin login

· Body:

```
"email": "admin01@spring.com",
"password": "admin"
}
```

• Response:

```
{
    "key": "2b6c06a9-1ce8-4c21-b67c-9da1142a9648"
}
```

Admin EndPoint

POST /admin/add

- Description: Add a new admin
- Body:

```
{
  "email": "admin01@spring.com",
  "password": "admin01"
}
```

Author EndPoint

POST /author/add

- Description: Add a new author
- Body:

```
{
    "name": "Mg Zaw"
}
```

GET /author

• Description: Get authors' information

User EndPoint

POST /user/add

- Description: Add a new user
- Body:

```
"email": "tester02@java.com",
   "role": "bachelor",
   "fullName": "tester02",
   "password": "tester02"
}
```

User Profile

GET /profile

• Description: Get personal details