

Seeding Bookmarks

Before we move on, let's make it so that when we run our seeder, it adds random job listings as bookmarks for our test user.

Return The Test user

First, we need to return the user from the `/database/seeder/TestUserSeeder.php` file:

```
public function run(): any
{
    $user = User::create([
        'name' => 'Test User',
        'email' => 'test@test.com',
        'email_verified_at' => Carbon::now(),
        'password' => Hash::make('12345678'),
    ]);

    return $user;
}
```

Bookmark Seeder

Let's now create a bookmark seeder. Run the following command to generate a new seeder:

```
php artisan make:seeder BookmarkSeeder
```

Open the `database/seeder/BookmarkSeeder.php` file and add the following imports:

```
use App\Models\User;
use App\Models\Job;
```

Now add the following `run` method:

```
public function run(): void
{
    // Get the test user
    $testUser = User::where('email', 'test@test.com')->firstOrFail();

    // Get all job IDs
    $jobIds = Job::pluck('id')->toArray();

    // Randomly select job IDs to bookmark
```

```
$randomJobIds = array_rand($jobIds, 3); // Change 3 to however many you want
to bookmark

// Attach the selected jobs as bookmarks for the test user
foreach ($randomJobIds as $jobId) {
    $testUser->bookmarkedJobs()->attach($jobIds[$jobId]);
}
}
```

Update DatabaseSeeder.php

Open the `database/seeds/DatabaseSeeder.php` file and truncate the new `job_user_bookmarks` table and run the `BookmarkSeeder` seeder:

```
public function run(): void
{
    // Truncate tables
    DB::table('job_listings')->truncate();
    DB::table('users')->truncate();
    DB::table('job_user_bookmarks')->truncate();

    $this->call(TestUserSeeder::class);
    $this->call(RandomUserSeeder::class);
    $this->call(JobSeeder::class);
    $this->call(BookmarkSeeder::class);
}
```

Now run the following command to seed the database:

```
php artisan db:seed
```

You should now see the test user has 3 random job listings bookmarked.