



Introduction





What is Information Extraction

The task of Information Extraction is to identify instances of a particular **pre-specified** class of entities, relationships and events in natural language texts, and the extraction of the relevant properties (arguments) of the identified entities, relationships or events. The information to be extracted is pre-specified in user-defined structures called templates (or objects), each consisting of a number of slots (or attributes), which are to be instantiated by an IE system as it processes the text.

Taken from: Information Extraction: Past, Present and Future

 Pre-Specified means, that it is known in advance and therefore highly domain-specific (as opposed to Open Information Extraction)





This definition established different tasks:

1. Named Entity Recognition








This definition established different tasks:

2. Relation Extraction








This definition established different tasks:

3. Template Filling (or Event Extraction)







• This definition established different tasks:

4. Sentiment Analysis

Loves the German bakeries in Sydney. Together with my imported honey it feels like home	Positive
@VivaLaLauren Mine is broken too! I miss my sidekick	Negative
Finished fixing my twitterI had to unfollow and follow everyone again	Negative
@DinahLady I too, liked the movie! I want to buy the DVD when it comes out	Positive
@frugaldougal So sad to hear about @OscarTheCat	Negative
@Mofette briliant! May the fourth be with you #starwarsday #starwars	Positive
Good morning thespians a bright and sunny day in UK, Spring at last	Positive
@DowneyisDOWNEY Me neither! My laptop's new, has dvd burning/ripping software but I just can't copy the files somehow!	Negative


Taken form: https://opendatahub.io/news/2019-09-04/sentiment-analysis-blog.html





This definition established different tasks:

5. Coreference Resolution








This definition established different tasks:

6. Ontology Population



https://www.researchgate.net/figure/Ontology-population-process-14_fig1_304412768





- Commonalities:
 - What these tasks have in common, is that the schema against which we extract (and structure) information takes the form of an ontology
 - One way to model this schema is OWL (Web Ontology Language)
 - However I am not going into much detail of OWL






- Our (crude) definition of an ontology requires:
 - 1. Concepts (or classes), that are arranged in a hierarchy
 - 2. Attributes of and between the concepts (also called: slots, properties)
 - 3. Individuals: Concrete examples of the aforementioned concepts





A small example for characters




Concepts (or classes)

Textmining 11






• A small example:







• A small example:








Information Extraction – Knowledge Base

A small example:



Knowledge Base

Textmining

14