```
Last Lecture Agenda
1 Following =>
       e.g (//div[@id='__next']/div[2]//following::li)[2]/a
3 Child =>
       e.g. (//div[@id='__next']/div[2]//child::li)[3]/a
4 Action class
Actions act=new Actions(driver);
act.sendKeys(Keys.PAGE_DOWN).build().perform();
act.moveToElement(Keys.DOWN).perform();
JavaScriptExecutor js=(JavaScriptExecutor)driver;
js.executeScript("arguments[0].scrollIntoView(true)",element);
summary & Interview Questions
1 How Following Works?
2 How to calculate Dynamic xpath using child?
3 How to use scroll bar to window
Today's Lecture Agenda
1 What is Selenium => Mohini, Ankita
2 What is meaning of WebDriver driver = new ChromeDriver(); => Nikita,dhanraj
3 Why we are not writing like that ChromeDriver driver = new ChromeDriver();?
4 Why we write Webdriver driver = new ChromeDriver();? => Pooja(Not Response), Aishwarya(),
pradunya, Saurabh
5 List Out the WebDriver Methods & explain it? => namrata(freshers), Hemant,
6 List out the WebElement Methods & explain it? => Krushanai, Tushar(Freshers)
```

- 7 Which locators are present in selenium? => Tanuja,pragati,Abhishek()
- 8 What is Synchronization?/Explain waits in selenium?
- 9 How to Access Excel Sheet Data?
- 10 Explain Dynamic Xpath?/how many xpath is present in selenium?