دورهٔ آموزشی «علم داده» Data Science Course

جلسهٔ سوم: احتمالات – قضیهٔ بیز

مدرس: محمد فزونی عضو هیات علمی دانشگاه گنبدکاووس پائیز ۱۳۹۹

دربارهٔ من

Mohammad Fozouni (Ph.D.)
Dep. of Math & Statistics
Gonbad Kavous University

- fozouni@hotmail.com
- https://m-fozouni.ir
- http://profs.gonbad.ac.ir/fozouni/en
- https://www.aparat.com/elmedade

#data_science_fozouni



پیشامد و اشتراک آنها

از اشتراک ییشامدها به منظور نشان دادن حالتهایی که دو پیشامد بطور همزمان رخ می دهند استفاده میکنیم

Event Set of outcomes (favourable outcomes)



یک نمادگذاری

برای ورود به بحث شرطیها، اولین فرمول، احتمال یافتن B پیشامد A به شرط وقوع Bاست.

Notation

Two events: A and B

The probability of getting A, if we are given that B has occurred



P(A|B)
"A given B"

Conditional Probabilities

The likelihood of an event occurring, assuming a different one has already happened

یک مثال ساده اما کاربردی

احتمال وقوع ملکهٔ گشنیز به شرطی که کارت انتخابی $\frac{1}{13}$

Queen of Spades




P(A|B)

the probability of drawing the Queen of Spades if we know the card is a <u>spade</u>

فرمول احتمال شرطى

یکی از مهمترین بخشهای قضیهٔ بیز، فرمول احتمال شرطی است



Vegetarian Survey

100 men and women are asked if they eat meat




	E		total
Q	15	32	47
Q	29	24	53
total	44	56	100

نظرسنجی در خصوص گیاه خواری

بنظر شما مردان گیاه خوار ترند یا زنان؟

Vegetarian Survey





Different events

$$P(A|B) = \frac{15}{47}$$
 $P(B|A) = \frac{15}{44}$



$$P(B | A) = \frac{15}{44}$$

It is more likely for a vegetarian to be female, than for a woman NOT to eat meat

پاسخ به سئوال مطرح شده!!!

قانون احتمال كل

Law of Total Probability

$$A = B_1 \cup B_2 \cup ... \cup B_n$$

$$P(A) = P(A|B_1) \times P(B_1) + P(A|B_2) \times P(B_2) \dots$$

قانون احتمال کل در مثال نظرسنجی گیاه خواری

Vegetarian Survey

$$P(\mathfrak{D}) = P(\mathfrak{D} | \mathfrak{O}) \times P(\mathfrak{O}) + P(\mathfrak{D} | \mathfrak{Q}) \times P(\mathfrak{Q}) =$$

$$= \frac{29}{53} \times \frac{53}{100} + \frac{15}{47} \times \frac{47}{100} = 0.44$$

There is a 44% chance of someone being vegetarian

	23		total
Q	15	32	47
ō	29	24	53
total	44	56	100

قانون جمعى

Additive Law

Definition:

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

The probability of the union of two sets is equal to the sum of the individual probabilities of each event, minus the probability of their intersection

باز هم مثال نظر سنجى

Vegetarian Survey

$$P(Q \cup \textcircled{2}) = P(Q) + P(\textcircled{2}) - P(Q \cap \textcircled{2}) =$$

= 0.47 + 0.44 - 0.15 = 0.76

There is a 76% chance that a random person from the survey is either female, vegetarian or both

	23		total
Q	15	32	47
ð	29	24	53
total	44	56	100

قانون ضرب

Multiplication Rule

$$P(A|B) \times P(B) = \frac{P(A \cap B) \times P(B)}{P(B)}$$

$$P(A \mid B) \times P(B) = \frac{P(A \cap B) \times P(B)}{P(B)}$$

مثالی از قانون ضرب

Cards

1st



B:

2nd



A:

Drawing a
on the second try



NOT drawing a
on the first try

نتیجه با کمی محاسبه بدست می آید

$$P(\Phi) = \frac{1}{4} = 0.25$$

B: **♠**'

$$P(\spadesuit') = 1 - 0.25 = 0.75$$

قانون يا قضيهٔ بيز



Two events: A & B

$$P(A|B) = \frac{P(B|A) \times P(A)}{P(B)}$$

Conditional probability formula

It allows us to find a relationship between the different conditional probabilities of two events

کاربرد قانون بیز چیست؟

Bayes' Rule in Real-Life



- Trying to find a causal relationship between symptoms
- Helps us make more reasonable arguments about which one causes the other

تحقیقات در حوزهٔ پزشکی

Bayes' Rule in Real-Life





Bayes' Rule in Real-Life

Deteriorating effect on in individual's eyesight




No other underlying factor that would suggest incoming back pains



متقاضیان کار و انتخاب بین تجربه یا نمرات بالا

Bayes' Rule in Real-Life

200 successful candidates






احتمالات هم به تجربه وزن خاصی میده

Bayes' Rule in Real-Life

Candidates who had internships are more likely to also have a high GPA

خب، چی گفتیم و قراره چی بگیم



Thanks For Watching & Stay Tuned



Data Science Course