

Heterogeneous Nav2 placement: 50 m trials

Local FIFO / shortest predicted finish queues; maximum DVFS

LOCAL (red): 50.014 m; 113.446 simulation s
10345 jobs; 10345 completed; 0 unfinished
Overruns: 1036; deadline meet rate: 82.117%
Mean completed-job response: 0.047451 s
Cooling entries: 143 total / 26 = 5.500000 per device
Validation errors: 0

OFFLOAD (green): 50.017 m; 111.858 simulation s
20513 jobs; 20510 completed; 3 unfinished
Overruns: 2515; deadline meet rate: 82.053%
Mean completed-job response: 0.013905 s
Cooling entries: 118 total / 26 = 4.538462 per device
Validation errors: 0

RANDOM (blue): 50.018 m; 112.031 simulation s
21159 jobs; 21158 completed; 1 unfinished
Overruns: 2156; deadline meet rate: 82.485%
Mean completed-job response: 0.012982 s
Cooling entries: 37 total / 26 = 1.423077 per device
Validation errors: 0

One run per policy: bars are descriptive; run-to-run variance is unavailable.
All deadlines and realized hardware values are shared across policies.
Real CPU measurements and actual callback arrivals can differ between runs.
Unfinished jobs are censored in mean response; due unfinished jobs count as misses.
The thermal metric counts whole-device cooling entries, not sampled hot ticks.









