

Basic Climatological Station Metadata

Current status

Metadata compiled: 27 JUL 2017

Station: SYDNEY AIRPORT AMO

Bureau of Meteorology station number: 066037 **Bureau of Meteorology district name:** Metropolitan (E)

State: NSW


World Meteorological Organization number: 94767

Identification: YSSY

Network Classification: CLIMAT Stations, Regional Basic Synoptic Network

Station purpose: Synoptic, Upper Air, Aeronautical

Automatic Weather Station: Almos



	Current Station Location									
Latitude	Decimal	-33.9465	Hour Min Sec	33°56'47"S						
Longitude	Decimal	151.1731	Hour Min Sec	151°10'23"E						
Station Height	6 m	Barometer Height	5 m							
Method of station	n geographi	SURVEY								

Year opened: 1929 **Status:** Open

Station summary

No summary for this site has been writte	en as yet.	



Basic Climatological Station Metadata Current status

Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY Opened: 01 Jan 1929			Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Observation summary

The table below indicates the approximate completeness of the record for individual element types within the Australian Data Archive for Meteorology. For elements not listed see the note below.

Completeness **DAILY DATA HOLDINGS**


OBSERVATION TYPE	FIRST MONTH	LAST MONTH	COMPLETENESS (% estimate)	SINGLE DAYS MISSED	FULL MONTHS MISSED
EVAPORATION	JAN 1974	JUN 2017	99.		0
1 8 5 0		1 9 5 0		2 0 0 0	
EVAPORIMETER - MAXIMUM WATER TEMPERATURE	JAN 1974	JUN 2011	98.		0
1 8 5 0		1 9 5 0		2 0 0 0	
GROUND MINIMUM TEMPERATURE	AUG 1995	JUN 2017	99.		0
1 8 5 0		1 9 5 0		2 0 0 0	
MAXIMUM AIR TEMPERATURE	APR 1939	JUN 2017	99.		0
1 8 5 0		1 9 5 0		2 0 0 0	
MAXIMUM WIND GUST SPEED	APR 1939	JUN 2017	98.		0
1 8 5 0 0		1 9 5 0		2 0 0 0	
SUNSHINE HOURS	DEC 1976	JUN 2017	98.	_	7
1 8 5 0		1 9 5 0		2 0 0 0	
WIND RUN ABOVE 10 FEET	FEB 1995	JUN 2017	96.		0
1 8 5 0		1 9 5 0		2 0 0 0	
WIND RUN BELOW 10 FEET	JAN 1974	JUN 2017	99.		0
1 8 5 0 0		1 9 5 0		2 0 0 0	
RAINFALL	SEP 1929	JUL 2017	10		N/A
1 8 5 0 0		1 9 5 0		2 0 0 0	



Basic Climatological Station Metadata Current status

Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

HOURLY DATA HOLDINGS - from 1 to 24 observations per day





Basic Climatological Station Metadata

Current status

Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY Opened: 01 Jan 1929			Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

RAINFALL INTENSITY DATA HOLDINGS

TORSERVATION TYPE	FIRST MONTH		COMPLETENESS (% estimate)	DAYS	FULL MONTHS MISSED
RAINFALL INTENSITY	JUL 1962	JUN 2016	86.7	1027	52
1 8 5 0	1 9 0 0		1 9 5 0		

ONE-MINUTE DATA HOLDINGS

OBSERVATION TYPE	FIRST MONTH			ERECHENCY	DAYS	FULL MONTHS MISSED
ALL ELEMENTS	DEC 1998	JUL 2017	97.5	1403.5	N/A	(

HALF-HOURLY DATA HOLDINGS

OBSERVATION TYPE	FIRST MONTH	LAST MONTH		FREQUENCY average daily	DAYS	FULL MONTHS MISSED	
ALL ELEMENTS	OCT 1948	JUL 2017	100.9	48.4	N/A	2	244

UPPER-AIR EDT DATA HOLDINGS

OBSERVATION TYPE	FIRST MONTH			FREQUENCY	DAYS	FULL MONTHS MISSED
Wind only flights	Jul 1998	May 2017	N/A	3.0	149	33
Wind, temperature and pressure flights	May 1991	Jul 2017	N/A	1.8	252	1

Holdings calculated up to 01 Jul 2017

The % complete figure is the completeness of observations averaged over all months of record, for the given station and observation type, taking gaps into account. For hourly holdings, the completeness is relative to the maximum number of daily observations for the site each month, and is therefore an estimate. For daily holdings, the completeness figure shown is exact.

The single days missed figure is the total number of days for which no observation was received, not including full missed months. The full months missed figure is the total of full month gaps over the period of record. Where an element is not included assumptions can generally be made about availability, and the list to use has been suggested below.

Unlisted element Listed element to use

Minimum air temperature Maximum air temperature

Wet bulb temperature Dew point

Soil temperature at 20, 50 & 100cm 10cm soil temperature

Relative humidity Dew point

Minimum temp. of water in evaporimeter Evaporimeter - max water temp

Visual observations eg. weather, visibility


Total cloud amount


Sea related observations Sea state



Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY Opened: 01 Jan 1929			Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Instrument Location and Surrounding Features 06/10/2016(most recent)








Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY Opened: 01 Jan 1929			Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 06/07/2015





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features19/05/2014





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 30/05/2012





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 17/01/2011





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


${\bf Instrument\ Location\ and\ Surrounding\ Features}\atop{{\bf 26/08/2008}}$





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 25/06/2007





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 17/09/2004





Station:	SYDNEY AII	RPORT AMO		Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037 WMO No.: 94767			Aviation ID:	Aviation ID: YSSY Opened: 01 Jan 1929				Still open
Latitude:	-33.9465 Longitude: 151.1731			Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 13/08/2002





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened: 01 Jan 1929		Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Instrument Location and Surrounding Features 09/12/1998





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Skyline Diagram 06/10/2016(most recent)





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY	AIRPORT AMO		State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017


Skyline Diagram 30/05/2012





Station:	SYDNEY AIR	RPORT AMO		Location:	SYDNEY AIRPORT AMO			State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened: 01 Jan 1929		Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Skyline Diagram 18/08/2003





Station:	SYDNEY AII	RPORT AMO		Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037 WMO No.: 94767			Aviation ID:	Aviation ID: YSSY Opened: 01 Jan 1929				Still open
Latitude:	-33.9465 Longitude: 151.1731			Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Observation Program Summary (Surface Observations) 27 JUL 2017 (most recent)

Current Observation	Continuous	Half Hourly	Hourly
Surface Observations	Y	Y	Y

Current Observation	Program Type	12 AM	3 AM	6 AM	9 AM	12 PM	3 PM	6 AM	9 AM
Surface Observation	PERFORMED	Y	Y	Y	Y	Y	Y	Y	Y
Surface Observation	REPORTED	Y	Y	Y	Y	Y	Y	Y	Y
Surface Observation	SEASONAL	-	-	-	-	-	-	-	-

Upper Air Routine 01/09/1976 to 01/08/2012

Flight type	Time UTC	Mon	Tue	Wed	Thur	Fri	Sat	Sun
Wind & Temp.	00:00	-	-	-	-	-	-	-
Wind & Temp.	06:00	Y	Y	Y	Y	Y	Y	Y
Wind & Temp.	12:00	-	-	-	-	-	-	-
Wind & Temp.	18:00	Y	Y	Y	Y	Y	Y	Y
Wind	00:00	Y	Y	Y	Y	Y	Y	Y
Wind	06:00	Y	Y	Y	Y	Y	Y	Y
Wind	12:00	Y	Y	Y	Y	Y	Y	Y
Wind	18:00	Y	Y	Y	Y	Y	Y	Y

Upper Air Routine 01/08/2012 to 31/08/2014

Flight type	Time UTC	Mon	Tue	Wed	Thur	Fri	Sat	Sun
Wind & Temp.	00:00	-	-	-	-	-	-	-
Wind & Temp.	06:00	-	-	-	-	-	-	-
Wind & Temp.	12:00	-	-	-	-	-	-	-
Wind & Temp.	18:00	Y	Y	Y	Y	Y	Y	Y
Wind	00:00	Y	Y	Y	Y	Y	Y	Y
Wind	06:00	Y	Y	Y	Y	Y	Y	Y
Wind	12:00	Y	Y	Y	Y	Y	Y	Y
Wind	18:00	Y	Y	Y	Y	Y	Y	Y

Upper Air Routine 01/09/2014 (most recent)

Flight type	Time UTC	Mon	Tue	Wed	Thur	Fri	Sat	Sun
Wind & Temp.	00:00	-	-	-	-	-	-	-
Wind & Temp.	06:00	-	-	-	-	-	-	-
Wind & Temp.	12:00	-	-	-	-	-	-	-
Wind & Temp.	18:00	Y	Y	Y	Y	Y	Y	Y
Wind	00:00	-	-	-	-	-	-	-
Wind	06:00	-	-	-	-	-	-	-
Wind	12:00	-	-	-	-	-	-	-
Wind	18:00	Y	Y	Y	Y	Y	Y	Y



Station:	on: SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History

Equipment Install/Remove Cloud Height 14/MAR/1997 INSTALL Ceilometer (Type Vaisala CT12K S/N - 0890118E) Surface Observations 26/JAN/2001 REPLACE Ceilometer (Now Vaisala CT12K S/N - 0890118E) Surface Observations 23/JAN/2008 REPLACE Ceilometer (Now Vaisala CT25K S/N - C04406) Surface Observations 04/FEB/2015 REPLACE Ceilometer (Now Vaisala CT25K S/N - W09414) Surface Observations 01/MAR/1939 INSTALL Cloud Base Searchlight (Type 63 Degree S/N - Unknown) Surface Observations 01/APR/2000 REMOVE Cloud Base Searchlight (Type 63 Degree S/N - Unknown) Surface Observations River Height (No Electronic History) Wind Run 31/DEC/1973 INSTALL Wind Run Anemometer (Type Synchrotac S/N - 660927160) Surface Observations 01/JUN/2009 REPLACE Wind Run Anemometer (Now Synchrotac S/N - 695) Surface Observations 10/SEP/1999 REPLACE Wind Run Anemometer (Now Synchrotac S/N - 807) Surface Observations Spectral Radiation (No Electronic History) Sea Surface Temperature (No Electronic History) Sea Water Temperature (No Electronic History) 31/DEC/1973 INSTALL Evaporation Pan (Type Class A S/N - NONE) Surface Observations 29/JUL/2015 REPLACE Evaporation Pan (Now Class A S/N - NONE) Surface Observations **Minimum Temperature** 26/AUG/2008 INSTALL Thermometer, Alcohol, Min (Type Dobbie S/N - 23184) Surface Observations 25/JUN/2007 INSTALL Thermometer, Alcohol, Min (Type Dobbie S/N - 25890) Surface Observations 01/JUN/1939 INSTALL Thermometer, Alcohol, Min (Type Dobbie S/N - 5306) Surface Observations 25/JUN/2007 REMOVE Thermometer, Alcohol, Min (Type Dobbie S/N - 23184) Surface Observations 26/AUG/2008 REMOVE Thermometer, Alcohol, Min (Type Dobbie S/N - 25890) Surface Observations 14/APR/1999 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 17017) Surface Observations 10/MAR/2004 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 23184) Surface Observations 18/MAY/2014 REPLACE Thermometer, Alcohol, Min (Now Dobbie S/N - 25890) Surface Observations Soil Temperature 50cm (No Electronic History) Sub Surface Temperature (No Electronic History) **Electrical Conductivity (No Electronic History)** Maximum Temperature 01/JUN/1939 INSTALL Thermometer, Mercury, Max (Type Dobbie S/N - 2464) Surface Observations 14/APR/1999 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 14799) Surface Observations 24/AUG/2016 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 17463) Surface Observations 19/OCT/2000 REPLACE Thermometer, Mercury, Max (Now Dobbie S/N - 20888) Surface Observations Soil Temperature 20cm 15/OCT/2012 INSTALL Thermometer, Soil, 20cm (Type Amarol S/N - 00415484) Surface Observations 01/AUG/1995 INSTALL Thermometer, Soil, 20cm (Type Dobros S/N - 6880) Surface Observations 15/OCT/2012 REMOVE Thermometer, Soil, 20cm (Type Amarol S/N - 0673886) Surface Observations 05/JAN/2012 REPLACE Thermometer, Soil, 20cm (Now Amarol S/N - 0673886) Surface Observations 20/JAN/2014 REPLACE Thermometer, Soil, 20cm (Now Amarol S/N - 0673887) Surface Observations 05/MAY/2015 REPLACE Thermometer, Soil, 20cm (Now Amarol S/N - 0967149) Surface Observations

Historical metadata for this site has not been quality controlled for accuracy and completeness. Data other than current station information, particularly earlier than 1998, should be considered accordingly. Information may not be complete, as backfilling of historical data is incomplete.

22/OCT/2007 REPLACE Thermometer, Soil, 20cm (Now Amarol S/N - 9984014) Surface Observations



Station:	on: SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History (continued)

Equipment Install/Remove(Continued)

14/APR/1999 REPLACE Thermometer, Soil, 20cm (Now Dobros S/N - 0011824) Surface Observations

07/MAR/2015 REPLACE Thermometer, Soil, 20cm (Now Unknown S/N - CBM1736) Surface Observations

Solar Radiation (No Electronic History)

Soil Temperature 5cm (No Electronic History)

Oxygen Content (No Electronic History)

Sea Water Level (No Electronic History)

Surface Inclination (No Electronic History)

Terrestial Minimum Temperature

25/JUN/2007 INSTALL Thermometer, Terrestrial, Min (Type Dobbie S/N - 23184) Surface Observations

26/AUG/2008 INSTALL Thermometer, Terrestrial, Min (Type Dobbie S/N - 25890) Surface Observations

01/AUG/1995 INSTALL Thermometer, Terrestrial, Min (Type Dobbie S/N - 4388) Surface Observations

26/AUG/2008 REMOVE Thermometer, Terrestrial, Min (Type Dobbie S/N - 23184) Surface Observations

25/JUN/2007 REMOVE Thermometer, Terrestrial, Min (Type Dobbie S/N - 25890) Surface Observations

23/JAN/2013 REPLACE Thermometer, Terrestrial, Min (Now Dobbie S/N - 17053) Surface Observations

14/APR/1999 REPLACE Thermometer, Terrestrial, Min (Now Dobbie S/N - 17303) Surface Observations

01/MAY/2016 REPLACE Thermometer, Terrestrial, Min (Now Dobbie S/N - 20791) Surface Observations

19/OCT/2000 REPLACE Thermometer, Terrestrial, Min (Now Dobbie S/N - 25890) Surface Observations

Visibility

14/MAR/1997 INSTALL Visibility Meter (Type Vaisala FD12 S/N - N47110) Surface Observations

18/JAN/2000 INSTALL Visibility Meter (Type Vaisala FD12 S/N - T49304) Surface Observations

05/APR/2012 INSTALL Visibility Meter (Type Vaisala FD12 S/N - T49304) Surface Observations

27/MAR/2012 REMOVE Visibility Meter (Type Vaisala FD12 S/N - N47110) Surface Observations

08/JUN/2000 REMOVE Visibility Meter (Type Vaisala FD12 S/N - T49304) Surface Observations

Solar Radiation (Direct) (No Electronic History)

Magnetic Bearing (No Electronic History)

Wind Direction

05/SEP/2003 INSTALL Anemometer (Type Synchrotac Cups - Type 732 S/N - 82626) Surface Observations

01/JUL/1994 INSTALL Anemometer (Type Synchrotac Vane - Type 706 S/N - Unknown) Surface Observations

28/APR/2000 INSTALL Mast Anemometer (Type Pivot, Standard 8m S/N - NONE) Infrastructure

31/DEC/1973 INSTALL Wind Run Anemometer (Type Synchrotac S/N - 660927160) Surface Observations

03/JAN/2006 REPLACE Anemometer (Now Synchrotac Cups - Type 732 S/N - 79931) Surface Observations

05/SEP/2003 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - 82672) Surface Observations

03/JAN/2006 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - MK7890921) Surface Observations

24/JUN/2013 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - MK7890921) Surface Observations

28/APR/1999 REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - WD:74051 WS:74081) Surface Observations

01/JUN/2009 REPLACE Wind Run Anemometer (Now Synchrotac S/N - 695) Surface Observations

10/SEP/1999 REPLACE Wind Run Anemometer (Now Synchrotac S/N - 807) Surface Observations

Air Temperature

16/FEB/2017 INSTALL Humidity Probe (Type Rotronics MP101A-T4-W4W S/N - 36656004) Surface Observations

01/JUL/1994 INSTALL Temperature Probe - Dry Bulb (Type Rosemount S/N - NONE) Surface Observations

14/DEC/2011 REPLACE Temperature Probe - Dry Bulb (Now Rosemount S/N - 10276) Surface Observations

12/AUG/2015 REPLACE Temperature Probe - Dry Bulb (Now Rosemount ST2401 S/N - 0611) Surface Observations

20/MAR/2017 REPLACE Temperature Probe - Dry Bulb (Now Temp Control TCBMP01 S/N - 10280/1) Surface Observations



Station:	Station: SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO			State:	NSW	
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History (continued)

	Install/Remove(Continued)
01/JUN/1939	INSTALL Thermograph (Type Fielden S/N - Unknown) Surface Observations
01/JUL/1994	REMOVE Thermograph (Type Fielden S/N - Unknown) Surface Observations
01/JUN/1939	INSTALL Thermometer, Mercury, Dry Bulb (Type Dobbie S/N - 5895) Surface Observations
25/MAY/2011	REPLACE Thermometer, Mercury, Dry Bulb (Now WIKA S/N - 27566) Surface Observations
06/OCT/2016	REPLACE Thermometer, Mercury, Dry Bulb (Now WIKA S/N - M5278) Surface Observations
Wet Bulb Ten	
01/JUL/1994	INSTALL Temperature Probe - Wet Bulb (Type Rosemount S/N - NONE) Surface Observations
16/FEB/2017	REMOVE Temperature Probe - Wet Bulb (Type Rosemount S/N - 10511) Surface Observations
	REPLACE Temperature Probe - Wet Bulb (Now Rosemount S/N - 10511) Surface Observations
01/JUN/1939	INSTALL Thermometer, Mercury, Wet Bulb (Type Dobbie S/N - 5420) Surface Observations
06/OCT/2016	REPLACE Thermometer, Mercury, Wet Bulb (Now Dobbie S/N - 24150) Surface Observations
14/APR/1999	REPLACE Thermometer, Mercury, Wet Bulb (Now Dobbie S/N - M5278) Surface Observations
Lightning	
	INSTALL Lightning Sensor (Type Vaisala TSS928 (Thunderstorm Sensor) S/N - Z0850003) Surface Observations
	INSTALL Lightning Sensor (Type Vaisala TSS928 (Thunderstorm Sensor) S/N - Z1040001) Surface Observations
13/JUN/2008	INSTALL Lightning Sensor (Type Vaisla EFM550 (Thunderstorm Electrical Field Mill) S/N - Z0850003) Surface Observations
30/JUL/2007	REMOVE Lightning Sensor (Type Vaisala TSS928 (Thunderstorm Sensor) S/N - Z0850003) Surface Observations
26/NOV/2009	REPLACE Lightning Sensor (Now Vaisala TSS928 (Thunderstorm Sensor) S/N - 22000098) Surface Observations
	REPLACE Lightning Sensor (Now Vaisala TSS928 (Thunderstorm Sensor) S/N - A5020001) Surface Observations
1	Electronic History)
	Ozone Amount (No Electronic History)
Pressure	
01/JUL/1951	INSTALL Barometer (Type Kew pattern mercury S/N - 1980) Surface Observations
01/FEB/1992	REPLACE Barometer (Now Vaisala PA11A S/N - 458194) Surface Observations
	REPLACE Barometer (Now Vaisala PA11A S/N - 561171) Surface Observations
01/JUL/1994	REPLACE Barometer (Now Vaisala PA11A S/N - 56182) Surface Observations
28/FEB/1997	REPLACE Barometer (Now Vaisala PA11A S/N - 661831) Surface Observations
	REPLACE Barometer (Now Vaisala PA11A S/N - R5110005) Surface Observations
01/FEB/2012	REPLACE Barometer (Now Vaisala PTB330B (General Use) S/N - G2970033) Surface Observations
Humidity	
	INSTALL Humidity Probe (Type Rotronics MP101A-T4-W4W S/N - 36656004) Surface Observations
	INSTALL Hygrograph (Type Fielden S/N - Unknown) Surface Observations
	REMOVE Hygrograph (Type Fielden S/N - Unknown) Surface Observations
Sunshine Hou	
	INSTALL Sunshine Recorder (Type Campbell-Stokes S/N - 24) Surface Observations
Pressure Tren	
	INSTALL Barograph (Type Weekly S/N - 094) Surface Observations
	(No Electronic History)
Wind Speed	INCIDALLA (T. C. 1. C. T. 700 CN, 0000 C. C. C.
05/SEP/2003	INSTALL Anemometer (Type Synchrotac Cups - Type 732 S/N - 82626) Surface Observations
01/JUL/1994	INSTALL Anemometer (Type Synchrotac Vane - Type 706 S/N - Unknown) Surface Observations
28/APR/2000	INSTALL Mast Anemometer (Type Pivot, Standard 8m S/N - NONE) Infrastructure



01/SEP/1969

Extended Climatological Station Metadata All History

Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History (continued)

T	
	Install/Remove(Continued)
	INSTALL Wind Run Anemometer (Type Synchrotac S/N - 660927160) Surface Observations
	REPLACE Anemometer (Now Synchrotac Cups - Type 732 S/N - 79931) Surface Observations
05/SEP/2003	REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - 82672) Surface Observations
	REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - MK7890921) Surface Observations
	REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - MK7890921) Surface Observations
28/APR/1999	REPLACE Anemometer (Now Synchrotac Vane - Type 706 S/N - WD:74051 WS:74081) Surface Observations
01/JUN/2009	REPLACE Wind Run Anemometer (Now Synchrotac S/N - 695) Surface Observations
10/SEP/1999	REPLACE Wind Run Anemometer (Now Synchrotac S/N - 807) Surface Observations
Rainfall	
01/JAN/1960	INSTALL Pluviograph (Type Dines syphoning S/N - Unknown) Rainfall Intensity
31/DEC/2007	REMOVE Pluviograph (Type Dines syphoning S/N - Unknown) Rainfall Intensity
01/SEP/1929	INSTALL Raingauge (Type 203 mm (8in) - 200mm capacity S/N - NONE) Surface Observations
29/OCT/2013	INSTALL Raingauge (Type HS-TB3/0.2/P S/N - 00001) Surface Observations
	INSTALL Raingauge (Type Rimco 7499 TBRG S/N - 848471) Surface Observations
14/NOV/2014	REMOVE Raingauge (Type HS-TB3/0.2/P S/N - 00001) Surface Observations
09/NOV/1999	REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 77123) Rainfall Intensity
09/NOV/1999	REPLACE Raingauge (Now Rimco 7499 TBRG S/N - 77123) Surface Observations
	SHARE Raingauge (Type Rimco 7499 TBRG S/N - 848471) Rainfall Intensity
Soil Temperat	ture 100cm (No Electronic History)
Soil Temperat	ture 10cm
01/AUG/1995	INSTALL Thermometer, Soil, 10cm (Type Dobros S/N - 2150) Surface Observations
14/APR/1999	REPLACE Thermometer, Soil, 10cm (Now Dobros S/N - 9725440) Surface Observations
Solar Radiation	on (Long Wave) (No Electronic History)
RF Reflectivit	${f y}$
01/SEP/1976	INSTALL Radar (Type WF3 S/N - Unknown) Upper Air
01/DEC/1966	INSTALL Radar (Type WF44 S/N - P0005) WeatherWatch
01/DEC/1966	INSTALL Radar Tower (Type Lattice WF44 - 18 ft S/N - Unknown) Infrastructure
01/SEP/2014	REMOVE Radar (Type WF100-4X S/N - 00015) Upper Air
10/MAR/1999	REMOVE Radar (Type WF44 S/N - P0005) WeatherWatch
10/MAR/1999	REMOVE Radar Tower (Type Lattice WF44 - 30 ft S/N - Unknown) Infrastructure
04/FEB/1997	REPLACE Radar (Now WF100-4X S/N - 00015) Upper Air

The following table summarises information on field performance checks available electronically over the period indicated. The number of instances an instrument was found to fail field performance checks should only be used as a guide. A system of data quality flags is implemented by the Bureau of Meteorology to indicate the data quality of an observation as determined by a mutli-stage quality control process.

REPLACE Radar Tower (Now Lattice WF44 - 30 ft S/N - Unknown) Infrastructure

Available Date Range	Element	Fail Field Performance Check
13/AUG/2002 - 06/OCT/2016	Cloud Height	0
09/DEC/1998 - 06/OCT/2016	Wind Run	0
23/MAY/2001 - 06/OCT/2016	Evaporation	0
09/DEC/1998 - 06/OCT/2016	Minimum Temperature	0



Station:	SYDNEY AIRPORT AMO			Location:	SYDNEY	AIRPORT AMO	State:	NSW	
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History (continued)

Available Date Range	Element	Fail Field Performance Check
09/DEC/1998 - 06/OCT/2016	Maximum Temperature	0
09/DEC/1998 - 06/OCT/2016	Soil Temperature 20cm	0
09/DEC/1998 - 06/OCT/2016	Terrestial Minimum Temperature	0
22/FEB/2000 - 06/OCT/2016	Visibility	4
09/DEC/1998 - 06/OCT/2016	Wind Direction	4
21/APR/1998 - 20/MAR/2017	Air Temperature	1
21/APR/1998 - 06/OCT/2016	Wet Bulb Temperature	0
16/OCT/2012 - 08/DEC/2012	Lightning	0
09/DEC/1998 - 06/OCT/2016	Pressure	2
13/AUG/2002 - 06/OCT/2016	Pressure Trend	0
09/DEC/1998 - 06/OCT/2016	Wind Speed	4
21/APR/1998 - 03/MAY/2017	Rainfall	0
09/DEC/1998 - 06/OCT/2016	Soil Temperature 10cm	0
18/AUG/2003 - 03/APR/2014	RF Reflectivity	2

01/JUL/1994	CLASSIFICATION Aviation (FAV)
03/JAN/2017	CLASSIFICATION Brisbane FIR Majors (BRIS_FIR_1)
26/JUN/2002	CLASSIFICATION CLIMAT Stations (CLC)
00/14/14/19/00	CLASSIEI CATIONICA (TAEA)

09/MAY/2006 CLASSIFICATION Category A (TAF A) 10/JAN/2011 CLASSIFICATION Critical (ASOSCRIT)

01/JUL/2007 CLASSIFICATION Assets Funded (AVAF)

Station Detail Changes

10/JUN/2014 CLASSIFICATION Critical Aviation or Defence (AVCRIT)

01/JUL/1998 CLASSIFICATION Information and Observations (MIO) ENDED 18-11-2002

01/JAN/2017 CLASSIFICATION New South Wales (1) (NSW_1)

18/NOV/2002 CLASSIFICATION Observations Only (MO)

01/JUL/2017 CLASSIFICATION Observing Operations Hub - Sydney (OOH-S)

21/MAR/2016 CLASSIFICATION Processed by ASOS (PBA)

01/JUL/1998 CLASSIFICATION Rawinsonde Stations (RS)

14/FEB/1997 CLASSIFICATION Regional Basic Synoptic Network (RBSN)

04/JUL/2007 OBJECT Document/066037070625prfchks 26/AUG/2008 OBJECT Document/066037080826perfchks 20/JUN/2011 OBJECT Document/AWS SITE AUDIT 28/APR/2011 OBJECT Document/CEILOMETER STATUS

10/MAY/2011 OBJECT Document/CEILOMETER STATUS

06/OCT/2016 OBJECT Document/CEILOMETER STATUS 14/DEC/2011 OBJECT Document/CEILOMETER STATUS

24/JAN/2013 OBJECT Document/CEILOMETER STATUS

09/OCT/2013 OBJECT Document/CEILOMETER STATUS

05/AUG/2014 OBJECT Document/CEILOMETER STATUS

11/MAR/2015 OBJECT Document/CEILOMETER STATUS 30/MAR/2016 OBJECT Document/CEILOMETER STATUS

26/AUG/2008 OBJECT Document/SKYLINE DATA



Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History (continued)

Station Detail Changes(Continued)
30/MAY/2012 OBJECT Document/SKYLINE DATA
06/OCT/2016 OBJECT Document/SKYLINE DATA
23/MAR/2011 OBJECT Document/SKYLINE DATA - RADAR
18/AUG/2003 OBJECT Document/Sydney Aiport
17/MAR/2015 OBJECT Document/Sydney Airport MO Hydrogen Yearly Check 2015
28/APR/2011 OBJECT Document/VISIBILITY METER STATUS
10/MAY/2011 OBJECT Document/VISIBILITY METER STATUS
06/OCT/2016 OBJECT Document/VISIBILITY METER STATUS
14/DEC/2011 OBJECT Document/VISIBILITY METER STATUS
04/JUL/2012 OBJECT Document/VISIBILITY METER STATUS
24/JAN/2013 OBJECT Document/VISIBILITY METER STATUS
09/OCT/2013 OBJECT Document/VISIBILITY METER STATUS
05/AUG/2014 OBJECT Document/VISIBILITY METER STATUS
11/MAR/2015 OBJECT Document/VISIBILITY METER STATUS
11/MAY/2015 OBJECT Document/VISIBILITY METER STATUS
30/MAR/2016 OBJECT Document/VISIBILITY METER STATUS
03/JUL/2009 OBJECT Document/YSSY ceilometer status
01/JAN/1929 STATION - (nondb seeding) Opened
01/JAN/1929 STATION - (nondb seeding) aero_ht Changed to 6.4
01/JAN/1929 STATION - (nondb seeding) bar_ht Changed to 5
01/JAN/1929 STATION - (nondb seeding) bar_ht_deriv Changed to SURVEY
01/JAN/1929 STATION - (nondb seeding) stn_ht Changed to 6
01/JAN/1929 STATION - (nondb seeding) stn_ht_deriv Changed to SURVEY
01/JAN/1929 STATION - (nondb seeding) wmo_num Changed to 94767
01/JAN/1929 STATION aviation_id Changed to YSSY
01/JAN/1929 STATION latitude Changed to -33.9411Seeded from NonDb
01/SEP/1976 STATION latitude Changed to -33.9465
01/JAN/1929 STATION latlon_deriv Changed to GPS
01/SEP/1976 STATION latlon_deriv Changed to SURVEY
01/SEP/1976 STATION latlon_error Changed to 3
01/JAN/1929 STATION latlon_error Changed to 50
01/JAN/1929 STATION longitude Changed to 151.1725Seeded from NonDb
01/SEP/1976 STATION longitude Changed to 151.1731
21/APR/1998 STATION lu_0_100m Changed to Airport
21/APR/1998 STATION lu_100m_1km Changed to Airport
21/APR/1998 STATION lu_1km_10km Changed to City area, buildings > 10 metres (3 storey)
01/JAN/1929 STATION name Changed to SYDNEY AIRPORT AMO
21/APR/1998 STATION soil_type Changed to sand

System Changes

21/APR/2001 SYSTEM External Clients Ceased 20/APR/2001 SYSTEM External Clients Commenced 01/SEP/1929 SYSTEM Infrastructure Commenced

21/APR/1998 STATION surface_type Changed to fully covered by grass



Station:	SYDNEY AIRPORT AMO			Location: SYDNEY AIRPORT AMO				State:	NSW
Bureau No.:	066037	WMO No.:	94767	Aviation ID:	YSSY	Opened:	01 Jan 1929	Current Status:	Still open
Latitude:	-33.9465	Longitude:	151.1731	Elevation:	6 m	Barometer Elev:	5 m	Metadata compiled:	27 JUL 2017

Station Equipment History (continued)

System Changes(Continued)

01/JAN/1960 SYSTEM Rainfall Intensity Commenced 01/OCT/2013 SYSTEM Reference Standards Commenced 01/SEP/1929 SYSTEM Surface Observations Commenced

01/JAN/1946 SYSTEM Upper Air Commenced 10/MAR/1999 SYSTEM WeatherWatch Ceased 01/JAN/1966 SYSTEM WeatherWatch Commenced



The following notes have been compiled to assist with interpreting the metadata provided in this document. These notes are subject to change as the network evolves. Changes in station-specific metadata occur more frequently, both as recent changes are recorded and historical information is transferred from paper file to electronic database.

Reliability of the metadata

The Commonwealth Bureau of Meteorology maintains information on more than 20,000 stations which have operated since observations began in the mid 1800s. The amount of information available for each of these sites and its associated uncertainty are influenced by a number of factors including the type and purpose of the station and the time over which it operated.

Early information about stations was held only on paper file. In 1998 a corporate electronic database was established to help maintain information about the network and its components. The number of parameters recorded about a station is now much greater than before this database was established. The national database has also helped improve consistency in the metadata through the implementation of predefined fields. As a result, and through the refinement of operating procedures, station metadata recorded since 1998 are of a higher overall standard than previously, although occasional omissions and errors are still possible.

The Bureau is part way through a task of entering historical information held on paper file into the corporate database. Until this process is completed there will remain large gaps in the information contained in these metadata documents and considerable caution should be used when deriving conclusions from the metadata. As an example, two consecutive entries about a rain gauge dated 50 years apart may appear in the equipment metadata. This may either mean that nothing happened to that instrument over the 50 years, or that information for the intervening period has yet to be entered into the database. Similarly, if no information was available about instruments at a site when it was first established, fields which were required to have a value present may have used the earliest information available as a best-guess estimate. Sometimes this was the metadata current when the database was established in 1998. In some instances there may be gaps in metadata relevant to the post 1998 period.

For the above reasons it is recommended that all metadata prior to 1998 be considered as indicative only, and used with caution, unless it has been quality controlled. The Bureau of Meteorology should be contacted if further information or confirmation of the data is required. Depending on the nature of the inquiry there may be a fee associated with this request. Contact details are provided in the telephone book for each capital city or the Bureau's web site at: http://www.bom.gov.au

The following pages contain explanatory notes for selected terms found in this document.

Station Number

The Bureau of Meteorology station number uniquely specifies a station and is not intended to change over time time, although on very rare occasions a station number may change or be deleted from the record (usually to correct an error). Generally a new station number is established if an existing station changes in a way that would affect the climate data record for that site (measured in terms of air temperature and precipitation). Significant station moves are an example of this.

Some stations also possess a World Meteorological Organization (WMO) station number. The WMO number is different to the Bureau of Meteorology number. It also uniquely specifies a station at any given time but can be reassigned to another station if the new station takes priority in the global reporting network. Only selected stations will have a WMO number. Significant stations may maintain their WMO number for many decades.



Network Classification

SUPPORTING the BASIC CLIMATE SERVICE
Global Climate Observing System (GCOS)
GCOS Upper Air Network (GUAN)
GCOS Surface Network (GSN)
National Climate Network {not yet assigned}
Reference Climate Stations (RCS)
Regional Basic Climatological Network (RBCN)
CLIMAT Stations (CLC)
CLIMAT TEMP Stations (CLT)
SUPPORTING the NATIONAL WEATHER WATCH SYSTEM
WMO Global Observing System (GOS)
GOS Upper Air Network
GOS Satellite Network
Global Atmospheric Watch
Background Atmospheric Pollution Monitoring Network (BAPMON)
Basic Ozone Network
Basic Solar and Terrestrial Radiation Network
Regional Basic Synoptic Network (RBSN)
WMO Global Oceanic Observing System (GOOS)
SUPPORTING the BASIC WEATHER SERVICE (BWS)
BWS Land Network
Significant Land Locations
Capital City Mesonets
National Benchmark Network for Agrometeorology (NBNA)
BWS Marine Network
Significant Coastal Loactions
Open Ocean Network
BWS Upper Air Network
Major Significant Locations
BWS Remote Sensing Network
Weather Watch Radar Network
Fire Weather Wind Mesonets
High Resolution Satellite
SUPPORTING the BASIC HYDROLOGICAL SERVICE
Regional Flood Warning Network
Water Resources Assessment Network
Global Hydrological Network
Global Terrestrial Observing System (GTOS)
World Hydrological Cycle Observing System (WHYCOS)
National Hydrological Network

Networks of stations are defined for a variety of purposes (as defined in above table).



Network Classification Continued....

Stations may be included in several different networks, which may change over time. The table on the previous page lists current network classifications related to the scientific purpose of the network. Some of these networks - the GCOS network for instance - are components of a global network. Entries in the database for some networks may not be complete, thus not properly representing the status of the network. The composition of the network will usually change over time. While several of the networks have international significance, other network classifications have been developed to aid operational management.

Station Purpose

The station purpose can be classified according to the observation program listed below. Parameters in brackets list some of the various different configurations which occur.

- Synoptic [Seasonal, River Height, Climatological, Telegraphic Rain, Aeronautical, Upper Air]
- Climatological [Seasonal, Telegraphic Rain]
- Aeronautical
- Rainfall [River Height]
- River Height
- Telegraphic Rain [Non-Telegraphic River Height, Telegraphic River Height]
- Non-Telegraphic Rain [Telegraphic River Height]
- Evaporation [Rainfall, River Height, Telegraphic River Height, Non-Telegraphic River Height, Telegraphic Rain, Non-Telegraphic Rain]
- Pluviograph [Rainfall, Telegraphic Rain, Non-Telegraphic Rain, River Height, Telegraphic River Height, Non-Telegraphic River Height]
- Radiation
- Lightning Flash Counter
- Public Information
- Local Conditions
- Radar Site
- Unclassified
- No Routine Observations

Note: Telegraphic observations are those which are sent by some electronic means be it a phone or telegram to the responsible Bureau office. It is a term which is historically linked to analogue non automatic data transmission.

Station Observation Program Summary

Surface Observations

The following terms are used to describe the frequency of surface observations at a site. Historical observation programs will typically be missing for many sites until the database is backfilled with information.

Set a)

- Continuous Program
 - · More than half hourly observations sent (eg an automatic weather station {AWS} which continuously transmits 10 minute observations). This will automatically include half hourly and hourly observations programs.
- Half hourly observations
 - · Half hourly observations sent. This will automatically include hourly observations.
- Hourly observations
 - · Hourly observations sent only. Stations report on non-synoptic hours (ie. 0100, 0200, 0400, 0500, etc)



Surface observations continued....

Set b)

- · Performed
 - · Observations performed, instruments read and observations recorded
- Reported
 - · Observations performed, instruments read and reported real time
- Seasonal
 - The program may only be performed during a defined season (such as Fire Weather observations) or the routine program may increase in reporting frequency and/or parameters. The program dates are currently modified at the start and end of each season for stations performing seasonal observations. Historically this was not always the case.

Current Station Equipment Summary

Equipment listed in this metadata product is catalogued under one of systems listed below, appropriate to its application. The "Infrastructure" category has been included since it contains information about the mast height of an anemometer (if present).

- Flood Warning
- Infrastructure
- Radiation
- Rainfall Intensity
- Surface Observations
- Upper Air
- Weather Watch {RADAR}

Station Equipment History

Equipment Install/Remove

One of four types of actions can be performed on an instrument in this listing:

Install - A new instrument is installed at the site. This can be either a completely new addition (eg the first barometer at the site), or the replacement of an existing instrument with a different type (eg replacing mercury barometer with electronic barometer)

Remove - An instrument can be removed either when it is no longer necessary to measure a particular element, or when the element is to be measured by an instrument of a different type (see under "Install" above)

Replace - This occurs when one instrument is replaced with another of the same type (eg Kew pattern mercury barometer replacing another Kew pattern mercury barometer)

Share - The same instrument is used for observations under two (or more) systems (eg a rain gauge may be used within both Surface Observations and Rainfall Intensity systems)

Unshare - The instrument is no longer shared between systems



Calibration

During a site inspection an instrument will be calibrated as either being within or not within the specified tolerance in accuracy.

Where a quantative calibration result can be achieved by comparison to a transfer standard (eg barometer comparisons and tipping bucket rain gauge calibrations), the instrument will be recorded as being within or outside the required tolerance. Instruments (such as 203mm rain gauges, screens and evaporation pans) where quantitative calibrations cannot be derived should be regarded as meeting specifications when the instrument is in 'good working order'.

This product provides a summary table of the number of times an instrument was found to be out of calibration

Station Detail Changes

This set of metadata indicates when some aspect of the general information about a station has changed.

- STATION

Metadata which are categorised as pertaining to STATION are items of (textual) information describing a specific attribute of the station. A reference to (nondB seeding) indicates initial information of this field has been sourced from a previous database.

Station position

- Latitude and longitude

Derivation of station latitude and longitude, defined by the location of the rain gauge when it is present, has changed over time. Current practice is to locate or verify open and operational station latitude and longitude based on Global Positioning System equipment. Methods used to locate a station as described in this product (latlon_deriv) are as follows: GPS, MAP 1:10000, MAP 1:2500, MAP 1:25000, MAP 1:50000, MAP 1:100000, MAP 1:250000, SURVEY, and Unknown (which is more commonly represented by a null value). The field latlon_error should be used with caution as the method of determining this value has been interpreted in different ways over time.

- Height

Determination of heights for observing sites is by survey where possible. Otherwise height may be determined using a Digital Aneroid Barometer and a known surveyed point, or derived from map contours. The source of height is provided in the corresponding parameter with a suffix of "_deriv".

Heights which may appear in these metadata are:

- aero_ht
 - The official elevation of the aerodrome which normally corresponds to the altitude of the highest threshold of the runways at that airport;
- bar ht
 - this represents the height of the mercury barometer cistern or the digital aneroid barometer above mean sea level (MSL);
- stn_ht
 - this normally represents the height of the rain gauge above MSL



- Land Use

To assist the long term understanding of climate change it is important to be able to determine the differences over time which are attributed to variations in the climate. Since land use has an effect on the micro climate around the site, and changes in land use will therefore affect the climate record, it is important that the characteristics of the site are monitored. Soil types are recorded as they affect the land use and also add to the knowledge of the site details.

Defined Land use Types.

- Non-vegetated (barren, desert)
- Coastal or Island
- Forest
- Open farmland, grassland or tundra
- Small town, less than 1000 population
- Town 1000 to 10,000 population
- City area with buildings less than 10 metres (3 stories)
- City area with buildings greater than 10 metres (3 stories)
- Airport

The land use code is entered on the station inspection form in the ranges 0 to 100 m, 100 to 1 km and 1km to 10 km; ie:

• lu 0 100m: Land Use 0 to 100 metres from the enclosure

lu_100m_1km: Land Use 100 metres to 1 kilometre
 lu 1km 10km: Land Use 1 kilometre to 10 kilometres

Defined Soil Type (At Enclosure).

- unable to determine
- sand
- · black soil
- clav
- rock
- red soil
- other

Surface Type (At Enclosure).

- unable to determine
- fully covered by grass
- mostly covered by grass
- partly covered by grass
- · bare ground
- sand
- concrete
- asphalt
- rock
- other