

ALS USA Inc.

4977 Energy Way Reno NV 89502

Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 1 Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

Account: KEERRG

CERTIFICATE RE19312060

This report is for 97 Soil samples submitted to our lab in Reno, NV, USA on 9-DEC-2019.

The following have access to data associated with this certificate:

STEPHAN FINCH LARRY MCMASTER CHARLES REDDIEN

| | SAMPLE PREPARATION | |
|----------|-------------------------------------|--|
| ALS CODE | DESCRIPTION | |
| WEI-21 | Received Sample Weight | |
| DRY-22 | Drying - Maximum Temp 60C | |
| SND-ALS | Send samples to internal laboratory | |
| LOG-22 | Sample login - Rcd w/o BarCode | |
| SCR-41 | Screen to -180um and save both | |
| LOG-24 | Pulp Login - Rcd w/o Barcode | |
| CRU-31 | Fine crushing - 70% <2mm | |
| PUL-31 | Pulverize up to 250g 85% <75 um | |
| SPL-21 | Split sample - riffle splitter | |
| LOG-22d | Sample login - Rcd w/o BarCode dup | |

| | ANALYTICAL PROCEDURI | ES |
|-----------|-------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Rh-MS25 | Rh 30g FA ICP-MS | ICP-MS |
| Ag-AA45 | Trace Ag - aqua regia/AAS | AAS |
| ME-MS61r | 4A multi-element ICP-MS + REE | |
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project. Statement required by Nevada State Law NRS 519

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 2 - A Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

Account: KEERRG

| | | | | | | | | <u> </u> | | | <i>-,</i> | 1 / (14/ (1 | | | 12000 | |
|--------------------|---------|-----------|-----------|-----------|-----------|---------|---------|----------|----------|----------|-----------|-------------|----------|----------|----------|----------|
| Sample Description | Method | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | Rh-MS25 | Ag-AA45 | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
| | Analyte | Recvd Wt. | Au | Pt | Pd | Rh | Ag | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce |
| | Units | kg | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | LOD | 0.02 | 0.001 | 0.005 | 0.001 | 0.001 | 0.2 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 |
| 157201 | | 2.74 | 0.020 | <0.005 | 0.001 | <0.001 | <0.2 | 0.25 | 6.95 | 24.1 | 750 | 1.59 | 0.14 | 3.12 | 0.08 | 54.6 |
| 157202 | | 1.70 | 0.035 | <0.005 | 0.002 | <0.001 | <0.2 | 0.14 | 6.70 | 29.3 | 670 | 1.57 | 0.17 | 9.57 | 0.14 | 54.1 |
| 157203 | | 5.70 | 0.002 | <0.005 | <0.001 | <0.001 | <0.2 | 0.12 | 8.31 | 9.3 | 990 | 1.74 | 0.16 | 2.17 | 0.13 | 62.2 |
| 157204 | | 5.30 | 0.007 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 8.43 | 21.0 | 910 | 2.03 | 0.17 | 2.10 | 0.14 | 80.2 |
| 157205 | | 3.86 | 0.026 | <0.005 | <0.001 | <0.001 | <0.2 | 0.13 | 8.19 | 43.0 | 870 | 1.84 | 0.18 | 2.12 | 0.11 | 76.9 |
| 157206 | | 6.00 | 0.019 | <0.005 | 0.001 | <0.001 | <0.2 | 0.21 | 8.15 | 48.5 | 850 | 1.91 | 0.19 | 2.04 | 0.12 | 74.2 |
| 157207 | | 5.00 | 0.038 | <0.005 | 0.001 | <0.001 | 0.9 | 1.18 | 7.79 | 73.2 | 810 | 1.80 | 0.20 | 1.67 | 0.14 | 72.5 |
| 157208 | | 3.34 | 0.005 | <0.005 | 0.001 | <0.001 | <0.2 | 0.08 | 8.26 | 25.5 | 780 | 1.83 | 0.19 | 1.97 | 0.17 | 86.1 |
| 157209 | | 7.38 | 0.013 | <0.005 | <0.001 | <0.001 | <0.2 | 0.10 | 7.67 | 41.3 | 770 | 1.76 | 0.20 | 2.06 | 0.13 | 88.1 |
| 157210 | | 6.00 | 0.009 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 7.85 | 27.4 | 780 | 1.79 | 0.19 | 1.77 | 0.13 | 86.8 |
| 157211 | | 5.88 | 0.006 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 8.12 | 29.1 | 820 | 1.90 | 0.19 | 1.87 | 0.18 | 89.2 |
| 157212 | | 6.08 | 0.053 | <0.005 | 0.002 | <0.001 | <0.2 | 0.13 | 8.36 | 38.1 | 810 | 2.00 | 0.20 | 1.94 | 0.10 | 87.5 |
| 157213 | | 6.46 | 0.009 | <0.005 | 0.002 | <0.001 | <0.2 | 0.12 | 8.20 | 32.6 | 880 | 1.93 | 0.19 | 1.88 | 0.14 | 76.3 |
| 157214 | | 7.58 | 0.008 | <0.005 | <0.001 | <0.001 | <0.2 | 0.11 | 8.26 | 30.6 | 890 | 1.99 | 0.19 | 2.31 | 0.13 | 97.1 |
| 157215 | | 0.06 | 0.023 | 0.044 | 0.226 | 0.001 | <0.2 | 0.04 | 3.85 | 3.7 | 40 | <0.05 | 0.18 | 2.51 | 0.03 | 47.8 |
| 157216 | | 9.30 | 0.003 | <0.005 | 0.001 | <0.001 | <0.2 | 0.19 | 8.61 | 28.8 | 1020 | 2.01 | 0.14 | 1.44 | 0.09 | 55.6 |
| 157217 | | 8.34 | 0.005 | <0.005 | <0.001 | <0.001 | <0.2 | 0.19 | 7.77 | 25.0 | 1000 | 1.68 | 0.11 | 3.06 | 0.07 | 50.4 |
| 157218 | | 1.16 | <0.001 | <0.005 | <0.001 | <0.001 | <0.2 | 0.02 | 9.27 | 5.2 | 120 | 0.64 | 0.33 | 10.50 | 0.17 | 21.7 |
| 157219 | | 5.58 | 0.004 | <0.005 | 0.002 | <0.001 | <0.2 | 0.09 | 8.24 | 8.3 | 980 | 1.70 | 0.15 | 2.36 | 0.11 | 63.7 |
| 157220 | | 4.62 | 0.003 | <0.005 | <0.001 | <0.001 | <0.2 | 0.10 | 8.59 | 14.2 | 1000 | 1.89 | 0.18 | 2.43 | 0.19 | 66.2 |
| 157221 | | 7.52 | 0.004 | <0.005 | 0.001 | <0.001 | <0.2 | 0.08 | 8.41 | 8.8 | 1040 | 1.86 | 0.14 | 2.44 | 0.12 | 68.5 |
| 157222 | | 2.78 | 0.028 | <0.005 | <0.001 | <0.001 | <0.2 | 0.10 | 7.85 | 32.5 | 790 | 1.76 | 0.18 | 2.33 | 0.13 | 79.2 |
| 157251 | | 1.84 | 0.191 | <0.005 | 0.001 | <0.001 | 0.3 | 0.51 | 5.28 | 97.3 | 510 | 1.25 | 0.17 | 5.13 | 0.10 | 44.6 |
| 157252 | | 1.74 | 0.029 | <0.005 | 0.001 | <0.001 | <0.2 | 0.34 | 1.90 | 56.5 | 550 | 0.50 | 0.07 | 18.80 | 0.11 | 17.25 |
| 157253 | | 1.64 | 0.052 | <0.005 | 0.001 | <0.001 | <0.2 | 0.22 | 5.59 | 42.1 | 620 | 1.35 | 0.15 | 6.72 | 0.11 | 45.8 |
| 157254 | | 2.74 | 0.013 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 7.67 | 18.4 | 930 | 1.88 | 0.17 | 2.55 | 0.08 | 72.1 |
| 157255 | | 1.90 | 0.089 | <0.005 | <0.001 | <0.001 | <0.2 | 0.20 | 7.85 | 8.6 | 760 | 2.37 | 0.17 | 2.15 | 0.13 | 83.9 |
| 157256 | | 2.20 | 0.013 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 8.17 | 9.6 | 1130 | 1.80 | 0.13 | 2.56 | 0.10 | 51.1 |
| 157257 | | 2.76 | 0.055 | <0.005 | 0.001 | <0.001 | <0.2 | 0.16 | 8.44 | 12.8 | 1150 | 1.86 | 0.14 | 2.09 | 0.10 | 57.6 |
| 157258 | | 1.76 | 0.046 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 8.50 | 9.3 | 1040 | 1.95 | 0.13 | 2.10 | 0.08 | 55.9 |
| 157259 | | 2.48 | 0.039 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 8.47 | 7.8 | 980 | 2.10 | 0.14 | 2.22 | 0.08 | 59.6 |
| 157260 | | 2.88 | 0.016 | <0.005 | <0.001 | <0.001 | <0.2 | 0.08 | 8.55 | 9.1 | 1010 | 1.89 | 0.12 | 2.28 | 0.08 | 59.9 |
| 157261 | | 2.28 | 0.054 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 8.56 | 9.6 | 960 | 1.99 | 0.14 | 2.18 | 0.10 | 64.3 |
| 157262 | | 2.18 | 0.049 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 8.32 | 9.4 | 950 | 1.94 | 0.13 | 2.15 | 0.08 | 53.5 |
| 157263 | | 2.34 | 0.046 | <0.005 | <0.001 | <0.001 | <0.2 | 0.10 | 7.97 | 7.6 | 970 | 1.78 | 0.12 | 2.29 | 0.10 | 55.3 |
| 157264 | | 1.90 | 0.030 | <0.005 | 0.001 | <0.001 | <0.2 | 0.10 | 7.79 | 9.2 | 980 | 1.96 | 0.14 | 2.80 | 0.11 | 64.6 |
| 157265 | | 2.22 | 0.034 | <0.005 | 0.001 | <0.001 | <0.2 | 0.08 | 8.17 | 10.3 | 910 | 2.02 | 0.14 | 2.39 | 0.09 | 65.9 |
| 157266 | | 2.62 | 0.018 | <0.005 | 0.001 | <0.001 | 0.2 | 0.08 | 8.28 | 11.9 | 880 | 2.32 | 0.17 | 2.38 | 0.13 | 73.6 |
| 157267 | | 1.80 | 0.025 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 8.14 | 13.6 | 990 | 1.97 | 0.14 | 2.37 | 0.11 | 57.9 |
| 157268 | | 2.38 | 0.016 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 7.30 | 11.0 | 880 | 1.73 | 0.13 | 4.56 | 0.08 | 47.9 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 2 - B Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

Account: KEERRG

| | | | | | | | | | | | <i>-,</i> | 1 / (14/ (1 | | ILL 193 | 12000 | |
|--------------------|-----------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|
| Sample Description | Method Analyte Units LOD | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 | ME-MS61r Fe % 0.01 | ME-MS61r Ga ppm 0.05 | ME-MS61r Ge ppm 0.05 | ME-MS61r Hf ppm 0.1 | ME-MS61r In ppm 0.005 | ME-MS61r K % 0.01 | ME-MS61r La ppm 0.5 | ME-MS61r Li ppm 0.2 | ME-MS61r Mg % 0.01 | ME-MS61r Mn ppm 5 | ME-MS61r Mo ppm 0.05 |
| 157201 | | 8.0 | 38 | 3.60 | 15.4 | 2.40 | 17.20 | 0.19 | 0.9 | 0.044 | 1.99 1.92 | 26.1 | 48.0 69.8 | 1.03 | 719 | 0.75 |
| 157202 | | 12.4 | 56 29 | 5.19 | 31.3 | 3.20 | 18.00 | 0.18 0.17 | 1.0 | 0.051 0.036 | 2.21 | 26.9 | | 1.78 0.85 | 438 | 0.56 |
| 157203 | | 8.5 9.6 | 33 | 3.53 4.94 | 12.7 16.0 | 2.71 3.03 | 20.1 21.7 | 0.17 | 1.8 1.7 | 0.036 | 2.21 | 30.9 40.4 | 36.1 42.3 | 0.85 0.97 | 528 572 | 0.76 0.76 |
| 157204 157205 | | 9.8 | 39 | 4.69 | 15.6 | 3.03 | 20.5 | 0.20 | 1.7 | 0.030 | 2.41 | 38.2 | 42.3 35.8 | 0.84 | 539 | 0.76 |
| | | | | | | | | | | | | | | | | |
| 157206 | | 9.0 | 37 | 4.59 | 15.2 | 2.94 | 20.1 | 0.18 | 1.2 | 0.046 | 2.21 | 36.4 | 34.9 | 0.78 | 542 | 0.76 |
| 157207 | | 9.8 | 39 | 4.45 | 17.2 | 3.15 | 19.15 | 0.20 | 1.2 | 0.041 | 2.20 | 35.8 | 38.4 | 0.73 | 583 | 0.93 |
| 157208 | | 10.2 | 42 | 3.53 | 21.9 | 3.45 | 21.0 | 0.19 | 1.0 | 0.062 | 2.07 | 42.6 | 37.5 | 0.92 | 617 | 1.09 |
| 157209 | | 8.8 | 42 | 3.54 | 17.4 | 3.26 | 18.85 | 0.20 | 1.0 | 0.056 | 2.02 | 43.4 | 30.1 | 0.84 | 554 | 1.00 |
| 157210 | | 9.3 | 40 | 3.78 | 17.7 | 3.19 | 19.65 | 0.21 | 1.1 | 0.050 | 2.12 | 43.2 | 34.7 | 0.78 | 577 | 1.10 |
| 157211 | | 9.6 | 42 | 3.76 | 18.5 | 3.22 | 19.95 | 0.21 | 1.1 | 0.049 | 2.16 | 43.4 | 36.1 | 0.77 | 626 | 1.21 |
| 157212 | | 9.6 | 41 | 5.46 | 18.3 | 3.49 | 21.4 | 0.21 | 1.4 | 0.051 | 2.19 | 44.6 | 39.1 | 1.00 | 514 | 0.82 |
| 157213 | | 9.3 | 38 | 4.90 | 16.2 | 3.13 | 20.8 | 0.18 | 1.3 | 0.049 | 2.28 | 38.0 | 37.4 | 0.84 | 588 | 0.97 |
| 157214 | | 9.4 | 38 | 4.56 | 16.0 | 3.19 | 21.2 | 0.21 | 1.5 | 0.048 | 2.32 | 49.4 | 35.5 | 0.84 | 564 | 1.09 |
| 157215 | | 86.8 | 1420 | 0.16 | 27.4 | 5.00 | 5.04 | 0.12 | 0.1 | 0.013 | 0.05 | 26.8 | 1.7 | 18.45 | 866 | 0.46 |
| 157216 | | 9.8 | 29 | 5.13 | 14.5 | 2.72 | 22.7 | 0.17 | 2.0 | 0.040 | 2.28 | 26.7 | 48.3 | 0.90 | 514 | 0.83 |
| 157217 | | 9.3 | 27 | 3.93 | 13.0 | 2.66 | 20.5 | 0.17 | 1.8 | 0.037 | 2.06 | 24.8 | 38.1 | 0.85 | 477 | 0.71 |
| 157218 | | 14.4 | 5 | 0.19 | 21.3 | 7.00 | 24.9 | 0.13 | 0.8 | 0.202 | 0.39 | 11.1 | 8.1 | 1.88 | 1240 | 1.23 |
| 157219 | | 8.9 | 32 | 3.30 | 12.7 | 2.95 | 20.9 | 0.18 | 1.9 | 0.044 | 2.13 | 31.4 | 35.0 | 0.88 | 507 | 0.83 |
| 157220 | | 9.5 | 34 | 3.75 | 14.7 | 3.09 | 21.7 | 0.19 | 2.0 | 0.048 | 2.16 | 33.0 | 38.8 | 0.93 | 536 | 0.82 |
| 157221 | | 9.6 | 33 | 3.44 | 13.9 | 2.95 | 22.2 | 0.18 | 2.1 | 0.046 | 2.13 | 34.7 | 37.0 | 0.88 | 541 | 0.80 |
| 157222 | | 8.8 | 39 | 3.51 | 16.8 | 2.86 | 19.15 | 0.18 | 0.9 | 0.048 | 2.12 | 37.9 | 34.0 | 0.80 | 525 | 0.88 |
| 157251 | | 6.6 | 32 | 2.92 | 14.1 | 2.04 | 13.15 | 0.17 | 0.7 | 0.031 | 1.49 | 21.9 | 99.3 | 0.85 | 298 | 1.66 |
| 157252 | | 3.4 | 15 | 1.29 | 6.1 | 0.87 | 4.88 | 0.15 | 0.3 | 0.014 | 0.61 | 8.0 | 94.7 | 0.96 | 365 | 2.15 |
| 157253 | | 9.7 | 40 | 3.82 | 16.1 | 2.49 | 14.95 | 0.17 | 0.7 | 0.040 | 1.61 | 23.2 | 112.5 | 1.52 | 431 | 2.37 |
| 157254 | | 8.2 | 38 | 5.32 | 13.8 | 2.92 | 20.3 | 0.18 | 1.5 | 0.038 | 1.99 | 35.9 | 55.6 | 0.80 | 507 | 1.66 |
| 157255 | | 8.0 | 26 | 4.60 | 11.6 | 2.56 | 22.2 | 0.20 | 2.9 | 0.063 | 1.90 | 41.1 | 49.8 | 0.91 | 447 | 0.92 |
| 157256 | | 9.9 | 31 | 3.57 | 13.8 | 2.77 | 21.8 | 0.18 | 2.4 | 0.038 | 1.81 | 24.3 | 40.9 | 1.03 | 520 | 0.87 |
| 157257 | | 9.1 | 29 | 3.57 | 13.8 | 2.66 | 22.4 | 0.15 | 2.3 | 0.040 | 2.01 | 27.8 | 39.9 | 0.88 | 435 | 0.81 |
| 157258 | | 8.7 | 28 | 4.91 | 13.2 | 2.77 | 21.9 | 0.17 | 2.0 | 0.044 | 2.05 | 27.0 | 41.2 | 1.03 | 485 | 0.51 |
| 157259 | | 9.0 | 31 | 4.46 | 12.9 | 2.79 | 22.8 | 0.18 | 2.2 | 0.048 | 2.13 | 30.4 | 43.8 | 0.84 | 608 | 0.82 |
| 157260 | | 8.9 | 28 | 4.00 | 11.2 | 2.62 | 21.3 | 0.19 | 1.9 | 0.040 | 1.99 | 30.2 | 39.1 | 0.84 | 495 | 0.72 |
| 157261 | | 9.8 | 30 | 4.97 | 15.5 | 2.95 | 22.0 | 0.17 | 2.1 | 0.044 | 2.10 | 31.8 | 41.2 | 1.09 | 530 | 0.76 |
| 157262 | | 10.3 | 31 | 4.64 | 16.9 | 3.05 | 23.0 | 0.16 | 2.4 | 0.046 | 1.95 | 25.2 | 44.3 | 1.08 | 509 | 0.64 |
| 157263 | | 9.5 | 30 | 3.58 | 13.2 | 2.82 | 20.9 | 0.15 | 2.2 | 0.038 | 1.85 | 27.3 | 40.4 | 0.87 | 509 | 0.63 |
| 157264 | | 10.0 | 29 | 4.09 | 13.8 | 2.86 | 21.3 | 0.16 | 2.0 | 0.044 | 1.91 | 30.4 | 40.6 | 0.90 | 513 | 0.69 |
| 157265 | | 9.4 | 28 | 4.32 | 13.9 | 2.87 | 21.1 | 0.13 | 1.8 | 0.049 | 2.05 | 32.3 | 39.3 | 0.94 | 526 | 0.62 |
| 157266 | | 10.9 | 31 | 4.90 | 14.0 | 3.21 | 22.8 | 0.17 | 2.0 | 0.053 | 2.04 | 33.1 | 41.7 | 0.94 | 760 | 0.83 |
| 157267 | | 9.6 | 29 | 4.42 | 13.9 | 2.80 | 21.3 | 0.15 | 1.8 | 0.040 | 2.05 | 28.0 | 43.2 | 0.89 | 549 | 0.67 |
| 157268 | | 7.5 | 26 | 3.75 | 11.4 | 2.42 | 18.80 | 0.17 | 1.7 | 0.035 | 1.83 | 24.8 | 36.6 | 0.81 | 373 | 0.55 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 2 - C Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

Account: KEERRG

| | | | | | | | | <u> </u> | | | | | | | | |
|--|-----------------------------------|--|--|--|--|--|--|---|--|---|---|--|--|--|--|---|
| Sample Description | Method Analyte Units LOD | ME-MS61r Na % 0.01 | ME-MS61r Nb ppm 0.1 | ME-MS61r Ni ppm 0.2 | ME-MS61r P ppm 10 | ME-MS61r Pb ppm 0.5 | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 |
| 157201 157202 157203 157204 157205 157206 157207 157208 157208 157209 157210 | 100 | 2.19 1.24 2.40 2.20 2.31 2.33 2.03 2.22 2.26 2.20 | 12.4 10.5 12.7 14.9 16.3 16.5 16.7 18.0 17.5 | 24.8 37.6 18.0 21.8 26.0 25.7 23.9 28.6 27.5 24.9 | 500 500 630 680 670 630 640 890 810 630 | 11.6 12.0 16.8 16.1 16.9 16.0 15.5 14.2 14.3 14.3 | 66.8 86.4 73.6 90.0 85.7 84.5 91.0 86.6 79.1 85.9 | 0.002 0.002 0.002 0.002 0.002 <0.002 <0.002 <0.002 0.002 0.002 | 0.01 0.02 0.01 0.01 0.01 0.01 0.02 0.01 0.01 | 9.42 8.95 2.86 4.68 8.79 9.56 15.20 6.04 8.99 7.47 | 7.8 9.6 7.5 9.0 9.2 8.7 8.9 11.5 9.7 9.6 | 1 1 1 1 1 1 1 1 1 1 | 1.6 1.7 1.7 1.9 2.0 2.1 2.1 2.2 2.1 2.1 | 501 1005 557 489 455 463 382 396 399 390 424 | 0.93 0.73 0.90 1.03 1.12 1.19 1.19 1.35 1.24 | <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157212 157213 157214 157215 | | 1.92 2.30 2.37 0.27 | 16.3 17.3 17.8 1.5 | 26.5 22.7 22.6 1780 | 520 630 820 20 | 16.1 17.2 16.1 4.5 | 91.1 90.2 89.2 1.3 | 0.003 0.002 0.003 0.002 <0.002 | 0.01 0.01 0.01 0.02 0.01 | 8.75 7.23 6.52 0.82 | 9.6 9.3 9.2 10.4 | <1 <1 1 <1 | 2.1 2.1 2.1 <0.2 | 385 452 480 45.4 | 1.11 1.25 1.25 <0.05 | <0.05 <0.05 <0.05 <0.05 0.17 |
| 157217 157218 157219 157220 | | 1.93 1.00 2.41 2.45 | 10.3 4.4 18.5 14.3 | 18.5 3.0 19.3 21.5 | 680 250 550 550 | 16.9 6.5 16.3 18.8 | 62.9 11.0 72.2 76.3 | 0.002 0.002 0.002 0.002 | 0.01 <0.01 0.01 0.01 | 3.23 3.07 2.57 3.05 | 7.3 29.1 8.3 8.8 | 1 1 1 | 1.5 1.2 1.8 1.8 | 495 1055 569 578 | 0.71 0.43 1.60 0.99 | <0.05 <0.05 <0.05 <0.05 |
| 157221 157222 157251 157252 157253 | | 2.45 2.38 >10.0 6.45 7.07 | 14.2 18.2 8.7 3.1 8.8 | 21.4 26.0 18.0 7.8 27.8 | 640 630 430 290 690 | 16.6 14.5 18.3 8.6 10.4 | 74.1 82.9 57.6 24.8 68.2 | 0.002 <0.002 0.002 0.002 0.003 | 0.01 0.01 0.16 0.13 0.25 | 2.64 7.75 6.42 2.65 6.71 | 8.5 9.6 6.3 2.4 7.9 | <1 1 1 3 1 | 1.8 2.0 1.9 0.6 1.6 | 596 437 642 1570 740 | 0.95 1.32 0.62 0.23 0.60 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157254 157255 157256 157257 157258 | | 2.48 2.01 2.29 2.23 2.08 | 17.8 21.2 8.9 10.1 10.6 | 16.4 16.8 21.4 19.4 20.0 | 840 480 810 690 620 | 14.6 17.3 16.6 17.5 14.9 | 82.0 82.3 56.3 66.2 75.8 | 0.002 <0.002 0.002 0.002 0.002 | 0.02 0.03 0.04 0.01 0.01 | 5.06 3.00 2.38 2.71 2.97 | 7.0 7.3 7.6 7.5 8.3 | 1 1 1 1 | 1.9 2.8 1.6 1.6 1.6 | 606 518 669 592 566 | 1.51 1.40 0.64 0.72 0.76 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157259 157260 157261 157262 157263 | | 2.33 2.41 2.08 1.89 2.16 | 33.7 11.7 12.1 9.9 9.6 | 20.1 18.9 20.6 22.5 19.4 | 880 540 740 620 770 | 15.8 15.2 15.5 15.9 15.3 | 111.0 68.8 76.5 68.7 58.7 | 0.002 <0.002 <0.002 0.002 0.003 | 0.01 <0.01 0.01 0.01 0.01 | 2.44 2.77 2.97 2.48 2.49 | 8.2 7.6 8.7 9.1 8.0 | 1 1 <1 <1 1 | 2.4 1.5 1.7 1.7 1.6 | 570 616 549 536 581 | 5.02 0.89 0.88 0.74 0.71 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157264 157265 157266 157267 157268 | | 2.04 2.11 2.11 2.09 2.10 | 12.1 12.6 16.1 12.1 11.4 | 20.0 17.9 20.3 19.2 16.0 | 550 530 680 660 620 | 15.3 15.0 18.8 15.8 13.4 | 70.2 78.5 84.3 75.8 58.5 | 0.002 0.002 <0.002 <0.002 <0.002 | 0.01 0.01 0.01 0.01 0.02 | 2.76 2.92 2.97 2.70 2.66 | 8.8 8.9 9.3 8.7 7.4 | 1 1 1 1 | 1.9 1.8 2.1 1.8 1.6 | 529 537 515 519 549 | 0.89 0.90 1.15 0.87 0.84 | <0.05 <0.05 <0.05 <0.05 <0.05 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 2 - D Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

Account: KEERRG

| | | | | | | | | | | | | | | | 12000 | |
|--|---------|--|---|--------------------------------------|--------------------------|----------------------------|---------------------------------|--------------------------------------|----------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Sample Description | Method | ME-MS61r | ME-MS61 r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
| | Analyte | Th | Ti | TI | U | V | W | Y | Zn | Zr | Dy | Er | Eu | Gd | Ho | Lu |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOD | 0.01 | 0.005 | 0.02 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.05 | 0.03 | 0.03 | 0.05 | 0.01 | 0.01 |
| 157201 | | 8.14 | 0.382 | 0.44 | 2.0 | 62 | 9.9 | 14.5 | 60 | 25.9 | 2.75 | 1.37 | 0.97 | 3.52 | 0.52 | 0.18 |
| 157202 | | 8.32 | 0.365 | 0.51 | 3.2 | 81 | 6.4 | 15.6 | 91 | 29.2 | 2.74 | 1.40 | 0.92 | 3.35 | 0.54 | 0.19 |
| 157203 | | 8.34 | 0.425 | 0.41 | 1.7 | 64 | 2.3 | 16.0 | 68 | 58.3 | 2.96 | 1.53 | 1.12 | 3.73 | 0.57 | 0.21 |
| 157204 | | 11.75 | 0.443 | 0.47 | 2.0 | 70 | 4.5 | 18.5 | 78 | 54.8 | 3.47 | 1.76 | 1.21 | 4.49 | 0.69 | 0.23 |
| 157205 | | 15.65 | 0.480 | 0.48 | 2.3 | 75 | 6.8 | 19.4 | 72 | 37.4 | 3.75 | 1.91 | 1.34 | 4.65 | 0.71 | 0.25 |
| 157206 | | 10.45 | 0.458 | 0.50 | 2.0 | 71 | 7.2 | 18.6 | 68 | 35.9 | 3.61 | 1.79 | 1.31 | 4.60 | 0.68 | 0.23 |
| 157207 | | 11.35 | 0.475 | 0.51 | 2.2 | 77 | 12.7 | 18.6 | 72 | 35.6 | 3.49 | 1.83 | 1.22 | 4.44 | 0.69 | 0.24 |
| 157208 | | 12.05 | 0.519 | 0.44 | 2.4 | 87 | 6.3 | 23.2 | 79 | 27.3 | 4.25 | 2.19 | 1.53 | 5.43 | 0.84 | 0.29 |
| 157209 | | 14.40 | 0.523 | 0.44 | 2.4 | 84 | 7.1 | 22.1 | 67 | 26.9 | 4.16 | 2.07 | 1.49 | 5.17 | 0.80 | 0.28 |
| 157210 | | 14.00 | 0.497 | 0.45 | 2.5 | 79 | 5.8 | 20.9 | 72 | 32.3 | 3.99 | 1.99 | 1.41 | 5.04 | 0.76 | 0.26 |
| 157211 | | 11.60 | 0.530 | 0.48 | 2.6 | 82 | 6.4 | 22.0 | 72 | 30.7 | 4.05 | 2.02 | 1.51 | 5.29 | 0.79 | 0.26 |
| 157212 | | 14.60 | 0.452 | 0.48 | 2.1 | 81 | 7.1 | 20.2 | 77 | 40.9 | 3.71 | 1.90 | 1.33 | 4.98 | 0.73 | 0.25 |
| 157213 | | 11.45 | 0.457 | 0.49 | 2.1 | 73 | 6.4 | 18.8 | 73 | 42.8 | 3.66 | 1.77 | 1.31 | 4.68 | 0.70 | 0.24 |
| 157214 | | 17.10 | 0.490 | 0.48 | 2.3 | 78 | 6.1 | 21.5 | 73 | 43.8 | 4.12 | 1.98 | 1.38 | 5.56 | 0.77 | 0.27 |
| 157215 | | 1.56 | 0.033 | 0.04 | 0.3 | 46 | 0.2 | 2.1 | 51 | 2.0 | 0.54 | 0.22 | 0.57 | 1.31 | 0.09 | 0.03 |
| 157216 | | 6.03 | 0.368 | 0.51 | 1.3 | 58 | 4.1 | 12.3 | 78 | 64.5 | 2.33 | 1.20 | 0.91 | 3.03 | 0.44 | 0.16 |
| 157217 | | 7.18 | 0.406 | 0.43 | 1.6 | 59 | 2.4 | 13.6 | 71 | 59.8 | 2.58 | 1.25 | 0.99 | 3.41 | 0.51 | 0.18 |
| 157218 | | 7.33 | 0.449 | 0.08 | 7.1 | 356 | 10.9 | 10.2 | 56 | 15.5 | 1.76 | 1.02 | 0.67 | 1.82 | 0.38 | 0.17 |
| 157219 | | 10.05 | 0.470 | 0.38 | 1.8 | 71 | 2.6 | 16.0 | 71 | 61.6 | 3.06 | 1.58 | 1.14 | 3.81 | 0.59 | 0.20 |
| 157220 | | 8.29 | 0.468 | 0.40 | 1.8 | 74 | 3.7 | 16.6 | 79 | 63.8 | 3.07 | 1.54 | 1.14 | 3.89 | 0.59 | 0.20 |
| 157221 | | 8.54 | 0.458 | 0.39 | 1.9 | 71 | 3.1 | 17.4 | 72 | 71.2 | 3.19 | 1.59 | 1.23 | 4.01 | 0.64 | 0.22 |
| 157222 | | 10.90 | 0.508 | 0.43 | 2.1 | 76 | 6.4 | 21.5 | 65 | 26.7 | 4.04 | 2.07 | 1.42 | 5.07 | 0.79 | 0.27 |
| 157251 | | 6.76 | 0.255 | 0.32 | 3.5 | 49 | 4.8 | 10.8 | 54 | 22.5 | 2.13 | 1.04 | 0.69 | 2.63 | 0.41 | 0.14 |
| 157252 | | 2.39 | 0.093 | 0.14 | 5.1 | 22 | 4.1 | 4.4 | 23 | 9.4 | 0.85 | 0.42 | 0.27 | 1.01 | 0.16 | 0.06 |
| 157253 | | 6.46 | 0.287 | 0.40 | 3.3 | 60 | 7.8 | 12.2 | 70 | 20.3 | 2.33 | 1.20 | 0.79 | 2.77 | 0.45 | 0.16 |
| 157254 157255 157256 157257 157258 | | 12.25 11.70 5.37 5.86 7.22 | 0.367 0.355 0.350 0.375 0.363 | 0.44 0.46 0.33 0.39 0.40 | 1.8 2.3 1.4 1.5 | 68 55 59 57 59 | 5.6 3.5 2.6 2.5 3.4 | 17.0 24.2 13.4 13.2 13.2 | 71 75 76 72 78 | 50.5 89.8 83.6 80.6 67.6 | 3.12 4.46 2.49 2.42 2.47 | 1.47 2.38 1.30 1.15 1.27 | 1.04 1.03 0.96 0.96 0.94 | 4.21 5.09 3.21 3.14 3.17 | 0.59 0.88 0.49 0.47 0.48 | 0.20 0.33 0.17 0.16 0.18 |
| 157259 | | 7.38 | 0.400 | 0.57 | 1.8 | 63 | 3.3 | 16.2 | 75 | 73.8 | 2.98 | 1.46 | 1.07 | 3.89 | 0.56 | 0.20 |
| 157260 | | 7.14 | 0.413 | 0.38 | 1.6 | 62 | 2.9 | 13.8 | 66 | 65.1 | 2.61 | 1.32 | 1.07 | 3.37 | 0.52 | 0.18 |
| 157261 | | 8.09 | 0.373 | 0.40 | 1.9 | 66 | 3.2 | 16.2 | 77 | 67.6 | 3.01 | 1.54 | 1.07 | 3.90 | 0.61 | 0.20 |
| 157262 | | 7.24 | 0.338 | 0.40 | 1.6 | 61 | 2.9 | 13.4 | 85 | 78.0 | 2.48 | 1.29 | 0.90 | 3.12 | 0.47 | 0.18 |
| 157263 | | 6.34 | 0.374 | 0.34 | 1.7 | 62 | 2.2 | 14.3 | 74 | 74.1 | 2.54 | 1.27 | 0.95 | 3.11 | 0.48 | 0.18 |
| 157264 | | 10.30 | 0.411 | 0.39 | 2.2 | 67 | 2.6 | 15.7 | 72 | 66.2 | 2.91 | 1.49 | 1.02 | 3.50 | 0.53 | 0.21 |
| 157265 | | 7.75 | 0.400 | 0.42 | 1.8 | 66 | 3.0 | 14.2 | 73 | 58.7 | 2.69 | 1.33 | 1.00 | 3.26 | 0.50 | 0.19 |
| 157266 | | 11.35 | 0.445 | 0.44 | 2.5 | 76 | 2.6 | 16.7 | 81 | 63.2 | 3.09 | 1.62 | 1.08 | 3.77 | 0.57 | 0.23 |
| 157267 | | 7.69 | 0.405 | 0.44 | 1.8 | 65 | 3.2 | 14.6 | 78 | 60.4 | 2.75 | 1.40 | 0.96 | 3.23 | 0.51 | 0.20 |
| 157268 | | 8.10 | 0.387 | 0.37 | 2.3 | 58 | 2.6 | 14.4 | 65 | 55.2 | 2.73 | 1.42 | 0.98 | 3.22 | 0.51 | 0.19 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 2 - E Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| (ALS | , | | | | | | | CERTIFICATE OF ANALYSIS RE19312060 |
|--|-----------------------------------|--------------------------------------|---|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|
| Sample Description | Method Analyte Units LOD | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 | ME-MS61r Tm ppm 0.01 | ME-MS61r Yb ppm 0.03 | |
| 157201 157202 157203 157204 157205 | | 24.1 22.5 26.0 32.7 32.2 | 6.42 6.09 6.98 8.92 8.91 | 4.91 4.53 5.19 6.40 6.27 | 0.50 0.49 0.55 0.65 0.70 | 0.20 0.21 0.22 0.26 0.27 | 1.24 1.28 1.36 1.55 1.64 | |
| 157206 157207 157208 157209 157210 | | 31.5 30.7 37.3 37.0 36.1 | 8.47 8.30 10.70 11.00 10.50 | 6.36 5.97 7.37 7.23 6.92 | 0.67 0.66 0.80 0.76 0.74 | 0.26 0.26 0.32 0.30 0.28 | 1.60 1.58 1.90 1.83 1.77 | |
| 157211 157212 157213 157214 157215 | | 37.3 36.4 32.1 39.4 15.5 | 11.05 10.25 8.94 11.60 4.45 | 7.28 6.84 6.33 7.69 2.59 | 0.76 0.71 0.68 0.78 0.14 | 0.30 0.26 0.26 0.28 0.03 | 1.78 1.61 1.59 1.78 0.19 | |
| 157216 157217 157218 157219 157220 | | 21.5 22.6 9.3 26.4 27.1 | 5.80 5.99 2.40 7.13 7.38 | 4.20 4.48 2.06 5.21 5.38 | 0.44 0.49 0.29 0.55 0.56 | 0.17 0.18 0.16 0.22 0.22 | 1.04 1.14 1.03 1.37 1.37 | |
| 157221 157222 157251 157252 157253 | | 27.7 34.4 17.9 6.8 18.8 | 7.54 9.19 4.91 1.81 5.11 | 5.50 6.77 3.52 1.33 3.77 | 0.60 0.76 0.38 0.15 0.41 | 0.24 0.30 0.15 0.06 0.16 | 1.48 1.80 0.95 0.42 1.09 | |
| 157254 157255 157256 157256 157257 | | 29.3 32.3 20.7 21.9 21.8 | 7.99 8.95 5.53 5.95 5.92 | 5.76 6.42 4.11 4.27 4.21 | 0.61 0.80 0.47 0.45 0.45 | 0.22 0.35 0.18 0.17 0.18 | 1.33 2.12 1.13 1.04 1.12 | |
| 157259 157260 157261 157262 157263 | | 24.5 23.6 25.9 21.1 22.4 | 6.65 6.48 7.03 5.77 6.19 | 5.05 4.59 5.04 4.19 4.30 | 0.55 0.49 0.57 0.46 0.48 | 0.21 0.19 0.22 0.19 0.19 | 1.28 1.16 1.39 1.13 1.17 | |
| 157264 157265 157266 157267 157268 | | 25.7 25.0 28.3 23.5 21.9 | 7.14 6.98 7.80 6.56 5.93 | 5.05 4.79 5.55 4.63 4.50 | 0.54 0.49 0.58 0.49 0.48 | 0.21 0.19 0.23 0.20 0.21 | 1.34 1.24 1.48 1.26 1.26 | |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001

Page: 3 - A Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020 Account: KEERRG

Account Reenid

| (ALS) | | | | | | | | | С | ERTIFIC | CATE O | F ANAI | _YSIS | RE193 | 12060 | |
|--------------------|---------|-----------|-----------|-----------|-----------|---------|---------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|
| Sample Description | Method | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | Rh-MS25 | Ag-AA45 | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61 r | ME-MS61r | ME-MS61r |
| | Analyte | Recvd Wt. | Au | Pt | Pd | Rh | Ag | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce |
| | Units | kg | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | LOD | 0.02 | 0.001 | 0.005 | 0.001 | 0.001 | 0.2 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 |
| 157269 | | 1.52 | 0.026 | <0.005 | 0.001 | <0.001 | <0.2 | 0.16 | 8.08 | 11.7 | 1300 | 2.13 | 0.15 | 2.60 | 0.12 | 59.9 |
| 157270 | | 1.20 | 0.150 | <0.005 | <0.001 | <0.001 | <0.2 | 0.26 | 8.31 | 18.3 | 1230 | 1.81 | 0.14 | 2.38 | 0.12 | 61.3 |
| 157271 | | 2.36 | 0.008 | <0.005 | 0.001 | <0.001 | <0.2 | 0.08 | 7.40 | 13.8 | 740 | 2.00 | 0.15 | 3.09 | 0.11 | 44.6 |
| 157272 | | 2.34 | 0.062 | <0.005 | <0.001 | <0.001 | <0.2 | 0.14 | 8.48 | 11.8 | 940 | 2.01 | 0.17 | 2.56 | 0.11 | 59.9 |
| 157273 | | 2.10 | 0.111 | <0.005 | <0.001 | <0.001 | <0.2 | 0.15 | 8.23 | 7.7 | 910 | 2.00 | 0.14 | 2.25 | 0.07 | 64.3 |
| 157274 | | 2.28 | 0.032 | <0.005 | 0.001 | <0.001 | <0.2 | 0.13 | 8.42 | 7.5 | 950 | 1.94 | 0.13 | 2.32 | 0.08 | 64.7 |
| 157275 | | 1.96 | 0.036 | <0.005 | <0.001 | <0.001 | <0.2 | 0.11 | 8.31 | 12.1 | 900 | 1.99 | 0.14 | 2.09 | 0.09 | 62.2 |
| 157276 | | 2.30 | 0.094 | <0.005 | 0.001 | <0.001 | 0.2 | 0.16 | 8.35 | 13.0 | 820 | 2.08 | 0.16 | 1.88 | 0.12 | 63.3 |
| 157277 | | 1.78 | 0.074 | <0.005 | 0.001 | <0.001 | <0.2 | 0.12 | 8.27 | 11.3 | 890 | 2.05 | 0.15 | 2.06 | 0.10 | 61.2 |
| 157278 | | 2.04 | 0.095 | <0.005 | 0.001 | <0.001 | <0.2 | 0.13 | 8.15 | 10.2 | 880 | 2.11 | 0.17 | 2.46 | 0.11 | 56.5 |
| 157279 | | 2.24 | 0.036 | <0.005 | 0.001 | <0.001 | <0.2 | 0.13 | 8.23 | 12.7 | 1030 | 2.08 | 0.15 | 2.49 | 0.13 | 67.1 |
| 157280 | | 2.18 | 0.018 | <0.005 | 0.001 | <0.001 | <0.2 | 0.08 | 8.31 | 8.1 | 1340 | 1.83 | 0.13 | 2.70 | 0.08 | 61.2 |
| 157281 | | 2.12 | 0.007 | <0.005 | 0.001 | <0.001 | 0.2 | 0.08 | 7.78 | 8.5 | 1000 | 2.48 | 0.17 | 2.35 | 0.08 | 55.6 |
| 157282 | | 2.06 | 0.018 | <0.005 | <0.001 | <0.001 | <0.2 | 0.09 | 7.91 | 11.9 | 1250 | 2.03 | 0.14 | 2.58 | 0.09 | 56.6 |
| 157283 | | 2.30 | 0.013 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 7.51 | 12.8 | 1020 | 1.70 | 0.12 | 3.72 | 0.12 | 52.9 |
| 157284 | | 2.14 | 0.015 | <0.005 | 0.001 | <0.001 | 0.2 | 0.19 | 7.77 | 15.9 | 1100 | 1.95 | 0.16 | 3.06 | 0.11 | 53.9 |
| 157285 | | 2.18 | 0.010 | <0.005 | 0.001 | <0.001 | 0.2 | 0.16 | 8.29 | 18.0 | 1100 | 1.84 | 0.14 | 2.39 | 0.13 | 63.2 |
| 155851 | | 11.02 | 0.016 | <0.005 | 0.001 | <0.001 | 0.2 | 0.15 | 7.49 | 24.0 | 820 | 1.76 | 0.16 | 3.58 | 0.11 | 72.2 |
| 155852 | | 6.76 | 0.043 | <0.005 | 0.001 | <0.001 | 0.2 | 0.27 | 6.58 | 30.2 | 660 | 1.56 | 0.14 | 6.19 | 0.13 | 57.7 |
| 155853 | | 9.16 | 0.028 | <0.005 | 0.001 | <0.001 | <0.2 | 0.12 | 7.38 | 31.3 | 870 | 1.79 | 0.15 | 3.75 | 0.11 | 66.0 |
| 155854 | | 7.00 | 0.023 | <0.005 | <0.001 | <0.001 | 0.3 | 0.22 | 7.73 | 27.7 | 760 | 1.81 | 0.15 | 2.16 | 0.11 | 62.6 |
| 155855 | | 10.14 | 0.018 | <0.005 | <0.001 | <0.001 | 0.6 | 0.58 | 7.10 | 14.5 | 790 | 1.75 | 0.12 | 2.08 | 0.05 | 56.8 |
| 155856 | | 7.80 | 0.045 | <0.005 | 0.001 | <0.001 | <0.2 | 0.13 | 6.61 | 41.1 | 680 | 1.53 | 0.16 | 6.06 | 0.13 | 64.1 |
| 155857 | | 5.42 | 0.023 | <0.005 | 0.002 | <0.001 | <0.2 | 0.20 | 6.96 | 30.9 | 670 | 1.78 | 0.18 | 4.38 | 0.14 | 55.9 |
| 155858 | | 14.88 | 0.006 | <0.005 | 0.001 | <0.001 | <0.2 | 0.14 | 6.37 | 14.3 | 800 | 1.56 | 0.11 | 4.51 | 0.06 | 56.4 |
| 155859 | | 9.36 | 0.008 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 3.52 | 17.1 | 530 | 0.75 | 0.07 | 16.80 | 0.10 | 30.2 |
| 155860 | | 8.08 | 0.009 | <0.005 | 0.002 | <0.001 | <0.2 | 0.11 | 3.69 | 19.7 | 530 | 0.82 | 0.07 | 16.80 | 0.10 | 31.5 |
| 155862 | | 11.52 | 0.009 | <0.005 | 0.001 | <0.001 | 0.2 | 0.28 | 5.24 | 26.7 | 570 | 1.25 | 0.11 | 10.75 | 0.19 | 41.5 |
| 155863 | | 6.34 | 0.020 | <0.005 | 0.001 | <0.001 | <0.2 | 0.16 | 6.85 | 45.7 | 600 | 1.67 | 0.17 | 5.55 | 0.14 | 56.3 |
| 155864 | | 7.70 | 0.007 | <0.005 | 0.001 | <0.001 | <0.2 | 0.41 | 6.86 | 19.0 | 850 | 1.67 | 0.17 | 4.70 | 0.11 | 63.3 |
| 155865 | | 12.14 | 0.009 | <0.005 | 0.003 | <0.001 | <0.2 | 0.13 | 7.41 | 13.8 | 940 | 1.85 | 0.13 | 2.92 | 0.06 | 58.9 |
| 155866 | | 10.98 | 0.020 | <0.005 | 0.001 | <0.001 | <0.2 | 0.13 | 6.99 | 18.3 | 780 | 1.72 | 0.14 | 4.47 | 0.08 | 47.9 |
| 155867 | | 13.74 | 0.008 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 7.70 | 11.3 | 1060 | 1.71 | 0.12 | 2.62 | 0.05 | 52.0 |
| 155869 | | 4.42 | 0.013 | <0.005 | 0.001 | <0.001 | 0.2 | 0.24 | 6.09 | 43.7 | 590 | 1.48 | 0.17 | 8.16 | 0.19 | 51.1 |
| 155870 | | 3.76 | 0.007 | <0.005 | 0.001 | <0.001 | <0.2 | 0.20 | 5.48 | 30.3 | 550 | 1.37 | 0.15 | 11.25 | 0.19 | 46.2 |
| 155871 | | 4.98 | 0.011 | <0.005 | 0.001 | <0.001 | <0.2 | 0.11 | 5.65 | 26.7 | 610 | 1.37 | 0.14 | 10.30 | 0.14 | 49.0 |
| 155872 | | 8.20 | 0.003 | <0.005 | 0.001 | <0.001 | <0.2 | 0.12 | 6.29 | 21.6 | 660 | 1.46 | 0.14 | 6.77 | 0.12 | 54.8 |
| 155873 | | 7.72 | 0.025 | <0.005 | 0.001 | <0.001 | <0.2 | 0.10 | 7.43 | 26.0 | 610 | 2.02 | 0.19 | 3.57 | 0.14 | 64.3 |
| 155874 | | 8.60 | 0.008 | <0.005 | 0.002 | <0.001 | <0.2 | 0.06 | 7.77 | 26.5 | 620 | 2.31 | 0.24 | 3.46 | 0.17 | 67.1 |
| 155875 | | 0.06 | 0.054 | <0.005 | 0.001 | <0.001 | <0.2 | 0.07 | 4.99 | 6.0 | 400 | 2.15 | 0.19 | 4.47 | 0.11 | 23.6 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 3 - B Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

Account: KEERRG

| | | | | | | | | | | | <i>,,</i> | I ANA | | ILLIGO | | |
|--------------------|----------------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|
| Sample Description | Method Analyte Units | ME-MS61r Co ppm | ME-MS61r Cr ppm | ME-MS61r Cs ppm | ME-MS61r Cu ppm | ME-MS61r Fe % | ME-MS61r Ga ppm | ME-MS61r Ge ppm | ME-MS61r Hf ppm | ME-MS61r In ppm | ME-MS61r K % | ME-MS61r La ppm | ME-MS61r Li ppm | ME-MS61r Mg % | ME-MS61r Mn ppm | ME-MS61r Mo ppm |
| Sample Bescription | LOD | 0.1 | 1 | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 |
| 157269 | | 10.2 | 30 | 4.99 | 15.7 | 3.13 | 22.2 | 0.17 | 2.0 | 0.050 | 1.98 | 27.7 | 42.8 | 1.07 | 533 | 0.66 |
| 157270 | | 8.6 | 28 | 3.94 | 13.6 | 2.81 | 21.3 | 0.18 | 1.9 | 0.044 | 2.10 | 30.6 | 35.9 | 0.83 | 488 | 0.74 |
| 157271 | | 13.2 | 31 | 4.84 | 19.5 | 3.17 | 22.5 | 0.15 | 2.4 | 0.050 | 1.41 | 15.6 | 90.7 | 1.35 | 659 | 0.52 |
| 157272 | | 10.5 | 34 | 4.75 | 16.4 | 3.40 | 22.5 | 0.13 | 2.2 | 0.049 | 1.77 | 27.3 | 63.2 | 1.17 | 443 | 0.55 |
| 157273 | | 8.2 | 31 | 5.23 | 13.9 | 2.88 | 22.0 | 0.17 | 2.1 | 0.047 | 1.87 | 30.0 | 53.7 | 1.09 | 367 | 0.47 |
| 157274 | | 9.0 | 30 | 4.10 | 12.4 | 2.86 | 20.9 | 0.16 | 2.0 | 0.047 | 2.00 | 32.6 | 47.8 | 0.93 | 474 | 0.56 |
| 157275 | | 9.6 | 29 | 5.08 | 14.0 | 2.78 | 22.1 | 0.17 | 1.9 | 0.041 | 2.03 | 30.8 | 46.2 | 1.02 | 425 | 0.58 |
| 157276 | | 10.9 | 35 | 5.92 | 19.1 | 3.43 | 23.2 | 0.15 | 2.1 | 0.052 | 2.01 | 27.2 | 52.3 | 1.20 | 506 | 0.63 |
| 157277 | | 10.2 | 30 | 5.49 | 17.3 | 3.06 | 22.5 | 0.16 | 2.0 | 0.049 | 1.99 | 30.0 | 46.2 | 1.14 | 540 | 0.61 |
| 157278 | | 9.8 | 34 | 5.13 | 17.5 | 3.16 | 22.7 | 0.15 | 2.2 | 0.048 | 1.96 | 23.9 | 49.4 | 1.11 | 541 | 0.61 |
| 157279 | | 11.3 | 32 | 4.84 | 16.8 | 3.12 | 22.7 | 0.19 | 2.0 | 0.048 | 2.11 | 29.7 | 43.5 | 1.05 | 557 | 0.71 |
| 157280 | | 8.3 | 26 | 3.41 | 10.9 | 2.45 | 20.5 | 0.18 | 1.7 | 0.042 | 2.05 | 28.7 | 36.1 | 0.82 | 462 | 0.60 |
| 157281 | | 7.1 | 21 | 4.17 | 8.8 | 2.11 | 20.2 | 0.17 | 1.8 | 0.041 | 2.15 | 27.8 | 42.7 | 0.65 | 539 | 0.60 |
| 157282 | | 7.9 | 27 | 4.65 | 12.3 | 2.59 | 21.0 | 0.18 | 1.8 | 0.045 | 2.05 | 27.0 | 44.2 | 0.95 | 440 | 0.57 |
| 157283 | | 8.0 | 26 | 3.81 | 12.6 | 2.48 | 19.25 | 0.17 | 1.9 | 0.038 | 1.94 | 26.9 | 41.1 | 0.94 | 421 | 0.53 |
| 157284 | | 10.0 | 30 | 5.10 | 16.9 | 3.02 | 21.4 | 0.16 | 2.1 | 0.048 | 2.10 | 25.4 | 44.3 | 1.05 | 524 | 0.71 |
| 157285 | | 8.8 | 29 | 4.13 | 13.8 | 2.75 | 21.0 | 0.17 | 1.9 | 0.040 | 2.12 | 30.9 | 39.3 | 0.86 | 509 | 0.69 |
| 155851 | | 9.3 | 31 | 4.52 | 17.1 | 2.78 | 19.00 | 0.17 | 1.3 | 0.041 | 2.12 | 35.0 | 64.1 | 1.10 | 499 | 0.65 |
| 155852 | | 10.7 | 32 | 4.51 | 20.9 | 2.59 | 17.15 | 0.18 | 1.1 | 0.042 | 1.72 | 26.4 | 204 | 1.79 | 487 | 0.73 |
| 155853 | | 9.5 | 32 | 3.94 | 15.6 | 2.59 | 18.50 | 0.18 | 1.1 | 0.039 | 2.01 | 33.5 | 76.9 | 0.95 | 456 | 0.70 |
| 155854 | | 9.7 | 33 | 4.75 | 18.6 | 2.75 | 19.00 | 0.20 | 1.2 | 0.045 | 2.06 | 30.8 | 88.8 | 1.09 | 495 | 0.65 |
| 155855 | | 6.6 | 28 | 3.12 | 9.2 | 1.98 | 17.20 | 0.18 | 1.1 | 0.036 | 1.99 | 28.2 | 106.5 | 0.73 | 391 | 0.73 |
| 155856 | | 11.2 | 46 | 4.38 | 22.0 | 2.93 | 17.55 | 0.19 | 0.9 | 0.043 | 1.80 | 30.8 | 86.1 | 2.01 | 524 | 0.77 |
| 155857 | | 11.0 | 36 | 5.92 | 20.7 | 2.97 | 19.45 | 0.17 | 1.3 | 0.045 | 1.90 | 26.4 | 87.8 | 1.11 | 546 | 0.88 |
| 155858 | | 6.7 | 22 | 5.97 | 11.7 | 2.05 | 16.20 | 0.17 | 1.3 | 0.033 | 1.87 | 28.9 | 71.4 | 0.82 | 357 | 1.77 |
| 155859 | | 3.5 | 16 | 1.76 | 6.7 | 1.09 | 8.29 | 0.20 | 0.7 | 0.019 | 1.04 | 15.6 | 86.1 | 1.03 | 353 | 2.36 |
| 155860 | | 3.6 | 16 | 1.79 | 7.0 | 1.11 | 8.80 | 0.20 | 0.7 | 0.023 | 1.08 | 16.6 | 88.8 | 1.09 | 263 | 1.75 |
| 155862 | | 6.3 | 23 | 3.40 | 13.2 | 1.90 | 13.45 | 0.19 | 1.1 | 0.038 | 1.56 | 22.0 | 216 | 1.73 | 392 | 1.68 |
| 155863 | | 9.9 | 31 | 6.04 | 20.9 | 2.98 | 19.60 | 0.19 | 1.5 | 0.047 | 2.11 | 27.9 | 197.5 | 1.68 | 529 | 3.50 |
| 155864 | | 8.0 | 33 | 4.37 | 16.5 | 2.55 | 17.05 | 0.17 | 1.3 | 0.038 | 2.20 | 30.7 | 186.0 | 1.30 | 536 | 2.73 |
| 155865 | | 6.3 | 20 | 3.58 | 10.6 | 2.06 | 17.40 | 0.17 | 1.1 | 0.031 | 2.01 | 30.1 | 80.2 | 0.70 | 403 | 2.57 |
| 155866 | | 6.3 | 22 | 3.94 | 13.1 | 2.15 | 17.05 | 0.17 | 1.3 | 0.036 | 1.91 | 24.2 | 106.5 | 0.86 | 387 | 2.64 |
| 155867 | | 5.1 | 18 | 2.81 | 8.4 | 1.88 | 17.30 | 0.16 | 1.3 | 0.033 | 2.05 | 25.3 | 50.9 | 0.54 | 359 | 0.75 |
| 155869 | | 8.3 | 24 | 4.47 | 19.2 | 2.43 | 16.30 | 0.16 | 1.2 | 0.041 | 1.86 | 26.5 | 241 | 2.06 | 531 | 2.69 |
| 155870 | | 7.2 | 21 | 3.76 | 14.4 | 2.11 | 14.35 | 0.15 | 1.1 | 0.035 | 1.64 | 24.1 | 173.0 | 1.63 | 436 | 2.94 |
| 155871 | | 6.4 | 22 | 3.29 | 13.4 | 2.03 | 14.20 | 0.18 | 1.1 | 0.039 | 1.63 | 25.3 | 102.0 | 1.26 | 377 | 1.89 |
| 155872 | | 7.1 | 23 | 3.43 | 13.4 | 2.19 | 15.90 | 0.18 | 1.2 | 0.039 | 1.87 | 28.8 | 92.4 | 1.30 | 519 | 1.90 |
| 155873 | | 9.4 | 29 | 5.09 | 23.7 | 3.31 | 19.95 | 0.17 | 1.4 | 0.050 | 2.03 | 33.5 | 98.0 | 1.30 | 594 | 2.19 |
| 155874 | | 13.0 | 36 | 7.29 | 33.2 | 3.81 | 23.6 | 0.14 | 1.7 | 0.071 | 2.36 | 33.3 | 145.5 | 1.64 | 743 | 21.1 |
| 155875 | | 0.7 | 7 | 4.29 | 4.3 | 0.56 | 14.60 | 0.20 | 2.7 | 0.024 | 3.23 | 15.5 | 46.3 | 0.13 | 420 | 5.06 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 3 - C
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 8-JAN-2020

Account: KEERRG

| | | | | | | | | <u> </u> | | | <i></i> | 1 / (14/ (1 | | | 12000 | |
|--|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|--|--|--------------------------------------|--------------------------------------|----------------------------------|----------------------------|---------------------------------|------------------------------------|--------------------------------------|---|
| Sample Description | Method Analyte Units LOD | ME-MS61r Na % 0.01 | ME-MS61r Nb ppm 0.1 | ME-MS61r Ni ppm 0.2 | ME-MS61r P ppm 10 | ME-MS61r Pb ppm 0.5 | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 |
| 157269 157270 157271 157272 157273 | | 1.80 2.17 1.90 2.05 1.97 | 12.2 11.9 8.2 11.9 12.0 | 21.4 18.3 24.6 22.0 19.1 | 460 590 460 460 570 | 15.2 16.5 15.9 16.2 14.5 | 72.0 76.5 45.4 67.8 74.7 | 0.002 0.002 <0.002 <0.002 0.002 | 0.04 0.05 0.04 0.04 0.02 | 3.03 3.06 2.64 3.02 3.05 | 9.5 8.0 9.2 9.7 9.4 | <1 1 <1 1 | 2.0 1.8 1.8 1.8 | 503 564 661 612 535 | 0.89 0.91 0.65 0.90 0.96 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157274 157275 157276 157277 157277 | | 2.31 2.10 1.58 1.86 1.73 | 12.4 11.0 10.5 10.7 11.2 | 19.8 19.2 23.2 22.1 22.3 | 680 620 460 570 440 | 15.1 15.8 15.2 15.0 15.7 | 74.3 79.9 80.6 76.2 73.4 | 0.002 0.002 0.002 0.002 <0.002 <0.002 | 0.01 0.01 0.01 0.01 0.01 | 2.69 3.12 3.59 3.32 2.68 | 8.7 8.8 10.8 9.9 9.9 | 1 1 1 <1 1 | 1.7 1.7 1.9 1.8 2.0 | 572 519 429 493 475 | 0.91 0.79 0.77 0.80 0.85 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157279 157280 157281 157281 157282 | | 1.96 2.49 2.50 2.00 2.05 | 13.2 12.0 16.6 11.5 | 22.2 15.9 13.3 17.1 17.2 | 600 490 510 540 740 | 17.1 15.6 19.0 15.4 15.3 | 80.3 72.3 92.1 75.4 66.9 | 0.002 <0.002 <0.002 <0.002 0.002 | 0.01 0.02 0.01 0.02 0.03 | 3.13 3.48 2.80 2.56 2.61 | 9.9 8.2 7.6 8.1 7.7 | <1 1 <1 1 <1 | 2.1 1.7 1.8 1.8 1.6 | 502 623 529 539 558 | 0.93 0.89 1.14 0.85 0.83 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 157284 157285 155851 155852 155853 | | 1.77 2.06 2.13 1.72 2.33 | 11.6 10.8 12.3 9.3 12.3 | 20.3 18.2 21.1 23.1 21.5 | 640 550 620 670 420 | 16.5 17.4 14.1 11.8 13.8 | 67.0 75.5 72.6 67.8 73.9 | <0.002 0.002 0.002 0.002 <0.002 | 0.04 0.05 0.02 0.05 0.03 | 2.99 3.04 5.81 7.56 6.46 | 8.8 8.0 8.6 8.5 8.2 | <1 1 1 1 1 | 1.9 1.7 1.7 1.6 1.7 | 485 534 618 806 610 | 0.85 0.82 0.92 0.73 0.93 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 155854 155855 155856 155857 155858 | | 2.03 2.62 1.70 1.80 2.46 | 13.4 12.0 11.3 11.5 9.7 | 24.5 13.6 35.0 26.7 13.2 | 520 340 770 670 430 | 14.2 13.0 11.9 13.8 12.1 | 77.2 73.5 77.8 67.8 72.0 | 0.002 <0.002 0.002 <0.002 0.002 | 0.01 0.04 0.04 0.04 0.37 | 6.90 5.59 9.08 6.82 5.38 | 9.0 7.2 9.9 9.4 6.4 | <1 1 1 <1 1 | 1.8 1.7 1.8 1.9 1.4 | 487 499 911 513 638 | 1.05 0.92 0.85 0.86 0.70 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 155859 155860 155862 155863 155864 | | 1.78 1.79 2.65 3.53 2.74 | 5.7 6.1 8.0 10.6 11.7 | 7.6 7.1 12.8 20.4 17.4 | 450 480 490 610 790 | 6.3 6.6 9.5 12.8 13.4 | 47.1 49.1 68.5 93.0 87.5 | 0.002 0.002 0.005 0.004 0.004 | 0.53 0.68 0.32 1.29 0.30 | 3.82 3.97 4.12 5.85 5.41 | 3.6 3.8 6.1 9.4 8.0 | 1 1 1 1 1 | 0.8 0.9 1.3 1.9 | 1575 1630 1120 877 643 | 0.41 0.45 0.61 0.77 0.88 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 155865 155866 155867 155869 155870 | | 2.79 2.49 2.64 2.35 2.25 | 12.9 10.6 11.0 9.9 9.3 | 13.3 13.5 10.8 16.4 13.6 | 530 630 400 730 590 | 14.2 13.5 13.7 11.7 10.7 | 73.8 70.0 68.4 82.3 74.3 | 0.003 0.003 0.003 0.003 0.005 | 0.29 0.61 0.30 0.69 0.32 | 3.74 3.85 3.22 3.90 4.33 | 6.6 6.5 5.9 7.6 6.6 | 1 1 1 1 1 | 1.5 1.4 1.3 1.5 | 611 601 613 1670 1425 | 0.88 0.79 0.77 0.67 0.63 | 0.05 <0.05 <0.05 <0.05 <0.05 |
| 155871 155872 155873 155874 155875 | | 2.33 2.66 3.50 2.94 2.42 | 9.7 11.7 12.0 13.5 20.1 | 11.8 14.2 19.3 25.1 3.4 | 580 580 860 970 80 | 10.4 11.7 16.1 14.7 22.4 | 72.5 83.9 84.3 110.5 108.5 | 0.004 0.003 0.026 0.017 <0.002 | 0.28 0.05 0.09 0.93 0.11 | 3.55 3.71 3.43 3.65 1.26 | 6.4 7.1 9.7 12.0 1.6 | 1 1 1 1 | 1.4 1.6 2.0 2.4 1.5 | 1030 868 559 409 261 | 0.64 0.79 0.85 0.88 1.69 | <0.05 <0.05 <0.05 <0.05 <0.05 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 3 - D Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2220

Account: KEERRG

| | | | | | | | | | | | <i>,</i> | 1 / (14/ (1 | | | 12000 | |
|--|---------|--|---|--------------------------------------|---------------------------------|----------------------------|---------------------------------|--------------------------------------|----------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Sample Description | Method | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
| | Analyte | Th | Ti | TI | U | V | W | Y | Zn | Zr | Dy | Er | Eu | Gd | Ho | Lu |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOD | 0.01 | 0.005 | 0.02 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.05 | 0.03 | 0.03 | 0.05 | 0.01 | 0.01 |
| 157269 | | 8.07 | 0.392 | 0.42 | 1.8 | 65 | 2.7 | 15.6 | 83 | 66.2 | 3.03 | 1.51 | 1.02 | 3.46 | 0.55 | 0.21 |
| 157270 | | 7.32 | 0.423 | 0.42 | 1.7 | 63 | 3.2 | 14.3 | 74 | 61.6 | 2.68 | 1.36 | 1.02 | 3.11 | 0.50 | 0.18 |
| 157271 | | 5.42 | 0.314 | 0.36 | 1.6 | 61 | 3.7 | 8.6 | 99 | 77.1 | 1.91 | 0.95 | 0.64 | 2.17 | 0.35 | 0.14 |
| 157272 | | 9.40 | 0.456 | 0.38 | 2.1 | 75 | 2.8 | 13.0 | 89 | 71.1 | 2.53 | 1.31 | 0.95 | 2.99 | 0.48 | 0.18 |
| 157273 | | 9.40 | 0.400 | 0.39 | 1.9 | 63 | 2.9 | 14.9 | 79 | 67.7 | 2.77 | 1.40 | 0.96 | 3.35 | 0.51 | 0.19 |
| 157274 | | 9.53 | 0.451 | 0.41 | 2.0 | 69 | 2.5 | 16.7 | 76 | 65.0 | 3.20 | 1.55 | 1.15 | 3.79 | 0.60 | 0.22 |
| 157275 | | 7.99 | 0.380 | 0.45 | 2.1 | 64 | 2.5 | 15.2 | 74 | 64.2 | 2.80 | 1.43 | 1.05 | 3.42 | 0.52 | 0.20 |
| 157276 | | 8.71 | 0.374 | 0.45 | 2.3 | 70 | 3.3 | 13.9 | 96 | 70.6 | 2.66 | 1.40 | 0.93 | 3.15 | 0.48 | 0.19 |
| 157277 | | 9.78 | 0.365 | 0.40 | 2.0 | 65 | 3.3 | 15.6 | 83 | 66.3 | 2.99 | 1.51 | 1.05 | 3.50 | 0.56 | 0.22 |
| 157278 | | 7.78 | 0.382 | 0.42 | 2.2 | 66 | 2.6 | 13.0 | 92 | 72.7 | 2.51 | 1.32 | 0.90 | 2.94 | 0.49 | 0.19 |
| 157279 157280 157281 157282 157282 | | 8.35 10.30 12.40 8.03 6.57 | 0.416 0.402 0.341 0.367 0.405 | 0.44 0.38 0.52 0.45 0.42 | 2.2 2.1 2.6 1.9 2.1 | 68 61 52 60 58 | 2.7 1.9 1.9 2.0 2.6 | 16.0 14.3 15.4 13.7 14.1 | 84 62 56 75 | 66.6 54.8 50.3 57.9 59.6 | 3.01 2.68 2.76 2.62 2.63 | 1.55 1.36 1.43 1.30 1.35 | 1.08 1.02 0.96 0.91 0.96 | 3.56 3.15 3.19 3.03 3.18 | 0.57 0.49 0.52 0.49 0.50 | 0.22 0.19 0.24 0.19 0.18 |
| 157284 | | 7.82 | 0.386 | 0.43 | 1.8 | 64 | 2.5 | 14.0 | 87 | 65.6 | 2.71 | 1.37 | 0.91 | 3.16 | 0.51 | 0.21 |
| 157285 | | 8.42 | 0.396 | 0.44 | 1.7 | 61 | 1.9 | 13.2 | 77 | 58.2 | 2.60 | 1.25 | 0.97 | 3.18 | 0.49 | 0.18 |
| 155851 | | 16.25 | 0.392 | 0.39 | 2.2 | 62 | 4.3 | 17.1 | 69 | 38.6 | 3.26 | 1.69 | 1.11 | 4.02 | 0.60 | 0.24 |
| 155852 | | 8.01 | 0.290 | 0.40 | 2.6 | 56 | 4.3 | 13.6 | 73 | 35.4 | 2.51 | 1.26 | 0.85 | 3.01 | 0.47 | 0.19 |
| 155853 | | 10.85 | 0.404 | 0.41 | 2.2 | 65 | 5.7 | 17.1 | 64 | 34.6 | 3.13 | 1.59 | 1.10 | 3.89 | 0.58 | 0.21 |
| 155854 | | 8.89 | 0.376 | 0.45 | 1.9 | 59 | 4.3 | 17.0 | 69 | 36.9 | 3.19 | 1.67 | 1.11 | 3.77 | 0.61 | 0.24 |
| 155855 | | 8.61 | 0.336 | 0.38 | 2.8 | 58 | 3.7 | 15.9 | 47 | 34.0 | 2.93 | 1.51 | 1.03 | 3.43 | 0.55 | 0.20 |
| 155856 | | 8.98 | 0.371 | 0.43 | 2.1 | 74 | 6.1 | 17.2 | 75 | 26.4 | 3.22 | 1.64 | 1.05 | 3.75 | 0.60 | 0.22 |
| 155857 | | 8.61 | 0.364 | 0.45 | 2.0 | 63 | 5.6 | 15.7 | 82 | 40.5 | 3.03 | 1.56 | 0.98 | 3.50 | 0.57 | 0.22 |
| 155858 | | 7.12 | 0.308 | 0.31 | 3.7 | 53 | 4.1 | 13.7 | 52 | 43.0 | 2.48 | 1.27 | 0.88 | 2.94 | 0.48 | 0.18 |
| 155859 | | 4.31 | 0.180 | 0.20 | 5.9 | 40 | 7.8 | 7.7 | 28 | 19.7 | 1.43 | 0.73 | 0.50 | 1.72 | 0.28 | 0.10 |
| 155860 | | 4.42 | 0.182 | 0.20 | 6.4 | 44 | 4.5 | 8.1 | 29 | 21.0 | 1.57 | 0.77 | 0.53 | 1.82 | 0.29 | 0.11 |
| 155862 | | 6.98 | 0.261 | 0.33 | 4.5 | 59 | 4.8 | 10.8 | 56 | 36.5 | 2.09 | 1.07 | 0.68 | 2.38 | 0.39 | 0.16 |
| 155863 | | 8.84 | 0.330 | 0.46 | 5.6 | 75 | 7.4 | 14.5 | 90 | 47.6 | 2.68 | 1.38 | 0.86 | 3.07 | 0.51 | 0.20 |
| 155864 | | 8.69 | 0.369 | 0.47 | 3.1 | 73 | 4.9 | 16.4 | 75 | 41.2 | 2.90 | 1.51 | 1.03 | 3.59 | 0.57 | 0.21 |
| 155865 | | 6.76 | 0.343 | 0.38 | 3.3 | 62 | 4.0 | 15.5 | 47 | 37.5 | 2.85 | 1.38 | 1.08 | 3.54 | 0.53 | 0.18 |
| 155866 | | 6.75 | 0.293 | 0.40 | 3.1 | 61 | 4.4 | 14.3 | 54 | 38.6 | 2.71 | 1.30 | 1.02 | 3.24 | 0.51 | 0.19 |
| 155867 | | 6.98 | 0.331 | 0.38 | 2.4 | 53 | 3.0 | 14.9 | 41 | 40.6 | 2.68 | 1.37 | 1.08 | 3.32 | 0.53 | 0.18 |
| 155869 | | 8.98 | 0.297 | 0.46 | 19.7 | 66 | 4.5 | 13.6 | 77 | 39.4 | 2.53 | 1.30 | 0.85 | 3.08 | 0.48 | 0.19 |
| 155870 | | 7.74 | 0.283 | 0.41 | 5.2 | 66 | 4.6 | 11.5 | 67 | 33.5 | 2.26 | 1.16 | 0.77 | 2.76 | 0.44 | 0.15 |
| 155871 | | 7.82 | 0.295 | 0.39 | 5.2 | 58 | 3.8 | 12.0 | 61 | 33.9 | 2.33 | 1.23 | 0.81 | 2.92 | 0.45 | 0.17 |
| 155872 | | 8.97 | 0.353 | 0.44 | 5.7 | 65 | 5.8 | 14.7 | 65 | 35.7 | 2.63 | 1.33 | 0.89 | 3.23 | 0.50 | 0.18 |
| 155873 | | 13.15 | 0.339 | 0.52 | 3.4 | 77 | 3.7 | 17.1 | 88 | 42.1 | 3.16 | 1.66 | 1.05 | 3.97 | 0.62 | 0.23 |
| 155874 | | 12.10 | 0.392 | 0.63 | 3.1 | 81 | 4.6 | 17.8 | 126 | 55.0 | 3.30 | 1.74 | 1.09 | 4.01 | 0.62 | 0.24 |
| 155875 | | 7.59 | 0.049 | 0.71 | 3.1 | 8 | 1.6 | 10.1 | 40 | 63.2 | 1.79 | 1.07 | 0.27 | 1.70 | 0.36 | 0.19 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 3 - E Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| (ALS | , | | | | | | | CERTIFICATE OF AN | ALYSIS | RE19312060 |
|--|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|-------------------|--------|------------|
| Sample Description | Method Analyte Units LOD | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 | ME-MS61r Tm ppm 0.01 | ME-MS61r Yb ppm 0.03 | | | |
| 157269 157270 157271 157272 157273 | | 24.7 24.1 14.5 21.4 24.4 | 6.79 6.78 3.93 6.02 6.76 | 4.96 4.66 2.99 4.21 4.83 | 0.53 0.49 0.34 0.45 0.52 | 0.22 0.20 0.14 0.18 0.20 | 1.40 1.24 0.90 1.12 1.25 | | | |
| 157274 157275 157276 157277 157278 | | 26.1 24.8 23.1 25.0 20.6 | 7.19 6.82 6.39 6.88 5.67 | 5.09 4.88 4.47 4.93 4.01 | 0.57 0.50 0.48 0.54 0.46 | 0.23 0.20 0.20 0.22 0.19 | 1.43 1.26 1.28 1.40 1.22 | | | |
| 157279 157280 157281 157282 157283 | | 25.9 23.4 22.7 22.5 22.3 | 7.15 6.46 6.27 6.23 6.16 | 5.11 4.51 4.51 4.26 4.36 | 0.55 0.48 0.48 0.47 0.47 | 0.22 0.19 0.21 0.19 0.20 | 1.41 1.26 1.42 1.18 1.22 | | | |
| 157284 157285 155851 155852 155853 | | 22.2 24.0 28.2 21.0 27.5 | 6.19 6.72 7.92 5.84 7.63 | 4.48 4.46 5.57 4.20 5.53 | 0.50 0.48 0.61 0.45 0.59 | 0.21 0.18 0.24 0.20 0.23 | 1.32 1.19 1.52 1.20 1.44 | | | |
| 155854 155855 155856 155857 155858 | | 26.4 23.7 26.1 23.8 22.2 | 7.23 6.54 7.09 6.50 6.22 | 5.22 4.71 5.16 4.80 4.20 | 0.57 0.52 0.55 0.54 0.45 | 0.24 0.21 0.24 0.23 0.19 | 1.53 1.34 1.49 1.44 1.20 | | | |
| 155859 155860 155862 155863 155864 | | 12.5 13.4 17.0 22.4 24.7 | 3.49 3.68 4.67 6.22 6.78 | 2.46 2.69 3.42 4.44 4.87 | 0.27 0.27 0.37 0.46 0.53 | 0.11 0.11 0.15 0.21 0.22 | 0.68 0.71 0.99 1.27 1.39 | | | |
| 155865 155866 155867 155869 155870 | | 24.9 21.4 22.2 20.8 18.9 | 6.87 5.73 5.98 5.73 5.20 | 4.80 4.22 4.41 3.97 3.71 | 0.52 0.48 0.48 0.45 0.40 | 0.20 0.19 0.19 0.19 0.16 | 1.22 1.18 1.22 1.16 1.03 | | | |
| 155871 155872 155873 155874 155875 | | 19.9 22.2 26.5 27.2 9.3 | 5.53 6.14 7.32 7.56 2.66 | 3.86 4.33 5.08 5.34 2.05 | 0.42 0.48 0.56 0.60 0.28 | 0.17 0.19 0.24 0.25 0.17 | 1.11 1.22 1.44 1.53 1.21 | | | |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001

Page: 4 - A Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| CERTIFICATE OF ANALYSIS | RE19312060 |
|-------------------------|------------|
|-------------------------|------------|

| | | | | | | | | | C | EKTIFIC | LAILO | F ANA | LYSIS | KE193 | 12060 | |
|--------------------|---------|-----------|-----------|-----------|-----------|---------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Description | Method | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | Rh-MS25 | Ag-AA45 | ME-MS61r |
| | Analyte | Recvd Wt. | Au | Pt | Pd | Rh | Ag | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce |
| | Units | kg | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | LOD | 0.02 | 0.001 | 0.005 | 0.001 | 0.001 | 0.2 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 |
| 155876 | | 8.60 | 0.006 | <0.005 | 0.001 | <0.001 | <0.2 | 0.04 | 7.71 | 28.0 | 640 | 2.27 | 0.24 | 3.17 | 0.15 | 64.1 |
| 155877 | | 8.48 | 0.008 | <0.005 | 0.002 | <0.001 | <0.2 | 0.07 | 7.74 | 25.7 | 680 | 2.40 | 0.22 | 2.81 | 0.14 | 61.9 |
| 155878 | | 5.50 | 0.010 | <0.005 | 0.001 | <0.001 | <0.2 | 0.07 | 8.02 | 26.0 | 660 | 2.49 | 0.24 | 2.79 | 0.15 | 69.0 |
| 155879 | | 2.68 | 0.018 | <0.005 | 0.002 | <0.001 | <0.2 | 0.18 | 8.04 | 37.7 | 580 | 2.46 | 0.25 | 2.62 | 0.20 | 58.7 |
| 155880 | | 9.78 | 0.017 | <0.005 | 0.001 | <0.001 | <0.2 | 0.07 | 7.68 | 31.1 | 610 | 2.23 | 0.23 | 3.88 | 0.16 | 64.5 |
| 155881 | | 4.08 | 0.017 | <0.005 | 0.001 | <0.001 | <0.2 | 0.14 | 7.91 | 32.4 | 570 | 2.38 | 0.25 | 3.53 | 0.16 | 64.5 |
| 155882 | | 4.12 | 0.018 | <0.005 | 0.002 | <0.001 | <0.2 | 0.12 | 7.63 | 35.1 | 560 | 2.29 | 0.25 | 2.89 | 0.18 | 59.5 |
| 155883 | | 6.06 | 0.020 | <0.005 | 0.001 | <0.001 | <0.2 | 0.12 | 7.88 | 34.3 | 560 | 2.32 | 0.26 | 3.10 | 0.17 | 61.3 |
| 155884 | | 3.62 | 0.018 | <0.005 | 0.001 | <0.001 | <0.2 | 0.17 | 7.78 | 35.7 | 550 | 2.26 | 0.24 | 3.30 | 0.18 | 63.0 |
| 155885 | | 4.40 | 0.024 | <0.005 | 0.002 | <0.001 | <0.2 | 0.12 | 7.98 | 30.2 | 580 | 2.20 | 0.25 | 4.27 | 0.18 | 66.9 |
| 155886 | | 3.44 | 0.018 | <0.005 | 0.002 | <0.001 | <0.2 | 0.18 | 8.15 | 37.1 | 540 | 2.38 | 0.25 | 2.66 | 0.19 | 64.1 |
| 155887 | | 4.42 | 0.018 | <0.005 | 0.002 | <0.001 | <0.2 | 0.16 | 8.19 | 39.5 | 600 | 2.50 | 0.26 | 2.69 | 0.19 | 65.3 |
| 155890 | | 7.94 | 0.012 | <0.005 | 0.002 | <0.001 | <0.2 | 0.07 | 6.68 | 35.7 | 760 | 1.65 | 0.16 | 7.05 | 0.27 | 55.0 |
| 155891 | | 8.22 | 0.014 | <0.005 | 0.001 | <0.001 | <0.2 | 0.09 | 6.71 | 35.9 | 730 | 1.60 | 0.15 | 7.70 | 0.24 | 52.2 |
| 155892 | | 9.00 | 0.012 | <0.005 | 0.001 | <0.001 | <0.2 | 0.12 | 6.67 | 32.8 | 710 | 1.68 | 0.15 | 6.34 | 0.32 | 51.2 |
| 155893 | | 7.82 | 0.014 | <0.005 | 0.001 | <0.001 | <0.2 | 0.10 | 7.08 | 51.2 | 670 | 1.81 | 0.19 | 4.80 | 0.22 | 55.9 |
| 155894 | | 8.10 | 0.013 | <0.005 | 0.001 | <0.001 | <0.2 | 0.10 | 7.05 | 49.8 | 690 | 1.81 | 0.18 | 4.06 | 0.24 | 59.4 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 4 - B Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| Sample Description | Method Analyte Units LOD | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 | ME-MS61r Fe % 0.01 | ME-MS61r Ga ppm 0.05 | ME-MS61r Ge ppm 0.05 | ME-MS61r Hf ppm 0.1 | ME-MS61r In ppm 0.005 | ME-MS61r K % 0.01 | ME-MS61r La ppm 0.5 | ME-MS61r Li ppm 0.2 | ME-MS61 r Mg % 0.01 | ME-MS61r Mn ppm 5 | ME-MS61r Mo ppm 0.05 |
|--------------------|-----------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|------------------------------|----------------------------|-------------------------------|
| 155876 155877 | | 13.0 11.6 | 38 33 | 7.28 6.16 | 31.3 27.8 | 3.87 3.42 | 23.3 22.4 | 0.18 0.17 | 1.8 1.6 | 0.064 0.059 | 2.43 2.38 | 31.5 30.9 | 159.0 140.5 | 1.67 1.46 | 771 718 | 19.35 12.60 |
| 55878 | | 12.8 | 36 | 7.23 | 31.5 | 3.80 | 24.3 | 0.19 | 1.8 | 0.070 | 2.39 | 34.4 | 143.5 | 1.59 | 754 | 8.08 |
| 155879 | | 13.6 | 40 | 8.12 | 35.7 | 4.12 | 24.8 | 0.17 | 1.8 | 0.073 | 2.41 | 28.4 | 166.5 | 1.80 | 817 | 5.93 |
| 155880 | | 13.1 | 37 | 7.47 | 32.4 | 3.78 | 23.1 | 0.18 | 1.7 | 0.061 | 2.36 | 33.0 | 160.5 | 1.65 | 779 | 12.65 |
| 155881 | | 13.2 | 39 | 7.99 | 34.1 | 3.97 | 24.3 | 0.16 | 1.8 | 0.066 | 2.35 | 32.8 | 161.5 | 1.78 | 788 | 11.80 |
| 155882 | | 13.1 | 40 | 7.98 | 33.9 | 3.86 | 24.1 | 0.16 | 1.8 | 0.066 | 2.28 | 29.4 | 157.0 | 1.70 | 768 | 11.60 |
| 155883 | | 12.9 | 40 | 8.17 | 33.8 | 3.98 | 24.1 | 0.15 | 1.8 | 0.068 | 2.29 | 29.7 | 163.0 | 1.77 | 766 | 10.75 |
| 155884 | | 13.1 | 40 | 8.24 | 34.4 | 3.99 | 24.0 | 0.17 | 1.9 | 0.064 | 2.28 | 31.4 | 161.0 | 1.78 | 781 | 10.70 |
| 155885 | | 12.8 | 38 | 7.94 | 32.8 | 3.91 | 23.5 | 0.17 | 1.8 | 0.065 | 2.26 | 34.2 | 141.0 | 1.66 | 746 | 8.22 |
| 155886 | | 13.3 | 40 | 8.39 | 35.6 | 4.10 | 24.3 | 0.19 | 1.9 | 0.066 | 2.37 | 31.9 | 162.0 | 1.84 | 824 | 7.40 |
| 155887 | | 13.4 | 41 | 8.28 | 34.3 | 3.95 | 24.8 | 0.17 | 1.9 | 0.066 | 2.35 | 32.1 | 162.0 | 1.75 | 799 | 10.95 |
| 155890 | | 8.4 | 26 | 4.39 | 17.4 | 2.49 | 17.30 | 0.20 | 1.3 | 0.043 | 1.95 | 28.9 | 222 | 1.67 | 557 | 2.44 |
| 155891 | | 8.3 | 25 | 4.47 | 17.5 | 2.47 | 17.25 | 0.18 | 1.3 | 0.044 | 2.00 | 27.1 | 220 | 1.64 | 556 | 2.74 |
| 155892 | | 8.1 | 28 | 4.50 | 17.2 | 2.46 | 17.05 | 0.18 | 1.3 | 0.039 | 1.99 | 27.1 | 202 | 1.57 | 444 | 1.88 |
| 155893 | | 9.7 | 32 | 5.90 | 22.4 | 2.95 | 19.20 | 0.15 | 1.5 | 0.049 | 2.15 | 29.1 | 206 | 1.75 | 627 | 3.16 |
| 155894 | | 10.7 | 34 | 6.29 | 23.4 | 3.10 | 19.70 | 0.18 | 1.5 | 0.050 | 2.16 | 31.0 | 205 | 1.70 | 690 | 3.99 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 4 - C Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| CERTIFICATE OF ANALYSIS RE19 | 9312060 |
|------------------------------|---------|
|------------------------------|---------|

| | | | | | | | | | | | CAILO | . , | | 112133 | 12000 | |
|--|---------|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|--------------------------------------|---|--|--------------------------------------|--------------------------------------|--------------------------------------|-------------------|---------------------------------|---------------------------------|--------------------------------------|---|
| Sample Description | Method | ME-MS61 r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
| | Analyte | Na | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | Units | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOD | 0.01 | 0.1 | 0.2 | 10 | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 |
| 155876 | | 2.37 | 14.0 | 25.2 | 980 | 15.2 | 105.5 | 0.029 | 0.76 | 3.64 | 11.8 | 1 | 2.4 | 425 | 0.93 | <0.05 |
| 155877 | | 2.81 | 13.7 | 21.8 | 960 | 15.3 | 99.6 | 0.015 | 0.49 | 3.34 | 10.9 | 1 | 2.3 | 421 | 0.94 | <0.05 |
| 155878 | | 2.64 | 14.5 | 25.2 | 990 | 16.0 | 109.0 | 0.015 | 0.66 | 3.75 | 12.1 | 1 | 2.4 | 347 | 0.90 | <0.05 |
| 155879 | | 2.73 | 12.2 | 29.0 | 1060 | 16.2 | 96.4 | 0.012 | 0.39 | 5.87 | 12.4 | 1 | 2.4 | 331 | 0.84 | <0.05 |
| 155880 | | 2.60 | 12.2 | 25.7 | 980 | 15.2 | 110.0 | 0.024 | 1.58 | 3.89 | 11.9 | 1 | 2.2 | 564 | 0.83 | <0.05 |
| 155881 155882 155883 155884 155885 | | 2.70 2.78 2.09 2.75 2.19 | 12.1 11.7 11.4 11.5 11.8 | 28.0 28.4 28.7 28.9 27.1 | 1040 980 1020 1020 980 | 15.5 15.8 15.6 15.3 15.0 | 103.0 99.8 97.3 103.0 108.5 | 0.017 0.013 0.008 0.013 0.008 | 1.42 1.02 1.16 1.20 1.94 | 5.02 5.22 5.39 5.57 4.40 | 12.4 12.3 12.4 12.5 12.2 | 1 1 1 1 | 2.4 2.3 2.3 2.3 2.3 | 429 317 369 394 381 | 0.84 0.81 0.79 0.81 0.82 | 0.05 <0.05 <0.05 <0.05 <0.05 |
| 155886 155887 155890 155891 155892 | | 2.66 1.74 2.75 2.62 3.00 | 11.2 11.7 11.2 10.2 10.6 | 28.8 29.5 17.3 17.3 17.4 | 1040 1040 810 800 730 | 15.5 16.8 13.1 12.7 13.1 | 107.0 99.9 83.1 83.2 82.7 | 0.013 0.005 <0.002 0.002 0.003 | 0.46 0.49 0.27 0.52 0.15 | 5.96 6.49 4.12 4.31 3.94 | 12.7 12.7 8.0 7.8 7.7 | 1 <1 1 1 | 2.3 2.4 3.1 1.6 1.7 | 317 370 715 854 713 | 0.79 0.82 0.77 0.69 0.71 | <0.05 <0.05 <0.05 <0.05 <0.05 |
| 155893 | | 2.65 | 10.3 | 21.9 | 840 | 14.7 | 88.3 | 0.003 | 0.12 | 5.72 | 9.2 | 1 | 1.8 | 492 | 0.74 | <0.05 |
| 155894 | | 3.27 | 11.2 | 22.9 | 870 | 15.2 | 93.7 | 0.006 | 0.19 | 4.35 | 9.6 | 2 | 1.9 | 479 | 0.76 | <0.05 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 4 - D Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| CERTIFICATE OF ANALYSIS | RE19312060 |
|-------------------------|------------|
|-------------------------|------------|

| | | | | | | | | | | | <u> </u> | - ,, | | | | |
|--|---------|---|---|--------------------------------------|---------------------------------|----------------------------|---------------------------------|--------------------------------------|---------------------------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Sample Description | Method | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
| | Analyte | Th | Ti | TI | U | V | W | Y | Zn | Zr | Dy | Er | Eu | Gd | Ho | Lu |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOD | 0.01 | 0.005 | 0.02 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.05 | 0.03 | 0.03 | 0.05 | 0.01 | 0.01 |
| 155876 | | 12.50 | 0.412 | 0.63 | 3.0 | 83 | 4.7 | 17.1 | 129 | 55.9 | 3.28 | 1.68 | 1.04 | 3.99 | 0.65 | 0.24 |
| 155877 | | 10.80 | 0.391 | 0.60 | 3.0 | 76 | 4.1 | 17.5 | 111 | 50.1 | 3.30 | 1.67 | 1.06 | 3.95 | 0.62 | 0.24 |
| 155878 | | 13.35 | 0.394 | 0.65 | 3.2 | 80 | 4.3 | 18.5 | 126 | 56.6 | 3.51 | 1.78 | 1.12 | 4.15 | 0.66 | 0.26 |
| 155879 | | 10.65 | 0.364 | 0.64 | 2.7 | 83 | 5.3 | 17.2 | 134 | 58.6 | 3.32 | 1.69 | 1.01 | 3.84 | 0.64 | 0.24 |
| 155880 | | 11.95 | 0.374 | 0.63 | 3.1 | 81 | 5.0 | 17.4 | 124 | 56.1 | 3.22 | 1.63 | 1.00 | 3.87 | 0.63 | 0.23 |
| 155881 155882 155883 155884 155885 | | 11.60 11.10 11.25 12.00 12.05 | 0.364 0.350 0.345 0.344 0.360 | 0.63 0.62 0.64 0.61 0.62 | 2.8 2.6 3.0 2.9 4.0 | 81 78 81 79 79 | 5.4 5.3 5.1 5.4 4.6 | 17.7 17.1 17.1 17.3 17.5 | 130 127 129 129 128 | 60.1 60.6 60.5 59.3 | 3.29 3.19 3.22 3.23 3.26 | 1.66 1.64 1.63 1.65 1.66 | 1.03 0.98 0.99 0.98 1.03 | 3.99 3.76 3.80 3.82 3.87 | 0.63 0.61 0.61 0.62 0.61 | 0.25 0.24 0.23 0.23 0.23 |
| 155886 | | 11.70 | 0.347 | 0.63 | 2.8 | 82 | 5.5 | 17.5 | 133 | 59.7 | 3.24 | 1.67 | 1.00 | 3.94 | 0.64 | 0.23 |
| 155887 | | 11.60 | 0.353 | 0.65 | 2.9 | 80 | 5.9 | 18.0 | 126 | 60.5 | 3.49 | 1.75 | 1.07 | 4.10 | 0.67 | 0.25 |
| 155890 | | 8.25 | 0.335 | 0.42 | 8.4 | 66 | 7.7 | 15.2 | 73 | 42.6 | 2.76 | 1.42 | 0.95 | 3.44 | 0.52 | 0.19 |
| 155891 | | 7.63 | 0.321 | 0.44 | 13.8 | 66 | 8.7 | 14.0 | 74 | 43.3 | 2.52 | 1.27 | 0.89 | 3.10 | 0.50 | 0.17 |
| 155892 | | 7.45 | 0.322 | 0.43 | 4.5 | 66 | 6.2 | 14.3 | 74 | 41.2 | 2.48 | 1.30 | 0.91 | 3.10 | 0.48 | 0.18 |
| 155893 | | 8.80 | 0.324 | 0.47 | 6.0 | 70 | 8.3 | 14.8 | 92 | 47.5 | 2.82 | 1.42 | 0.91 | 3.41 | 0.53 | 0.19 |
| 155894 | | 9.25 | 0.350 | 0.50 | 6.1 | 73 | 8.6 | 15.6 | 97 | 51.1 | 2.86 | 1.45 | 0.97 | 3.46 | 0.54 | 0.21 |



Phone: +1 775 356 5395 Fax: +1 775 355 0179

www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: 4 - E Total # Pages: 4 (A - E) Plus Appendix Pages Finalized Date: 8-JAN-2020

| (ALS) | | | | | | | | | | | | |
|--------------------|---------|----------|----------|----------|----------|----------|----------|------------------------------------|--|--|--|--|
| | | | | | | | | CERTIFICATE OF ANALYSIS RE19312060 | | | | |
| | Method | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | | | | | |
| | Analyte | Nd | Pr | Sm | Tb | Tm | Yb | | | | | |
| Sample Description | Units | ppm | ppm | ppm | ppm | ppm | ppm | | | | | |
| Sample Description | LOD | 0.1 | 0.03 | 0.03 | 0.01 | 0.01 | 0.03 | | | | | |
| 155876 | | 26.2 | 7.18 | 5.12 | 0.60 | 0.24 | 1.52 | | | | | |
| 155877 | | 25.8 | 7.03 | 5.09 | 0.57 | 0.25 | 1.51 | | | | | |
| 155878 | | 27.9 | 7.76 | 5.52 | 0.61 | 0.26 | 1.61 | | | | | |
| 155879 | | 24.2 | 6.64 | 4.81 | 0.58 | 0.24 | 1.53 | | | | | |
| 155880 | | 25.6 | 7.11 | 4.92 | 0.57 | 0.24 | 1.53 | | | | | |
| 155881 | | 26.6 | 7.26 | 5.12 | 0.59 | 0.24 | 1.53 | | | | | |
| 155882 | | 24.2 | 6.65 | 4.83 | 0.57 | 0.24 | 1.47 | | | | | |
| 155883 | | 24.9 | 6.81 | 4.83 | 0.57 | 0.24 | 1.50 | | | | | |
| 155884 | | 25.4 | 6.96 | 4.90 | 0.56 | 0.23 | 1.51 | | | | | |
| 155885 | | 26.2 | 7.33 | 4.98 | 0.58 | 0.23 | 1.50 | | | | | |
| 155886 | | 25.5 | 7.02 | 4.91 | 0.58 | 0.24 | 1.55 | | | | | |
| 155887 | | 26.1 | 7.21 | 5.17 | 0.61 | 0.25 | 1.54 | | | | | |
| 155890 | | 22.5 | 6.21 | 4.35 | 0.49 | 0.20 | 1.24 | | | | | |
| 155891 | | 21.4 | 5.85 | 4.17 | 0.46 | 0.19 | 1.13 | | | | | |
| 155892 | | 21.1 | 5.80 | 4.09 | 0.45 | 0.18 | 1.16 | | | | | |
| 155893 | | 22.5 | 6.26 | 4.33 | 0.50 | 0.21 | 1.26 | | | | | |
| 155894 | | 23.8 | 6.58 | 4.63 | 0.51 | 0.21 | 1.27 | | | | | |
| 1 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |



ALS USA Inc.

4977 Energy Way
Reno NV 89502
Phone: +1 775 356 5395 Fax: +1 775 355 0179
www.alsglobal.com/geochemistry

To: RED RIVER CREEK MINING GROUP LLC 1712 CAREY AVENUE SUITE 100 CHEYENNE WY 82001 Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 8-JAN-2020 Account: KEERRG

| | | CERTIFICATE OF ANALT | 313 KE19312000 | | | | | | | |
|--------------------|--|------------------------------|----------------|--|--|--|--|--|--|--|
| | CERTIFICATE CO | OMMENTS | | | | | | | | |
| | ANA | LYTICAL COMMENTS | | | | | | | | |
| Applies to Method: | REE's may not be totally soluble in this method. ME-MS61r | | | | | | | | | |
| | LARO | DRATORY ADDRESSES | | | | | | | | |
| | Processed at ALS Reno located at 4977 Energy Way, Reno, N | | | | | | | | | |
| Applies to Method: | CRU-31 DRY-22 | LOG-22 | LOG-22d | | | | | | | |
| | LOG-24 PUL-31 SPL-21 WEI-21 | SCR-41 | SND-ALS | | | | | | | |
| | Processed at ALS Vancouver located at 2103 Dollarton Hwy, | North Vancouver, BC, Canada. | | | | | | | | |
| Applies to Method: | Ag-AA45 ME-MS61r | PGM-ICP23 | Rh-MS25 | | | | | | | |
| | | | | | | | | | | |