Images

Sudhakar Sharma

•

Feb 10

Images in HTML

- Images are of various types.
- Web supports only few types.
- MIME is "Multipurpose Internet Mail Extensions"

Image Type MIME Extention

APNG image/apng .apng Animated Portable Network Graphics

PNG image/png .png

Protable Network Graphics

GIF image/gif .git Graphic Interchange Format

JPEG image/jpeg .jpg, .jpeg, .jfif

Joint Photographic Expert Group

TIFF image/tiff .tiff

Tagged Image File Format

ICO image/icon .ico

Microsoft Icon

SVG image/svg .svg

Scalar Vector Graphics

Webp image/webp .webp

Web Picture Format

PNG | APNG - High Definition

- High Resolution
- More space in memory
- Use PNG or APNG when you are providing images for download.
- Not good for on screen presentation [more memory]

JPG | JPEG - High Definition

- High Resolution
- Compressed Image
- Less space in memory
- Good for on screen presentation
- Not good for zoom and download.

GIF - Low definition

- Low resolution
- same memory
- less colors [256]
- animated images
- bullets, logo, lines

SVG - It is XML format image

- Vector Graphics
- Not pixel based
- You zoom in the picture, it quality will increase.
- Good for architectural diagrams

Webp - It is web picture format

- It can embed picture along with content and locks the content.
- you can't download

TIFF - Sliced image format

- Scanned documents

- You can embed images into web page by using element.
- It is a void element.

Attributes:

- 1. alt : It specifies the alternative text to display when image fails to load.
- 2. src : It refers to the path and name of image.

```
Syntax:
```


3. title : It refers to the screen tip to display when mouse is over image.

Syntax:

- 4. width : It specifies width of image in pixels or percentage.
- 5. height : It specifies height of image in pixels or percentage.

Note: Size in % will adjust according to the browser.

It often called as "Fluid-Image".

 <imq width="50%">

6. align : It aligns the image left or right. Align is used to wrap text around.

- 7. hspace: Horizontal space around image
- 8. vspace: Vertical space around image

9. border: Sets border for image.

Advanced Attributes:

10. crossorigin: It is used when image is accessed from remote server.

crossorigin = "anonymous | use credentials"

11. decodina : It defines how image have to load along with other contents.

decoding = "async | sync"

sync: load image and block others

async: load along with other contents.

12. importance: It defines the priority of image.

importance = low, high, auto