

+ -× =

Pre Processing Assessment

The due date for submitting this assignment has passed.

Due on 2024-03-10, 23:59 IST.

You may submit any number of times before the due date. The final submission will be considered for grading.

You have last submitted on: 2024-03-09, 18:27 IST

Following is description of different columns in the dataset.

CRIM: per capita crime rate in the vicinity

ZN: amount of residential land reserved in the vicinity.

INDUS: proportion of industrial land reserved nearby (in square kilometers)

RIVERSIDE: If the boundary faces river side (= 1 if tract bounds river; 0 otherwise)

POLINDEX: polution index

RM: number of rooms in the house.

AGE: Age of the property in years.

DIS: weighted distances to the major economic centres (in kilometers)

HIGHWAYCOUNT: Number of highways within 5 KM of distance.

TAX: full-value property-tax rate per 1 lac.

PTRATIO: student-teacher ratio in the vicinity.

IMM: Immigration index in the vicinity.

BPL: % of below poverty line population in the vicinity.

PRICE: Price of the home in lacs, this is the target column.

Note: For numerical type questions, always enter the answer correct upto 3 decimal places without rounding off, unless otherwise stated.

Click here to view the sklearn library reference

Click here to view the Colab File

24 61622

1) Click here to view the dataset	1 point
Which dataset are you using for this exam?	
○ V1	
○ V2	
○ V4	
○ V5	
Yes, the answer is correct. Score: 1	
Accepted Answers:	
V3	
2) How many samples are there in the dataset?	2 points
2) How many samples are there in the dataset? 4000	2 points
	2 points
4000	2 points
40005000	2 points
400050006000	2 points
4000500060007000	2 points
4000500060007000Yes, the answer is correct.	2 points
 4000 5000 6000 7000 Yes, the answer is correct. Score: 2 	2 points

Yes, the answer is correct.	
Score: 2	
Accepted Answers:	
(Type: Range) 24.611,24.621	
(Type: Range) 24.011,24.021	2,
4) How many houses have 5 or more rooms?	3)
3953	
3921	
3896	
3932	
3925	
None of these	
Yes, the answer is correct.	
Score: 3	
Accepted Answers:	
3896	
5) What is the average price of the top 10 most expensive houses (in lacs)?	
52.2007	
Yes, the answer is correct.	
Score: 3	
Accepted Answers:	
(Type: Range) 52.195,52.205	3)
(Hint: carefully look at the values the feature takes and find out implausible value.)	
4071	
407199	
40719961	
 40 71 99 61 68 	
 40 71 99 61 68 None of these 	
 40 71 99 61 68 	
 40 71 99 61 68 None of these Yes, the answer is correct.	
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 	
40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers:	
40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers:	21
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 	24
40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature?	24
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 	24
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 50 	24
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 50 83 	24
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 50 83 74 	24
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 50 83 74 64 	24
 40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 50 83 74 64 59 	24
40 71 99 61 68 None of these Yes, the answer is correct. Score: 2 Accepted Answers: 99 7) What is the total number of missing or unknown values in the age feature? (Hint: carefully look at the values the feature takes and find out implausible value.) 50 83 74 64 59 None of these	24

2 points

8) What is the total number of missing or unknown values in the RIVERSIDE feature?

(Hint: carefully look at the values the feature takes and find out implausible value.)
O 88
O 101
56
O 62
O 80
O None of these
Yes, the answer is correct.
Score: 2
Accepted Answers:
56
9) How many houses are on riverside and were built within the last 50 years (i.e. a house 50 years old or younger)? For this question, ignore the rows that have 3 points missing values in either riverside feature or age feature.
O 44
O 42
52
O 43
O 37
O None of these
Yes, the answer is correct.
Score: 3
Accepted Answers:
52
10) How many houses are near to exactly 6,7 or 8 highways (all three inclusive)? 3 points
○ 1211 ○ 1274
0 1174
1234200
938
12091209
None of these
Yes, the answer is correct. Score: 3
Accepted Answers:
1234
11) Create a column 'CATEGORY' and divide the houses in categories as following: 4 points
Category 1: house price <10 lacs
Category 2: 10 lacs <= house price <20 lacs Category 3: 20 lacs <= house price <30 lacs
Category 4: 30 lacs <= house price <40 lacs Category 5: house price >=40 lacs
Which category has the highest number of records?
0 1
O 2
3
0 4
5
There is a tie between multiple categories
Yes, the answer is correct. Score: 4

12) Apply Pre processing	2 poi
Divide the data into training and test sets	
Replace the respective missing or unknown values in features room count, riverside and age with np.nan.	
2. Keep 30% of the data as test set.	
3. Use random_state as 0	
4. PRICE is the target, rest of the columns are the features.	
5. Apply train test split.	
Hint: look for the documentation of the usual function that divides the data into training and test datasets.	
What is the number of samples in the training set?	
2800	
2900	
3000	
3100	
Yes, the answer is correct.	
Score: 2	
Accepted Answers: 2800	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling	5 рс
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with mean then min max scaling 14. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing.	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 11. BPL: min max scaling 11. RPL: min max scaling 12. RM: impute with median then min max scaling 14. RIVERSIDE: Impute with mean then min max scaling 15. AGE: impute with mean then min max scaling 16. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question.	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. POLINDEX: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with median then min max scaling 14. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question.	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with mean then min max scaling 14. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question. How many features are there after performing above transformation?	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with median then min max scaling 14. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question. How many features are there after performing above transformation? 14 15	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with mean then min max scaling 14. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question. How many features are there after performing above transformation? 14 15	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with median then min max scaling 14. RIVERSIDE: Impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question. How many features are there after performing above transformation? 14 15 16	
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 8. TAX: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 11. BPL: min max scaling 12. RM: impute with median then min max scaling 14. RIVERSIDE: impute with mean then min max scaling 14. RIVERSIDE: impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a transformer for this question. How many features are there after performing above transformation? 14 15 16 17 18 Yes, the answer is correct.	5 po
1. Drop CATEGORY column 2. CRIM: min max scaling 3. ZN: min max scaling 4. INDUS: standard scaling 5. POLINDEX: min max scaling 6. DIS: min max scaling 7. HIGHWAYCOUNT: min max scaling 9. PTRATIO: min max scaling 10. IMM: min max scaling 11. BPL: min max scaling 11. BPL: min max scaling 11. RM: min max scaling 11. RM: min max scaling 11. RW: min the max in max scaling 11. RW: min the max in max scaling 12. RM: impute with median then min max scaling 13. AGE: impute with mean then min max scaling 14. RIVERSIDE: impute with most frequent value then one hot encode. NOTE: 1. Make sure to preprocess the features in exactly above order. Answer of Q.16 depends upon correct order of featuring processing. 2. You may have to use multiple instances of a trasnformer for this question. How many features are there after performing above transformation? 14 15 16 17 18 Yes, the answer is correct. Score: 5	
151617	

Accepted Answers:

	2 point
15) Apply PCA on processed training matrix only (do not transform the data). What is the value of largest eigen value?	
No, the answer is incorrect.	
Score: 0	
Accepted Answers:	
(Type: Range) 56.995,57.005	
	4 poin
16) If you eliminate 1 feature with recursive feature elimination, which feature will be eliminated?	
Type the index of the eliminated feature (index starts from 0).	
Use LinearRegression model with default parameters as an estimator.	
Use processed training data.	
No, the answer is incorrect.	
Score: 0	
Accepted Answers:	
(Type: Numeric) 3	