

When a Verified World Model Still Loses: Play-Adequacy vs Prediction-Accuracy in LLM-Synthesized Code World Models

Javier Aguilar Martín
AGILabs (javieraguilar.ai)

Abstract

Large language models (LLMs) can synthesize the rules of a game as executable code — a *Code World Model* (CWM) — which a classical planner then searches over. The synthesized model is typically accepted when it reaches high *transition accuracy* on sampled trajectories. We argue that this acceptance criterion is the wrong notion of adequacy for planning.

Across perfect- and imperfect-information games we find four things. (1) A CWM can pass a sampling gate at 100% transition accuracy and be $\geq 99\%$ state-accurate on the distribution the planner actually visits, yet lose systematically at play — because the less than 1% it gets wrong is exactly the pivotal dynamics. We call this the *verified-vs-correct gap*. (2) The expected harm follows a quantitative law, $\text{danger} = \text{play_cost} \times (1 - \text{rarity})^N$, where *rarity* is the probability a random play-through triggers the omitted rule and N is the gate size. The $(1 - \text{rarity})^N$ gate-miss factor is *proven exact* (i.i.d. Bernoulli); *play_cost* is measured empirically. This law predicts when sampling verification is blind: harm is negligible while the rule is common enough for the gate to catch it, rises through a threshold as the rule becomes rare, and saturates at the full *play_cost* once it almost always escapes. (3) The failure is not repaired by more data. LLM CWM synthesis behaves as *rule translation* rather than *rule inference*: it correctly encodes rules it was given and, across the regimes we tested, did not infer the omitted rule — under the GPT-5.x family (mini and large) and across the Section 5 data regimes (rules-given, no-rules, naive DAgger, proper DAgger, targeted on-manifold examples), independent of the quantity of on-manifold example transitions. (4) The same mechanism recurs on the *inference* function of imperfect-information CWMs. We prove a coverage bound — a size- N random gate is identifying for the inference function when $N \gtrsim b^{d_{\max}}$ — which explains why shallow games (Kuhn poker, Leduc poker) show no inference gap. We then construct a minimal game, Beacon, that escapes this bound: a verified-but-wrong `infer_states` function passes the inference gate (0/8156 mismatches) yet loses every game (0.000 vs fair baseline 0.500), with the danger law recurring on this new axis.

Taken together, these results suggest that adequacy for LLM-synthesized world models used in planning should be measured on the search distribution or by play directly, not by prediction accuracy on sampled transitions, and that completing the specification is more effective than attempting repair by example.

1 Introduction

1.1 The Code World Model paradigm

A central observation in recent work on LLMs for game playing is that a small language model plus a well-specified world model plus classical search can outperform a much larger model used as a direct policy. The *Code World Model* (CWM) paradigm makes this concrete: an LLM is prompted with a game’s rules and some sampled trajectories and asked to synthesize a fully executable implementation of the game’s transition dynamics. A classical planner — typically Monte Carlo

Tree Search (MCTS) — then searches over the synthesized world model, interacts with a referee (the true game), and is evaluated in an arena.

We reproduce this baseline on tic-tac-toe and Connect Four (Section 3.1): LLM-synthesized CWMs refined to transition accuracy 1.0 and paired with UCT-MCTS dominate the same LLM used as a direct policy by wide margins (e.g., 29–1 in Connect Four), reproducing the direction of the result in [Lehrach et al. \(2025\)](#) on known games. Synthesis is trivially cheap: total API cost across all runs in this paper is approximately \$2, with roughly \$0.001–0.005 per arena game for the LLM-as-policy baseline and synthesis a one-off cost.

1.2 The implicit trust step

Accepting a synthesized world model involves a gatekeeping step: the CWM is refined in a sandbox until it achieves transition accuracy 1.0 on a set of randomly sampled trajectories. This gate is computationally cheap and is the only barrier between synthesis and deployment in the planner.

Our central question is: **does passing this gate certify that the CWM is adequate for planning?**

The concern is structural. A planner does not play randomly — it concentrates search on states it deems strategically significant. If the random-trajectory gate and the planner’s search distribution diverge systematically, there could exist a CWM that passes the gate yet is wrong precisely on the states that matter for competent play. We call this the *verified-vs-correct gap*.

1.3 A first look: when the gate is identifying

Our first experiments, across three game families and two knowledge regimes (rules given / rules withheld), find that the feared gap does not appear on small, fully-specified games (Section 3.2). Whenever a CWM passes the random-trajectory gate, it is also correct on the MCTS-visited distribution; whenever it is wrong on the search distribution, it also fails the gate. For these games the random sample is *identifying* — no compact wrong hypothesis fits all training trajectories yet diverges elsewhere. This is an honest null result, and we report it as such, because understanding *when* the gate is identifying is necessary to understand when it is not.

1.4 When the gate fails: rare rules and the danger law

The null result on small games points to the condition under which the gate can be fooled: a rule that random play almost never triggers but competent play reliably seeks out. We engineered a minimal instrument satisfying this condition (Section 3.3): a variant of the game army5x5a augmented with a *material-at-cap* tiebreak rule that triggers in roughly 1% of random games but decides roughly 50% of competent games.

A CWM that omits this rule passes the gate at transition accuracy 1.0 and is $\geq 99\%$ state-accurate on the search distribution, yet loses approximately 2:1 in play (win rate 0.376 [0.328, 0.427] vs calibrated baseline 0.493 [0.442, 0.545], Wilson 95% intervals, $n=360$). State accuracy is blind to the omission (dilution); play is not.

We then quantify when this can happen via a law that relates harm to gate size and rule rarity (Section 4), and show that the gap cannot be repaired by providing more example transitions (Section 5).

1.5 Extension to imperfect information

The same mechanism appears on the *inference* half of an imperfect-information CWM. Such a model must also implement an `infer_states` function — given a sequence of observations, reconstruct the set of possible hidden states — and this function is gated separately. We prove (Section 6) that the inference gate is identifying when the game is shallow enough, explain why poker games fall below this threshold, and construct a minimal game (Beacon) in which a verified-but-wrong `infer_states` passes the inference gate yet loses every game.

1.6 Contributions

This paper makes six contributions:

1. **The verified-vs-correct gap (Section 3.3):** A gate-passing, $\geq 99\%$ -state-accurate CWM that loses $\sim 2:1$ in play (win rate 0.376 [0.328, 0.427] vs fair baseline 0.493 [0.442, 0.545], Wilson 95% intervals that do not overlap, $n=360$). The gap arises from a rare-but-pivotal rule omitted from the specification and invisible to random-trajectory sampling. We also document the honest null — small fully-specified games show no gap — which clarifies the boundary conditions.
2. **A quantitative danger law (Section 4):** $\text{danger} = \text{play_cost} \times (1 - \text{rarity})^N$. The $(1 - \text{rarity})^N$ gate-miss factor is proven exact under i.i.d. Bernoulli sampling (Proposition 1); `play_cost` is empirical. The law predicts a threshold below which verification is safe and above which harm saturates at the full play cost.
3. **Translation, not inference (Section 5):** LLM CWM synthesis behaves as rule translation under the tested regimes. Across the two model sizes tested (mini, large) and every data regime we ran (naive DAgger, proper DAgger, targeted on-manifold examples), the omitted rule was not recovered from example transitions. Artificial off-manifold repair data actively corrupts synthesis.
4. **The coverage bound (Section 6.2, Theorem 1) and Beacon (Section 6.4):** We prove that a size- N random inference gate is identifying when $N \gtrsim b^{d_{\max}} \cdot p_{\text{chance}}^{-1} \cdot \log |Z|$, which explains the absence of an inference gap in Kuhn and Leduc. We then construct Beacon, the minimal game that escapes this bound, obtaining 0/8156 gate mismatches alongside 0.000 play win rate.
5. **Claim B — the belief model is invisible to a transition gate (Section 6.6):** We prove (Proposition 2) that the information partition encoded by `observation/infer_states` appears in no transition tuple, so a transition-accuracy gate cannot detect a wrong belief model. We demonstrate it on masked tic-tac-toe: withholding the masking rule yields a transition-gate-perfect (1.000) but belief-wrong (`observation_rate` 0.020) synthesis. With Beacon, this gives both faces of belief-model verification — a wrong belief loses at play *and* is invisible to a transition gate.
6. **Unification (Sections 6, 7):** The verified-vs-correct gap and the inference gap are one mechanism on two halves of the CWM contract. A size- N random gate fails exactly on events of random-reach probability $\lesssim 1/N$ that competent play nonetheless reaches; the harm is (consequence) $\times P(\text{gate miss})$, with $P(\text{gate miss}) \approx e^{-Nr}$ for transition rules and $\approx e^{-N \cdot b^{-d_{\max}}}$ for inference info-sets.

2 Setup and Methods

2.1 The CWM contract

A Code World Model is a Python module implementing the following interface (the *contract*):

- `initial_state()` → `state` — returns the starting game state.
- `legal_actions(state)` → `list[action]` — returns the list of legal actions.
- `apply_action(state, action)` → `state` — returns the next state.
- `is_terminal(state)` → `bool` — returns True if the game is over.
- `returns(state)` → `list[float]` — returns the utility vector (only valid on terminal states).

Each state is a Python dictionary containing at minimum `board` and `current_player` fields. For imperfect-information games (Section 6) the contract is extended with:

- `observation(state, player)` → `obs` — returns the observation available to a player at a state.
- `initial_states(obs, player)` → `list[state]` — returns all states consistent with a first observation.
- `infer_states(history_obs, player)` → `list[state]` — returns all states consistent with a sequence of observations.

This contract mirrors the minimal interface required by UCT-MCTS for perfect-information games and determinized MCTS for imperfect-information games.

2.2 Synthesis and the gate

An LLM (Azure OpenAI Global Standard deployments `gpt-5.4`, `gpt-5.4-mini`, `gpt-5-nano`; snapshot `gpt-5.4-2026-03-05`) is prompted with the game’s `RULES_TEXT` and a set of random-policy trajectories. The prompt asks the model to synthesize a complete Python module implementing the contract.

The synthesized module is then refined in a sandbox: a referee plays a fresh set of random trajectories through both the synthesized CWM and the ground-truth oracle, and any discrepancy produces an error message fed back to the LLM for correction. Refinement continues until the synthesized CWM achieves *transition accuracy 1.0* on the random-trajectory sample, or until a refinement budget is exhausted. Passing this test we call *passing the gate*.

Transition accuracy is the fraction of (state, action, next-state) tuples from randomly sampled play-throughs on which the synthesized CWM agrees with the ground truth. This is the gate’s own lens; Sections 3 and 4 argue it is the wrong lens for planning.

For imperfect-information games, an analogous *inference gate* measures accuracy on the `infer_states` function over the observations generated by random play.

2.3 Planning

For perfect-information games, planning uses UCT-MCTS with a configurable simulation budget (200–600 per move, depending on the experiment; see individual sections). The planner operates entirely on the synthesized CWM and never queries the true game during search; only the arena referee is the true game.

For imperfect-information games, planning uses determinized MCTS: at each decision point, the planner samples a set of possible hidden-state completions from `infer_states`, runs UCT-MCTS on each determinization, and aggregates votes (Cowling et al., 2012; Long et al., 2010). The planner is hardened to tolerate a faulty `infer_states` (raising exceptions, returning empty lists) via a legal-fallback mechanism, ensuring arena runs do not abort when the CWM is deliberately instrumented to be wrong.

Throughout the paper, **competent play** denotes play under the deployed planner Π (UCT-MCTS for perfect information, determinized MCTS for imperfect information, at the stated simulation budget). It is a heuristic proxy for skilled play, *not* an equilibrium strategy: “competent” should be read as “what the deployed planner does,” never as “optimal.” All gap, danger, and reach statements below are made with respect to this deployed-planner distribution unless we explicitly say “equilibrium.”

2.4 Metrics

We distinguish two families of metrics throughout the paper:

The gate’s lens (prediction accuracy):

- *Transition accuracy* — agreement rate on (state, action, next-state) under random play.
- *State accuracy* — fraction of states in a distribution where the CWM agrees with the ground truth on all contract outputs.
- *gap_truth* — difference in state agreement between the gate’s random-trajectory distribution and the MCTS-visited distribution on the ground truth.

The right lens (play performance):

- *Win rate* — fraction of games won by the CWM+MCTS agent versus a ground-truth+MCTS opponent in an arena refereed by the true game, with Wilson score 95% confidence intervals.

Fairness baselines are established by running truth-vs-truth arenas (ground-truth+MCTS against itself), which should produce win rates near 0.5 for balanced games. Deviations from 0.5 in the fairness baseline indicate start-order imbalance or search-budget asymmetry; we report them alongside each play result.

2.5 Games

We use the following games, selected to span known, novel, and partially-known regimes:

- **Tic-tac-toe** — well-known; used to verify the CWM paradigm.
- **Connect Four** — well-known; used to verify the paradigm and as a negative control for the danger law.
- **Generalized tic-tac-toe 6×6 win-4** — a parameterized variant (m, n, k game with $m = n = 6, k = 4$); model has some prior knowledge.

- **army5x5a** — a generalized chess game from the DeepMind CWM paper (arXiv:2510.04542, Appendix H.5): a 5×5 board with infantry, cavalry, and general pieces, win by capturing the opponent’s general. The paper’s public release (arXiv, 2025-10-06) post-dates the GPT-5.4 knowledge cutoff (2025-08-31), so army5x5a falls outside the training window; a declarative probe independently confirmed the model does not know the detailed movesets — making it a genuine translation target.
- **army5x5a + material-at-cap** — the above, with an added tiebreak rule: if the game reaches the ply cap (100 plies by default) with both generals alive, the player with more material wins. This is the primary instrument for the rare-rule gap.
- **Trike** (Erickson, 2020) — an abstract combinatorial game; the model knows the name but confabulates the mechanics (wrong-prior regime). Real rules: place a disc on an empty cell on the shared pawn’s line, then move the pawn to that disc; game ends when the pawn is surrounded; score = discs adjacent to the pawn.
- **Kuhn poker** — a minimal imperfect-information game; used to validate the imperfect-information pipeline.
- **Leduc poker** — a slightly larger poker game (6-card deck, community card, two betting rounds); used for the coverage-bound corollary.
- **Beacon** — a minimal game constructed specifically to instantiate the positive imperfect-information gap; described in Section 6.

Non-triviality of the novel games is confirmed empirically: MCTS beats random play from both sides on generalized tic-tac-toe 6×6 , army5x5a, and Trike with zero losses (Section 3.2).

2.6 Cost

API synthesis is trivially cheap: approximately \$0.043–\$0.135 per game family for the known-game runs; roughly \$0.81 total for the gap-grid across three games and ten seeds. The CPU bottleneck is MCTS. For the danger law (Section 4) we exploit the fact that `play_cost` is approximately constant by measuring it precisely once at scale (240 games, 600 simulations) and sweeping rarity cheaply (3000 random games per cap setting, no MCTS required). All results and reproduction commands are in `docs/EXPERIMENTS.md`.

3 The Gap: Accuracy $\neq$ Play-Adequacy

3.1 Known games reproduce the paradigm but do not stress the gate

LLM-synthesized CWMs on tic-tac-toe and Connect Four pass the transition gate in 0 refinement iterations and play at well above baseline performance. For completeness:

The CWM+MCTS agents dominate the direct LLM policy, replicating the paradigm’s core claim. That these models reach transition accuracy 1.0 in zero refinements is itself revealing: on well-known games, the model is almost certainly *recalling* the rules rather than inferring them from trajectories. Here “accuracy 1.0 on sampled trajectories” likely coincides with global correctness for the right reason — but that coincidence says nothing about whether the gate is reliable in general.

Game	Synthesizer	Refine iters	Trans. acc.	CWM W/D/L	Base illegal	CWM illegal	Total cost
Tic-tac-toe	gpt-5.4-mini	0	1.0	18 / 10 / 2	6	0	\$0.043
Tic-tac-toe	gpt-5-nano	0	1.0	21 / 8 / 1	5	0	\$0.043
Connect Four	gpt-5.4-mini	0	1.0	29 / 0 / 1	0	0	\$0.135
Connect Four	gpt-5-nano	0	1.0	30 / 0 / 0	2	0	\$0.132

Table 1: Known-game reproduction (30 games each, seed 7; CWM agent = synthesized model + MCTS; baseline = direct LLM policy).

3.2 The state-agreement gap does not appear on small complete-rules games

To measure the gap properly, we ran a grid across three knowledge regimes and two model sizes (5 synthesis seeds each, 20 self-play games, 300 simulations, train-games 40):

Game	Regime	Synth	gap mean	gap max	gate-pass	median refine iters	exec-err
gen_tictactoe	correct prior	mini	0.000	0.001	5/5	0	0
gen_tictactoe	correct prior	nano	0.000	0.000	5/5	0	0
army5x5a	no prior	mini	0.002	0.008	4/5	0	0
army5x5a	no prior	nano	n/a	n/a	0/5	—	0
trike	wrong prior	mini	0.000	0.000	4/5	1	0
trike	wrong prior	nano	0.000	0.000	5/5	0	0

Table 2: State-agreement gap across knowledge regimes and model sizes.

We report this as an honest null. In every regime the outcome is binary: either the CWM is globally correct on every evaluated state (no observed divergence on the gate, search, and truth-search distributions; we do not claim exhaustive verification), with gap ≈ 0 , or it fails the gate entirely. No CWM passes the gate yet is wrong on the MCTS-visited distribution. The same pattern holds in a **--no-rules** variant (synthesis from trajectories alone, with `RULES.TEXT` withheld): `gen_tictactoe` passes in 2/5 seeds via recall, with gap 0; `army5x5a` and `Trike` fail the gate entirely (0/5).

The diagnosis: for small, fully-specified games, the random-trajectory sample is *identifying* — no compact wrong hypothesis fits 40 random trajectories yet diverges on the search distribution. The gate is not weak; it is identifying. This makes the gap harder, not easier, to construct: we need a game where random and competent play genuinely diverge.

The null is informative in a second way: it shows that the binding constraint on small games is *gate-attainability*, not gap size. `nano` fails `army5x5a` outright (0/5 gate passes) because the action encoding (a `from*25+to` integer plus a ply counter) is representationally complex; `mini` handles it (4/5). The knowledge regime matters less than model scale and encoding complexity — consistent with the translation hypothesis (Section 5).

3.3 The rare-rule instrument: verified but wrong at play (headline result)

The null result on fully-specified games points to the necessary condition for a gap: a rule whose random-play incidence is near zero but whose competent-play incidence is high. We searched for such rules systematically.

The rarity $\leftrightarrow$ consequence frontier. We tested six rules across Connect Four and `army5x5a` (rarity = fraction of random games the rule decides; consequence = performance change between

rule-aware and rule-blind MCTS on the true game):

Base	Rule	Rarity (random)	Consequence
Connect Four	last-placer-on-full-board wins	0%	none
Connect Four	corner 4-in-a-row is poison	3%	weak
Connect Four	top-centre fill wins	12%	strong
Connect Four	vertical-3 in centre wins	23%	strong
Connect Four	2×2 square wins	38%	strong
army5x5a	infantry breakthrough wins	75%	strong

Table 3: The rarity↔consequence anti-correlation curve.

Across our six-rule probe set, the pattern is that anything a planner can force, random play also stumbles into. Connect Four admits no rule in the rare-and-consequential quadrant. A random-vs-MCTS game-length measurement confirms the diagnosis: army5x5a stands out with median game length 23 plies under random play vs 58 plies under competent play (routinely hitting the 100-ply cap), while Trike and generalized tic-tac-toe behave like Connect Four (low divergence). A game where random and competent play visit very different parts of the state space is the necessary substrate.

The instrument. We constructed a variant of army5x5a with a *material-at-cap* tiebreak rule: if the game reaches the ply cap (100 plies) with both generals alive, the player with more pieces wins (rather than drawing). This rule triggers in approximately 1% of random games (the cap is reached in 5.3% of random games, mostly as equal-material draws) yet decides approximately 50% of competent games. Implementations: `groundtruth/gen_chess_material.py` with paired specifications `army5x5a_material` (complete rules) and `army5x5a_material_incomplete` (base rules, omitting the material-at-cap tiebreak).

State accuracy is the wrong lens. A CWM that omits the material-at-cap rule passes the gate (transition accuracy 1.0), and the `gap_truth` is approximately 0 across all seeds:

Condition (mini, 5 seeds)	gate-pass	gap_truth	note
incomplete (omits rule)	2–3/5	0.000	seeds that fail the gate do so because the rule appeared in their 40 training trajectories
complete (control)	5/5	0.000	—

Table 4: The incomplete CWM passes the gate with near-zero `gap_truth`.

The seeds that *fail* the gate are exactly the $(1 - r)^N$ event of Proposition 1 (Section 4) instantiated at $N \approx 40$ (the training sample): when the rule surfaces in one of the 40 training trajectories, synthesis encodes it and the CWM matches; when it does not — probability $(1 - r)^N$ — the omission survives and the CWM passes the gate while remaining rule-blind. This is the same gate-miss mechanism we formalize in Section 4, here with N being the training sample rather than a separate validation gate.

The divergence region (ply-cap states with unequal material) is less than 1% of visited states, and symmetric MCTS self-play tends toward equal material, so the states where the rule-blind CWM is wrong are barely sampled. State accuracy is diluted away.

Play performance is the right lens. We report play in two clearly separated panels: a budget-matched, instrumented, CI’d headline (Panel A) and an LLM-synthesized corroboration (Panel B). We deliberately do not pool instrumented and synthesized evidence into one number.

Panel A — budget-matched, instrumented, CPU-only (the headline causal claim). Identical budget across arms ($n = 360 = 3 \text{ seeds} \times 120 \text{ games}$, 600 simulations), arena refereed by the true game (army5x5a + material-at-cap), measured via `scripts/play_cost_ci.py` / `scripts/play_cost_blind3.py`:

Arena (true game = army5x5a + material-at-cap)	win rate [Wilson 95%]
truth-vs-truth (fair baseline)	0.493 [0.442, 0.545]
rule-blind vs truth (play cost)	0.376 [0.328, 0.427]

Table 5: Panel A: budget-matched, instrumented headline. The Wilson 95% intervals do not overlap.

`play_cost` = 0.117. The Wilson 95% intervals **do not overlap** (fair lower bound 0.442 > rule-blind upper bound 0.427) — separated. The rule-blind arm is rock-steady across seeds (per-seed 0.383 / 0.383 / 0.362). (These CI’d values at $n=360$ supersede the earlier point estimates 0.504/0.383 at $n=240$ without CIs; the slightly different values reflect the larger pooled sample. `play_cost` $\approx$ 0.12 is unchanged.)

The rule-blind agent is hand-written base army5x5a, which is *play-equivalent* to the incomplete synthesized CWM: the two differ only at the rare cap+unequal-material states (measured `gap_cwm` $\approx$ 0, Section 3), so base-vs-truth isolates the rule’s play cost exactly, at any budget, without invoking the LLM. This is why the headline causal claim rests on an instrumented, budget-matched, CI’d comparison rather than on the synthesized runs.

Panel B — LLM-synthesized corroboration (Azure, smaller per-seed budget, ranges only). Reported as ranges, *not* budget-matched, and clearly labeled as corroboration rather than the headline:

Synthesized CWM (vs truth)	win rate (range across seeds)
incomplete-rules CWM	0.28–0.37
complete-rules CWM	0.38–0.45

Table 6: Panel B: LLM-synthesized corroboration (ranges, not pooled with Panel A).

These synthesized runs use a smaller per-seed budget (120 games) and are reported as ranges; they corroborate Panel A’s direction (incomplete < complete) but are not the basis of the causal claim.

Summary. A world model can pass transition-accuracy verification (gate 1.0), be $\geq 99\%$ state-accurate on the search distribution (`gap_truth` = 0), and yet lose systematically at play — because the less than 1% it gets wrong is exactly the pivotal tactic. Transition and state accuracy are the wrong adequacy criteria for planning; play performance is the right one.

4 A Quantitative Law of Sampling-Verification Harm

We now characterize *when* the harm from a sampling gate is large. The key observation is that a gate of N random play-throughs fails to observe a rule that fires with probability r per play-through with exact probability $(1 - r)^N$. We formalize this gate-miss probability and measure the remaining empirical component.

4.1 The gate-miss proposition

Proposition 1 (gate-miss probability). *A sampling gate draws N i.i.d. uniform-random play-throughs and accepts the CWM if none of them triggers a discrepancy on the rule in question. Since each play-through triggers the rule independently with probability r (the “rarity”), the probability the gate never observes the rule is exactly*

$$P(\text{miss}) = (1 - r)^N \approx e^{-Nr}.$$

Proof. Each play-through is a Bernoulli(r) event (rule fires / does not fire), and the N plays are i.i.d. (uniform-random policy is memoryless). The probability all N draws are non-firing is $\prod_{i=1}^N (1 - r) = (1 - r)^N$. $\square$

The approximation e^{-Nr} is useful for intuition but the exact expression $(1 - r)^N$ is what the table below uses.

What N counts. Here N is the *total* number of i.i.d. uniform-random play-throughs the verification pipeline draws that could reveal the rule — the training trajectories used for synthesis, any refinement trajectories, and any held-out validation gate — not merely a separate validation step. The proposition is agnostic to which pipeline stage the sample comes from: each such play-through is one more independent Bernoulli(r) draw, and the omission survives iff none of the N fire. The numerical instances make N explicit: in the Section 3/Section 3.3 gap grid the rule-revealing sample is the $N \approx 40$ training trajectories; Beacon (Section 6.4) uses a separate gate of $N = 2000$; the danger-curve sweep below reports $N \in \{20, 40, 80\}$.

Corollary 1 (danger law). *Let $\kappa = \text{play_cost}$ be the expected play deficit of a planner whose CWM omits the rule, conditional on the omission surviving the gate. The expected harm from a gate of size N is*

$$\text{danger}(N) = \kappa \cdot (1 - r)^N.$$

The $(1 - r)^N$ factor is exact (Proposition 1); κ is the empirically-measured, game- and planner-specific consequence magnitude.

Remark 1 (what stays empirical). The measured regularity that κ is approximately constant across rarity values is structural but not analytically forced. It holds here because competent MCTS reaches the ply-cap region regardless of how the rarity knob tunes r — i.e., the consequence of omitting the rule is roughly the same whether the rule is common or rare, as long as it escapes the gate. This invariance requires the planner to consistently reach the rule region, a property of the game and search budget, not of the sampling model.

Remark 2 (reading the two factors). The danger law factorizes cleanly into a *verification-distribution* term and a *play-distribution* term: $(1 - r)^N$ is the probability the verification distribution (N i.i.d. uniform-random plays) misses the rule — and r is correctly a random-play rate, because the gate genuinely samples i.i.d. uniform-random plays — while $\kappa = \text{play_cost}$ is the consequence measured

on the play distribution. Under a true equilibrium opponent (rather than MCTS self-play) the play-cost factor could differ: an equilibrium opponent might exploit the rule-blind agent more aggressively, or the omitted rule might sit off the equilibrium path entirely. The “ $\approx$ constant play_cost” claim is therefore scoped to the deployed self-play planner, not to equilibrium opponents.

4.2 Measured danger curve

We measure play_cost precisely once (play_cost $\approx$ 0.12, from independent runs: `play_cost.py` returns 0.117–0.121 at cap=100, n=240, 600 sims; `law_sweep` returns 0.112 at cap=30) and sweep rarity cheaply by varying the ply cap (a lower cap makes the cap-and-equal-material event more common, hence larger rarity; a higher cap makes it rarer). Rarity per cap is measured over 3000 random games. Results:

cap	rarity	$(1 - r)^{40}$	danger@N=20	danger@N=40	danger@N=80
25	0.337	0.0000	0.000	0.000	0.000
40	0.208	0.0001	0.001	0.000	0.000
60	0.107	0.0107	0.012	0.001	0.000
80	0.056	0.0997	0.038	0.012	0.001
100	0.025	0.3583	0.072	0.043	0.015
120	0.011	0.6339	0.096	0.076	0.048
140	0.007	0.7652	0.105	0.092	0.070

Table 7: Measured danger curve: a threshold law in rarity.

The result is a threshold law, not an inverted-U. Danger is approximately zero while the rule is common enough for a size- N gate to catch it (cap ≤ 50), rises through a threshold as the rule becomes rare (cap 60–100), and plateaus at approximately the full play_cost once the rule almost always escapes the gate (cap ≥ 120). The gate size N shifts the threshold: larger N pushes it toward rarer rules.

4.3 Why Connect Four lies safely below the threshold

Recall the six rules tested across Connect Four and army5x5a (Section 3.3). All of Connect Four’s consequential rules have rarity 0.12–0.38, giving $(1 - r)^{40} \approx 0$ — they are caught by even a modest gate. army5x5a’s material-at-cap rule at cap=100 has rarity 0.025, giving $(1 - r)^{40} \approx 0.36$ — deep in the danger zone. The structural reason is the same as before: in Connect Four, any rule a planner can force also appears regularly under random play (the rarity $\leftrightarrow$ consequence tension); in army5x5a, competent play drives the game to the deep-ply-cap region that random play almost never reaches.

4.4 Which reference distribution? Random-reach vs equilibrium-reach

The danger law and the gap results are stated with respect to two different distributions, and it is worth being explicit about which is which. The gate’s miss probability $(1 - r)^N$ is a property of the *verification* distribution — N i.i.d. uniform-random plays — and is exact there. The consequence κ , by contrast, is a property of the *deployment* distribution, the reach of the deployed planner Π .

The normatively correct reference for play-adequacy is arguably neither of these but *equilibrium* / *best-response reach*. Two consequences follow, which we keep distinct. (i) The coverage bound of Section 6.2 is *equilibrium-robust*: because the verification policy ρ has full support, equilibrium reach

is contained in random reach (Lemma 1), so the sufficiency direction holds against an equilibrium reference too — a strength. (ii) The gap and danger results, however, are reported with respect to the *deployed planner’s* reach, and we keep the hedge “on the distribution the planner actually visits” throughout rather than upgrading to a distribution-free claim. Substituting equilibrium reach for MCTS reach would shift the *numbers* (a rarity-under-equilibrium and a play-cost-under-equilibrium, both measured against a solver we did not run) but not the *mechanism*: a verified model can be wrong precisely where the reference distribution concentrates and the verification distribution does not.

5 Repairing the Gap: Translation, Not Inference

If the gap is caused by a missing rule, can it be repaired by providing example transitions that demonstrate the rule? We ran a systematic set of repair attempts on `army5x5a + material-at-cap`, synthesized from incomplete rules.

5.1 Repair experiments

All conditions use the mini synthesizer unless noted; play winrate is vs the true game, 40 games at 400 simulations; baseline 0.28, fair truth-vs-truth 0.50. Discriminating examples are transitions that involve the material-at-cap rule.

Repair attempt	discr. examples	gate acc	rule learned	v
none (random trajectories)	0	1.000 (false security)	no	
naive DAgger (dump competent trajectories)	~2	0.9996	no	
proper DAgger (flawed model’s game path, iterated)	4–5/round	0.993	no	0
targeted, artificial states	120	mini 0.916 / large 0.004	no	mini 0.3
targeted, real (harvested on-manifold)	54	mini 0.959 / large 0.959	no	mini 0.3
COMPLETE rules + targeted (control)	120	1.000 (0 iters)	yes	

Table 8: Repair attempts on the incomplete-rules CWM. Detection works; repair does not.

5.2 Findings

Detection works, repair does not. Verifying on the play/search distribution rather than on random trajectories drops the gate below 1.0, detecting the inadequacy that random-trajectory verification missed. But neither mini nor large can *infer* the missing rule from examples. Even 54 real, on-manifold discriminating transitions with 12 refinement iterations leave the gate at 0.959 and the rule unlearned.

Spec completeness is decisive. Given the rule in `RULES-TEXT`, the model encodes it correctly in 0 refinement iterations and plays at parity with the baseline ($0.53 \approx 0.50$). The complete-rules control leaves no doubt: the limitation is not the synthesizer’s code-writing ability but the absence of the rule from the specification.

Scale helps marginally but not sufficiently. The large model (0.42) exceeds mini (0.35) on real on-manifold data, but both remain far below the complete-rules baseline (0.53). The inference ceiling is not a mini-specific artifact.

Off-manifold repair data corrupts synthesis. Artificial (unreachable) discriminating states cause catastrophic failure in the large model (accuracy collapses to 0.004, win rate 0.05). The synthesizer attempts to fit transitions that cannot arise in real play and damages the parts of the CWM it had already learned correctly.

5.3 Conclusion: translation, not inference

Under the tested regimes, LLM CWM synthesis behaves as *rule translation*: it correctly encodes rules it was given and, across the two model sizes tested (mini, large) and every data regime we ran, did not infer the omitted rule, even when that rule was demonstrated by example transitions. The actionable implication is that the specification must be complete before synthesis, and that verification on the play distribution detects incompleteness but does not repair it. Feeding example transitions is not a reliable substitute for a complete specification.

6 Imperfect Information: The Inference Function as a New Failure Surface

The danger law applies not just to the transition function (the CWM’s model of how states evolve) but also to the inference function (the CWM’s model of how to reconstruct hidden state from observations). We extend the contract, prove a coverage bound that explains when the inference gate is provably safe, and construct a minimal game where it is not.

6.1 Pipeline validation: Kuhn poker

Before constructing a gap, we validate the imperfect-information pipeline on Kuhn poker, a well-understood minimal game (3-card deck, 1 betting round per player, net-chip payoff).

Synth	transition gate	inference gate (obs / infer)	CWM-vs-truth play	fair baseline
large	1.000 (0 iters)	1.000 / 1.000	0.470 [0.422, 0.519]	0.470 [0.422, 0.519]
mini	0.845 (12 iters, fails gate)	1.000 / 0.000 (<code>infer_states</code> crashes)	—	—

Table 9: Kuhn poker pipeline validation.

The large model recalls Kuhn poker: both transition and inference gates pass, and the CWM+determinized-MCTS agent plays at 0.470 [0.422, 0.519], overlapping with the truth-vs-truth baseline — consistent with a near-zero gap, as expected when the model has recalled the game correctly. The mini model fails: the transition gate stalls at 0.845 and the synthesized `infer_states` raises a runtime error (`‘list’ object is not callable`). This scale/representation dependence is consistent with the translation-not-inference finding of Section 5.

6.2 When the inference gate is provably sufficient: a coverage bound

We now formalize when the inference gate, sampled on random play, is *identifying* — that is, when every competent-play-relevant inference error would be caught by the random-trajectory gate.

Setup. Consider a finite two-player extensive-form game **with perfect recall**, chance (the deal) and imperfect information. Let: b = maximum, over **player** information sets I , of $|A(I)|$ (the number of actions available at I), with chance handled separately through p_{chance} ; $d(I)$ = number

of player-action edges on a shortest history reaching information set I ; $d_{\max} = \max_I d(I)$; p_{chance} = minimum probability of a deal consistent with any reachable info-set; $\mathcal{I}$ = set of reachable info-sets. The uniform-random policy ρ plays every legal action with probability $1/|A(I)| \geq 1/b$, and therefore assigns positive probability to every legal action (full support).

Lemma 1 (full-support inclusion). *Because ρ assigns positive probability to every legal action, $\text{supp}(\pi^\sigma) \subseteq \text{supp}(\pi^\rho)$ for every profile σ ; equivalently $\text{reach}(\sigma) \subseteq \text{reach}(\rho)$.*

Proof. This is the standard fact that a fully-mixed strategy reaches every node reachable under any profile. Reach of an info-set is taken under the actual interactive profile (planner + opponent + chance); chance edges are shared and ρ dominates each player’s per-edge contribution (ρ -probability $\geq 1/b > 0$ on every player edge), so any history with $\pi^\sigma(h) > 0$ has $\pi^\rho(h) > 0$. $\square$

Lemma 2 (reach lower bound under ρ). *Every reachable info-set I has $\pi^\rho(I) \geq p_{\text{chance}} \cdot b^{-d(I)} \geq p_{\text{chance}} \cdot b^{-d_{\max}}$.*

Proof. Take any history $h \in I$. Along h each player edge at info-set I_t has ρ -probability $1/|A(I_t)| \geq 1/b$, so the **realization probability** of I (in the sense of von Stengel’s (1996) sequence form) satisfies $\pi^\rho(h) = \pi_{\text{chance}}(h) \cdot \prod_t 1/|A(I_t)| \geq p_{\text{chance}} \cdot b^{-d(h)}$, and $\pi^\rho(I) \geq \pi^\rho(h)$. $\square$

Theorem 1 (the inference gate is identifying when $N \gtrsim b^{d_{\max}}$). *Draw N i.i.d. games under ρ . The probability that some reachable info-set is never visited is at most $|\mathcal{I}| \cdot \exp(-N \cdot p_{\text{chance}} \cdot b^{-d_{\max}})$ (union bound over info-sets plus Lemma 2). Hence for $N \gtrsim b^{d_{\max}} \cdot p_{\text{chance}}^{-1} \cdot \log |\mathcal{I}|$, the random sample covers every reachable info-set with high probability — and by Lemma 1, every info-set any policy (including a competent planner) relies on. An inference function whose error is confined to reachable info-sets is then detected with high probability, so no gate-passing inference function can be play-inadequate through a coverage gap.*

Proof. Immediate from the union bound over $\mathcal{I}$ and the per-info-set reach lower bound of Lemma 2; the coverage of equilibrium-relevant info-sets follows from Lemma 1. $\square$

Remark 3 (equilibrium-robustness). The sufficiency direction (coverage $\Rightarrow$ identifying) does not depend on the reference distribution being MCTS reach. Because ρ has full support, $\text{reach}(\sigma^*) \subseteq \text{reach}(\rho)$ for the Nash / best-response profile σ^* exactly as for any other profile (Lemma 1). The bound therefore certifies coverage of every info-set that *equilibrium* play relies on, not merely those the deployed planner happens to visit — a strength rather than a caveat. Substituting equilibrium reach for MCTS reach would change which info-sets count as relevant (and hence the numbers) but not the sufficiency argument.

Corollary 2 (Kuhn, Leduc — bound loose, empirically covered). *The bound supplies an order, not a tight sufficiency threshold. Kuhn: $b = 2$, $d_{\max} \approx 2$, so $b^{d_{\max}}$ is tiny and coverage is expected at any feasible N . Leduc: $b = 3$, $d_{\max} \approx 8$, so the dominant factor is $b^{d_{\max}} \approx 6561$. We emphasize that the bound is loose: while the $b^{d_{\max}}$ term dominates the order, the $p_{\text{chance}}^{-1} \log |\mathcal{I}|$ constants are not negligible, so we do **not** claim the theorem proves $N = 8000$ is sufficient. What the theorem gives is the order ($b^{d_{\max}} \approx 6561$ for Leduc); full coverage at $N = 8000$ is the measured fact — with $N = 8000$ random games, 0/1259 of the competent player’s inference-relevant info-set visits land on info-sets that random play missed. A tight sufficiency threshold would require carrying the constants, which we do not do; the theorem and the measurement agree at the level of order of magnitude.*

Corollary 3 (when a gap is possible). *A coverage gap requires $b^{\text{dmax}} \gg N$ at feasible N — large branching and/or large depth — with a competent policy that concentrates reach on a deep region of ρ -measure $\ll 1/N$. In game-theoretic terms, the gap lives on info-sets reached with negligible probability under the **sampling policy** but on-path under **optimal play** — off-equilibrium-path-style info-sets that the verification distribution does not discipline. This is the imperfect-information analogue of the rare-rule condition: a region that random play almost never samples but competent play reliably visits.*

6.3 Leduc depth probe: poker depth does not create an inference gap

To confirm that poker cannot supply the necessary depth, we swept Leduc’s per-round raise cap to artificially deepen the betting tree:

raise cap	random info-sets (max depth)	competent info-sets (max depth)	uncovered inference-relevant
2	574 (8)	120 (6)	0 / 418 = 0.0000
4	1090 (11)	128 (7)	0 / 400 = 0.0000
6	1210 (12)	127 (9)	5 / 396 = 0.0126

Table 10: Leduc depth probe.

A coverage gap appears only at cap 6, and even there it is marginal (1.26% of competent visits, 5 info-sets) — insufficient for a CI-separated play deficit. The mechanism is fundamental: in poker, betting depth comes from aggression, and competent play minimizes aggression. In game-theoretic terms, the deep betting region is **off the equilibrium path**, because equilibrium folds or calls dominated hands rather than raising into them — so the deep region is off-best-response-path, not a region optimal play relies on. Competent info-sets are always a strict subset of the random-covered ones — the opposite of the structure needed for a coverage gap. Poker is the wrong family.

6.4 Beacon: a minimal positive imperfect-information gap

A positive gap requires a game where depth comes from *survival*: optimal play reaches a deep region by staying alive, while random play blunders out early. This is the exact imperfect-information analogue of the rare-rule gap in army5x5a, where competent play reaches the ply cap (the deep region) and random play ends much earlier.

Hand-instrumented vs LLM-synthesized. It is important to be explicit about which artifacts are which. Beacon (this section) and the masked-tic-tac-toe instrument of Section 6.6 are **hand-constructed ground-truth oracles carrying a deliberately wrong belief function** — formal counterexamples (witnesses), not LLM-synthesized world models. The LLM-synthesis evidence on the imperfect-information surface lives elsewhere: the Kuhn pipeline validation (Section 6), where the dynamics *and* the inference function are synthesized and gate-passed, and the masked-tic-tac-toe probe (Section 6.6), where the **dynamics** are synthesized. Beacon’s belief function is never synthesized; it is an instrument we wrote by hand to prove the coverage gap can exist with the exact predicted form.

Game construction. Beacon is a two-player game with the following structure:

1. *Setup.* Each player is assigned a hidden type (0 or 1) uniformly at random. The game has T rounds.

2. *Survival walk (rounds 1 to T).* Each round, each player must choose a move; for player i in round t , the move is *safe* iff $(k_i + t) \bmod 2 = 0$ (where k_i is some information known to the player but determined by the hidden type). An unsafe move loses immediately. The probability that a uniformly-random player survives all T rounds is $(1/2)^T$; a player who knows their type plays safely always and survives with probability 1.
3. *Final round (round $T + 1$).* Each player must guess the opponent’s hidden type, which is inferable from the opponent’s observed moves during the survival walk. The player who correctly identifies the opponent wins; both correct guesses draw.

The region “game reaches the final round” is called D (the deep region). Random play reaches D with probability $(1/2)^{2T}$ (both players must survive); optimal play reaches D with probability 1.

The instrument. A CWM whose `infer_states` is *correct* except that it flips the inferred opponent type at final-round states (`status == 1`) — wrong only on D. Random play almost never samples D, so the inference gate almost never sees the error. The correct inference function enables the determinized MCTS planner to make the right guess; the flipped inference function causes the planner to guess wrong.

Beacon as a signaling game. Beacon is naturally read as a Bayesian (signaling) game: Nature draws each player a type $\theta_i \in \{0, 1\}$; the survival walk emits type-correlated signals (the safe move depends on the type); and the final guess is a belief-dependent action. The correct `infer_states` is the Bayesian posterior support $\mu(\theta_{-i} \mid \text{observed actions})$ over the opponent’s type, while the flipped instrument encodes a wrong, non-Bayesian belief. An `infer_states` error is thus a non-Bayesian belief, and under it the planner’s final action is no longer a best response to the true type distribution. This connects directly to *sequential equilibrium* (Kreps and Wilson, 1982): an assessment is a (strategy, belief) pair whose beliefs are Bayes-consistent on the equilibrium path, and an action optimal against wrong beliefs is part of no sequential equilibrium. The gate certifies the strategy component of the assessment while leaving the belief component unconstrained *off* the random-reach path — exactly the off-path region where Beacon’s error lives. Two qualifications keep the picture honest: `infer_states` returns a *set-valued* belief (the support / info-set), and determinized MCTS then imposes its own weighting over that set — so even a correct `infer_states` leaves the belief *weights* to the planner.

Why the result is planner-robust. One might worry that the Beacon result is an artifact of determinized MCTS being a weak planner. The PIMC error decomposition (Long et al., 2010) shows the opposite. Beacon’s decisive move is a pure *disambiguation* task, and determinization is weakest exactly when disambiguation dominates; but here a correct posterior makes the optimal guess deterministic, so determinized MCTS with a *correct* `infer_states` recovers the optimal action despite strategy fusion, while with the *flipped* `infer_states` it is forced to the wrong action. The result is therefore not an artifact of planner suboptimality — if anything, Beacon is the cleanest possible setting for a determinization planner to succeed in.

Result ($T = 8$, GATE_GAMES=2000, arena $N = 400 \times 3$ seeds, 100 simulations, 2 determinizations). The instrument passes the inference gate perfectly — 0 mismatches on 8156 sampled observations — yet loses every game. This is the imperfect-information analogue of the rare-rule gap: a verified-but-wrong inference function that is nonetheless play-inadequate.

metric	value
random reaches final round	0.00000
instrument inference mismatches on random gate sample	0 / 8156 (passes the gate)
fair baseline (truth vs truth) win rate	0.500 [0.472, 0.528] (all draws)
instrument win rate vs truth	0.000 [0.000, 0.003], net $-1200/1200$

Table 11: Beacon: a verified-but-wrong inference function that loses every game.

What is proven vs measured: the reach bound $(1/2)^{2T}$, the fact that optimal play reaches D with probability 1, and the logical implication that flipping the inference on D causes the planner to guess wrong are all analytic properties of the Beacon construction. The play win rate 0.000 [0.000, 0.003] and the 0/8156 gate mismatch count are measured. The determinized planner’s conversion of correct inference into the winning guess was verified by a whole-branch code review.

Caveat. Beacon is a minimal, strategically trivial witness. Its purpose is to prove that the coverage gap can exist and can have the exact form predicted by the coverage-bound design corollary, not to model a realistic game. The reach-probability structure is engineered specifically to satisfy $b^{d_{\max}} \gg N$; natural games with this structure would involve hidden information in genuinely complex board games.

6.5 The danger law on the inference axis

The danger law from Section 4 applies directly to the inference gap. Sweeping T (so $\varepsilon = (1/2)^{2T}$, the probability that a random game reaches D) against a fixed gate $N = 2000$ and $\text{play_cost} = 0.5$:

T	ε	gate-miss $(1 - \varepsilon)^N$	danger
4	3.9×10^{-3}	0.000	0.000
6	2.4×10^{-4}	0.614	0.307
8	1.5×10^{-5}	0.970	0.485
10	9.5×10^{-7}	0.998	0.499

Table 12: The danger law on the inference axis (Beacon).

At $T = 4$, the deep region is frequent enough that a gate of $N = 2000$ catches the inference error (danger ≈ 0); by $T \geq 8$, the gate is blind and harm saturates near play_cost (≈ 0.5 ; danger $T=10 = 0.499$) — the maximum possible given the game structure. The same threshold law and the same $(1 - \varepsilon)^N$ factor, now instantiated on the inference half of the contract.

6.6 Claim B: the belief model is invisible to a transition gate

Beacon (Section 6.4) shows that a verified-but-wrong belief model *loses at play*. The complementary verification question is whether a transition-accuracy gate could have *caught* the wrong belief model in the first place. It cannot, and for a structural reason.

Proposition 2 (belief–transition orthogonality). *A transition dataset is a set of tuples (s, a, s', u) over full ground-truth states, where u is the reward/utility on the transition. The functions $\text{observation}(s, p)$ and $\text{infer_states}(o, p)$ encode the information partition — the fibers of the observation map, i.e. what player p can distinguish. This partition is a free primitive of the extensive-form game, logically independent of the transition kernel $P(s' \mid s, a)$ and the reward u — the analogue of the fact*

that two POMDPs with identical latent dynamics and rewards but different observation functions are different control problems. It appears in no (s, a, s', u) tuple. Therefore (i) no full-ground-state transition dataset constrains the masking convention; (ii) a gate that scores transition accuracy cannot detect an incorrect `observation/infer_states`; (iii) the belief model must be specified and is verifiable only by a separate inference gate. (A dataset of observation-to-observation tuples (o, a, o') would constrain the partition; ours is full-state by construction.)

Demonstration (masked tic-tac-toe). We take standard tic-tac-toe dynamics (which GPT-5.4 synthesizes at transition gate 1.000 by recall) and overlay an arbitrary, non-recallable masking rule: the center cell is hidden from both players (shown as -1), even after it is played. We synthesize the contract two ways — with the masking rule present (*full*) and with it removed (*withheld*, leaving tic-tac-toe + an imperfect-information framing that still demands `observation/infer_states` but does not say what is hidden) — and gate each on transitions and on inference:

variant	transition gate	observation_rate	inference_rate
full rules	1.000 (0 iters)	1.000	0.000 (<code>infer_states</code> crashes)
withheld masking rule	1.000	0.020	0.180

Table 13: Masked tic-tac-toe: a wrong belief model is invisible to a transition gate.

The transition gate is **1.000 in both arms** — the dynamics are recalled, unaffected by the masking rule, and the gate (which calls only `apply_action/legal_actions/is_terminal/returns`) never invokes the belief functions. With the rule, the model masks the center correctly (`observation_rate` 1.000); without it, the synthesized `observation` does not mask the center (`observation_rate` 0.020) — a wrong belief model that the transition gate nonetheless certifies at 1.000. This is Proposition 2 instantiated: a wrong belief model is invisible to a transition gate.

The clean, reportable discriminator is `observation_rate` (1.000 full vs 0.020 withheld), not `inference_rate`. We do **not** report a clean inference-*synthesis* result: GPT-5.4’s synthesized `infer_states` raises a runtime error (`'list' object is not callable`) *even with full rules* — a synthesis-robustness failure recurring across three distinct games (Kuhn-mini, Beacon, masked tic-tac-toe) — so `inference_rate` is confounded in both arms. Claim B therefore establishes two things: (a) the masking/observation rule is not recoverable without being specified (`observation_rate` 1.000 vs 0.020), and (b) a transition-accuracy gate is structurally blind to it (transition gate 1.000 in both arms). It does **not** claim that a correct `infer_states` was synthesized. That recurring crash is itself a secondary finding — the belief surface is not only un-gateable by transition data but also hard to synthesize at all.

Together, Beacon (Claim A) and masked tic-tac-toe (Claim B) are the two faces of belief-model verification: a wrong belief both **loses at play** and is **invisible to a transition gate**.

7 Related Work

7.1 Objective mismatch in model-based reinforcement learning

The closest conceptual antecedent is the *objective mismatch* problem in model-based reinforcement learning identified by Lambert et al. (2020): the prediction accuracy of a learned world model and the downstream control performance of a planner using that model can diverge substantially, because they optimize different objectives. Our work is in the same spirit but differs in setting and mechanism. We work in the LLM-code-synthesis regime (the world model is a synthesized

program, not a learned neural model), the verification step is a discrete sampling gate (not a continuous loss), and the failure mode we characterize is a *rule-coverage blind spot* in that gate rather than a model-capacity or distribution-shift issue. We also provide a closed-form danger law and a proof that the gate-miss probability is exact under i.i.d. Bernoulli sampling — not merely an empirical observation.

The broader literature on model-based RL world-model quality (e.g., Dreamer, [Hafner et al., 2020](#))(MBPO, [Janner et al., 2019](#)) largely focuses on learned continuous-state models where world model error is pervasive rather than localized. Our rare-rule gap is a localized, discrete failure that state-accuracy metrics mask by dilution — a point that may be worth revisiting in continuous settings as well.

7.2 Code World Models and LLMs for game playing

The Code World Models for General Game Playing paper ([Lehrach et al., 2025](#)) introduces the paradigm we build on: an LLM synthesizes an executable world model from rules and trajectories, which a classical planner (in their case, MCTS) then uses. Their results on a set of novel DeepMind board games show that CWM+MCTS outperforms the direct LLM policy. We reproduce this result on tic-tac-toe and Connect Four (Section 3.1) and extend the paradigm to ask whether the gate they use — transition accuracy on random trajectories — certifies play-adequacy. Our contribution is essentially a rigorous negative answer to that question, together with the mechanisms that explain it.

Related work on code-as-policy (e.g., [Liang et al., 2023](#); [Gao et al., 2023](#)) uses LLMs to synthesize executable plans or robot controllers, typically verified by execution rather than by sampling. The distinction between what the LLM was told and what it can infer is implicit in much of this work but has not, to our knowledge, been studied with a controlled rare-rule instrument.

The gg-bench effort ([ggb, 2025](#)) generates novel games procedurally specifically to avoid LLM contamination. Our army5x5a instrument is chosen partly for the same reason (verified non-recall of movesets, Section 2.5) and the gg-bench approach is an attractive complement for future scaling.

7.3 DAgger and dataset aggregation

Our Section 5 repair experiments are directly inspired by the DAgger framework of [Ross et al. \(2011\)](#): iteratively label, under the oracle, the states visited by the current learned policy, and retrain. In DAgger’s original imitation-learning setting, this reduces covariate shift. Our finding — that DAgger fails to teach the rare rule — is consistent with the translation hypothesis: DAgger addresses *distribution mismatch* between training and test, but the bottleneck here is not distribution mismatch. The model receives discriminating examples of the rule; it simply cannot infer the rule from them. This is a different failure mode from the one DAgger was designed to address.

7.4 Imperfect-information planning and determinization

Determinized MCTS (also called single-observer MCTS, SOMCTS, or information-set MCTS in some formulations; [Cowling et al., 2012](#); [Whitehouse et al., 2011](#); determinization analysis, [Long et al., 2010](#)) resolves imperfect information by sampling a consistent complete-information game at each decision point. It is not game-theoretically optimal — it is subject to the two canonical PIMC pathologies, *strategy fusion* and *non-locality* ([Frank and Basin, 1998](#)), and in the vocabulary of [Long et al. \(2010\)](#) its error is governed by leaf correlation, bias, and a disambiguation factor — but it is a practical planner for moderate-sized imperfect-information games. We use it as the planner in Section 6, holding the planner fixed across conditions (the baseline is truth-vs-truth under the

same determinized MCTS) so that the contrast isolates the CWM inference function rather than planner quality.

Two planner choices deserve a head-on discussion, because a reader will expect them.

Information-set MCTS (ISMCTS). ISMCTS (Cowling et al., 2012) is the natural CWM-compatible imperfect-information planner most readers would reach for over plain determinization-per-decision. We used determinization-per-decision for simplicity and to reuse the existing perfect-information harness, not because it is preferable. This choice is, if anything, conservative for the Beacon result: Beacon is pure disambiguation, the regime in which ISMCTS most cleanly outperforms determinization, so the gap would be at least as clean — likely cleaner — under ISMCTS.

Counterfactual regret minimization (CFR). CFR (Zinkevich et al., 2007) and its variants are the standard for Nash-equilibrium-optimal play in imperfect-information games, and CFR *is* CWM-compatible given our contract: `legal_actions`, `apply_action`, `returns`, `observation`, and `infer_states` together suffice to build the info-set tree and run external-sampling MCCFR. The honest statement is therefore not that CFR is incompatible, but that we did not run an equilibrium solver. Doing so would let us measure the gap against *equilibrium* reach rather than MCTS reach (cf. Section 4.4) — which is precisely the clean version of the experiment, and we frame it as the priority for future work.

7.5 Verification, testing, and rare events

The sampling gate at the heart of this paper is, in software-engineering terms, *random property-based testing* of a synthesized world model: it draws random inputs (uniform-random play-throughs) and checks a property (transition agreement with the oracle). Property-based testing in the QuickCheck tradition (Claessen and Hughes, 2000) is exactly this idea, and its classic, well-documented weakness is the one our danger law makes quantitative: randomly generated inputs under-sample rare-but-important corners of the input space unless the generator is biased toward them. Our $(1 - r)^N$ gate-miss factor is the closed-form version of that coverage gap for a single rare rule.

Detecting a rule that fires with vanishing probability under random play is a *rare-event detection* problem, and the $(1 - r)^N$ miss probability is precisely a rare-event miss. The rare-event-simulation and importance-sampling literature (e.g., Rubinstein and Kroese, 2017) is built around the fact that naive Monte Carlo is exponentially inefficient at estimating or surfacing rare events, and that one must tilt the sampling distribution toward the event to detect it efficiently. In our framing, verifying on the play (or equilibrium) distribution rather than the uniform-random one is exactly such a tilt: it concentrates samples on the region competent play reaches, which is where the rare rule matters.

The contrast with *formal verification* and exhaustive *conformance / model-based testing* is instructive. Where formal methods (model checking, exhaustive conformance testing of state machines) certify a property over all reachable states by construction, a sampling gate certifies only over a finite random draw — trading exhaustiveness for the cheapness that makes the CWM paradigm attractive. The coverage hole we characterize is the price of that trade, and it is fundamentally a sampling-certification phenomenon, not present under exhaustive certification. We state this contrast at the level of the area rather than attaching it to specific results.

Finally, the failure has a direct analogue in model-based reinforcement learning as *model exploitation*: a planner optimizing against a learned or synthesized model is driven toward regions where the model is most wrong, because those are where it (incorrectly) predicts the highest return. This is the mechanism behind the objective-mismatch and model-trust discussions in model-based RL (Lambert et al., 2020); the model-trust horizon limits of MBPO (Janner et al., 2019). Our rare-rule gap is a localized, adversarially-reachable instance: the planner does not merely tolerate

the model’s blind spot, it actively seeks the cap region the verification distribution never disciplines.

8 Limitations and Honest Assessment

Single model family. All synthesis experiments use Azure OpenAI GPT-5.x (mini, nano, large). Whether the translation-not-inference finding generalizes to other LLM families — especially open models or post-training variants with stronger code-reasoning abilities — is untested. The rare-rule instrument (Section 3.3) is carefully constructed to require true rule inference rather than recall, so we believe the finding is likely to persist at similar scales, but this is a claim rather than a measurement. More pointedly, the translation-not-inference claim is tested on a single model family and a finite set of regimes; the universal form (“no model can infer an omitted rule, regardless of scale”) is a *conjecture consistent with our data*, not something established here. Throughout we state the finding as scoped to the GPT-5.x family (mini, large) and the Section 5 regimes, and use “rule translation” as a mechanism hypothesis consistent with the data rather than a proven universal.

The rare-rule instrument is engineered. The material-at-cap rule was selected specifically because it falls in the rare-and-consequential quadrant. We do not claim that all or even most rules in arbitrary games will produce this kind of gap; the rarity $\leftrightarrow$ consequence tension found across our six-rule probe set on Connect Four (Section 3.3) shows that the gap requires a specific structural condition. The point is that the gap *can* exist and *does* exist in a game where random and competent play diverge — which is itself informative about when the sampling gate is unsafe.

Pure-Python MCTS limits arena size. Our MCTS implementation is a pure Python reference. This limits the number of simulations and arena games that are computationally tractable, which in turn limits the tightness of confidence intervals for some conditions. We mitigate this with the cheap/expensive separation in the danger law (Section 4) — rarity is swept cheaply, `play_cost` is measured precisely once at scale — and with Kuhn poker’s small game size (tight CIs). The headline play result (rule-blind 0.376 [0.328, 0.427] vs fair baseline 0.493 [0.442, 0.545]) is reproducible across seeds, and the Wilson 95% intervals do not overlap (n=360).

Determinized MCTS is not game-theoretically optimal. As noted in Section 7, determinized MCTS is subject to strategy fusion and non-locality and is not a Nash-equilibrium strategy. The baseline for the imperfect-information experiments is truth-vs-truth under the same determinized MCTS (not an equilibrium baseline), so the contrast is internally consistent but not a statement about how a game-theoretically optimal player would interact with the gap. Holding the planner Π fixed across the two arms is deliberate: any pathology intrinsic to Π is present in both arms, so the performance *difference* is attributable to the CWM rather than to the planner. We are careful, though, not to overstate this as a theorem. The “cancellation” is really that the wrong CWM is weakly dominated *in this specific instrument* — by construction in Beacon (proven) and by measurement in army5x5a (0.493 vs 0.376) — not a general guarantee that planner pathologies cancel for arbitrary CWM perturbations; a sufficiently suboptimal planner could in principle let two wrongs cancel. None of the existence claims depends on equilibrium play.

Beacon is a minimal, strategically trivial witness. Beacon was designed to satisfy the coverage-bound design corollary in the smallest possible game, not to model a realistic scenario. Its survival-walk structure is artificial. The experiment establishes existence and confirms the danger

law on the inference axis; it does not demonstrate that natural imperfect-information games with the same structure produce an equally clean gap. Building such a game (e.g., a partially-observable variant of army5x5a) is a natural next step.

Scope of Claim B. Claim B (Section 6.6) establishes that a transition gate is blind to a wrong belief model, demonstrated by withholding an *observation* (masking) rule that is genuinely independent of the dynamics. It does not establish the stronger claim that the belief model could never be inferred from any richer, observation-bearing signal — indeed Proposition 2 is explicit that a dataset of observation-to-observation tuples (o, a, o') *would* constrain the information partition. The claim is scoped to *full-ground-state* transition data: such data cannot constrain the belief model (Proposition 2), and withholding the rule yields a wrong, transition-certified belief model. The recurring `infer_states` synthesis crash also means our cleanest signal is `observation_rate`; a study isolating the inference-enumeration failure from the masking failure is future work.

Knowledge cutoff and contamination. GPT-5.4’s training cutoff is approximately 2025-08-31, and the army5x5a paper (arXiv:2510.04542) was released 2025-10-06 — after the cutoff — so the game falls outside the training window. We additionally confirmed via a declarative probe that the model does not recall the specific movesets (Section 2.5), and the gate-attainability difficulty (nano fails 5/5) is further evidence of genuine translation rather than recall. Even so, the “post-cutoff = uncontaminated” argument is not a hard guarantee (cutoff dates are approximate and corpora leak); readers should interpret the “no prior” label as “no detectable recall” rather than “strictly novel.”

9 Conclusion

The central finding of this paper is that transition accuracy on randomly sampled play-throughs is the wrong adequacy criterion for an LLM-synthesized world model used in planning. A model can pass this gate at 100% accuracy and remain $\geq 99\%$ state-accurate on the distribution the planner actually visits, yet lose systematically at play — because the less than 1% it gets wrong is exactly the pivotal dynamics.

The failure follows a quantitative law: $\text{danger} = \text{play_cost} \times (1 - \text{rarity})^N$. The gate-miss factor is proven exact under i.i.d. Bernoulli sampling; `play_cost` is empirical. This law identifies the condition under which sampling verification is unsafe: a rule whose random-play incidence is small enough to escape a size- N gate but whose competent-play incidence is high enough to matter.

The gap is not repaired by providing example transitions. Under the tested regimes, LLM CWM synthesis behaves as rule translation: it encodes rules it was given and, across the two model sizes tested (mini, large) and every repair-data form we tried, did not infer the omitted rule. Off-manifold repair data actively corrupts synthesis. The actionable fix is specification completeness plus verification on the play distribution; the latter detects incompleteness but does not repair it.

The same mechanism appears on the inference half of imperfect-information CWMs. We prove a coverage bound that explains why shallow poker games are safe (their inference gate is provably identifying), and construct a minimal game (Beacon) where a verified-but-wrong `infer_states` passes the gate yet loses every game, with the danger law recurring on the inference axis. Perfect-information board games (transition rules, rarity r) and imperfect-information games (inference info-sets, depth T) are the same statement on two faces of the CWM contract.

Underneath both faces is a single structural diagnosis: the gate failure is a *reach-distribution shift* between the verification policy (ρ , full support, mass on shallow histories) and the deployment

policy (Π , mass on deep histories). The dangerous events are *on* the deployment-reach path but *off* the verification-reach path. This is structurally the same situation as off-equilibrium-path beliefs being unconstrained in an extensive-form game — which is exactly why game theory developed equilibrium refinements (sequential equilibrium, trembling-hand perfection) to discipline off-path beliefs. A sampling gate has no such refinement: nothing forces the synthesized model to be correct where the verification distribution places negligible mass, even though the deployment distribution relies on precisely that region.

These results suggest two concrete practices. First, verify on the distribution that planning visits — or measure play directly — rather than on randomly sampled transitions. Second, ensure the specification is complete before synthesis; the model will translate what it is given, and gaps in the specification become invisible to sampling-based verification.

A Reproducibility

All experimental results and exact reproduction commands are in `docs/EXPERIMENTS.md`. All code is on the `main` branch (`cwm/` package, `scripts/`). Research narrative and formal theorem statements are in `docs/RESEARCH-DIRECTION.md`.

Key scripts:

- `scripts/nontriviality_sweep.py` — confirms game non-triviality
- `scripts/gap_grid.py` — state-agreement gap across regimes
- `scripts/play_cost.py` — `play_cost` measurement at scale
- `scripts/law_curve.py` — danger law curve (rarity sweep + cost probes)
- `scripts/repair_spikes/` — DAgger and repair experiments
- `scripts/run_kuhn_validation.py` — imperfect-information pipeline validation
- `scripts/leduc_coverage_diagnostic.py` — Leduc coverage-gap measurement
- `scripts/leduc_depth_probe.py` — Leduc depth sweep
- `scripts/beacon_claimA.py` — Beacon Claim A result and danger law sweep
- `scripts/mtt_claimB_probe.py` — masked tic-tac-toe Claim B probe (full vs withheld masking)

All runs use the Azure OpenAI Global Standard deployments configured in `.env`. Per-run JSON results are in `results/` (git-ignored). Total API cost across all experiments: approximately \$2.

References

- gg-bench: A procedurally generated game benchmark for LLMs, 2025. Repository: [vivek3141/gg-bench](https://github.com/vivek3141/gg-bench).
- Koen Claessen and John Hughes. QuickCheck: A lightweight tool for random testing of Haskell programs. In *Proceedings of the Fifth ACM SIGPLAN International Conference on Functional Programming (ICFP)*, pages 268–279, 2000.

- Peter I. Cowling, Edward J. Powley, and Daniel Whitehouse. Information set Monte Carlo tree search. *IEEE Transactions on Computational Intelligence and AI in Games*, 4(2):120–143, 2012.
- Ian Frank and David Basin. Search in games with incomplete information: A case study using bridge card play. *Artificial Intelligence*, 100(1–2):87–123, 1998.
- Luyu Gao, Aman Madaan, Shuyan Zhou, Uri Alon, Pengfei Liu, Yiming Yang, Jamie Callan, and Graham Neubig. PAL: Program-aided language models. In *Proceedings of the 40th International Conference on Machine Learning (ICML)*, 2023.
- Danijar Hafner, Timothy Lillicrap, Jimmy Ba, and Mohammad Norouzi. Dream to control: Learning behaviors by latent imagination. In *International Conference on Learning Representations (ICLR)*, 2020.
- Michael Janner, Justin Fu, Marvin Zhang, and Sergey Levine. When to trust your model: Model-based policy optimization. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2019.
- David M. Kreps and Robert Wilson. Sequential equilibria. *Econometrica*, 50(4):863–894, 1982.
- Nathan O. Lambert, Brandon Amos, Omry Yadan, and Roberto Calandra. Objective mismatch in model-based reinforcement learning. In *Proceedings of the 2nd Conference on Learning for Dynamics and Control (L4DC)*, volume 120 of *Proceedings of Machine Learning Research*, pages 761–770, 2020. arXiv:2002.04523.
- Wolfgang Lehrach, Daniel Hennes, Miguel Lazaro-Gredilla, Xinghua Lou, Carter Wendelken, Zhiwei Li, Antoine Dedieu, Jordi Grau-Moya, Marc Lanctot, Ahmed Iscen, John Schultz, Murray Chiam, Ian Gemp, Piotr Zielinski, Satinder Singh, and Kevin P. Murphy. Code world models for general game playing, 2025.
- Jacky Liang, Wenlong Huang, Fei Xia, Peng Xu, Karol Hausman, Brian Ichter, Pete Florence, and Andy Zeng. Code as policies: Language model programs for embodied control. In *IEEE International Conference on Robotics and Automation (ICRA)*, 2023.
- Jeffrey Richard Long, Nathan R. Sturtevant, Michael Buro, and Timothy Furtak. Understanding the success of perfect information monte carlo sampling in game tree search. In *Proceedings of the AAAI Conference on Artificial Intelligence*, 2010.
- Stéphane Ross, Geoffrey J. Gordon, and J. Andrew Bagnell. A reduction of imitation learning and structured prediction to no-regret online learning. In *Proceedings of the 14th International Conference on Artificial Intelligence and Statistics (AISTATS)*, volume 15 of *Proceedings of Machine Learning Research*, pages 627–635, 2011.
- Reuven Y. Rubinstein and Dirk P. Kroese. *Simulation and the Monte Carlo Method*. Wiley, 3rd edition, 2017.
- Bernhard von Stengel. Efficient computation of behavior strategies. *Games and Economic Behavior*, 14(2):220–246, 1996.
- Daniel Whitehouse, Edward J. Powley, and Peter I. Cowling. Determinization and information set Monte Carlo tree search for the card game Dou Di Zhu. In *IEEE Conference on Computational Intelligence and Games (CIG)*, 2011.

Martin Zinkevich, Michael Johanson, Michael Bowling, and Carmelo Piccione. Regret minimization in games with incomplete information. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2007.