Inda HTML Khim long , 165"> <head> Klood >> This Formulario ethis < For 10= "Formstone" achon = ""> < label for="nambre"> Nambre: </ label>
< label for="nambre"> Nambre: </ label>
< label for="nambre"> Nambre: </ label>
Type="text" name "text" minlength= "10" maxlength="100".

Id="nambre"> </di> KdW> Clabel for = "apellodos"> Apellodos:

 Clabel for = "apellodos"> manlength="10" manlength="10" manlength="10" manlength="10" </du> Kdivz. Kindel for "color" > Color: K/label > "color"> 4/div> < div> Klabel For= "edad" > Edad: 4/abel > Kinput required Type "text" name = "" Rattern = " dx" mindength = """ maxle </dw> <duz
Latel for="numero"> Dunero,
Llabel>

Lingut type="text" name="" Pattern "/d*" id="nemero"> KANY KdIV7 < label for= "Positivo"> Positivo: < liabel> KinPut type = "number" mm = "0"> </dw> (div> < label for "> Numero maximo - minimo «l'iabel> < Input type = "number" min = "10" max = "20" Bteps "0.5" Value = "15"</p> <12,00 < div> Kiabel for= "fechal"> fecha de nocimiento: «Mabel» < input type = "date" rame = "" id = "fechar"> </div>

```
< InPut type = 'Eine" name = 11, 10=11">
</div>
4du>
   < label for="Gudad"> Crudad: </label>
   Keeled required name: "" 10:"">
     Koption value = " > Selectione Bu Gudad Lloption>
      Kophon Volve = "Bucaramanga > Bucaramanga <10Ption>
      Kopton value = "giron"> Giron cloption>
      Coption values "floridablanca > Floridablanca 
      <option value: "Pidecuesta > Pidecuesta < 10Ption>
   </div>
<div>>
    KP7 Beleccione Su genera KIP7
     21abel7
         Kinfut type "radio" name = "genero" value = "masculino"> Masculino
     </10he/2
     <br />
     Llobelz
         KinRuz type = "radio" rame = "genero" value = "femenino"> femenino
     </lahola
     6hrs
     Llabel>
         Kinput tyle="radio" name="genero" Value= "otro"> otro
     c/abel7
<10w>
Ldw2
   XP7 Selectione Una O Varia, materia 4187
   < label fors "17
       < Inflor type "Checkbox" rame = " " 10 =" > HTML
   Klabel For= "">
       KINDUL type: "Checkbox" mame: "" 12="" 7 C35
   4 label 7
       KINDUT type = "checkbox" name = "" 1 d="" > Davascriph
   </100pl>
   £10/217
      Kinput type = "checkbox" name = " 1d= ""> Sava
  2/1abel>
```

Klabel For=""> Linput type="checkbox" none = "" 12=" "> Putton </label> Llabel for=""> Lingut type= "checkbox" pome: " 10: ""> Pho 410W> Ldw7 L'obel for: "Imagen"> Seleccione una imagen // label> 6017 < input type "file" access: "JPg, Prg" name = inager" id= "Arch.us"> <10w2 < lobel for : " contra seña "> Ingrese la Contra seña, 2/ label> < Inful type = "Passward" home = "Contrasena" Us "Contrasena" 4/dw> Ldw2 Liabel fors" "7 Aprendiz : Lliaber < Input type: "test" none: "" value: "In Coceres" disabled id: ") 41divz Zdw2 L'outton type="resel" > Permaior farmulario (l'outton) 4 button Type = "Submit"> Envior formularia Houttons 412W7 LI form> ×160047 21 htms >