

Scripts de creación de tablas

```
-----  
-- File created - Thursday-March-31-2022  
-----  
-----
```

```
-- DDL for Table ARBITRO  
-----
```

```
CREATE TABLE "U_20200406"."ARBITRO"  
  ( "ARBITRO_ID" VARCHAR2(50 BYTE) COLLATE "USING_NLS_COMP",  
    "NOMBRE" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",  
    "NACIONALIDAD" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP"  
  ) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED  
  PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255  
  NOCOMPRESS LOGGING  
  TABLESPACE "TB_20200406" ;  
-----
```

```
-- DDL for Table COLEGIADO  
-----
```

```
CREATE TABLE "U_20200406"."COLEGIADO"  
  ( "ID_PARTICIPACION_ARBITRO" VARCHAR2(100 BYTE) COLLATE  
"USING_NLS_COMP",  
    "FUNCIÓN" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",  
    "ARBITRO_ID" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",  
    "ID_PARTIDO" NUMBER(*,0)  
  ) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED  
  PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255  
  NOCOMPRESS LOGGING  
  TABLESPACE "TB_20200406" ;  
-----
```

```
-- DDL for Table EQUIPO  
-----
```

```
CREATE TABLE "U_20200406"."EQUIPO"  
  ( "EQUIPO_ID" VARCHAR2(3 BYTE) COLLATE "USING_NLS_COMP",  
    "PAÍS" VARCHAR2(50 BYTE) COLLATE "USING_NLS_COMP"  
  ) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED  
  PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255  
  NOCOMPRESS LOGGING  
  TABLESPACE "TB_20200406" ;  
-----
```

```
-- DDL for Table LABORATORIO  
-----
```

```

CREATE TABLE "U_20200406"."LABORATORIO"
( "LAB_ID" VARCHAR2(50 BYTE) COLLATE "USING_NLS_COMP",
  "NOMBRE" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",
  "DIRECCIÓN" VARCHAR2(400 BYTE) COLLATE "USING_NLS_COMP",
  "TELÉFONO" NUMBER(*,0)
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "TB_20200406" ;

-----
-- DDL for Table MIEMBRO
-----

CREATE TABLE "U_20200406"."MIEMBRO"
( "MIEMBRO_ID" VARCHAR2(20 BYTE) COLLATE "USING_NLS_COMP",
  "NOMBRE" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",
  "FECHA_DE_NACIMIENTO" DATE,
  "POSICIÓN_HABITUAL" VARCHAR2(100 BYTE) COLLATE
"USING_NLS_COMP",
  "TIPO" VARCHAR2(3 BYTE) COLLATE "USING_NLS_COMP",
  "ID_EQUIPO" VARCHAR2(3 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "TB_20200406" ;

-----
-- DDL for Table MIEMBRO_FEDERACION
-----

CREATE TABLE "U_20200406"."MIEMBRO_FEDERACION"
( "FEDERATIVO_ID" VARCHAR2(20 BYTE) COLLATE "USING_NLS_COMP",
  "NOMBRE" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",
  "TELÉFONO" VARCHAR2(50 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "TB_20200406" ;

-----
-- DDL for Table PARTICIPANTE
-----

CREATE TABLE "U_20200406"."PARTICIPANTE"
( "ID_PARTICIPANTE" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",
  "POSICION_JUGADA" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",

```

```

"MINUTOS_JUGADOS" NUMBER(*,0),
"GOLES" NUMBER(*,0),
"MINUTO_PRIMER_GOL" FLOAT(126),
"MIEMBRO_ID" VARCHAR2(20 BYTE) COLLATE "USING_NLS_COMP",
"ID_PARTIDO" NUMBER(*,0),
"FEDERATIVO_ID" VARCHAR2(20 BYTE) COLLATE "USING_NLS_COMP",
"LAB_ID" VARCHAR2(50 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "TB_20200406" ;
-----

```

```

-- DDL for Table PARTIDO
-----

```

```

CREATE TABLE "U_20200406"."PARTIDO"
( "ID_PARTIDO" NUMBER(*,0),
  "FECHA_HORA" DATE,
  "GOLES_LOCAL" NUMBER(*,0),
  "GOLES_VISITANTE" NUMBER(*,0),
  "RESULTADO" CHAR(1 BYTE) COLLATE "USING_NLS_COMP",
  "SEDE_ID" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",
  "EQUI_LOC_ID" VARCHAR2(3 BYTE) COLLATE "USING_NLS_COMP",
  "EQUI_VIS_ID" VARCHAR2(3 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "TB_20200406" ;
-----

```

```

-- DDL for Table SEDE
-----

```

```

CREATE TABLE "U_20200406"."SEDE"
( "SEDE_ID" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP",
  "CIUDAD" VARCHAR2(40 BYTE) COLLATE "USING_NLS_COMP",
  "NOMBRE_SEDE" VARCHAR2(100 BYTE) COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION DEFERRED
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
TABLESPACE "TB_20200406" ;
-----

```

```

-- DDL for Table SYS_EXPORT_FULL_01
-----

```

```

CREATE TABLE "U_20200406"."SYS_EXPORT_FULL_01"

```

```

( "ABORT_STEP" NUMBER,
  "ACCESS_METHOD" VARCHAR2(16 BYTE) COLLATE "USING_NLS_COMP",
  "ANCESTOR_OBJECT_NAME" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
  "ANCESTOR_OBJECT_SCHEMA" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
  "ANCESTOR_OBJECT_TYPE" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
  "ANCESTOR_PROCESS_ORDER" NUMBER,
  "BASE_OBJECT_NAME" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
  "BASE_OBJECT_SCHEMA" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
  "BASE_OBJECT_TYPE" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
  "BASE_PROCESS_ORDER" NUMBER,
  "BLOCK_SIZE" NUMBER,
  "CLUSTER_OK" NUMBER,
  "COMPLETED_BYTES" NUMBER,
  "COMPLETED_ROWS" NUMBER,
  "COMPLETION TIME" DATE,
  "CONTROL_QUEUE" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
  "CREATION_LEVEL" NUMBER,
  "CREATION_TIME" DATE,
  "CUMULATIVE_TIME" NUMBER,
  "DATA_BUFFER_SIZE" NUMBER,
  "DATA_IO" NUMBER,
  "DATAOBJ_NUM" NUMBER,
  "DB_VERSION" VARCHAR2(60 BYTE) COLLATE "USING_NLS_COMP",
  "DEGREE" NUMBER,
  "DOMAIN_PROCESS_ORDER" NUMBER,
  "DUMP_ALLOCATION" NUMBER,
  "DUMP_FILEID" NUMBER,
  "DUMP_LENGTH" NUMBER,
  "DUMP_ORIG_LENGTH" NUMBER,
  "DUMP_POSITION" NUMBER,
  "DUPLICATE" NUMBER,
  "ELAPSED_TIME" NUMBER,
  "ERROR_COUNT" NUMBER,
  "EXTEND_SIZE" NUMBER,
  "FILE_MAX_SIZE" NUMBER,
  "FILE_NAME" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP",
  "FILE_TYPE" NUMBER,
  "FLAGS" NUMBER,
  "GRANTOR" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
  "GRANULES" NUMBER,
  "GUID" RAW(16),

```

```

"IN_PROGRESS" CHAR(1 BYTE) COLLATE "USING_NLS_COMP",
"INSTANCE" VARCHAR2(60 BYTE) COLLATE "USING_NLS_COMP",
"INSTANCE_ID" NUMBER,
"IS_DEFAULT" NUMBER,
"JOB_MODE" VARCHAR2(21 BYTE) COLLATE "USING_NLS_COMP",
"JOB_VERSION" VARCHAR2(60 BYTE) COLLATE "USING_NLS_COMP",
"LAST_FILE" NUMBER,
"LAST_UPDATE" DATE,
"LOAD_METHOD" NUMBER,
"METADATA_BUFFER_SIZE" NUMBER,
"METADATA_IO" NUMBER,
"NAME" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"OBJECT_INT_OID" VARCHAR2(130 BYTE) COLLATE "USING_NLS_COMP",
"OBJECT_LONG_NAME" VARCHAR2(4000 BYTE) COLLATE
"USING_NLS_COMP",
"OBJECT_NAME" VARCHAR2(200 BYTE) COLLATE "USING_NLS_COMP",
"OBJECT_NUMBER" NUMBER,
"OBJECT_PATH_SEQNO" NUMBER,
"OBJECT_ROW" NUMBER,
"OBJECT_SCHEMA" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"OBJECT_TABLESPACE" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"OBJECT_TYPE" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"OBJECT_TYPE_PATH" VARCHAR2(200 BYTE) COLLATE "USING_NLS_COMP",
"OLD_VALUE" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP",
"OPERATION" VARCHAR2(8 BYTE) COLLATE "USING_NLS_COMP",
"OPTION_TAG" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"ORIG_BASE_OBJECT_NAME" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"ORIG_BASE_OBJECT_SCHEMA" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"ORIGINAL_OBJECT_NAME" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"ORIGINAL_OBJECT_SCHEMA" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"PACKET_NUMBER" NUMBER,
"PARALLELIZATION" NUMBER,
"PARENT_OBJECT_NAME" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"PARENT_OBJECT_SCHEMA" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"PARENT_PROCESS_ORDER" NUMBER,
"PARTITION_NAME" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"PHASE" NUMBER,
"PLATFORM" VARCHAR2(101 BYTE) COLLATE "USING_NLS_COMP",

```

```

"PROCESS_NAME" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"PROCESS_ORDER" NUMBER,
"PROCESSING_STATE" CHAR(1 BYTE) COLLATE "USING_NLS_COMP",
"PROCESSING_STATUS" CHAR(1 BYTE) COLLATE "USING_NLS_COMP",
"PROPERTY" NUMBER,
"PROXY_SCHEMA" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"PROXY_VIEW" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"QUEUE_TABNUM" NUMBER,
"REMOTE_LINK" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"SCN" NUMBER,
"SEED" NUMBER,
"SERVICE_NAME" VARCHAR2(64 BYTE) COLLATE "USING_NLS_COMP",
"SIZE_ESTIMATE" NUMBER,
"SRC_COMPAT" VARCHAR2(60 BYTE) COLLATE "USING_NLS_COMP",
"START_TIME" DATE,
"STATE" VARCHAR2(12 BYTE) COLLATE "USING_NLS_COMP",
"STATUS_QUEUE" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"SUBPARTITION_NAME" VARCHAR2(128 BYTE) COLLATE
"USING_NLS_COMP",
"TARGET_XML_CLOB" CLOB COLLATE "USING_NLS_COMP",
"TDE_REWRAPPED_KEY" RAW(2000),
"TEMPLATE_TABLE" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"TIMEZONE" VARCHAR2(64 BYTE) COLLATE "USING_NLS_COMP",
"TOTAL_BYTES" NUMBER,
"TRIGFLAG" NUMBER,
"UNLOAD_METHOD" NUMBER,
"USER_DIRECTORY" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP",
"USER_FILE_NAME" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP",
"USER_NAME" VARCHAR2(128 BYTE) COLLATE "USING_NLS_COMP",
"VALUE_N" NUMBER,
"VALUE_T" VARCHAR2(4000 BYTE) COLLATE "USING_NLS_COMP",
"VERSION" NUMBER,
"WORK_ITEM" VARCHAR2(21 BYTE) COLLATE "USING_NLS_COMP",
"XML_CLOB" CLOB COLLATE "USING_NLS_COMP"
) DEFAULT COLLATION "USING_NLS_COMP" SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 100 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "TB_20200406" NO INMEMORY
LOB ("TARGET_XML_CLOB") STORE AS SECUREFILE (
TABLESPACE "TB_20200406" ENABLE STORAGE IN ROW CHUNK 8192
NOCACHE LOGGING NOCOMPRESS KEEP_DUPLICATES

```

```

        STORAGE(INITIAL 106496 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
        PCTINCREASE 0
        BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT))
LOB ("XML_CLOB") STORE AS SECUREFILE (
        TABLESPACE "TB_20200406" ENABLE STORAGE IN ROW CHUNK 8192
        NOCACHE LOGGING NOCOMPRESS KEEP_DUPLICATES
        STORAGE(INITIAL 106496 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
        PCTINCREASE 0
        BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT))
;

```

```

        COMMENT ON TABLE "U_20200406"."SYS_EXPORT_FULL_01" IS 'Data Pump
Master Table EXPORT                                FULL
';

```

```

-----
-- DDL for Index MIEMBRO_ID_PK
-----

```

```

CREATE UNIQUE INDEX "U_20200406"."MIEMBRO_ID_PK" ON
"U_20200406"."MIEMBRO" ("MIEMBRO_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;

```

```

-----
-- DDL for Index ID_PARTICIPANTE_PK
-----

```

```

CREATE UNIQUE INDEX "U_20200406"."ID_PARTICIPANTE_PK" ON
"U_20200406"."PARTICIPANTE" ("ID_PARTICIPANTE")
PCTFREE 10 INITRANS 2 MAXTRANS 255
TABLESPACE "TB_20200406" ;

```

```

-----
-- DDL for Index ID_PARTICIPACION_ARBITRO_PK
-----

```

```

CREATE UNIQUE INDEX "U_20200406"."ID_PARTICIPACION_ARBITRO_PK" ON
"U_20200406"."COLEGIADO" ("ID_PARTICIPACION_ARBITRO")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;

```

```

-----
-- DDL for Index UNA_VEZ_EN_CANCHA
-----

```

```

CREATE UNIQUE INDEX "U_20200406"."UNA_VEZ_EN_CANCHA" ON
"U_20200406"."PARTICIPANTE" ("ID_PARTIDO", "MIEMBRO_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index SYS_MTABLE_0000139A8_IND_4
-----

CREATE INDEX "U_20200406"."SYS_MTABLE_0000139A8_IND_4" ON
"U_20200406"."SYS_EXPORT_FULL_01" ("BASE_PROCESS_ORDER")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index PARTIDO_ID_PK
-----

CREATE UNIQUE INDEX "U_20200406"."PARTIDO_ID_PK" ON
"U_20200406"."PARTIDO" ("ID_PARTIDO")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index FEDERATIVO_ID_PK
-----

CREATE UNIQUE INDEX "U_20200406"."FEDERATIVO_ID_PK" ON
"U_20200406"."MIEMBRO_FEDERACION" ("FEDERATIVO_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index EQUIPO_ID_PK
-----

CREATE UNIQUE INDEX "U_20200406"."EQUIPO_ID_PK" ON
"U_20200406"."EQUIPO" ("EQUIPO_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index SYS_MTABLE_0000139A8_IND_1
-----

```



```

CREATE UNIQUE INDEX "U_20200406"."SYS_MTABLE_0000139A8_IND_1" ON
"U_20200406"."SYS_EXPORT_FULL_01" ("PROCESS_ORDER", "DUPLICATE")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index ARBITRO_ID_PK
-----

CREATE UNIQUE INDEX "U_20200406"."ARBITRO_ID_PK" ON
"U_20200406"."ARBITRO" ("ARBITRO_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index DOPING_UNICO
-----

CREATE UNIQUE INDEX "U_20200406"."DOPING_UNICO" ON
"U_20200406"."PARTICIPANTE" ("MIEMBRO_ID", "FEDERATIVO_ID", "LAB_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index SYS_MTABLE_0000139A8_IND_5
-----

CREATE INDEX "U_20200406"."SYS_MTABLE_0000139A8_IND_5" ON
"U_20200406"."SYS_EXPORT_FULL_01" ("ORIGINAL_OBJECT_SCHEMA",
"ORIGINAL_OBJECT_NAME", "PARTITION_NAME")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "TB_20200406" ;
-----
-- DDL for Index SEDE_ID_PK
-----

CREATE UNIQUE INDEX "U_20200406"."SEDE_ID_PK" ON
"U_20200406"."SEDE" ("SEDE_ID")
PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ;

```

-- DDL for Index SYS_MTABLE_0000139A8_IND_6

```
CREATE INDEX "U_20200406"."SYS_MTABLE_0000139A8_IND_6" ON
"U_20200406"."SYS_EXPORT_FULL_01" ("SEED")
  PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "TB_20200406" ;
```

-- DDL for Index SYS_MTABLE_0000139A8_IND_2

```
CREATE INDEX "U_20200406"."SYS_MTABLE_0000139A8_IND_2" ON
"U_20200406"."SYS_EXPORT_FULL_01" ("OBJECT_SCHEMA",
"ORIGINAL_OBJECT_NAME", "OBJECT_TYPE")
  PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "TB_20200406" ;
```

-- DDL for Index SYS_MTABLE_0000139A8_IND_3

```
CREATE INDEX "U_20200406"."SYS_MTABLE_0000139A8_IND_3" ON
"U_20200406"."SYS_EXPORT_FULL_01" ("OBJECT_SCHEMA", "OBJECT_NAME",
"OBJECT_TYPE", "PARTITION_NAME", "SUBPARTITION_NAME")
  PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS
2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "TB_20200406" ;
```

-- DDL for Index LAB_ID_PK

```
CREATE UNIQUE INDEX "U_20200406"."LAB_ID_PK" ON
"U_20200406"."LABORATORIO" ("LAB_ID")
  PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
```

```

TABLESPACE "TB_20200406" ;
-----
-- Constraints for Table ARBITRO
-----

ALTER TABLE "U_20200406"."ARBITRO" MODIFY ("NOMBRE" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."ARBITRO" MODIFY ("NACIONALIDAD" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."ARBITRO" ADD CONSTRAINT "ARBITRO_ID_PK"
PRIMARY KEY ("ARBITRO_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----
-- Constraints for Table COLEGIADO
-----

ALTER TABLE "U_20200406"."COLEGIADO" MODIFY ("FUNCIÓN" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."COLEGIADO" ADD CONSTRAINT
"ID_PARTICIPACION_ARBITRO_PK" PRIMARY KEY
("ID_PARTICIPACION_ARBITRO")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----
-- Constraints for Table MIEMBRO_FEDERACION
-----

ALTER TABLE "U_20200406"."MIEMBRO_FEDERACION" MODIFY ("NOMBRE" NOT
NULL ENABLE);
ALTER TABLE "U_20200406"."MIEMBRO_FEDERACION" MODIFY ("TELÉFONO"
NOT NULL ENABLE);
ALTER TABLE "U_20200406"."MIEMBRO_FEDERACION" ADD CONSTRAINT
"FEDERATIVO_ID_PK" PRIMARY KEY ("FEDERATIVO_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----
-- Constraints for Table PARTICIPANTE
-----

ALTER TABLE "U_20200406"."PARTICIPANTE" MODIFY ("POSICION_JUGADA"
NOT NULL ENABLE);
ALTER TABLE "U_20200406"."PARTICIPANTE" MODIFY ("MINUTOS_JUGADOS"
NOT NULL ENABLE);

```

```

ALTER TABLE "U_20200406"."PARTICIPANTE" MODIFY ("GOLES" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT
"ID_PARTICIPANTE_PK" PRIMARY KEY ("ID_PARTICIPANTE")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255
TABLESPACE "TB_20200406" ENABLE;
ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT
"UNA_VEZ_EN_CANCHA" UNIQUE ("ID_PARTIDO", "MIEMBRO_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT
"DOPING_UNICO" UNIQUE ("MIEMBRO_ID", "FEDERATIVO_ID", "LAB_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----
-- Constraints for Table LABORATORIO
-----

ALTER TABLE "U_20200406"."LABORATORIO" MODIFY ("NOMBRE" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."LABORATORIO" MODIFY ("DIRECCIÓN" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."LABORATORIO" MODIFY ("TELÉFONO" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."LABORATORIO" ADD CONSTRAINT "LAB_ID_PK"
PRIMARY KEY ("LAB_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----
-- Constraints for Table MIEMBRO
-----

ALTER TABLE "U_20200406"."MIEMBRO" MODIFY ("NOMBRE" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."MIEMBRO" MODIFY ("FECHA_DE_NACIMIENTO"
NOT NULL ENABLE);
ALTER TABLE "U_20200406"."MIEMBRO" MODIFY ("POSICIÓN_HABITUAL" NOT
NULL ENABLE);
ALTER TABLE "U_20200406"."MIEMBRO" MODIFY ("TIPO" NOT NULL ENABLE);
ALTER TABLE "U_20200406"."MIEMBRO" ADD CONSTRAINT "MIEMBRO_ID_PK"
PRIMARY KEY ("MIEMBRO_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----
-- Constraints for Table PARTIDO

```

```

-----
ALTER TABLE "U_20200406"."PARTIDO" MODIFY ("FECHA_HORA" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."PARTIDO" MODIFY ("GOLES_LOCAL" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."PARTIDO" MODIFY ("GOLES_VISITANTE" NOT
NULL ENABLE);
ALTER TABLE "U_20200406"."PARTIDO" MODIFY ("RESULTADO" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."PARTIDO" ADD CONSTRAINT "PARTIDO_ID_PK"
PRIMARY KEY ("ID_PARTIDO")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----

```

```

-- Constraints for Table SEDE
-----

```

```

ALTER TABLE "U_20200406"."SEDE" MODIFY ("CIUDAD" NOT NULL ENABLE);
ALTER TABLE "U_20200406"."SEDE" MODIFY ("NOMBRE_SEDE" NOT NULL
ENABLE);
ALTER TABLE "U_20200406"."SEDE" ADD CONSTRAINT "SEDE_ID_PK" PRIMARY
KEY ("SEDE_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----

```

```

-- Constraints for Table EQUIPO
-----

```

```

ALTER TABLE "U_20200406"."EQUIPO" MODIFY ("PAÍS" NOT NULL ENABLE);
ALTER TABLE "U_20200406"."EQUIPO" ADD CONSTRAINT "EQUIPO_ID_PK"
PRIMARY KEY ("EQUIPO_ID")
USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255 COMPUTE STATISTICS
TABLESPACE "TB_20200406" ENABLE;
-----

```

```

-- Ref Constraints for Table COLEGIADO
-----

```

```

ALTER TABLE "U_20200406"."COLEGIADO" ADD CONSTRAINT "ARBITRO_ID_FK"
FOREIGN KEY ("ARBITRO_ID")
REFERENCES "U_20200406"."ARBITRO" ("ARBITRO_ID") ENABLE;
ALTER TABLE "U_20200406"."COLEGIADO" ADD CONSTRAINT "PARTIDO_ID_FK"
FOREIGN KEY ("ID_PARTIDO")
REFERENCES "U_20200406"."PARTIDO" ("ID_PARTIDO") ENABLE;
-----

```

-- Ref Constraints for Table MIEMBRO

ALTER TABLE "U_20200406"."MIEMBRO" ADD CONSTRAINT
"MIEM_EQUIPO_ID_FK" FOREIGN KEY ("ID_EQUIPO")
REFERENCES "U_20200406"."EQUIPO" ("EQUIPO_ID") ENABLE;

-- Ref Constraints for Table PARTICIPANTE

ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT
"MIEMBRO_ID_FK" FOREIGN KEY ("MIEMBRO_ID")
REFERENCES "U_20200406"."MIEMBRO" ("MIEMBRO_ID") ENABLE;
ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT
"ID_PARTIDO_FK" FOREIGN KEY ("ID_PARTIDO")
REFERENCES "U_20200406"."PARTIDO" ("ID_PARTIDO") ENABLE;
ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT
"FEDERATIVO_ID_FK" FOREIGN KEY ("FEDERATIVO_ID")
REFERENCES "U_20200406"."MIEMBRO_FEDERACION"
("FEDERATIVO_ID") ENABLE;
ALTER TABLE "U_20200406"."PARTICIPANTE" ADD CONSTRAINT "LAB_ID_FK"
FOREIGN KEY ("LAB_ID")
REFERENCES "U_20200406"."LABORATORIO" ("LAB_ID") ENABLE;

-- Ref Constraints for Table PARTIDO

ALTER TABLE "U_20200406"."PARTIDO" ADD CONSTRAINT
"PARTIDO_SEDE_ID_FK" FOREIGN KEY ("SEDE_ID")
REFERENCES "U_20200406"."SEDE" ("SEDE_ID") ENABLE;
ALTER TABLE "U_20200406"."PARTIDO" ADD CONSTRAINT
"PARTIDO_EQUI_LOC_ID_FK" FOREIGN KEY ("EQUI_LOC_ID")
REFERENCES "U_20200406"."EQUIPO" ("EQUIPO_ID") ENABLE;
ALTER TABLE "U_20200406"."PARTIDO" ADD CONSTRAINT
"PARTIDO_EQUI_VIS_ID_FK" FOREIGN KEY ("EQUI_VIS_ID")
REFERENCES "U_20200406"."EQUIPO" ("EQUIPO_ID") ENABLE;