



Computer Engineering Department
Computer Engineering
IC6400 - Operations Research

Transport Problems with Excel Solver

Dr. Francisco J. Torres-Rojas

Dayron Josué Porras Pérez
2023124693

Javier Lee Liang
2020184824

José Julián Araya Castillo
2020098909

San José, Costa Rica
October 2026

What is Microsoft Excel Solver and How to use it?

Solver is a Microsoft Excel add-in program used for what-if analysis. Solver is used to find an optimal (maximum or minimum) value for a formula in one cell, called the objective cell, subject to constraints, or limits, on the values of other formula cells on a worksheet. Solver works with a group of cells, called decision variables or simply variable cells, that are used in computing the formulas in the objective and constraint cells. Solver adjusts the values in the decision variable cells to satisfy the limits on constraint cells and produce the result for the objective cell.




Figure 1: Excel Solver

To use Solver, go to the Data tab, in the Analysis group and select Solver. A window will pop to set the problem parameters, in the Set Objective box, you can enter a cell reference or name for the objective cell. The objective cell must contain a formula.




Figure 2: Solver Button

After setting the objective cell, select the option "Max" to maximize the formula, "Min" to get the minimum value, use "Value of" to set a certain value for the objective cell. In the By Changing Variable Cells box, enter a name or reference for each decision variable cell range. Separate the nonadjacent references with commas. The variable cells must be related directly or indirectly to the objective cell.

In the Subject to the Constraints box will appear all the constraints added to the problem. To add a constraint, select Add, enter the cell reference or name of the cell range in the "Cell Reference" box and select the relationship between the referenced cell and the constraint.

It is possible to change how Solver finds solutions by choosing a solving method. You can choose between "Generalized Reduced Gradient (GRG) Nonlinear", "LP Simplex" and "Evolutionary".

After setting all constraints and choosing how to solve the problem, select Solve. You can keep the solution values on worksheet by selecting "Keep Solver Solution" in the "Solver Results" dialog box, or choose restore the original values by selecting "Restore Original Values".

How to use Libre Office Calc Solver?

LibreOffice Calc has also a built-in Solver. To access Solver choose "Tools" on the menu bar and then select Solver. It will also pop a window to set the problem parameters. In the "Target Cell" box you can enter the target cell reference.

Then you can select "Maximum" to optimize the problem to find the maximum value of the target cell or select "Minimum" to minimize the target cell, or select "Value of" to approach the target cell to a given value.

Enter the cell range that can be changed in the "By Changing Cells" box, these are the variables of the equation. To add a set of constraints for the problem you can use the "Limiting Conditions" section, each constraint is represented by a cell reference, an operator and a value.

After everything is set, click "Solve" to solve the problem. The dialog settings are retained until you close the current document.

Transport Problems

Plantas Hidroeléctricas						
	C1	C2	C3	C4		
P1	8	6	10	9	35	
P2	9	12	13	7	50	
P3	14	9	16	5	40	
	45	20	30	30		
	C1	C2	C3	C4		
P1	0	10	25	0	35	
P2	45	0	5	0	50	
P3	0	10	0	30	40	
	45	20	30	30		
Total Cost	1020					

Figure 3: Hydroelectric Plants

Ejemplo 2						
	C1	C2	C3			
P1	7	8	10	50		
P2	9	7	8	50		
P3	10	9	13	20		
	40	40	40			
	C1	C2	C3			
P1	40	10	0	50		
P2	0	10	40	50		
P3	0	20	0	20		
	40	40	40			
Total Cost	930					

Figure 4: Example 2

Plantas Hidroeléctricas (modificado)						
	C1	C2	C3	C4	Dummy	
P1	8	6	10	9	0	35
P2	9	12	13	7	0	50
P3	14	9	16	5	0	40
	40	20	30	30	5	
	C1	C2	C3	C4	Dummy	
P1	0	15	20	0	0	35
P2	40	0	10	0	0	50
P3	0	5	0	30	5	40
	40	20	30	30	5	
Total Cost	975					

Figure 5: Modified Hydroelectric Plants

Plantas Hidroeléctricas (modificado 2)				
	C1	C2	C3	
P1	8	6	9	50
P2	14	9	5	50
Dummy	20	22	23	20
	40	40	40	
	C1	C2	C3	
P1	20	30	0	50
P2	0	10	40	50
Dummy	20	0	0	20
	40	40	40	
Total Cost	1030			

Figure 6: Modified Hydroelectric Plants 2

Problema de Transporte Degenerado						
	C1	C2	C3	C4	Dummy	
P1	10	2	20	11	0	15
P2	12	7	9	20	0	25
P3	4	14	16	18	0	10
	5	15	10	15	5	
	C1	C2	C3	C4	Dummy	
P1	0	0	0	15	0	15
P2	0	15	10	0	0	25
P3	5	0	0	0	5	10
	5	15	10	15	5	
Total Cost	380					

Figure 7: Degenerated Transport Problems

Transferring Problems

Fábrica de Computadores						
	NY	Chicago	LA	Boston	Dummy	
Memphis	8	13	25	28	0	150
Denver	15	12	16	25	0	200
NY	0	6	16	17	0	350
Chicago	6	0	14	16	0	350
	350	350	130	130	70	
	NY	Chicago	LA	Boston	Dummy	
Memphis	60	0	0	0	70	130
Denver	0	0	130	70	0	200
NY	290	0	0	60	0	350
Chicago	0	350	0	0	0	350
	350	350	130	130	70	
Total Cost	5330					

Figure 8: Computer Factory

Fábrica de Computadores (variante)								
	NY	Chicago	LA	Boston	Dummy	Memphis	Denver	
Memphis	8	13	25	28	0	0	7	500
Denver	15	12	16	25	0	11	0	550
NY	0	6	16	17	0	0	0	350
Chicago	6	0	14	16	0	0	0	350
	350	350	130	130	90	350	350	
	NY	Chicago	LA	Boston	Dummy	Dummy	Dummy	
Memphis	60	0	0	0	90	350	0	500
Denver	0	0	130	70	0	0	350	550
NY	290	0	0	60	0	0	0	350
Chicago	0	350	0	0	0	0	0	350
	350	350	130	130	90	350	350	
Total Cost	5330							

Figure 9: Computer Factory Variant

Fábrica de Computadores (variante 2)								
	NY	Chicago	LA	Boston	Dummy	Memphis	Denver	
Memphis	8	13	25	28	0	0	7	500
Denver	15	12	26	25	0	11	0	550
NY	0	6	16	17	0	0	0	350
Chicago	6	0	14	16	0	0	0	350
LA	0	0	0	11	0	0	0	350
Boston	0	0	19	0	0	0	0	350
	350	350	480	480	90	350	350	
	NY	Chicago	LA	Boston	Dummy	Memphis	Denver	
Memphis	150	0	0	0	0	350	0	500
Denver	0	0	0	110	90	0	350	550
NY	200	0	130	20	0	0	0	350
Chicago	0	350	0	0	0	0	0	350
LA	0	0	350	0	0	0	0	350
Boston	0	0	0	350	0	0	0	350
	350	350	480	480	90	350	350	
Total Cost	6370							

Figure 10: Computer Factory Variant 2