TEC | Tecnológico de Costa Rica

Computer Engineering Department
Computer Engineering
IC6400 - Operations Research
Semester II 2026

Simplex Method Project

Dr. Francisco J. Torres-Rojas

Dayron Josué Porras-Pérez
2023124693

Javier Lee-Liang
2020184824

José Julián Araya-Castillo
2020098909

San Jose, Costa Rica
November 2026

George Dantzig

- George Bernard Dantzig (1914-2005) was an American mathematician and computer scientist.
- He is best known for his development of the Simplex algorithm, a method for solving linear programming problems.
- Dantzig's work in optimization and operations research has had a profound impact on various fields, including economics, engineering, and logistics.
- He made significant contributions to the theory of linear programming, integer programming, and network flow problems.
- Dantzig's work has been widely recognized and has earned him numerous awards and honors throughout his career.




Figure 1: Image inspired by George Dantzig, the creator of the Simplex Algorithm.

The Simplex Algorithm

- It is a "mechanical" method that allows to find optimal solutions to linear programming problems.
- It was invented by George Dantzig in 1947.
- Uses matrix operations until it finds the optimal solution or determines that the problem is unbounded or infeasible.
- It is based in a geometric interpretation of the problem, where the feasible region is a convex polytope and the optimal solution is found at one of its vertices.




Figure 2: Image inspired by the geometric interpretation of the Simplex Algorithm.

Original Problem

Description

- Problem Name: Problema 6
- Amount of decision variables: 3
- Amount of restrictions: 3
- Total Amount of variables (decision + slack): 6
- Type of problem: Maximization

Equations

$$
\begin{aligned}
&\text{Max } Z = 2\,x_1 - x_2 + x_3 \\
&\text{subject to:} \\
&\qquad 3\,x_1 + x_2 + x_3 \leq 60 \\
&\qquad x_1 - x_2 + 2\,x_3 \leq 10 \\
&\qquad x_1 + x_2 - x_3 \leq 20 \\
&\qquad x_1, x_2, x_3 \geq 0
\end{aligned}
$$

Initial Table

Z	x_1	x_2	x_3	s_1	s_2	s_3	b
1.0000	-2.0000	1.0000	-1.0000	0.0000	0.0000	0.0000	0.0000
0.0000	3.0000	1.0000	1.0000	1.0000	0.0000	0.0000	60.0000
0.0000	1.0000	-1.0000	2.0000	0.0000	1.0000	0.0000	10.0000
0.0000	1.0000	1.0000	-1.0000	0.0000	0.0000	1.0000	20.0000

Intermediate Tables

Iteration 1

Entering variable: x_1 (most negative coefficient in the Z row: -2.0000). Leaving variable: s_2 (row 2, minimum ratio 10.0000).

Finding the Pivot

Z	x_1	x_2	x_3	s_1	s_2	s_3	b	P
1.0000	-2.0000	1.0000	-1.0000	0.0000	0.0000	0.0000	0.0000	-
0.0000	3.0000	1.0000	1.0000	1.0000	0.0000	0.0000	60.0000	20.0000
0.0000	**1.0000**	-1.0000	2.0000	0.0000	1.0000	0.0000	10.0000	10.0000
0.0000	1.0000	1.0000	-1.0000	0.0000	0.0000	1.0000	20.0000	20.0000

Canonize the Pivot column with Pivot value

Z	x_1	x_2	x_3	s_1	s_2	s_3	b
1.0000	0.0000	-1.0000	3.0000	0.0000	2.0000	0.0000	20.0000
0.0000	0.0000	4.0000	-5.0000	1.0000	-3.0000	0.0000	30.0000
0.0000	1.0000	-1.0000	2.0000	0.0000	1.0000	0.0000	10.0000
0.0000	0.0000	2.0000	-3.0000	0.0000	-1.0000	1.0000	10.0000

Iteration 2

Entering variable: x_2 (most negative coefficient in the Z row: -1.0000). Leaving variable: s_3 (row 3, minimum ratio 5.0000).

Finding the Pivot

Z	x_1	x_2	x_3	s_1	s_2	s_3	b	P
1.0000	0.0000	-1.0000	3.0000	0.0000	2.0000	0.0000	20.0000	-
0.0000	0.0000	4.0000	-5.0000	1.0000	-3.0000	0.0000	30.0000	7.5000
0.0000	1.0000	-1.0000	2.0000	0.0000	1.0000	0.0000	10.0000	-
0.0000	0.0000	**2.0000**	-3.0000	0.0000	-1.0000	1.0000	10.0000	5.0000

Canonize the Pivot column with Pivot value

Z	x_1	x_2	x_3	s_1	s_2	s_3	b
1.0000	0.0000	0.0000	1.5000	0.0000	1.5000	0.5000	25.0000
0.0000	0.0000	0.0000	1.0000	1.0000	-1.0000	-2.0000	10.0000
0.0000	1.0000	0.0000	0.5000	0.0000	0.5000	0.5000	15.0000
0.0000	0.0000	1.0000	-1.5000	0.0000	-0.5000	0.5000	5.0000

Final Table

Z	x_1	x_2	x_3	s_1	s_2	s_3	b
1.0000	0.0000	0.0000	1.5000	0.0000	1.5000	0.5000	25.0000
0.0000	0.0000	0.0000	1.0000	1.0000	-1.0000	-2.0000	10.0000
0.0000	1.0000	0.0000	0.5000	0.0000	0.5000	0.5000	15.0000
0.0000	0.0000	1.0000	-1.5000	0.0000	-0.5000	0.5000	5.0000

Solution

Solution

The optimal solution is:

- $x_1 = 15.0000$
- $x_2 = 5.0000$
- $x_3 = 0.0000$ (non-basic)
- $s_1 = 10.0000$
- $s_2 = 0.0000$ (non-basic)
- $s_3 = 0.0000$ (non-basic)

The optimal value of the objective function is: $Z = 25.0000$