

Routes DogWalker_API

Content

Errors	2
Mascotas	3
Cientes	5
Paseadores	7
Admin	9
queriesMascotas.js	10

Errors

- 404 Page not found: { error: "Page not found" }
- 422 Unprocessable Entity {error: <automatic error indication wrong format of the data send>
- 500 Internal Server Error { error: "Something Broke", message: error message, trace: {} }

Mascotas

Route	Send	Function	Response
GET /mascotas/all	None	Return Json with list of all content in “mascotas” table	200: Json list of Mascotas (empty if none) 400: error message
GET /mascotas/:pet_token	None	Return Json with row in “mascotas” table with pet_token send by param	200: Json list of Mascotas (empty if none) 422: {error: “message with format mistakes in the pet_token send by params”} 400: error message
GET /mascotas/cliente/:client_tel	None	Return Json with rows in “mascotas” table with the client_tel send by param	200: Json list of Mascotas (empty if none) 422: {error: “message with format mistakes in the client_tel send by params”} 400: error message
GET /mascotas/paseador/:walker_ID	None	Return Json with rows in “mascotas” table with the walker_ID send by param	200: Json list of Mascotas (empty if none) 422: {error: “message with format mistakes in the walker_ID send by params”} 400: error message
GET /mascotas/date/:intDate/:endDate	None	Return Json with rows in “mascotas” table with renovation_date field between intDate and endDate	200: Json list of Mascotas (empty if none) 422: {error: “message with format mistakes in the intDate and endDate send by params”} 400: error message
POST /mascotas/add	Req.body={ client_tel: client_tel, walker_ID: walker_ID, pet_name: pet_name, pet_breed:, pet_breed, service:, service, renovation_date: renovation_date }	Add a “Mascota” to the database.	201: {pet_token: pet_token} 422: {error : “message with the format mistakes in the req.body”} 400: { error: "Unable to add" }

PUT /mascotas/update	Req.body={ walker_ID: walker_ID, pet_name: pet_name, pet_breed:, pet_breed, service:, service, renovation_date: renovation_date }	Update a “Mascota” with pet_token in the database.	201: {pet_token: pet_token} 422: {error: “message with the format mistakes in the req.body”} 404: { error: "No data has been update"} 400: { error: "Unable to update" }
DELETE /mascotas/ delete /:pet_token	None	Delete “Mascota” with pet_token in the database	200: 1 404: 0 422: {error: “message with format mistakes in the pet_token send by params”} 400: { error: "Unable to delete" }

Clientes

Route	Send	Function	Response
GET /clientes/all	None	Return Json with list of all content in “clientes” table	200: Json list of Clientes (empty if none) 400: error message
GET /clientes/:client_tel	None	Return Json with row in “clientes” table with client_tel send by param	200: Json list of Clientes (empty if none) 422: error: “message with format mistakes in the client_tel send by params”. 400: error message
POST /clientes/add	Req.body={ client_tel: client_tel, client_name: client_name, start_date: start_date, client_user: client_user, client_password : client_password, location : location, area: area }	Add a “Cliente” to the database (password is hash)	201: {token: encrypted jsy token ,client_tel: client_tel} 409: { error: "User not valid" } 422: {error : “message with the format mistakes in the req.body”} 400: { error: "Unable to add" }
POST /cliente/log	Req.body={ client_user: client_user, client_password : client_password, }	Check if credentials are valid for “clientes” table	200: {token: encrypted jsy token} 404: { error: "Data not valid" } 422: {error: “message with the format mistakes in the req.body”} 400: error message
PUT /clientes/update	Req.body={ client_tel: client_tel, client_name: client_name, start_date: start_date, location : location, area: area }	Update a “Cliente” to the database with client_tel	201: {client_tel: client_tel} 404: { error: "No data has been update" } 422: {error : “message with the format mistakes in the req.body”} 400: { error: "Unable to update" }
PUT /clientes/update/auth	Req.body={ client_user: client_user, client_password : client_password, new_user: new_user,	Update old “Cliente” credentials with new in the database (password is hash)	201: { user : new_user} 404: { error: "No data has been update" } 409: { error: "Credentials not valid" } or { error: "New user not valid" } 422: {error: “message with the format mistakes in the req.body”}

	new_password : new_password }		400: { error: "Unable to update" }
DELETE /clientes/delete /:client_tel	None	Delete "Cliente" with pet_token in the database	200: 1 404: 0 422: error: "message with format mistakes in the client_tel send by params". 400: { error: "Unable to delete" }

Paseadores

Route	Send	Function	Response
GET /paseadores/all	None	Return Json with list of all content in "paseadores" table	200: Json list of Paseadores (empty if none) 400: error message
GET /paseadores/:walker_ID	None	Return Json with row in "paseadores" table with walker_ID send by param	200: Json list of Paseadores (empty if none) 422: {error: "message with format mistakes in the walker_ID send by params"} 400: error message
POST /paseadores/add	Req.body={ walker_ID: walker_ID, walker_tel , walker_tel, walker_name: walker_name, start_date: start_date, walker_user: walker_user, walker_password : walker_password, }	Add a "Paseador" to the database (password is hash)	201: {token: encrypted jsw token , walker_ID: walker_ID} 409: { error: "User not valid" } 422: {error: "message with the format mistakes in the req.body"} 400: { error: "Unable to add" }
POST /cliente/log	Req.body={ walker_user: walker_user, walker_password : walker_password, }	Check if credentials are valid for "paseadores" table	200: {token: encrypted jsw token} 404: { error: "Data not valid" } 422: {error: "message with the format mistakes in the req.body"} 400: error message
PUT /paseadores/update	Req.body={ walker_ID: walker_ID, walker_tel , walker_tel, walker_name: walker_name, start_date: start_date }	Update a "Paseador" to the database with client_tel	201: {walker_ID: walker_ID} 404: { error: "No data has been update" } 422: {error: "message with the format mistakes in the req.body"} 400: { error: "Unable to update" }
PUT /paseadores/update/auth	Req.body={ walker_user: walker_user, }	Update old "Paseador" credentials with new in the database	201: { user : new_user} 404: "Unable to update" 409: { error: "Credentials not valid" } or { error: "New user not valid" }

	walker_password : walker_password, new_user: new_user, new_password : new_password }		422: {error: "message with the format mistakes in the req.body"} 400: { error: "Unable to update" }
DELETE / paseadores / delete /:walker_ID	None	Delete "Pasedor" with pet_token in the database	200: 1 404: 0 422: {error: "message with format mistakes in the walker_ID send by params"} 400: { error: "Unable to delete" }

Admin

Route	Send	Function	Response
GET /admin/all	None	Return Json with list of all content in "admin" table	200: Json list of Admin (empty if none) 400: error message
POST /admin/add	Req.body={ admin_username: admin_username , admin_password: admin_password }	Add a "Admin" to the database (password is hash)	201: {token: encrypted jsw token} 409: {error:"User not valid"} 422: {error: "message with the format mistakes in the req.body"} 400: { error: "Unable to add" }
POST /admin/log	Req.body={ admin_username: admin_username, admin_password : admin_password }	Check if credentials are valid for "pasadores" table	200: {token: encrypted jsw token} 404: { error: "Data not valid" } 422: {error : "message with the format mistakes in the req.body"} 400: error message
PUT /admin/update/auth	Req.body={ admin_username: admin_username, admin_password : admin_password, new_user: new_user, new_password : new_password }	Update old "Admin" credentials with new in the database	201: {user: new_user} 404: { error: "No data has been update" } 409: { error: "Credentials not valid" } or { error: "New user not valid" } 422: {error : "message with the format mistakes in the req.body"} 400: { error: "Unable to update" }
DELETE /admin/delete /:admin_username	None	Delete "Admin" with pet_token in the database	200: 1 404: 0 422: {error: "message with format mistakes in the admin_username send by params"} 400: { error: "Unable to delete" }

queriesMascotas

Route	Send	Function	Response
GET /mascotasQueries/clientes/paseadores/all	None	Return list of “clientes” table join with “mascotas” table join with table “paseadores”	200: [{client_name , walker_name , pet_name , service , pet_breed , location , area } ,{...} ...,{...}] 400: error message
GET /mascotasQueries /clientes/all	None	Return list of “clientes” table join with “mascotas” table join	200: [{area, location, client_name , pet_name , service , pet_breed , } ,{...} ...,{...}] 400: error message
GET /mascotasQueries /clientes/area/:area	None	Return list of “clientes” table join with “mascotas” table join with area equal to req.param.area	
GET /mascotasQueries/clientes/location/:location	None	Return list of “clientes” table join with “mascotas” with location equal to req.param.location	
GET /mascotasQueries /paseadores/all	None	Return list of “paseadores” table join with “mascotas”	200: [{ walker_name , pet_name , service , pet_breed , location , area } ,{...} ...,{...}] 400: error message
GET /mascotasQueries/paseadores/:walker_name	None	Return list of “paseadores” table join with “mascotas” with walker_name equal to req.param.walker_name	