


Sistemas Informáticos – Tarea 07

Índice

Descripción de la tarea	2
Actividad 1. (1,5 puntos)	2
Actividad 2. (1 punto)	4
Actividad 3. (2 puntos)	5
Actividad 4. (2 puntos)	6
Actividad 5. (3 puntos)	7



Descripción de la tarea

Caso práctico

Uno de los directivos del Auditorio ha solicitado a Ada la puesta en marcha de un sistema operativo GNU/LINUX en su equipo y ésta traslada la petición a Antonio para que lo haga conjuntamente con Juan. Ellos fueron los que instalaron en los equipos Windows 10 y Windows 8.1, y ahora instalarán el nuevo sistema operativo en una partición libre que dejaron en su momento, precisamente porque pensaron que en un futuro podrían recibir peticiones de este tipo.


¿Qué te pedimos que hagas?

Realiza las siguientes actividades en una nueva máquina virtual.


Actividad 1. (1,5 puntos)

Instala la versión 20.04 del sistema operativo Ubuntu en la partición libre que dejaste. Si no realizaste la tarea 4, para que ésta sea válida, tienes que instalar Ubuntu Desktop 20.04 junto con Windows 10 en una máquina virtual definida con un tamaño de disco duro de 70 GB y con dos particiones de 35 GB, una para cada sistema. NOTA. Se aconseja que instales primero el sistema operativo Windows 10 y posteriormente el sistema operativo Ubuntu, ya que no todas las versiones de Windows establecen el sistema de arranque de forma correcta si se instalan posteriormente.


Creamos la máquina virtual.



Primero entramos en el particionamiento.



Luego hacemos dos particiones, una swap con 4GB y otra de 35GB




Actividad 2. (1 punto)

Muestra y justifica el particionamiento del sistema que has realizado durante la instalación. No olvides crear la partición de tipo swap con un tamaño de 4 GB.

Usamos el siguiente comando para visualizar las particiones:

```
sudo apt install gparted -y && sudo gparted
```



Justificación del Particionamiento

Partición	Tamaño	Tipo	Uso
/dev/sda1	4 GB	Swap	Memoria de intercambio
/dev/sda2	35 GB	Ext4	Sistema Ubuntu y archivos

Explicación y Justificación

Partición Swap (4 GB)

- La partición **Swap** actúa como memoria virtual cuando la RAM se llena.

- Es útil para sistemas con **baja RAM (menos de 8 GB)** o cuando se realizan tareas intensivas, como edición de video o máquinas virtuales.
- En tu caso, **4 GB de Swap** es una buena elección si tienes entre **4 y 8 GB de RAM física**.

Partición Ext4 (35 GB)

- Ext4 es el sistema de archivos recomendado para Linux, ya que es más rápido y seguro en comparación con otros como NTFS o FAT32.
- En esta partición se almacenan el sistema operativo, los programas y los archivos del usuario.
- **35 GB** es suficiente para un uso estándar de Ubuntu, permitiendo instalar software y almacenar documentos sin problemas.

Actividad 3. (2 puntos)


Actualiza los repositorios automáticos y selecciona el mejor servidor de descarga atendiendo a tu ubicación. Una vez hecho esto actualiza el sistema utilizando:

I. El terminal.


II. Synaptic.

En el terminal introducimos el siguiente código:


```
software-properties-gtk
```



En la opción de **“Descargar desde”**, haz click en **“Otro...”**



Presiona **“Seleccionar el mejor servidor”** y automáticamente hará pruebas y elegirá el servidor más rápido según tu ubicación.




Actualizar el sistema

1. Usando la Terminal

Escribe el siguiente comando en el terminal:

```
sudo apt update && sudo apt upgrade -y
```

sudo apt update	Descarga la lista de actualizaciones desde los repositorios.
sudo apt upgrade -y	Instala las actualizaciones disponibles automáticamente.



```
javier@javier-VirtualBox: ~$ sudo apt update && sudo apt upgrade -y
I: The initramfs will attempt to resume from /dev/sda1
I: (UUID=9d98241f-f90b-46e1-be75-dfd220066670)
I: Set the RESUME variable to override this.
/etc/kernel/postinst.d/zz-update-grub:
Sourcing file `/etc/default/grub'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.11.0-21-generic
Found initrd image: /boot/initrd.img-6.11.0-21-generic
Found linux image: /boot/vmlinuz-6.11.0-19-generic
Found initrd image: /boot/initrd.img-6.11.0-19-generic
Found memtest86+x64 image: /boot/memtest86+x64.bin
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
Procesando disparadores para initramfs-tools (0.142ubuntu25.5) ...
update-initramfs: Generating /boot/initrd.img-6.11.0-21-generic
I: The initramfs will attempt to resume from /dev/sda1
I: (UUID=9d98241f-f90b-46e1-be75-dfd220066670)
I: Set the RESUME variable to override this.
javier@javier-VirtualBox:~$
```

Si hay paquetes que necesitan una actualización especial, usa:

```
sudo apt full-upgrade -y
```

Para limpiar archivos innecesarios después de la actualización:

```
sudo apt autoremove -y && sudo apt clean
```



2. Usando Synaptic

Si no tienes Synaptic instalado, instálalo con:


```
sudo apt install synaptic -y
```

Una vez instalado puedes usar el terminal nuevamente para abrir el “**Gestor de paquetes Synaptic**” con el siguiente comando:


```
synaptic
```




Le das a recargar que equivale a un “**sudo apt update**”



Luego le das a **"Marcar todas las actualizaciones"**.



Para terminar le damos a **"Aplicar"** y esperamos a que finalice el proceso.



Actividad 4. (2 puntos)

Instala y desinstala la aplicación que prefieras de todas las formas indicadas en la unidad.


Synaptic

Instalación.


Abrimos Synaptic con el siguiente comando:

```
synaptic
```


Luego le damos a buscar y escribimos VLC:




Hacemos clic derecho en vlc y le damos a marcar para instalar:



Y le damos a Marcar:




Le damos a aplicar:





Desinstalación.

En la ventana de Synaptic buscamos otra vez vlc y hacemos clic derecho encima y seleccionamos marcar para eliminación.:



Clicamos en Aplicar:





apt-get

Instalación.

apt-get es un comando de la terminal para gestionar paquetes. Abrimos la terminal y escribimos lo siguiente:


```
sudo apt-get update && sudo apt-get install vlc -y
```

update actualiza la lista de paquetes disponibles.

install vlc instala VLC.

Una vez metido el comando ya estará instalado:

```
2 de abr 17:58
javier@javier-VirtualBox: ~
Configurando vlc-plugin-video-output:amd64 (3.0.20-3build6) ...
Configurando libqt5x11extras5:amd64 (5.15.13-1) ...
Configurando libqt5qmlmodels5:amd64 (5.15.13+dfsg-1) ...
Configurando libqt5widgets5:amd64 (5.15.13+dfsg-1ubuntu1) ...
Configurando libqt5svg5:amd64 (5.15.13-1) ...
Configurando vlc-bin (3.0.20-3build6) ...
Configurando libavformat60:amd64 (7:6.1.1-3ubuntu5) ...
Configurando qt5-gtk-platformtheme:amd64 (5.15.13+dfsg-1ubuntu1) ...
Configurando libqt5waylandclient5:amd64 (5.15.13-1) ...
Configurando vlc-plugin-qt:amd64 (3.0.20-3build6) ...
Configurando vlc-plugin-base:amd64 (3.0.20-3build6) ...
Configurando vlc (3.0.20-3build6) ...
Configurando libqt5quick5:amd64 (5.15.13+dfsg-1) ...
Configurando vlc-plugin-skins2:amd64 (3.0.20-3build6) ...
Configurando libqt5waylandcompositor5:amd64 (5.15.13-1) ...
Configurando qtwayland5:amd64 (5.15.13-1) ...
Procesando disparadores para man-db (2.12.0-4build2) ...
Procesando disparadores para fontconfig (2.15.0-1.1ubuntu2) ...
Procesando disparadores para desktop-file-utils (0.27-2build1) ...
Procesando disparadores para hicolor-icon-theme (0.17-2) ...
Procesando disparadores para gnome-menus (3.36.0-1.1ubuntu3) ...
Procesando disparadores para libc-bin (2.39-0ubuntu8.4) ...
Procesando disparadores para libvlc-bin:amd64 (3.0.20-3build6) ...
javier@javier-VirtualBox:~$
```




Desinstalación.


Metemos en la terminal el siguiente comando:

```
sudo apt-get remove vlc -y
```

Una vez aplicado ya estaría eliminado:



```
javier@javier-VirtualBox: ~  
libqt5widgets5t64 libqt5x11extras5 librabbitmq4 librav1e0  
libresid-builder0c2a librist4 libshine3 libsidplay2 libsnappy1v5 libsodium23  
libsoxr0 libspatialaudio0t64 libsrtp1.5-gnutls libssh-gcrypt-4 libssh2-1t64  
libsvtav1enc1d1 libswresample4 libswscale7 libudfread0 libunibreak5  
libupnp17t64 libva-drm2 libva-wayland2 libva-x11-2 libva2 libvdpau1  
libvlc-bin libvlc5 libvlccore9 libvncclient1 libvpl2 libx264-164 libx265-199  
libxcb-composite0 libxcb-xinerama0 libxcb-xinput0 libxvidcore4 libzmq5  
libzvbi-common libzvbi0t64 mesa-va-drivers mesa-vdpau-drivers  
ocl-icd-libopencl1 qt5-gtk-platformtheme qttranslations5-l10n qtwayland5  
va-driver-all vdpau-driver-all vlc-bin vlc-data vlc-l10n  
vlc-plugin-access-extra vlc-plugin-base vlc-plugin-notify vlc-plugin-qt  
vlc-plugin-samba vlc-plugin-skins2 vlc-plugin-video-output  
vlc-plugin-video-splitter vlc-plugin-visualization  
Utilice «sudo apt autoremove» para eliminarlos.  
Los siguientes paquetes se ELIMINARÁN:  
  vlc  
0 actualizados, 0 nuevos se instalarán, 1 para eliminar y 31 no actualizados.  
Se liberarán 200 kB después de esta operación.  
(Leyendo la base de datos ... 190369 ficheros o directorios instalados actualmen  
te.)  
Desinstalando vlc (3.0.20-3build6) ...  
Procesando disparadores para gnome-menus (3.36.0-1ubuntu3) ...  
Procesando disparadores para desktop-file-utils (0.27-2build1) ...  
javier@javier-VirtualBox:~$
```



Si también quieres eliminar los archivos de configuración:

```
sudo apt-get purge vlc -y
```

Y para limpiar paquetes no usados:

```
sudo apt-get autoremove -y
```

Aptitude


Instalación.

Primero instalamos Aptitude si no lo tenemos:

```
sudo apt-get install aptitude -y
```

Instalamos VLC con Aptitude:

```
sudo aptitude install vlc -y
```

A terminal window titled 'javier@javier-VirtualBox: ~' showing the output of the command 'sudo aptitude install vlc -y'. The output lists various packages being configured and processed, including vlc-plugin-video-output, libqt5x11extras5, libqt5qmlmodels5, libqt5widgets5, libqt5svg5, vlc-bin, libavformat60, qt5-gtk-platformtheme, libqt5waylandclient5, vlc-plugin-qt, vlc-plugin-base, vlc, libqt5quick5, vlc-plugin-skins2, libqt5waylandcompositor5, qtwayland5, and several other system packages like man-db, desktop-file-utils, hicolor-icon-theme, gnome-menus, libc-bin, and libvlc-bin. The terminal ends with the prompt 'javier@javier-VirtualBox:~\$' and a cursor.

```
javier@javier-VirtualBox: ~  
Configurando vlc-plugin-video-output:amd64 (3.0.20-3build6) ...  
Configurando libqt5x11extras5:amd64 (5.15.13-1) ...  
Configurando libqt5qmlmodels5:amd64 (5.15.13+dfsg-1) ...  
Configurando libqt5widgets5:amd64 (5.15.13+dfsg-1ubuntu1) ...  
Configurando libqt5svg5:amd64 (5.15.13-1) ...  
Configurando vlc-bin (3.0.20-3build6) ...  
Configurando libavformat60:amd64 (7:6.1.1-3ubuntu5) ...  
Configurando qt5-gtk-platformtheme:amd64 (5.15.13+dfsg-1ubuntu1) ...  
Configurando libqt5waylandclient5:amd64 (5.15.13-1) ...  
Configurando vlc-plugin-qt:amd64 (3.0.20-3build6) ...  
Configurando vlc-plugin-base:amd64 (3.0.20-3build6) ...  
Configurando vlc (3.0.20-3build6) ...  
Configurando libqt5quick5:amd64 (5.15.13+dfsg-1) ...  
Configurando vlc-plugin-skins2:amd64 (3.0.20-3build6) ...  
Configurando libqt5waylandcompositor5:amd64 (5.15.13-1) ...  
Configurando qtwayland5:amd64 (5.15.13-1) ...  
Procesando disparadores para man-db (2.12.0-4build2) ...  
Procesando disparadores para desktop-file-utils (0.27-2build1) ...  
Procesando disparadores para hicolor-icon-theme (0.17-2) ...  
Procesando disparadores para gnome-menus (3.36.0-1.1ubuntu3) ...  
Procesando disparadores para libc-bin (2.39-0ubuntu8.4) ...  
Procesando disparadores para libvlc-bin:amd64 (3.0.20-3build6) ...  
javier@javier-VirtualBox:~$
```

Desinstalación.

Metemos el siguiente comando en la terminal:

```
sudo aptitude remove vlc -y
```

```
javier@javier-VirtualBox: ~  
Desinstalando vlc-l10n (3.0.20-3build6) ...  
Desinstalando libavutil58:amd64 (7:6.1.1-3ubuntu5) ...  
Desinstalando libqt5gui5t64:amd64 (5.15.13+dfsg-1ubuntu1) ...  
Desinstalando libmd4c0:amd64 (0.4.8-1build1) ...  
Desinstalando libqt5network5t64:amd64 (5.15.13+dfsg-1ubuntu1) ...  
Desinstalando libqt5dbus5t64:amd64 (5.15.13+dfsg-1ubuntu1) ...  
Desinstalando libva-drm2:amd64 (2.20.0-2build1) ...  
Desinstalando libva-x11-2:amd64 (2.20.0-2build1) ...  
Desinstalando libva2:amd64 (2.20.0-2build1) ...  
Desinstalando libvdpau1:amd64 (1.5-2build1) ...  
Desinstalando libvpl2 (2023.3.0-1build1) ...  
Desinstalando libxcb-xinerama0:amd64 (1.15-1ubuntu2) ...  
Desinstalando libxcb-xinput0:amd64 (1.15-1ubuntu2) ...  
Desinstalando ocl-icd-libopencl1:amd64 (2.3.2-1build1) ...  
Desinstalando libqt5core5t64:amd64 (5.15.13+dfsg-1ubuntu1) ...  
Desinstalando libdouble-conversion3:amd64 (3.3.0-1build1) ...  
Desinstalando libpcre2-16-0:amd64 (10.42-4ubuntu2.1) ...  
Procesando disparadores para hicolor-icon-theme (0.17-2) ...  
Procesando disparadores para gnome-menus (3.36.0-1.1ubuntu3) ...  
Procesando disparadores para libc-bin (2.39-0ubuntu8.4) ...  
Procesando disparadores para man-db (2.12.0-4build2) ...  
Procesando disparadores para desktop-file-utils (0.27-2build1) ...  
javier@javier-VirtualBox:~$
```

Para eliminar también la configuración:

```
sudo aptitude purge vlc -y
```


```
javier@javier-VirtualBox:~$ sudo aptitude purge vlc -y  
El paquete vlc no está instalado, por tanto no se purgará  
El paquete vlc no está instalado, por tanto no se purgará  
No se instalará, actualizará o eliminará ningún paquete.  
0 paquetes actualizados, 0 nuevos instalados, 0 para eliminar y 31 sin actualizar.  
Necesito descargar 0 B de ficheros. Después de desempaquetar se usarán 0 B.  
javier@javier-VirtualBox:~$
```

Instalación manual.


Instalación.

Entramos en la web de vlc: <https://www.videolan.org/vlc/index.es.html>


Y clicamos en el Descargar VLC:




Clicamos en open link:



Nos aparece la siguiente pantalla y le damos a Install:




Y con esto ya estaría:




Desinstalación.


Le damos al siguiente icono:




Clicamos en Installed:



Buscamos la app de VLC y le damos al botón de la basura:



Y clicamos en Uninstall:



Actividad 5. (3 puntos)


Instala Webmin y realiza las siguientes operaciones:

- Crea un usuario con las iniciales de tu nombre y tu primer apellido completo. Por ejemplo, para María Antonia López el usuario será malopez. No vamos a usar ningún acento a la hora de crear el usuario ni carácter especial.
- Realiza varias capturas sobre el rendimiento del equipo.

Instalación de Webmin.

Abrimos la terminal y escribimos el siguiente código para actualizar el sistema.


```
sudo apt update && sudo apt upgrade -y
```

A screenshot of a terminal window titled 'Terminal' with a timestamp of 'abr 18 18:53'. The terminal shows the output of the command 'sudo apt update && sudo apt upgrade -y'. The output lists various packages being updated, including libreoffice-writer, mime-support, initramfs-tools, hicolor-icon-theme, gnome-menus, libc-bin, rsyslog, man-db, cracklib-runtime, plymouth-theme-ubuntu-text, dbus, shared-mime-info, install-info, fontconfig, desktop-file-utils, ca-certificates, and libgdk-pixbuf2.0. The terminal also shows the generation of the initrd image. The prompt 'javier@javier-VirtualBox: ~\$' is visible at the bottom.

```
Setting up libreoffice-writer (1:6.4.7-0ubuntu0.20.04.14) ...
Processing triggers for mime-support (3.64ubuntu1) ...
Processing triggers for initramfs-tools (0.136ubuntu6.7) ...
update-initramfs: Generating /boot/initrd.img-5.15.0-136-generic
Processing triggers for hicolor-icon-theme (0.17-2) ...
Processing triggers for gnome-menus (3.36.0-1ubuntu1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.17) ...
Processing triggers for rsyslog (8.2001.0-1ubuntu1.3) ...
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for cracklib-runtime (2.9.6-3.2) ...
Processing triggers for plymouth-theme-ubuntu-text (0.9.4git20200323-0ubuntu6.2) ...
update-initramfs: deferring update (trigger activated)
Processing triggers for dbus (1.12.16-2ubuntu2.3) ...
Processing triggers for shared-mime-info (1.15-1) ...
Processing triggers for install-info (6.7.0.dfsg.2-5) ...
Processing triggers for fontconfig (2.13.1-2ubuntu3) ...
Processing triggers for desktop-file-utils (0.24-1ubuntu3) ...
Processing triggers for ca-certificates (20240203~20.04.1) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
Processing triggers for libgdk-pixbuf2.0-0:amd64 (2.40.0+dfsg-3ubuntu0.5) ...
Processing triggers for initramfs-tools (0.136ubuntu6.7) ...
update-initramfs: Generating /boot/initrd.img-5.15.0-136-generic
javier@javier-VirtualBox:~$
```


Instalar dependencias necesarias

```
sudo apt install software-properties-common apt-transport-https wget -y
```




The screenshot shows a terminal window titled 'javier@javier-VirtualBox: ~' with a dark background. The terminal output shows the completion of previous steps and the execution of 'sudo apt install software-properties-common apt-transport-https wget -y'. It details the reading of package lists, building a dependency tree, and confirming that software-properties-common and wget are already at their latest versions. It then lists 'apt-transport-https' as a new package to be installed, showing the disk space requirements and the source from which it was fetched. The process concludes with the package being unpacked and set up.

```
done.
Processing triggers for libgdk-pixbuf2.0-0:amd64 (2.40.0+dfsg-3ubuntu0.5) ...
Processing triggers for initramfs-tools (0.136ubuntu6.7) ...
update-initramfs: Generating /boot/initrd.img-5.15.0-136-generic
javier@javier-VirtualBox:~$ sudo apt install software-properties-common apt-transport-https wget -y
Reading package lists... Done
Building dependency tree
Reading state information... Done
software-properties-common is already the newest version (0.99.9.12).
software-properties-common set to manually installed.
wget is already the newest version (1.20.3-1ubuntu2.1).
wget set to manually installed.
The following NEW packages will be installed:
  apt-transport-https
0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded.
Need to get 1.704 B of archives.
After this operation, 162 kB of additional disk space will be used.
Get:1 http://es.archive.ubuntu.com/ubuntu focal-updates/universe amd64 apt-transport-https all 2.0.10 [1.704 B]
Fetched 1.704 B in 0s (5.594 B/s)
Selecting previously unselected package apt-transport-https.
(Reading database ... 179490 files and directories currently installed.)
Preparing to unpack .../apt-transport-https_2.0.10_all.deb ...
Unpacking apt-transport-https (2.0.10) ...
Setting up apt-transport-https (2.0.10) ...
javier@javier-VirtualBox:~$
```

Añadir el repositorio de Webmin

```
wget -q http://www.webmin.com/jcameron-key.asc -O- | sudo apt-key add -
```



The screenshot shows a terminal window with the command 'wget -q http://www.webmin.com/jcameron-key.asc -O- | sudo apt-key add -' being executed. The output shows 'OK' and the prompt returns to the user.

```
javier@javier-VirtualBox:~$ wget -q http://www.webmin.com/jcameron-key.asc -O- | sudo apt-key add -
OK
javier@javier-VirtualBox:~$
```

```
echo "deb http://download.webmin.com/download/repository sarge contrib" | sudo tee /etc/apt/sources.list.d/webmin.list
```




The screenshot shows a terminal window with the command 'echo "deb http://download.webmin.com/download/repository sarge contrib" | sudo tee /etc/apt/sources.list.d/webmin.list' being executed. The output shows the repository line being added to the file.

```
javier@javier-VirtualBox:~$ echo "deb http://download.webmin.com/download/repository sarge contrib" | sudo tee /etc/apt/sources.list.d/webmin.list
deb http://download.webmin.com/download/repository sarge contrib
javier@javier-VirtualBox:~$
```

Actualizar repositorios


```
sudo apt update
```

A terminal window with a dark purple background and light green text. On the left side, there is a vertical sidebar with several icons: a yellow circle with a black dot, a blue document icon, an orange shopping bag icon, a blue circle with a white question mark, and a dark grey icon with a white grid. The terminal text shows the command 'javier@javier-VirtualBox:~\$ sudo apt update' and its output, which includes several 'Hit' and 'Get' lines for various Ubuntu repositories, followed by 'Reading package lists... Done', 'Building dependency tree', 'Reading state information... Done', and 'All packages are up to date.'.

```
javier@javier-VirtualBox:~$ sudo apt update
Hit:1 http://security.ubuntu.com/ubuntu focal-security InRelease
Hit:2 http://es.archive.ubuntu.com/ubuntu focal InRelease
Get:3 http://es.archive.ubuntu.com/ubuntu focal-updates InRelease [128 kB]
Hit:4 http://es.archive.ubuntu.com/ubuntu focal-backports InRelease
Ign:5 http://download.webmin.com/download/repository sarge InRelease
Get:6 http://download.webmin.com/download/repository sarge Release [19,2 kB]
Get:7 http://download.webmin.com/download/repository sarge Release.gpg [181 B]
Get:8 http://download.webmin.com/download/repository sarge/contrib i386 Package
s [1.493 B]
Get:9 http://download.webmin.com/download/repository sarge/contrib all Packages
[1.493 B]
Get:10 http://download.webmin.com/download/repository sarge/contrib amd64 Packa
ges [1.493 B]
Fetched 152 kB in 2s (67,3 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
All packages are up to date.
javier@javier-VirtualBox:~$
```

Instalar Webmin



```
sudo apt install webmin -y
```

A terminal window titled 'Terminal' with a date and time 'abr 18 19:15' in the top right corner. The window has a dark purple background and light green text. On the left side, there is a vertical sidebar with several icons: a Firefox logo, a blue circle with a white question mark, a dark grey icon with a white grid, and a blue circle with a white question mark. The terminal text shows the command 'javier@javier-VirtualBox: ~' and its output, which includes a long list of packages being installed, such as 'libencode-detect-perl', 'libjson-xs-perl', 'webmin', 'libexception-class-perl', 'libclass-c3-perl', 'libdevel-callchecker-perl', 'libdbd-mysql-perl:amd64', 'libdata-optlist-perl', 'libmro-compat-perl', 'libsub-exporter-perl', 'libeval-closure-perl', 'libparams-validationcompiler-perl', 'libparams-classify-perl', 'libmodule-runtime-perl', 'libmodule-implementation-perl', 'libpackage-stash-perl', 'libspecio-perl', 'libb-hooks-endofscope-perl', 'libnamespace-clean-perl', 'libnamespace-autoclean-perl', 'libdatetime-locale-perl', 'libdatetime-timezone-perl', 'libdatetime-perl:amd64', 'libc-bin', 'man-db', and 'mime-support'. The command ends with 'javier@javier-VirtualBox:~\$'.

```
Activities Terminal abr 18 19:15
javier@javier-VirtualBox: ~
Setting up libencode-detect-perl (1.01-5build3) ...
Setting up libjson-xs-perl (4.020-1build1) ...
Setting up webmin (2.303) ...
Setting up libexception-class-perl (1.44-1) ...
Setting up libclass-c3-perl (0.34-1) ...
Setting up libdevel-callchecker-perl (0.008-1ubuntu1) ...
Setting up libdbd-mysql-perl:amd64 (4.050-3ubuntu0.2) ...
Setting up libdata-optlist-perl (0.110-1) ...
Setting up libmro-compat-perl (0.13-1) ...
Setting up libsub-exporter-perl (0.987-1) ...
Setting up libeval-closure-perl (0.14-1) ...
Setting up libparams-validationcompiler-perl (0.30-1) ...
Setting up libparams-classify-perl (0.015-1build2) ...
Setting up libmodule-runtime-perl (0.016-1) ...
Setting up libmodule-implementation-perl (0.09-1) ...
Setting up libpackage-stash-perl (0.38-1) ...
Setting up libspecio-perl (0.45-1) ...
Setting up libb-hooks-endofscope-perl (0.24-1) ...
Setting up libnamespace-clean-perl (0.27-1) ...
Setting up libnamespace-autoclean-perl (0.29-1) ...
Setting up libdatetime-locale-perl (1:1.25-1) ...
Setting up libdatetime-timezone-perl (1:2.38-1+2019c) ...
Setting up libdatetime-perl:amd64 (2:1.51-1build1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.17) ...
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for mime-support (3.64ubuntu1) ...
javier@javier-VirtualBox:~$
```


Acceder a Webmin

Abre tu navegador y entra a: <https://localhost:10000>




Aceptamos el warning dándole a Accept the Risk and Continue


Metemos el Usuario y contraseña de nuestro equipo:




Clicamos en el siguiente icono:




Aquí le damos a System:



Y a Users and Groups:




Clicamos en Create a new user:



The screenshot shows a web browser window with the title 'Users and Groups — Web x'. The address bar shows the URL 'https://localhost:10000/useradmin/?xnav'. The page content includes a header with a star icon and the title 'Users and Groups', and a sub-header 'Database type: Regular /etc/passwd & /etc/shadow'. Below this, there are tabs for 'Local Users' and 'Local Groups'. A toolbar contains buttons for 'Select all', 'Invert selection', 'Create a new user', 'Export to batch file', and 'Run batch file'. A table lists the following users:


Username	User ID	Group	Real name	Home direc
root	0	root	root	/root
daemon	1	daemon	daemon	/usr/sbin
bin	2	bin	bin	/bin
sys	3	sys	sys	/dev
sync	4	nogroup	sync	/bin
games	5	games	games	/usr/games
man	6	man	man	/var/cache/
lp	7	lp	lp	/var/spool/l
mail	8	mail	mail	/var/mail
news	9	news	news	/var/spool/r
uucp	10	uucp	uucp	/var/spool/u
proxy	13	proxy	proxy	/bin

Nombre de usuario: jmanzano (usa tus iniciales y primer apellido sin tildes).
Establece una contraseña o selecciona que la cree automáticamente.
Shell: `/bin/bash` (para que pueda iniciar sesión).
Haz clic en Create:



Capturas del rendimiento del equipo

Nos vamos a Running processes:



★ Running Processes				
PID	User	Memory	CPU	Search
Run				
ID	Owner	Started	Command	
1	root	04/18/2025 06:31 PM	/lib/systemd/systemd --system --deserialize 21	
320	root	04/18/2025 06:31 PM	/lib/systemd/systemd-udevd	
648	root	04/18/2025 06:31 PM	/usr/sbin/acpid	
652	root	04/18/2025 06:31 PM	/usr/sbin/cron -f	
655	messagebus	04/18/2025 06:31 PM	/usr/bin/dbus-daemon --system --address=systemd: --nofo	
667	root	04/18/2025 06:31 PM	/usr/sbin/irqbalance --foreground	
670	root	04/18/2025 06:31 PM	/usr/bin/python3 /usr/bin/networkd-dispatcher --run-startu	
671	root	04/18/2025 06:31 PM	/usr/lib/policykit-1/polkitd --no-debug	
680	root	04/18/2025 06:31 PM	/usr/libexec/switcheroo-control	
683	root	04/18/2025 06:31 PM	/lib/systemd/systemd-logind	
685	root	04/18/2025 06:31 PM	/usr/lib/udisks2/udisksd	
746	root	04/18/2025 06:31 PM	/usr/bin/python3 /usr/share/unattended-upgrades/unatter	
759	root	04/18/2025 06:31 PM	/usr/sbin/ModemManager	
773	root	04/18/2025 06:31 PM	/usr/sbin/gdm3	
128	root	04/18/2025 06:31 PM	gdm-session-worker [nam/gdm-password]	
13	javier	04/18/2025 06:31 PM	/usr/lib/gdm3/gdm-x-session --run-script env GNOME_SHE	
58	1	04/18/2025 06:31 PM	/usr/lib/xorg/Xorg vt2 -displayfd 3 -auth /run/user/1000/gu	
369	1	04/18/2025 06:31 PM	/usr/libexec/gnome-session-binary --systemd --systemd --s	
402	1	04/18/2025 06:31 PM	/usr/bin/ssh-agent /usr/bin/im-launch env GNOME_SHELL	
470	whoopsie	04/18/2025 06:31 PM	/usr/bin/whoopsie -f	
807	kernoops	04/18/2025 06:31 PM	/usr/sbin/kerneloops --test	
809	kernoops	04/18/2025 06:31 PM	/usr/sbin/kerneloops	
813	rtkit	04/18/2025 06:31 PM	/usr/libexec/rtkit-daemon	
874	root	04/18/2025 06:31 PM	/usr/lib/upower/upowerd	
969	colord	04/18/2025 06:31 PM	/usr/libexec/colord	
1244	javier	04/18/2025 06:31 PM	/lib/systemd/systemd --user	
1297	129	04/18/2025 06:31 PM	(sd-pam)	
8	130	04/18/2025 06:31 PM	/usr/bin/pulseaudio --daemonize=no --log-target=journal	
3	130	04/18/2025 06:31 PM	/usr/libexec/tracker-miner-fs	
5	130	04/18/2025 06:31 PM	/usr/bin/dbus-daemon --session --address=systemd: --nofc	
8	131	04/18/2025 06:31 PM	/usr/libexec/gvfsd	
1				

