

# Margin Token Update

## 1. [H-01] Switch from 0.5.16 to 0.8.0

- a. Changed math operations from `a.mul(b)` to `a * b`,
  - i. removed SafeMath and SignedSafeMath libraries
- b. Changed `uint(-1)` to `type(uint).max` in XTTgov.sol line ~170
- c. Updated OpenZeppelin libraries and contracts such as SafeERC20.sol, ERC20.sol, etc
- d. Removed 'public' from constructors
- e. Changed "function () external payable" to "receive() external payable" to receive BNB
- f. Handle payable functions by using formal "{value: amount}"
- g. Simplified the trendTokenTkn contract

*Due to the updated SafeERC20 library requiring a Address.sol library, MarginTokens.sol ran into contract byte size limit issues. To resolve this:*

- a. moved venusOpen to CompTT. Permission supply, redeem, borrow, and repay will only be given to the public (non-tradingBot) if isVenusOpen for specific underlying is true. The CompTT admin must set this and it will apply across all Trend Tokens.
  - i. Added bool isVenusOpen to Underlying struct in CompStorageTT.sol
  - ii. Added function rebalanceVenusAllowed() in CompTT.sol
- b. removed `_setDesiredAllocations()` external, changed `_updatePortfolioAndAllocations`
  - i. If wish to keep portfolio the same but change allocations, set empty portfolio array

## 2. [H-02] No changes made

In the future admin can be governed by XTT tokens. This governance is built into the XTT token.

## 3. [H-03] Added checks in CompTT

- a. Added check to prevent redemptions

```

1052
1053     /**
1054     * @notice Gives permission for trend token to redeem underlying of amount from Venus
1055     * @return vToken if permission is granted, otherwise zero address
1056     */
1057     function permissionRedeem(address trendToken, address underlying, uint redeemAmount) external view onlyProt
1058
1059         // reverts if vToken not supported or trend token and underlying not in active venus state
1060         address vToken = checkSupportedAndActive(trendToken, underlying);
1061
1062         // makes sure redeem brings current redeems closer to desired
1063         bool supplyDirectionCheck = performSupplyDirectionCheck(trendToken, underlying, 0, redeemAmount);
1064         require(supplyDirectionCheck, "!supplyDirectionCheck.");
1065
1066         // makes sure redeem will not exceed maxBorrowFactor (call compTT)
1067         bool borrowFactorCleared = performBorrowFactorCheck(trendToken, underlying, vToken, redeemAmount, 0);
1068         require(borrowFactorCleared, "!borrowFactorCleared.");
1069
1070         // ensure permission to redeem asset from Trend Token
1071         require(trendTokens[trendToken].isRedeem && underlyingInfo[underlying].isRedeem,"!isRedeem");
1072
1073         return vToken;
1074     }
1075
1076

```

#### b. Added check to prevent deposits

```

1025     /**
1026     * @notice Gives permission for trend token to supply underlying of amount to Venus
1027     * @return vToken if permission is granted, otherwise zero address
1028     */
1029     function permissionSupply(address trendToken, address underlying, uint supplyAmount) external view onlyProt
1030
1031         // reverts if vToken not supported or trend token and underlying not in active venus state
1032         address vToken = checkSupportedAndActive(trendToken, underlying);
1033
1034         // checks if trendToken and underlying are allowed to supply
1035         require(trendTokens[trendToken].isSupplyVenus && underlyingInfo[underlying].isSupplyVenus,"!supply");
1036
1037         // makes sure supply brings current redeems closer to desired
1038         bool supplyDirectionCheck = performSupplyDirectionCheck(trendToken, underlying, supplyAmount, 0);
1039         require(supplyDirectionCheck, "!supplyDirectionCheck.");
1040
1041         // make sure token is entered
1042         bool tokenEntered = compVenus.checkMembership(trendToken, vToken);
1043         require(tokenEntered,"vToken must be entered.");
1044
1045         // ensure permission to deposit asset to Trend Token
1046         require(trendTokens[trendToken].isDeposit && underlyingInfo[underlying].isDeposit,"!isDeposit");
1047
1048         return vToken;
1049     }
1050
1051

```

#### 4. Added check in CompTT for trading

Also added line to prevent isDeposit of input token and isRedeem of output token. If CompTT admin doesn't want users to deposit an asset (tokenA → Trend Token) it probably also doesn't want a user to sell that asset (tokenA → tokenB).

```

898     * @return true if allowed, otherwise error message from require statement
899     */
900     function permissionTrade(address trendToken, address underlyingIn, address underlyingOut, uint valueIn, uint valueOut) external view onlyProtocolA
901
902         // reverts if amount too small or too large
903         require(valueIn > 0, "must be >0");
904         require(valueOut < trendTokens[trendToken].maxTradeValue, "maxTradeValue exceeded.");
905
906         // reverts if trade fee too large
907         uint maxTradeFee = trendTokens[trendToken].maxTradeFee;
908         require(valueOut < valueIn * (uint(1e18) + maxTradeFee) / 1e18 &&
909             valueOut > valueIn * (uint(1e18) - maxTradeFee) / 1e18,
910             "!maxTradeFee");
911
912         // tokens cannot be the same
913         require(underlyingIn != underlyingOut, "tokens are the same");
914
915         // check activity
916         require(trendTokens[trendToken].isActive, "trend token not active.");
917         require(underlyingInfo[underlyingIn].isActive && underlyingInfo[underlyingOut].isActive, "underlying not active.");
918
919         // ensure permission to trade assets with Trend Token
920         require(trendTokens[trendToken].isTrade && underlyingInfo[underlyingIn].isTrade && underlyingInfo[underlyingOut].isTrade, "!isTrade.");
921
922         // ensures permission to deposit one asset and redeem the other
923         require(underlyingInfo[underlyingIn].isDeposit && underlyingInfo[underlyingOut].isRedeem, "!isDeposit and isRedeem");
924
925         return true;
926     }
927 }
928

```