

localhost / 127.0.0.1 / test | phpM

Room Assignment Query

localhost/phpmyadmin/index.php?route=/database/sql&db=test

Server: 127.0.0.1 » Database: test » Table: instructor

Browse

Structure

SQL

Search

Insert

Export

Import

Privileges

Operations

Triggers

phpMyAdmin

Recent

Favorites

performance_schema

phpmyadmin

test

- New
- advisor
- classroom
- course
- department
- instructor**
- prereq
- section
- student
- takes
- teaches
- time_slot

university db

- New
- advisor
- classroom
- course
- deleted_students
- department
- instructor
- prereq
- section
- student
- takes
- teaches
- time_slot

Show query box

Showing rows 0 - 4 (5 total, Query took 0.0002 seconds.)

-- First, let's see what was shown in the previous query `SELECT course_id, title FROM course WHERE course_id LIKE 'CS-%';`

[Edit inline]

[Edit]

[Create PHP code]

☐ Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Extra options

course_id

title

☐

Edit

Copy

Delete

CS-101

Intro. to Computer Science

☐

Edit

Copy

Delete

CS-190

Game Design

☐

Edit

Copy

Delete

CS-315

Robotics

☐

Edit

Copy

Delete

CS-319

Image Processing

☐

Edit

Copy

Delete

CS-347

Database System Concepts

☐ Check all

With selected: Edit Copy Delete Export

☐ Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Query results operations

Print

Copy to clipboard

Export

Display chart

Create view

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0005 seconds.)

-- Shows CS-101, CS-190, CS-315, CS-319, CS-347 -- Now find instructors who taught all these courses `SELECT DISTINCT i.ID, i.name FROM instructor i WHERE NOT EXISTS (`
`course_id FROM course WHERE course_id LIKE 'CS-%' -- These are the courses shown in previous query EXCEPT SELECT DISTINCT course_id FROM teaches WHERE ID = i.ID );`

Console