

Deep Learning: Deep Neural Network

Part – 1

Dr. Oybek Eraliev,

Department of Computer Engineering

Inha University In Tashkent.

Email: oybekeraliev7@gmail.com




Content

- **Model representation of Artificial Neural Network**
- **Loss Functions of Neural Network**
- **Backpropagation**
- **Activation Functions**
- **Implementation of DNN**

Model representation of Artificial Neural Network

The Perceptron: Forward Propagation




$$\hat{y} = g\left(w_0 + \sum_{i=1}^m x_i w_i\right)$$

g is non-linear activation function


Model representation of Artificial Neural Network

The Perceptron: Forward Propagation




Activation function

$$g(z) = \frac{1}{1 + e^{-z}}$$



Model representation of Artificial Neural Network


The Perceptron: Simplified



$$y = g\left(w_0 + \sum_{j=1}^m x_j w_j\right)$$

Model representation of Artificial Neural Network


Multi Output Perceptron



$$z_i = g(w_{0,i} + \sum_{j=1}^m x_j w_{j,i})$$

Model representation of Artificial Neural Network

Single Layer Neural Network




$$z_i = w_{0,i}^{(1)} + \sum_{j=1}^m x_j w_{j,i}^{(1)}$$

$$a_i = g(z_i)$$

$$\hat{y}_i = g(w_{0,i}^{(2)} + \sum_{j=1}^m g(z_j) w_{j,i}^{(2)})$$

Model representation of Artificial Neural Network


Single Layer Neural Network



$$a_2 = g \left(b^{(1)} + \sum_{j=1}^m x_j w_{j,2}^{(1)} \right) = g(b^{(1)} + x_1 w_{1,2}^{(1)} + x_2 w_{2,2}^{(1)} + x_3 w_{3,2}^{(1)})$$


Model representation of Artificial Neural Network

Single Layer Neural Network



$$a_2 = g \left(w_{0,2}^{(1)} + \sum_{j=1}^m x_j w_{j,2}^{(1)} \right) = w_{0,2}^{(1)} + x_1 w_{1,2}^{(1)} + x_2 w_{2,2}^{(1)} + x_3 w_{3,2}^{(1)}$$

Model representation of Artificial Neural Network




Content

- ~~Model representation of Artificial Neural Network~~
- Loss Functions of Neural Network
- Backpropagation
- Activation Functions
- Implementation of DNN

Loss Functions of Neural Network

Binary Cross Entropy Loss




Cross entropy loss can be used with the models that output a probability between 0 and 1

$$J(W) = -\frac{1}{m} \sum_{i=1}^m y^{(i)} \log(\hat{y}^{(i)}) + (1 - y^{(i)}) \log(1 - \hat{y}^{(i)})$$

Loss Functions of Neural Network

Mean Squared Error Loss



Mean squared error loss can be used with regression models that output continuous real numbers

$$J(W) = \frac{1}{m} \sum_{i=1}^m (\hat{y}^{(i)} - y^{(i)})^2$$

Content

- ~~History and Intro to Deep Learning~~
- ~~Model representation of Artificial Neural Network~~
- ~~Loss Functions of Neural Network~~
- Backpropagation
- Activation Functions
- Implementation of DNN

Backpropagation

Optimization (Gradient Descent)

Algorithm:


1. Initialize weights randomly W
2. Loop until convergence:
 1. Compute Gradient: $\frac{\partial J(W)}{\partial W}$
 2. Update weights: $W := W - \alpha \frac{\partial J(W)}{\partial W}$
3. Return weights

Backpropagation

Forward Propagation of DNN

Network Architecture:

1. Input Layer: x_1, x_2
2. Hidden Layer 1: a_1, a_2 (two neurons)
3. Output Layer: $\hat{y}$ (one neuron)



Backpropagation

Forward Propagation of DNN


Weights and Biases:

- Input to Hidden Layer:

- Weights: w_{11}, w_{13} for a_1 ; w_{12}, w_{14} for a_2
- Biases: b_{11}, b_{12}

- Hidden Layer to Output Layer:

- Weights: w_{21}, w_{22} for $\hat{y}$
- Bias: b_2



Backpropagation

Forward Propagation of DNN

Step 1: Input to Hidden Layer

The activations h_{11} and h_{12} are calculated as:


$$a_1 = g(x_1w_{11} + x_2w_{13} + b_{11})$$

$$a_2 = g(x_1w_{12} + x_2w_{14} + b_{12})$$

Step 2: Hidden Layer to Output Layer

The output $\hat{y}$ is calculated as:

$$\hat{y} = g(a_1w_{21} + a_2w_{22} + b_2)$$



Backpropagation


Backpropagation of DNN

Neural network for Regression problem

Step 1: Compute the Loss

Assume the loss function is Mean Squared Error (MSE):

$$Loss = (\hat{y} - y)^2$$




Backpropagation

Backpropagation of DNN

Step 2: Output Layer Gradients

The derivative of the loss with respect to the output is:

$$\frac{\partial \text{Loss}}{\partial \hat{y}} = 2(\hat{y} - y)$$



Backpropagation


Backpropagation of DNN

Step 3: Hidden Layer weights Gradients

$$\frac{\partial Loss}{\partial w_{21}} = \frac{\partial Loss}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial w_{21}}$$

$$\frac{\partial Loss}{\partial w_{22}} = \frac{\partial Loss}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial w_{22}}$$

$$\frac{\partial Loss}{\partial b_2} = \frac{\partial Loss}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial b_2}$$



Backpropagation


Backpropagation of DNN

Step 4: Input Layer weights Gradients

$$\frac{\partial Loss}{\partial w_{11}} = \frac{\partial Loss}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial a_1} \cdot \frac{\partial a_1}{\partial w_{11}}$$

$$\frac{\partial Loss}{\partial w_{13}} = \frac{\partial Loss}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial a_1} \cdot \frac{\partial a_1}{\partial w_{13}}$$

$$\frac{\partial Loss}{\partial b_{11}} = \frac{\partial Loss}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial a_1} \cdot \frac{\partial a_1}{\partial b_{11}}$$



Backpropagation

Backpropagation of DNN

Step 5: Update all weights

$$w_{11} = w_{11} - \alpha \cdot \frac{\partial Loss}{\partial w_{11}}$$

$$w_{12} = w_{12} - \alpha \cdot \frac{\partial Loss}{\partial w_{12}}$$

$$w_{13} = w_{13} - \alpha \cdot \frac{\partial Loss}{\partial w_{13}}$$

$$w_{14} = w_{14} - \alpha \cdot \frac{\partial Loss}{\partial w_{14}}$$


$$w_{21} = w_{21} - \alpha \cdot \frac{\partial Loss}{\partial w_{21}}$$

$$w_{22} = w_{22} - \alpha \cdot \frac{\partial Loss}{\partial w_{22}}$$

$$b_{11} = b_{11} - \alpha \cdot \frac{\partial Loss}{\partial b_{11}}$$

$$b_{12} = b_{12} - \alpha \cdot \frac{\partial Loss}{\partial b_{12}}$$

$$b_2 = b_2 - \alpha \cdot \frac{\partial Loss}{\partial b_2}$$




Content


- ~~History and Intro to Deep Learning~~
- ~~Model representation of Artificial Neural Network~~
- ~~Loss Functions of Neural Network~~
- ~~Backpropagation~~
- ~~Activation Functions~~
- ~~Implementation of DNN~~

Activation Functions

Sigmoid function




Tanh function




Activation Functions

Rectified Linear Unit (ReLU) function




Leaky ReLU function




Activation Functions

Exponential Linear Unit (ELU)



Scaled ELU (SELU)



$$\alpha = 1.6732632423543772848170429916717$$

$$\lambda = 1.0507009873554804934193349852946$$

Content

- ~~History and Intro to Deep Learning~~
- ~~Model representation of Artificial Neural Network~~
- ~~Loss Functions of Neural Network~~
- ~~Backpropagation~~
- ~~Activation Functions~~
- Implementation of DNN



