

Mutantes de los puntos de rechazo del validador

Corrida: 2026-09-22T02:22:24.103Z · aiken aiken v1.1.21+42babe5

51 mutantes: 51 muertos, 0 vivos, 0 inválidos.

Archivo:línea	Qué se sacó	Chequeo original	Resultado	Tests que lo detectaron
validators/s tage.ak:37	condición de filtro	<code>list.filter(outputs, fn(output) { output.address == address })</code>	muerto	<code>spend_accepts_an_unrelated_output_elsewhere</code>
validators/s tage.ak:51	conjunción de and	<code>output.address.payment_credential == Script(policy),</code>	muerto	<code>mint_rejects_token_not_locked_in_the_script</code>
validators/s tage.ak:52	conjunción de and	<code>assets.quantity_of(output.value, policy, stage_ref) == 1,</code>	muerto	<code>mint_rejects_output_holding_extra_units_of_the_token</code>
validators/s tage.ak:60	condición de filtro	<code> > list.filter(fn(input) { input.output.address == address })</code>	muerto	<code>spend_accepts_an_extra_wallet_input</code>
validators/s tage.ak:69	punta infinita aceptada	<code>expect Finite(lower) = range.lower_bound.bound_type</code>	muerto	<code>spend_rejects_missing_lower_bound</code>
validators/s tage.ak:70	punta infinita aceptada	<code>expect Finite(upper) = range.upper_bound.bound_type</code>	muerto	<code>spend_rejects_missing_upper_bound</code>
validators/s tage.ak:72	conjunción de and	<code>now >= lower,</code>	muerto	<code>spend_rejects_timestamp_one_below_lower_bound</code>
validators/s tage.ak:73	conjunción de and	<code>now <= upper,</code>	muerto	<code>spend_rejects_timestamp_outside_validity_range, spend_rejects_timestamp_one_above_upper_bound</code>
validators/s tage.ak:91	expect booleano	<code>expect assets.quantity_of(own_input.output.value, own_policy, old_datum.stage_ref,) == 1</code>	muerto	<code>spend_rejects_own_input_with_two_units_when_a_decoy_absorbs_carrying_thread</code>
validators/s tage.ak:100	expect booleano	<code>expect inputs_at_address(tx.inputs, own_address) == 1</code>	muerto	<code>spend_rejects_two_script_inputs</code>
validators/s tage.ak:101	patrón de lista: elementos de más	<code>expect [continuing_output] = at_address(tx.outputs, own_addresses)</code>	muerto	<code>spend_rejects_a_second_output_at_the_exact_script_address</code>
validators/s tage.ak:104	patrón de lista: elementos de más	<code>expect [_] = carrying_thread(tx.outputs, own_policy, old_datum.stage_ref)</code>	muerto	<code>spend_rejects_thread_split_across_a_staking_variant_of_the_script_address</code>

Archivo:línea	Qué se sacó	Chequeo original	Resultado	Tests que lo detectaron
validators/stage.ak:107	expect booleano	expect list.has(tx.extra_signatories, admin)	muerto	spend_rejects_missing_admin_signature
validators/stage.ak:125	expect booleano	expect continuing_output.value == own_input.output.value	muerto	spend_rejects_ada_drain_while_keeping_the_token
validators/stage.ak:136	conjunción de and	valid_datum_evolution(old_datum, new_datum, to, completion),	muerto	spend_rejects_new_datum_of_the_wrong_type, spend_rejects_invalid_transition, spend_rejects_leaving_completed y 4 más
validators/stage.ak:137	conjunción de and	time_ok,	muerto	spend_rejects_timestamp_outside_validity_range, spend_rejects_open_ended_validity_range, spend_rejects_timestamp_one_below_lower_bound y 3 más
validators/stage.ak:144	expect booleano	expect list.has(tx.extra_signatories, admin)	muerto	mint_rejects_missing_admin_signature
validators/stage.ak:150	patrón de lista: elementos de más	expect [Pair(asset_name, 1)] = dict.to_pairs(assets.tokens(tx.mint, policy_id))	muerto	mint_rejects_two_asset_names_when_both_are_present_in_the_output
validators/stage.ak:150	patrón de lista: cualquier cantidad	expect [Pair(asset_name, 1)] = dict.to_pairs(assets.tokens(tx.mint, policy_id))	muerto	mint_rejects_a_burn
validators/stage.ak:153	patrón de lista: elementos de más	expect [thread_output] = carrying_thread(tx.outputs, policy_id, asset_name)	muerto	mint_rejects_two_outputs_each_carrying_one_unit
validators/stage.ak:158	conjunción de and	initial_datum.stage_ref == asset_name,	muerto	mint_rejects_asset_name_not_matching_stage_ref
validators/stage.ak:159	conjunción de and	valid_initial_datum(initial_datum),	muerto	mint_rejects_starting_outside_pending, mint_rejects_preloaded_evidence
validators/stage.ak:164	fail	fail	muerto	else_rejects_other_script_purposes
lib/propnexu/s/fsm.ak:95	rama de when	Pending -> to == InProgress	muerto	t_pending_to_pending, t_pending_to_observed, t_pending_to_completed
lib/propnexu/s/fsm.ak:96	rama de when	InProgress -> to == Observed to == Completed	muerto	t_in_progress_to_pending, t_in_progress_to_in_progress
lib/propnexu/s/fsm.ak:97	rama de when	Observed -> to == InProgress	muerto	t_observed_to_completed, t_observed_to_pending, t_observed_to_observed

Archivo:línea	Qué se sacó	Chequeo original	Resultado	Tests que lo detectaron
lib/propnexu s/fsm.ak:98	rama de when	Completed -> False	muerto	t_completed_is_terminal_to_pending, t_completed_is_terminal_to_in_progress, t_completed_is_terminal_to_observed y 3 más
lib/propnexu s/fsm.ak:106	conjunción de and	new.project_ref == old.project_ref,	muerto	t_identity_rejects_project_swap
lib/propnexu s/fsm.ak:107	conjunción de and	new.stage_ref == old.stage_ref,	muerto	t_identity_rejects_stage_swap, spend_rejects_identity_rewrite
lib/propnexu s/fsm.ak:108	conjunción de and	new.sequence_order == old.sequence_order,	muerto	t_identity_rejects_sequence_swap
lib/propnexu s/fsm.ak:109	conjunción de and	new.validation_critical == old.validation_critical,	muerto	t_identity_rejects_criticality_swap
lib/propnexu s/fsm.ak:122	cuerpo de if	bytearray.length(evidence_root) == commitment_length	muerto	t_critical_needs_a_full_commitment, t_evolution_rejects_critical_without_evidence, spend_rejects_completing_critical_without_evidence
lib/propnexu s/fsm.ak:136	conjunción de and	new.state == to,	muerto	t_evolution_rejects_datum_state_mismatch
lib/propnexu s/fsm.ak:137	conjunción de and	valid_transition(old.state, to),	muerto	t_evolution_rejects_leaving_terminal, spend_rejects_leaving_completed
lib/propnexu s/fsm.ak:138	conjunción de and	identity_preserved(old, new),	muerto	spend_rejects_identity_rewrite
lib/propnexu s/fsm.ak:143	conjunción de and	to == Completed,	muerto	t_evolution_rejects_completion_payload_matching_a_non_completing_transition
lib/propnexu s/fsm.ak:144	conjunción de and	new.evidence_root == evidence_root,	muerto	t_evolution_rejects_evidence_root_mismatch_between_redeemer_and_datum
lib/propnexu s/fsm.ak:145	conjunción de and	new.completed_at == now,	muerto	t_evolution_rejects_completed_at_mismatch_between_redeemer_and_now
lib/propnexu s/fsm.ak:146	conjunción de and	now > 0,	muerto	t_evolution_rejects_zero_timestamp
lib/propnexu s/fsm.ak:147	conjunción de and	completion_evidence_ok(old.validation_critical, evidence_root),	muerto	t_evolution_rejects_critical_without_evidence, spend_rejects_completing_critical_without_evidence
lib/propnexu s/fsm.ak:151	conjunción de and	to != Completed,	muerto	t_evolution_rejects_completion_without_payload
lib/propnexu s/fsm.ak:152	conjunción de and	new.evidence_root == old.evidence_root,	muerto	t_evolution_rejects_evidence_rewrite_on_flag, prop_non_completing_evolution_preserves_evidence

Archivo:línea	Qué se sacó	Chequeo original	Resultado	Tests que lo detectaron
lib/propnexu s/fsm.ak:153	conjunción de and	new.completed_at == 0 ld.completed_at,	muerto	t_evolution_rejects_completed_ at_rewrite_on_flag
lib/propnexu s/fsm.ak:162	conjunción de and	len > 0,	muerto	t_initial_rejects_empty_refs
lib/propnexu s/fsm.ak:163	conjunción de and	len <= max_ref_lengt h,	muerto	t_initial_rejects_ref_longer_t han_an_asset_name
lib/propnexu s/fsm.ak:173	conjunción de and	d.state == Pending,	muerto	t_initial_rejects_non_pending_ state, mint_rejects_starting_ou tside_pending
lib/propnexu s/fsm.ak:174	conjunción de and	d.evidence_root == "",	muerto	t_initial_rejects_preloaded_ev idence
lib/propnexu s/fsm.ak:175	conjunción de and	d.completed_at == 0,	muerto	t_initial_rejects_preloaded_ti mestamp
lib/propnexu s/fsm.ak:176	conjunción de and	d.sequence_order > 0,	muerto	t_initial_rejects_non_positive_ _sequence
lib/propnexu s/fsm.ak:177	conjunción de and	valid_ref(d.project_r ef),	muerto	t_initial_rejects_empty_refs
lib/propnexu s/fsm.ak:178	conjunción de and	valid_ref(d.stage_re f),	muerto	t_initial_rejects_empty_refs, t _initial_rejects_ref_longer_tha n_an_asset_name

Los 7 `expect` que desarmen o castean no se mutan: los cubre `rechazos-trazas.mjs`.