

Test report — 2026-09-21

Milestone 3 evidence for Catalyst: "Public GitHub repo(s) ... with **CI logs, coverage report ...**" and "API docs + **test reports with coverage/outcomes**".

Every result comes from the CI run of commit [31fc854](#). The only exception is the coverage of three packages, marked **measured locally**, because CI only measures coverage for the API.

English translation of the working document `specs/EVIDENCIA-2026-09-21-reporte-de-tests.md`, as of 2026-09-21.

The CI run

[Run 35650018189](#), 2026-09-21 20:16 UTC, all four jobs green.

GitHub deletes Actions logs after 90 days, so a **full copy lives in the repository**: [ci-run-35650018189.log](#). It is the raw output of `gh run view 35650018189 --log`, with color codes stripped. The only secrets that appear in it are CI test values (`JWT_SECRET: ci-secret-jamas-en-produccion`, "never in production").

Job	What it runs	Result
App TS	lint (Biome) · typecheck · test ID traceability · API tests with coverage · web, shared and cardano tests · dependency scan · build · smoke test of the compiled start command	✓
Aiken contracts	<code>aiken fmt --check</code> · <code>aiken check</code> · <code>aiken build</code> , and that the committed <code>plutus.json</code> is up to date	✓
Static analysis	Semgrep, rulesets <code>p/security-audit</code> + <code>p/owasp-top-ten</code>	✓ 127 rules, 434 files, 0 findings
E2E Playwright	the whole app against a migrated and seeded database, on mobile (390 px) and desktop (1440 px)	✓ 90 passed

Results per package

Package	What it covers	Tests	Result
<code>contracts/</code> (Aiken)	the on-chain validator: stage state machine, thread token, evidence rules	85 (83 unit + 2 property)	✓ 85/85
<code>apps/api</code>	the API: routes, authorization, anchoring, state machine, migrations	544	✓ 541 passed · 3 skipped
<code>packages/cardano</code>	the anchoring port (simulated and real)	92	✓ 92/92
<code>packages/shared</code>	the shared Zod contract, the state machine, Merkle trees	101	✓ 101/101
<code>apps/web</code> (unit)	components, <code>i18n</code> , <code>ApiPort</code> checked against the OpenAPI document	936	✓ 936/936

Package	What it covers	Tests	Result
apps/web (E2E)	the flows of the four roles plus admin, on two viewports	90	✅ 90/90
Total		1,848	1,845 passed · 3 skipped · 0 failed

The 3 skipped tests are intentional: they are `apps/api/test/storage-s3.test.ts`, which runs against a real S3 (MinIO). The same applies to `packages/cardano/src/yaci.test.ts`, which runs against a local Cardano node and is excluded by that package's test script. CI does not start that infrastructure; both are run by hand with `pnpm --filter @plataforma/api test:s3` and `pnpm --filter @plataforma/cardano test:yaci`.

Until this report, CI only ran the API tests. The web, shared and cardano tests ran locally in `pnpm verify` and never in CI. This was found while preparing this report and fixed in the same commit this run verifies (31fc854).

Coverage

Package	Lines	Statements	Branches	Functions	Source
apps/api	89.3%	83.2%	71.1%	86.7%	CI (<code>pnpm test:coverage</code>), with minimum thresholds that fail the build
packages/cardano	90.1%	89.5%	82.2%	94.4%	measured locally
packages/shared	61.2%	63.7%	96.6%	94.7%	measured locally
apps/web (unit)	27.6%	27.1%	22.0%	29.1%	measured locally

How to read the two lowest:

- **packages/shared** is mostly Zod schema declarations. Branches and functions, which is where the logic lives (the state machine, Merkle trees, evidence rules), are above 94%.
- **apps/web** has low unit coverage because screens are not unit-tested: they are covered by the E2E suite (90 tests: the flows of the four roles and the admin, on two viewports). Unit tests cover the shared components, the i18n dictionary and the `ApiPort` contract against the published OpenAPI document.

The contracts (`contracts/`) have no line coverage percentage: Aiken does not measure line coverage. The coverage evidence for the validator is the *rejection point* → *test that exercises it* table in [contracts/CLAUDE.md](#): every condition under which the validator rejects a transaction has at least one test that triggers it.

Security in the same run

- **Semgrep:** 0 findings (see above).
- **Dependency scan (`pnpm audit`):** 0 critical, which is the threshold that blocks the build. The full report lists 12 (4 high, 8 moderate), **all in build and test tooling**, none in what runs in production: `vitest` and its dependencies (`undici`, `nanoid`, `postcss`, `@vitest/mocker`) and the `@tanstack/router-plugin` chain (`browserslist`, `baseline-browser-mapping`). The triage is in the [security review](#).

A flaky test, disclosed

While preparing this report, one of three local runs of `pnpm test:coverage` failed in `apps/api/test/spec-213-un-bundle-por-stage.test.ts` with `SQLITE_BUSY: database is locked`. The other two passed completely, and so did the CI run. It is contention on the test's SQLite database when coverage instrumentation slows execution down, not a failure of what the test verifies.

How to reproduce

```
pnpm install
pnpm verify:all           # lint + typecheck + tests + build + Aiken
pnpm test:coverage        # API coverage, with its thresholds
pnpm --filter web e2e     # the E2E suite (starts web + api)
```