

Food Corner Website

Student: _____ **Section:** _____
Course: Web Technologies **Submission date:** _____

Project summary

Food Corner is a responsive single-page restaurant website built with HTML and CSS. It contains a navigation header, welcome area, four menu items with prices, an about section, an order request form and a footer. The CSS workshop explanations and examples are included in this report.

CSS concepts demonstrated

Concept	Where it appears
Inline, internal and external CSS	The welcome sticker has an inline style in index.html; an internal rule accents the contact eyebrow; style.css contains the site's main design.
Selectors	Element (body), class (.food-card), ID (#home), attribute (input[type="email"]), grouping (h1, h2, h3, p), and descendant (.food-card .food-content h3) selectors are in style.css.
Pseudo-classes and pseudo-elements	Navigation and order buttons use :hover. The first menu card uses :first-child. Menu headings use ::before and ::after.
Cascade, specificity and inheritance	The body supplies inherited font and color. The report's CSS workshop examples show inherited styles, conflicting selector specificity and equal-specificity rules resolved by source order.
Fonts, text and colors	Font family, size, weight and italic style; alignment, decoration and line height; named, HEX and RGB colors are used in the page styles.
Backgrounds, box model and cards	Menu imagery uses background-image, repeat, position and size. Cards use width, height, padding, borders, margin via the grid gap, border radius, shadow and border-box sizing.
Margin collapsing	The report's CSS workshop gives two adjoining vertical margins and explains why their gap is the larger margin rather than their sum.
Constraints and overflow	The report's examples use width, height, min-width, max-width, min-height, max-height, and show visible, hidden and scroll overflow.

Concept	Where it appears
Display values	The report demonstrates block, inline, inline-block and none. Navigation anchors on the website use inline-block.

CSS Workshop Examples

These short examples document the CSS concepts used in the lab.

Margin collapsing

```
.first { margin-bottom: 28px; }  
.second { margin-top: 18px; }
```

When these normal block elements are stacked vertically, their adjoining margins collapse. The visible gap is 28px, not 46px. Horizontal margins do not collapse in this way, and padding or a border between elements can prevent adjoining vertical margins.

Overflow

```
.visible { overflow: visible; }  
.hidden { overflow: hidden; }  
.scroll { overflow: scroll; }  
.example-box { height: 56px; }
```

Use content taller than the fixed-height box to observe visible overflow, clipped content, and scrolling content.

Width, height and display

```
.responsive-box {  
  width: 100%;  
  height: 140px;  
  min-width: 170px;  
  max-width: 420px;  
  min-height: 120px;  
  max-height: 180px;  
}  
.block-example { display: block; }  
.inline-example { display: inline; }  
.inline-block-example { display: inline-block; }  
.hidden-example { display: none; }
```

The minimum and maximum constraints limit the box as its available space changes. The display values control whether elements start on a new line, flow with text, keep box dimensions inline, or are removed from layout.

Cascade, specificity and inheritance

```
body { color: #61716a; }  
.note { color: #bd4f37; }  
.note { color: #245c50; }  
section .note { color: #183d37; }
```

The body color is inherited unless a child has its own color. Of the two equally specific .note rules, the later one wins by source order. The more specific section .note selector overrides both.

Margin collapsing observation

When two normal block elements are stacked vertically, their adjoining vertical margins can collapse into one margin. The resulting space is the larger of the two margins, not their total. In this demonstration, the first block has a 28px bottom margin and the second has an 18px top margin. The visible gap is 28px. Horizontal margins do not collapse in this way, and padding or a border between elements can prevent vertical margins from adjoining.

Testing and publishing

The layout is designed for desktop and mobile widths. The menu photographs load from Unsplash, so an internet connection is needed for those images. To create the requested PDF, open this report and choose **Print / Save as PDF**. Publish the FoodCorner folder using an approved static host such as GitHub Pages, Netlify or Vercel, then add the live URL here:

Live website URL: _____

Live demonstration notes

- Explain that normal block vertical margins collapse to the larger adjoining value.
- Compare overflow: visible, hidden and scroll using content taller than its box.
- Resize the browser to see min-width and max-width constraints affect a content box.
- Explain how source order resolves equal-specificity rules and how a more specific selector takes priority.